

Directory of Services

2022-2023 EDITION



YEARS



DIRECTORY OF SERVICES 2022-2023 EDITION

BIOREFERENCE LABORATORIES

Table of Contents

Welcome	A4
• Message from the Chief Medical Officer	A5
• Company Overview	A6
• Medical, Scientific, Laboratory Operations, and Service Staff	A7
• How to Contact Us	A8
• Licensure and Regulatory Information	A9
Patient Service Centers	A10
• Offerings	A11
• Locations and Scheduling	A12
Supplies	A13
• Important Regulatory Notice	A14
• Commonly Used Collection Supplies	A15
Specimen Preparation	A20
• Specimen Preparation, Labeling and Submission Criteria	A21
• Drugs of Abuse Testing	A24
• Instructions for Clean Catch Urine Collections, Urine Cultures, and Frozen Specimens	A27
• Cytology Directions	A28
• Anatomic Pathology (Biopsies and Surgical Specimens)	A31
• Collection and Transport of Specimens	A31
• Specimen Quality and Rejection Criteria	A38
Connectivity Solutions	A41
• InsightDx™: Online Test Ordering and Results	A42
• Order Entry	A43
• Collection Guidance for Specimen Requirements	A44
• Results Review	A45
• Laboratory Analytics	A46
• Patient Portal	A47
Scarlet Health®	A48
• About Scarlet Health	A49
Test Requisitions and Result Reports	A51
• Test Requisition Overview	A52
• Test Additions After Submission	A53
• Clinical Report	A54

Table of Contents

Test Requisitions and Result Reports (continued)	A51
• Heart Health Sample Report	A55
• ClariTest™ Core Report	A56
• Pap, HPV High Risk & CT/GC Report	A57
• InheriGen® Carrier Screening Report	A58
• Aerobic Vaginitis Report	A59
Billing and Payer Policies	A60
• Billing Policies and Insurance Coverage	A61
• Payer Policy	A63
Allergy Evaluations	A64
• Food Allergy and Childhood Allergy Profiles	A65
• Region 1 Respiratory Profile (Northeast)	A66
• Region 2 Respiratory Profile (Mid-Atlantic)	A67
• Region 3 Respiratory Profile (Southeast)	A68
• Region 4 Respiratory Profile (South Florida)	A69
• Region 10 Respiratory Profile (West South Central)	A70
• Region 12 Respiratory Profile (South CA, AZ Desert)	A71
• Region 13 Respiratory Profile (South CA Coast)	A72
• Region 14 Respiratory Profile (Central CA)	A73
• Region 17 Respiratory Profile (North CA and Pacific Northwest)	A74
How to Use the Test Directory	A75
• Instructions	A76
AMA Disease-Specific Profiles	A77
• Profiles and Test Codes	A78
Laboratory Tests in Alphabetical Order	B1
• Letters A - H	B2 - B373
• Letters I - P	B373 - B575
• Letters Q - X	B575 - B698
• Letters Y - Z	B698 - B711
Appendix	C712
• A - Z	C713 - C825

Welcome

Message from Dr. James Weisberger, M.D., Chief Medical Officer


To our valued customers,

The COVID-19 pandemic has challenged the healthcare industry in unprecedented ways. It has also demonstrated the courage, resilience, and compassion of healthcare providers like you, and we would like to thank you for continuing to choose BioReference as your laboratory services provider.

BioReference has always placed a priority on the health and safety of the customers, patients, and communities we serve. We have worked diligently to deliver testing solutions and technologies that you need to care for your patients. With innovative, new technologies, you will be able to better anticipate patient needs, improve efficiencies, enable end-to-end virtual visits, and provide more personalized care.

The Directory of Services will show you our capabilities as one of the largest full service specialty laboratories in the country. Please do not hesitate to call on your account representative if there is additional information that you need that is not provided in this directory. On behalf of the medical, scientific, and technical staff, as well as the numerous service and support personnel at BioReference, we hope that you are pleased with our service and we look forward to working with you this year and in the future.

Sincerely,



James Weisberger, M.D.
Chief Medical Officer

Company Overview

BIOREFERENCE IS DELIVERING RELIABLE, CONVENIENT, AND INNOVATIVE DIAGNOSTIC SOLUTIONS TAILORED TO THE SPECIFIC NEEDS OF HEALTHCARE PROVIDERS, CONSUMERS, AND ORGANIZATIONS.

BioReference Laboratories, Inc., is the largest full service specialty laboratory in the United States that gives healthcare providers and patients the power to make confident healthcare decisions. With a focus on genetics, oncology, urology, and women's health, BioReference offers comprehensive test solutions and unparalleled expertise based on a 40-year legacy of proven science. The company is in-network with the largest health plans in the United States, serves approximately 19 million patients annually, operates a network of 11 laboratory locations, and is backed by a medical staff of more than 300 M.D., D.O., Ph.D., genetic counselors, and other professional clinical and scientific personnel. With a national footprint and niche market experience, BioReference provides credible and innovative solutions that meet the needs of employers, governmental agencies, educational systems, hospitals and health systems, correctional institutions, sports leagues, travel and leisure industries, and retail markets. BioReference provides industry-leading custom solutions for COVID-19, including point-of-care testing and large-scale screening programs.

The COVID-19 pandemic has significantly changed how healthcare providers and patients view healthcare, and telemedicine has grown at an unprecedented rate. These changes will continue to transform healthcare and diagnostics now and in the future. As a physician-founded and physician-led laboratory, BioReference has always challenged the industry with a patient-centric approach. Now, as the healthcare industry moves into the next era, BioReference is prepared to meet the evolving needs of healthcare providers and consumers with solutions that are proven, agile, collaborative, patient-centric, and digitally enabled.

PROVEN EXPERTISE With a leading position in genetics, women's health, oncology, and urology, and 40 years of expertise in clinical diagnostics, BioReference offers a tailored suite of testing services to meet the needs of healthcare providers to better serve their patients.

COLLABORATIONS BioReference is building strategic collaborations and providing custom diagnostic solutions to local and national municipalities, health systems, employers, and large scale organizations.

PATIENT-CENTRIC BioReference continually emphasizes the importance of specialized personal care through services such as patient-friendly reports, 24/7 customer service, vast insurance coverage, payment plans, a patient portal for test results, and multi-lingual patient education materials.

DIGITALLY ENABLED BioReference is expanding options of how and where patients receive laboratory services, and is empowering consumers with knowledge and tools to enhance engagement in their healthcare through digitally-enabled, convenient, secure, HIPAA-compliant, on-demand, and safe solutions.

Medical and Scientific Staff	
Jon R. Cohen, MD	Executive Chairman, BioReference Laboratories, Inc.
James D. Weisberger, MD	Chief Medical Officer; Senior Vice President; Laboratory Director - Elmwood Park, NJ and Melbourne, FL
Tamera Paczos, MD, MS	Vice President, Associate Chief Medical Officer; Lab Director, Mineola, NY
Wojciech Gorczyca, MD, PhD	Chief of Flow Cytometry and Hematopathology Services
Luoquan Wang, MD	Chief of Anatomic Pathology and Cytopathology Services
James W. Sharp, MD, MBA	Vice President, Bioinformatics
Ayala Aviram-Goldring, PhD	Director, Constitutional and Prenatal Genetics
Jeffrey Gilbert, MD	Director, Sexually Transmitted Infections
Priscilla Fernandes, PhD	Director, Reproductive Genetics
Karim Ouachi, MD, FACMG	Director, Cancer Genetics
Hashim Othman, PhD	Director, Special Chemistry and Toxicology
Wojciech Swat, PhD	Interim Director, Cancer Genomics
Katherine Berezowski, MD	Laboratory Director - Clarksburg, MD, and Gaithersburg, MD
Andrew Grainger, MD	Laboratory Director - Columbus, OH
Dina Mody, MD	Laboratory Director, Cytology - Houston, TX
Yan Fan, MD	Laboratory Director - Park Avenue, New York, NY
Blythe Gorman, MD	Laboratory Director - Houston, TX
Anila Guruji, MD	Laboratory Director - Burbank, CA
Joseph Weisensel, DO	Laboratory Director - Hackensack, NJ

Laboratory and Service Operations	
Craig Allen	Chief Operating Officer; Senior Vice President
Regina Stewart	Senior Vice President, Clinical Laboratory Operations
Bill Punia	Vice President, Supply Chain Operations
Karen Muthusammy	Vice President, Customer Solutions
Vincent D'Orazio	Vice President, Operational Excellence
Amy Frank	Vice President, Point of Care Operations
Ada Gazzillo	Vice President, Pre-Analytic Operations
Victorine Ndjatou	Senior Director, Microbiology
Frank Buccini	Vice President, Technology
Jamie Schwartzmeyer	Vice President, Lab Network Operations
Brianna Amaral	Acting Director, Quality Systems

How to Contact Us	
Main Number	Telephone: (800)-229-5227 • Fax: (201)-345-7048
Español	Telephone: (888)-729-1201 • Fax: (201)-345-7048
Customer Service Clinical Laboratory Supplies	Telephone: (800)-229-5227 Option 1 • Fax: (201)-345-7048 Email: CustomerService@bioreference.com
Customer Service Women's Health Laboratory Supplies	Telephone: (800)-633-4522 Option 1 • Fax: (201)-345-7152 Email: WomensHealthCustomerService@genpathdiagnostics.com
Customer Service Oncology Laboratory Supplies	Telephone: (800)-627-1479 Option 1 • Fax: (201)-345-7166 Email: GenPathCustomerService@genpathdiagnostics.com
Billing	Telephone: (833)-4MYLABS (833-469-5227) • Fax: (201)-703-7130 Email: BillingCS@bioreference.com
Specimen Pick-Up Clinical	Telephone: (800)-229-5227 Option 3
Specimen Pick-Up Women's Health	Telephone: (800)-633-4522 Option 3
Specimen Pick-up Oncology	Telephone: (800)-627-1479 Option 3
Sales/Marketing/Account Setup	Telephone: (800)-229-5227 Option 4 Email: marketing@bioreference.com
Employee Directory By Name	Telephone: (800)-229-5227 Option 6
Human Resources	Telephone: (800)-229-5227 Ext. 8855
Compliance	Telephone: (800)-229-5227 Ext. 8222 Email: ComplianceDepartment@bioreference.com
Tech Support	Telephone: (800)-229-5227 Ext. 8462

Licensure and Regulatory Information

BioReference Laboratories, Inc., located in Elmwood Park, New Jersey currently holds licenses for testing in the following states, as well as a CLIA Certificate issued by the Centers for Medicare and Medicaid Services (CMS). For a full list of licensure, please visit: <https://www.bioreference.com/about/licensure/>

CLIA Certificate & State License/Permit	ID Number
CLIA Certificate of Accreditation	31D0652945
CAP Certificate of Accreditation	1237201
Medicare PTAN	301910
New York State	PFI 3130
New Jersey State License	0000283
Maryland State Permit	482
Pennsylvania State Permit	22757A
Rhode Island State License	LCO00305
California State License	CDS00800242
West Virginia State License	HIV Screening
Vermont State Certificate	Drug Screening
FDA License (Donor Services)	FEI:3003652672

Patient Service Centers

Patient Service Center Offerings

BioReference has a network of over 130 Patient Service Centers across the United States, providing convenient access and options for patients and healthcare providers alike.

BioReference Patient Service Centers are designed from the ground up with patient comfort in mind. From newly remodeled waiting rooms to courteous and professional phlebotomists, BioReference is dedicated to delivering a positive experience to every patient.

BioReference is contracted as an in-network provider with most national and regional insurance carriers. Patients having difficulty meeting their financial obligations or suffering from financial hardship may contact the laboratory to discuss payment options and determine eligibility for financial assistance by: calling 800-229-5227 (**option 2**) or emailing BillingCS@bioreference.com.

All patients must have a laboratory test order from a licensed healthcare provider at the time of the appointment. Please visit www.bioreference.com for a complete list of locations and hours of operation.

BioReference realizes every patient is unique. Service offerings available to your patients at our Patient Service Centers may include, but are not limited to:



Pediatric Draws



Coagulation Draws



Tuberculosis Screening




Chain-of-Custody Testing



STI Screening



Genetic Testing



*COVID-19 Antibody Testing


* Patients with orders for COVID-19 testing seeking evaluation of active disease infection will not be collected for molecular diagnostic testing via nasal-swab at BioReference Patient Service Centers. Nasal-swabbed specimens should be collected at healthcare provider offices, hospitals or other clinic settings.

Patient Service Center Locations and Scheduling

Finding a location is easier than ever with our online search tool.

Simply visit: www.bioreference.com.

Then choose Patients, Find a Location, then enter your zip code, and hit Search.




Find a Location

Patients may also schedule an appointment by selecting the red button labeled, **"CLICK HERE TO SCHEDULE AN APPOINTMENT"**.

This will open a new window where the patient will select **"Get Started"**. On the next page, the patient enters the requested information on the left-hand side of the page, and then selects **"Find nearest locations"**. Location options will populate in the middle of the screen, and the patient may then select the location of their choice by choosing **"Select"**.

On the following page, the patient will choose the date and time they prefer, and then select **"Complete Booking"**. The patient will receive a text and email confirmation of their appointment, which also provides helpful information about preparing for the appointment and accessing results.



Supplies


Important Regulatory Notice

The Federal Government, through the Centers for Medicare and Medicaid Services (CMS), has advised that laboratories may provide items, devices, or supplies if they are used solely to collect, transport, process, or store specimens. If any of these items, devices, or supplies may be used for purposes other than collection, transportation, processing, or storage of specimens, the laboratory may not provide them free of charge. An example of such an item are latex gloves. With regard to those items that are permitted, such as specimen collection devices (tubes, vials, needles, tourniquets etc.), the laboratory may only provide an amount that is reasonably related to the number of specimens referred to the laboratory by the healthcare provider.

NOTE: New York State law further restricts the provision of certain equipment and supplies that laboratories may provide to healthcare providers. New York permits laboratories to provide, at no charge, only those items, devices, or supplies that do not have any generally accepted use in healthcare practices other than to collect, transport, process, or store specimens. Further, these regulations specifically prohibit the distribution of additional items, such as adhesive bandages, alcohol prep pads, gauze pads, etc. Laboratories must provide permitted supplies, items, and devices of a size, type, and quantity reasonably related to the type and number of specimens being referred by the healthcare provider to the clinical laboratory.

Supplies and containers used for our laboratory services are provided at no additional charge. These include all blood collection tubes, needles, needle holders, slides, preservative solutions, and cytology fixative.

Supply request forms are available from the lab and should be used to request needed items. Please allow two to three days for delivery of your supplies.

	<p>Fax Your Order To: 201-345-7048</p>	<p>Account Number: _____</p>	<p>Account Name: _____</p>																																																																																																																
	<p>Email Your Order To: CustomerService@bioreference.com</p>	<p>Account Phone Number: _____</p>	<p>Account Email: _____</p>																																																																																																																
<p>Date of Request: ____ - ____ - ____</p>		<p>Signature of Client: _____</p>																																																																																																																	
<p>Please ensure you keep enough supply on hand for delivery turn around: For courier delivery, please allow 48-72 hours to process your order. For FedEx delivery, please allow 3-5 days to process your order.</p>		<p>Important Notice: Federal and State Law mandates that Clinical Laboratories may give clients only those supplies directly related to the collection of specimens and in amounts proportionate to specimens received from the client.</p>																																																																																																																	
<table border="1"> <thead> <tr> <th colspan="4">CYTOLOGY</th> <th colspan="4">PRINTER SUPPLIES</th> </tr> <tr> <th>Speedy#</th> <th>Description</th> <th>Units</th> <th>Qty. Req.</th> <th>Speedy#</th> <th>Description</th> <th>Units</th> <th>Qty. Req.</th> </tr> </thead> <tbody> <tr> <td>325</td> <td>SUREPATH BROOM</td> <td>Pack/50</td> <td></td> <td>804</td> <td>RESULT PAPER</td> <td>Ream/500</td> <td></td> </tr> <tr> <td>368</td> <td>SUREPATH BRUSHES/SCRAPER</td> <td>Pack/25</td> <td></td> <td>801</td> <td>SMART PRINTER LABELS</td> <td>Pack/2</td> <td></td> </tr> <tr> <td>313</td> <td>SUREPATH COLLECTION VIAL</td> <td>Pack/25</td> <td></td> <td>257</td> <td>TONER - HP M452DN CF410X (BLACK)</td> <td>Each</td> <td></td> </tr> <tr> <td>316</td> <td>THIN PREP BROOM</td> <td>Pack/50</td> <td></td> <td>256</td> <td>TONER - HP M452DN CF411X (CYAN)</td> <td>Each</td> <td></td> </tr> <tr> <td>369</td> <td>THIN PREP BRUSH/SPATULA</td> <td>Pack/25</td> <td></td> <td>255</td> <td>TONER - HP M452DN CF412X (YELLOW)</td> <td>Each</td> <td></td> </tr> <tr> <td>305</td> <td>THIN PREP COLLECTION VIAL</td> <td>Pack/25</td> <td></td> <td>254</td> <td>TONER - HP M452DN CF413X (MAGENTA)</td> <td>Each</td> <td></td> </tr> <tr> <th colspan="4">KITS</th> <td>852</td> <td>TONER - HP PRO 400 CE410X (BLACK)</td> <td>Each</td> <td></td> </tr> <tr> <th>Speedy#</th> <th>Description</th> <th>Units</th> <th>Qty. Req.</th> <td>853</td> <td>TONER - HP PRO 400 CE411A (CYAN)</td> <td>Each</td> <td></td> </tr> <tr> <td>248</td> <td>4KSCORE KIT</td> <td>Each</td> <td></td> <td>854</td> <td>TONER - HP PRO 400 CE412A (YELLOW)</td> <td>Each</td> <td></td> </tr> <tr> <td>907</td> <td>BREATH KITS - H. PYLORI KIT</td> <td>Each</td> <td></td> <td>855</td> <td>TONER - HP PRO 400 CE413A (MAGENTA)</td> <td>Each</td> <td></td> </tr> <tr> <td>404</td> <td>CHAIN OF CUSTODY (SINGLE)</td> <td>Each</td> <td></td> <th colspan="4">REQUISITIONS</th> </tr> <tr> <td>286</td> <td>CLARITEST COLLECTION KIT</td> <td>Each</td> <td></td> <th>Speedy#</th> <th>Description</th> <th>Units</th> <th>Qty. Req.</th> </tr> </tbody> </table>				CYTOLOGY				PRINTER SUPPLIES				Speedy#	Description	Units	Qty. Req.	Speedy#	Description	Units	Qty. Req.	325	SUREPATH BROOM	Pack/50		804	RESULT PAPER	Ream/500		368	SUREPATH BRUSHES/SCRAPER	Pack/25		801	SMART PRINTER LABELS	Pack/2		313	SUREPATH COLLECTION VIAL	Pack/25		257	TONER - HP M452DN CF410X (BLACK)	Each		316	THIN PREP BROOM	Pack/50		256	TONER - HP M452DN CF411X (CYAN)	Each		369	THIN PREP BRUSH/SPATULA	Pack/25		255	TONER - HP M452DN CF412X (YELLOW)	Each		305	THIN PREP COLLECTION VIAL	Pack/25		254	TONER - HP M452DN CF413X (MAGENTA)	Each		KITS				852	TONER - HP PRO 400 CE410X (BLACK)	Each		Speedy#	Description	Units	Qty. Req.	853	TONER - HP PRO 400 CE411A (CYAN)	Each		248	4KSCORE KIT	Each		854	TONER - HP PRO 400 CE412A (YELLOW)	Each		907	BREATH KITS - H. PYLORI KIT	Each		855	TONER - HP PRO 400 CE413A (MAGENTA)	Each		404	CHAIN OF CUSTODY (SINGLE)	Each		REQUISITIONS				286	CLARITEST COLLECTION KIT	Each		Speedy#	Description	Units	Qty. Req.
CYTOLOGY				PRINTER SUPPLIES																																																																																																															
Speedy#	Description	Units	Qty. Req.	Speedy#	Description	Units	Qty. Req.																																																																																																												
325	SUREPATH BROOM	Pack/50		804	RESULT PAPER	Ream/500																																																																																																													
368	SUREPATH BRUSHES/SCRAPER	Pack/25		801	SMART PRINTER LABELS	Pack/2																																																																																																													
313	SUREPATH COLLECTION VIAL	Pack/25		257	TONER - HP M452DN CF410X (BLACK)	Each																																																																																																													
316	THIN PREP BROOM	Pack/50		256	TONER - HP M452DN CF411X (CYAN)	Each																																																																																																													
369	THIN PREP BRUSH/SPATULA	Pack/25		255	TONER - HP M452DN CF412X (YELLOW)	Each																																																																																																													
305	THIN PREP COLLECTION VIAL	Pack/25		254	TONER - HP M452DN CF413X (MAGENTA)	Each																																																																																																													
KITS				852	TONER - HP PRO 400 CE410X (BLACK)	Each																																																																																																													
Speedy#	Description	Units	Qty. Req.	853	TONER - HP PRO 400 CE411A (CYAN)	Each																																																																																																													
248	4KSCORE KIT	Each		854	TONER - HP PRO 400 CE412A (YELLOW)	Each																																																																																																													
907	BREATH KITS - H. PYLORI KIT	Each		855	TONER - HP PRO 400 CE413A (MAGENTA)	Each																																																																																																													
404	CHAIN OF CUSTODY (SINGLE)	Each		REQUISITIONS																																																																																																															
286	CLARITEST COLLECTION KIT	Each		Speedy#	Description	Units	Qty. Req.																																																																																																												

Commonly Used Collection Supplies

A full list of supplies can be found on the supply order form



SST with Clot Activator Order #101:

This tube is the standard Serum Separator Tube. Please follow these instructions when using the Barrier Tube or the SST Tube with Clot Activator in order to obtain the most accurate test results:

1. Collect blood specimen using the usual venipuncture technique. Fill tube completely.
2. Gently invert barrier tube five times to mix clot activator with blood.
3. Allow blood to clot for 30 minutes.
4. Centrifuge at high speed for 15 minutes.
5. Remove from centrifuge. Barrier will have formed, separating cells from serum. All of the separation gel should have moved from the bottom of the tube to form a barrier layer.
6. The sample is now ready to be transported to the laboratory. Do not remove stopper.



Lavender Top Order #102:

EDTA as anticoagulant. Avoid exposure to extreme hot or cold temperatures. Available in size 4mL. Also available in microtainer sizes for capillary collections.



Tan Top Order #105:

K2EDTA (plasma), used for lead.



Yellow Top Order #106:

ACD A additive (plasma tube) used for cultures and other tests.



Royal Blue Top Order #107:

EDTA tube.

Commonly Used Collection Supplies



Royal Blue Top
Order #108:

No additive, trace metals free.



Grey Top
Order #112:

Potassium Oxalate as an anticoagulant. Sodium Fluoride as preservative. Available in 6mL size.



Green Top
Order #116:

Sodium or Ammonium Heparin as anticoagulant. Available in size 6mL.



Red Top, Plain
Order #121:

No additive. Available in 4mL size. Used for tests where gel separator is not desirable, such as therapeutic drug monitoring, etc. There is no need to centrifuge this tube, as it will not remain separated during transport.



Light Blue Top
Order #125:

Sodium citrate as anticoagulant. Available in 2.7mL size. This is a siliconized tube containing a citrate solution.



White Top
Order #126:

PPT gel tube containing EDTA (plasma tests).



ThinPrep Preservative Fluid Collection Vial
Order #305:

Collection container for cervical and vaginal specimens. Used for GenPap testing.



Micro Test M4 Transport
Order #306:


Used for Chlamydia, Mycoplasma, and Ureaplasma cultures.

Commonly Used Collection Supplies



SurePath Preservative Fluid Collection Vial
Order #313:

Collection container for cervical and vaginal specimens. Used for GenPap testing.



ThinPrep Broom
Order #316:

Used to collect a cytology sample.



SurePath Broom
Order #325:

Used to collect a cytology sample.




O&P (Ova & Parasite) Kit
Order #328:

For Faecal Concentration of Helminth Ova And Larvae / Protozoa Cysts and Oocysts.



JEMBEC Plate
Order #354:

Plastic compact container with chocolate agar and CO₂-generating tablet. Use for Gonorrhea cultures.



SurePath Brush
Order #368:

Used to collect a cytology sample.



ThinPrep Spatula
Order #369:

Used to collect a cytology sample.



Sterile Container
Order #401:

Plastic, wide-mouthed 5-ounce sterile container with graduated measure indicator on side. Supplied with cap.

Commonly Used Collection Supplies



Urine Container, for 24-hour Urine Collection Order #406:

64-ounce plastic container with handle. Must specify: No Preservative, 6N HCL, or Boric Acid.



Urinalysis Tube Order #409:

Plastic vial with graduated measurement indicator and yellow cap. Stabilizing preservative added. (Note: may be a coated tube, or contain tablet.)

*Do Not Use For Urine Cultures.



BD Probetec Tube Order #413:

Used for Male STI Urine Profile testing.



BBL Culture Swab Order #501:

Used for Group B Strep by PCR, Group A Strep, DNA, Myobacterial (Acid Fast Bacillus) Culture/Stain, and Fungal Culture + Stain.



Culturette, White E-Swab Order #502:

Used for aerobic/anaerobic cultures.



Aptima Swab Order #503:

Used for Chlamydia and Gonorrhea testing.



Dacron Swab Order #504:

Used for collection of anogenital samples.



Digene Swab Order #505:

Used for HPV testing.

Commonly Used Collection Supplies



**GenProbe Urine Collection
Order #506:**

Plastic vial with white screw cap. Bacteriostatic preservative present. Use for Chlamydia and Gonorrhea testing.

*Do Not Use For Routine Urinalysis.



Meridian Viral Transport Vial Order #507:

Used for Herpes Select I/II cultures.



Swab Viral Culturette Order #509:

Used for Chlamydia, Mycoplasma, and Ureaplasma cultures.



BD Affirm Swab Order #511:

Used for Candida, Trichomonas, and Gardnerella testing.



Culturette, Blue E-Swab Order #513:

Used for aerobic/anaerobic cultures from nasopharynx and pediatric sample collection.



Culturette, Green E-Swab Order #514:

Used for routine aerobic/anaerobic cultures from eye, ear, nasopharynx, and urogenital tracts.



Charcoal Swab Order #516:

Used for Gonorrhea testing.

Specimen Preparation

Specimen Preparation and Labeling

All specimens may be potentially infectious material and should be handled, labeled, and transported accordingly.


It is essential that the following instructions be followed exactly to ensure delivery of a specimen that is adequate for testing. All specimens must be properly identified by using a minimum of two unique patient identifiers, per CLIA, that must include the patient's full name and at least one of the following: date of birth, chart number, or a unique identifier. Also, the collector must be identified on all specimen containers submitted. The test requisition form must be completed and must include the time and date of the specimen collection, as well as the referring physician's name and contact information, or other legally authorized person requesting the patient's test(s) and such ordering provider's signature. Electronic signature is acceptable as the order can be placed through an electronic medical record (EMR); or documentation needs to be in the patient medical record of the treating healthcare provider site clearly indicating intent to order the test(s) and signed by the ordering healthcare provider.

Proper Phlebotomy Techniques



1 Fill tubes to capacity required level

Always make sure to collect enough specimen.



2 Mix gently

Immediately following collection, all plastic tubes require mixing. Invert all tubes eight (8) times, except Light Blue tubes (invert four (4) times).



3 Separate

Do not use gel tubes (red/black SST®) for toxicology or drug testing.

Specimen Submission Criteria

Blood: When whole blood is requested, obtain the full amount in a vacuum tube as shown in the specimen requirement section of this compendium.

Lavender, Grey, Green, Yellow, Tan, and Royal Blue Top tubes contain different anticoagulants that inhibit blood coagulation. When drawing these specimens, immediately invert the tube 8-10 times. Invert Light Blue Top tubes 4 times.

Do not shake the tube, as this can cause hemolysis.

Serum: Obtain sufficient blood to yield the required volume of serum. A plain Red Top tube or Red/Speckled Top Barrier Gel tube (SST) should be used. (Refer to tests section for details.) A 10mL Red or SST tube will yield approximately 5 mL of serum.

When drawing these specimens, immediately invert the tube eight (8) times. Allow the blood to clot upright in a rack for 30 minutes, not to exceed 60 minutes, then centrifuge for 15 minutes at 3135-3465 RPMs to separate the serum (4500-5000 RPMs for coagulation testing). If a Barrier Gel tube is used, no other manipulations are required. Make sure that the gel has formed a thick, solid, intact barrier between the serum and the clotted cells. **If the gel trails into the bottom of the tube, re-centrifuge the tube for another 10 minutes.** If a plain Red Top tube is used, transfer the serum with a pipette to a Transfer tube. **It is important to avoid hemolysis.** Serum in contact with red cells may produce erroneously high potassium, LDH, AST, and ALT results and erroneously low glucose results.

Plasma: When processing plasma, follow the instructions for each test. A 5mL tube with anticoagulant will yield approximately 2.5 mL of plasma.

Urine/Urinalysis: To adequately test urine specimens, the sample should be collected in a tube with a stabilizing chemical present. The tube provided contains a **yellow** "pop off" cap and a "Stabilur®" tablet or coated tube that preserves the formed elements, such as red cells, white cells, casts, and epithelial cells. For urinalysis, use a paper cup and transfer about 10 mL of urine to the tube and replace cap and ensure proper labeling.

Urine Chemistry: Some assays require a 24-hour collection that may contain boric acid, hydrochloric acid, or sodium carbonate as a preservative. Some analyses require a urine specimen without any additive. **Refer to the specific test in this compendium for test details.** Instruct the patient to discard the first urine voided upon arising in the morning thereafter, collect all urine specimens in a paper cup and transfer to the 24-hour container, including the first morning void of the following day. A normal intake of fluid is recommended. Measure the 24-hour volume and record it on the container and the test requisition form. Keep the specimen refrigerated until picked up by the laboratory. Urine chemistry tests that do not require a 24-hour collection container and can be submitted in the container specified in the compendium. Please keep refrigerated.

Urine, Drugs of Abuse (DAU): For routine DAU testing, submit a specimen in a sterile urine collection cup with no preservative.

Urine, COC for Drugs of Abuse: The donor providing the urine specimen must be advised regarding the purpose of the specimen collection and the consequences it may have, legal or otherwise. The donor must sign the consent in chain of custody request form. Ask donor to remove unnecessary outer garments and personal belongings. The donor may retain his or her wallet. Check bathroom for any containers, waste, etc., before the donor enters and after the donor exits. Accompany the donor into the bathroom. Have the donor wash and dry hands. After washing hands, the donor shall remain in the presence of the collection site personnel and shall not have access

to any water fountain, faucet, soap dispenser, cleaning agent, or any other material that could be used to adulterate the urine specimen. The donor is to be instructed not to flush the toilet until the specimen is delivered to the collector. The donor may be given a larger container from which the urine specimen is transferred to the sample container(s) for submission to the laboratory. The transfer and sealing of the sample must be done in the presence of the donor until such time as the sample bottle is sealed with a tamperproof seal. The donor must also initial the seal.

Drugs of Abuse Testing

The following are intended to be used as general guidelines only. Many variables may affect duration of detection, such as drug metabolism and half-life, subject's physical condition, fluid balance and state of hydration, and route and frequency of ingestion.

Drug Name	Screen Cutoff	Confirmation Cutoff
Amphetamines Also known as: Speed Pharmaceutical Names: Dexedrine, Benzedrine	1000 ng/mL	500 ng/mL
Benzodiazepines Pharmaceutical Names: Diazepam (Valium), Oxazepam (Serax), Chlor-diazepoxide (Librium), Alprazolam (Xanax), Chlorazepate (Tranxene), Temazepam (Restoril)	100, 200 ng/mL	200 ng/mL
Clonazepam/7-aminoclonazepam		25 ng/mL
Cannabinoids Also known as: Dope, Weed, Hemp, Hash, Colombian, Sinsemilla Pharmaceutical Names: Marinol	100, 50, 20 ng/mL	15 ng/mL
Cocaine Also known as: Coke, Crack, Rock	100, 300 ng/mL	150 ng/mL
Methadone Also known as: Fizzies Pharmaceutical Names: Amidone, Dolophine	300 ng/mL	200 ng/mL
Phencyclidine Also known as: PCP, Angel Dust	25 ng/mL	25 ng/mL
Opiates Also known as: Cotton, Oxycotton, Percs Pharmaceutical Names: Oxycodone (OxyContin®), Hydrocodone (Vicodin®), Codeine, Morphine, etc.	200, 300 ng/mL	300 ng/mL
Propoxyphene Also known as: Biscuits, Chill Pills, Trammies Pharmaceutical Names: Darvon, Darvocet, Ultram	300 ng/mL	300 ng/mL
Methaqualone Also known as: Quaaludes, Sopors, Ludes, Mandrax	300 ng/mL	
Alcohol Biomarkers (ETG) Pharmaceutical Names: Diazepam (Valium)	500 ng/mL	500 ng/mL for ETG 250 ng/mL for ETS

Drug Name	Screen Cutoff	Confirmation Cutoff
Alcohol, Urine	50, 20 mg/dL	20 mg/dL
Alcohol, Blood	10 mg/dL	10 mg/dL
Oxycodone Also known as: Oxycontin/Percocet	300 ng/mL	300 ng/mL
Buprenorphine Also known as: Subutex, Suboxone	5 ng/mL	5 ng/mL
Methadone Metabolite	300 ng/mL	
6-Monoacetyl Morphine (6-MAM)*	10 ng/mL	10 ng/mL
3, 4-Methylenedioxymethamphetamine (MDMA) Also known as: Ecstasy, Molly	300 ng/mL	
Meperidine (Demerol)	200 ng/mL	
Tramadol	200 ng/mL	
K2 Group 1 Also known as: Spice	20 ng/mL	
K2 Group 2 Also known as: Spice	10 ng/mL	
Fentanyl	2 ng/mL	
Serum Drug Screen 10 drug panel: Amphetamine, Methamphetamine, Opiates, Cocaine Benzodiazepines, THC, Barbiturates, Methadone, PCP, Oxycodone		

*6-Monoacetyl Morphine (6-MAM) is a specific and very short-lived metabolite of heroin. Confirmation of (6-MAM) by GC/MS in urine specimens serves as a positive indicator of recent heroin use.

Testing Methodologies: Specimen is initially screened using an enzyme immunoassay (EIA). Our initial screening assays are semi-quantitative and provide a numeric value as positive or negative result, indicating the presence or absence of a respective drug or drug class. Gas Chromatography/Mass Spectrometry (GC/MS) or Liquid chromatography/Mass Spectrometry (LC/MS) is recommended for any positive EIA results that will be used for legal or employment purposes, as this test can identify and quantify the amount of specific drug present in samples.

Chain of Custody Tracking Services: BioReference provides a custody and control form which is a six-part chain of custody document. A chain of custody document is a drug specimen collection tool that outlines the steps of the collection process to collectors. Also provided for chain of custody tests are TamperChecks, which are tests to confirm that specimens have not been adulterated. Validity testing also guards against adulteration, whereby you can guarantee the veracity of the urine drug test by accounting for pH, creatinine levels, and specific gravity, and testing for adulterants that may have been introduced to the urine specimen. The adulterants detected include bleach, nitrites, chromates, and other oxidizing agents.

Clean Catch Midstream Urine Collection:

1. Instruct patient to unscrew the cap of the urine cup, then place the cap on the counter facing upward. To avoid contamination, instruct patient not to touch the inside of the cup, cap, or straw.
2. Patients should clean themselves with towelettes as follows:
 - a. **Males** – Wipe the head of the penis in a single motion with the first towelette, then repeat with the second. If uncircumcised, hold the foreskin back both before cleansing and while collecting the urine sample.
 - b. **Females** – Separate the labia, and wipe the inner folds of skin from front to back in a single motion with the first towelette, then down through the center of the labial folds with the second towelette. Make sure to keep the labia separated while collecting the urine sample.
3. Patients should urinate in a controlled stream into the toilet.
4. Patients should place the collection cup under the stream of urine and continue to urinate into the cup. Once the collection cup is full, they may finish urinating into the toilet.
5. Patient should then notify the healthcare practitioner of completed collection for next steps.

Urine Culture:

Specimen for Urine Culture should be transported in a BD Vacutainer® Grey-Top tube. Instruct the patient not to urinate directly into the vial. The patient should urinate directly into a paper collection cup, and then immediately transfer the specimen into the tube. Refrigerate the specimen as soon as possible.

Frozen Specimens:

Certain tests must be submitted frozen because of the viability of the analyte being tested. Keep all frozen specimens separate from the routine tests and submit a separate test requisition form. As soon as possible, separate the serum or plasma and transfer to a plastic transfer tube. Place the specimen in the freezer and keep until it is solid. **[Notify the Transportation Department as soon as possible that you have a frozen specimen for pick-up.](#)**

PLEASE STORE YOUR SPECIMEN IN THE FREEZER UNTIL PICK-UP, UNLESS SPECIFICALLY INSTRUCTED TO DO OTHERWISE.

Cytology Instructions

Use the Cytology requisition form for all cytology specimens. Relevant clinical information such as last menstrual period (LMP), prior diagnosis, etc., should be noted in the spaces provided.

Fine Needle Aspiration Biopsy (FNA):

1. Collect sample directly into 30 mL of CytoLyt® solution. If specimen must be collected in an intravenous solution, use a saline solution.
2. Label appropriately and send immediately in securely closed container.

Note: If possible, flush the needle and syringe with a sterile anticoagulant solution prior to aspirating the sample. Some anticoagulants may interfere with other cell processing techniques, so use caution if using the specimen for other testing.

Body Fluids (including urine, pleural fluid, ascites, CSF, and pericardial fluid):

1. Collect body fluids directly into 30 mL of Cytolyt solution. **Note:** Urine may be collected in PreservCyt® solution. A 2:1 urine-to-PreservCyt ratio is required. The UroCyto urine collection kit is recommended.
2. Label appropriately and send immediately in securely closed container.

Direct Smears:

1. Write patient's name and secondary identifier on frosted end of clean slide.
2. Spread material evenly over slide.
3. Fix immediately with cytology spray fixative from a distance of 10 to 12 inches until liquid droplets form.
4. Allow slide to dry before sending it out in designated slide holder.

Respiratory Specimens (including sputum, bronchial brush, or bronchial wash):

1. Collect sample directly into CytoLyt solution, or add 30 mL of CytoLyt solution to the fresh specimen as soon as possible.

Note: Large specimens (greater than 20 mL) should be concentrated before addition of CytoLyt solution to the sample.

2. Label appropriately and send immediately in securely closed container.

Ancillary Testing (including cell blocks for potential immunohistochemistry and special stains):

1. Collect specimen in 30 mL of CytoLyt solution.
2. Label appropriately and send immediately in securely closed container.

Halo Breast Pap:

1. If Nipple Aspirate Fluid is produced during procedure, specimens are to be collected with a custom, non-cell binding swab, which is placed in non-gyn Liquid Based Cytology (LBC) fixative, such as CytoLyt or CytoRich® Red.

Note: Use of gyn fixatives, such as PreservCyt, will not adversely affect the specimen, but their use is restricted (by FDA) to gyn applications.

2. Label appropriately and send immediately in securely closed container.

ThinPrep® Broom Collection Protocol:

1. Obtain an adequate sampling from the cervix using the broom-like device. Insert the central bristles of the broom into the endocervical canal deeply enough to allow the shorter bristles to fully contact the ectocervix. Push gently, and rotate the broom in a clockwise direction five (5) times.
2. Rinse the broom in the PreservCyt Solution vial by pushing the broom onto the bottom of the vial ten (10) times, forcing the bristles apart. As a final step, swirl the broom vigorously to further release material. **DISCARD THE BROOM.**
3. Tighten the cap so that the torque line on the cap passes the torque line on the vial.
4. Record the patient's name and ID number on the vial. Record the patient information and medical history on the Cytology requisition form.
5. Place the vial and requisition in a specimen bag for transport to the laboratory.

ThinPrep Brush/Spatula Collection Protocol (for GenPap STI testing and Pap tests):

1. Obtain an adequate sampling from the ectocervix using a plastic spatula.
2. Rinse the spatula as quickly as possible into the PreservCyt Solution vial by swirling the spatula vigorously in the vial ten (10) times. **DISCARD THE SPATULA.**
3. Obtain an adequate sampling from the endocervix using an endocervical brush device. Insert the brush into the cervix until only the bottom-most fibers are exposed. Slowly rotate 1/4 or 1/2 turn in one direction. **DO NOT OVER-ROTATE.**
4. Rinse the brush as quickly as possible in the PreservCyt Solution by rotating the device in the solution ten (10) times while pushing against the vial wall. Swirl the brush vigorously to further release material. **DISCARD THE BRUSH.**
5. **After obtaining Pap sample, please use a sterile polyester tipped swab to isolate organisms from the vagina.**
6. Obtain an adequate sampling from vagina using a sterile polyester tipped swab.
7. Rinse the swab as quickly as possible into the PreservCyt Solution vial. **DISCARD THE SWAB.**
8. Tighten the cap so that the torque line on the cap passes the torque line on the vial.
9. Record the patient's name, date of birth, and/or ID number on the vial, and the patient information and medical history on the Cytology requisition form.
10. Place the vial and requisition in a specimen bag for transport to the laboratory.

SurePath Brush/Spatula Collection Protocol

1A. Insert the contoured end of the Pap Perfect® plastic spatula and rotate 360° around the entire exocervix.

2A. SNAP THE DEVICE HANDLE AND DROP THE DETACHABLE HEAD OF THE DEVICE INTO THE SUREPATH™ VIAL.

3A. Place cap on vial; do not tighten, go to Step **1B**.

1B. Insert Cytobrush® Plus GT into the endocervix until only the bottom-most bristles are exposed at the os. Slowly rotate 1/4 to 1/2 turn in one direction.

To reduce unnecessary bleeding, do not over-rotate brush.

2B. SNAP THE DEVICE HANDLE AND DROP THE DETACHABLE HEAD OF THE DEVICE INTO THE SUREPATH™ VIAL.

3B. Place the cap on the vial and tighten. Send the SurePath™ vial to the lab for processing.

SurePath Broom Collection Protocol:

1. Position tip of longer bristles in cervical os (opening of the cervix). Begin rotating in clockwise direction. Bristles will begin to stiffen.
2. Continue rotating in a clockwise direction and gently push towards the cervix until the shorter bristles begin to bend extending over the ectocervix.
3. Complete five (5) 360 degree rotations. **SNAP THE DEVICE HANDLE AND DROP THE DETACHABLE HEAD OF THE DEVICE INTO THE SUREPATH™ VIAL.**
4. Cap the vial tightly.
5. Send the specimen containing the head(s) of the sampling device(s), with appropriate paperwork, to the laboratory for processing.

GenPap STI Lesion Profile:

Note: If an STI Lesion Profile is ordered with a Pap and/or vaginal STI sample, a separate SurePath or ThinPrep vial in which to collect the STI lesion sample is needed. **DO NOT** put the STI lesion sample in the vial with the Pap or with the STI vaginal sample. When taking sample from a lesion, please use the following instructions:

1. Vesicles/pustules should be unroofed. Vigorously swab the base of the lesion with a sterile polyester tipped swab.
2. If an ulcer is being tested, squeeze the lesion 3 or 4 times then vigorously rub the base of the ulcer with a sterile polyester tipped swab.
3. If the lesion is crusted, clean it first with a sterile saline solution and vigorously rub with a sterile polyester tipped swab.
4. Swirl the swab vigorously in the vial solution. **DISCARD THE SWAB.**
5. Tighten the cap so that the torque line on the cap passes the torque line on the vial.
6. Record the patient's name and ID number on the vial, and the patient information and medical history on the cytology requisition form.
7. Place the vial and requisition in a specimen bag for transport to the laboratory.

Anatomic Pathology (Biopsies and Surgical Specimens)

General Instructions:

1. Use the Surgical Pathology requisition form for all biopsies and surgical specimens. Relevant clinical information should be written down in the spaces provided.
2. Write patient's name and date of birth on specimen container.
3. Immediately place all tissues in 10% buffered formalin at ten times the volume of the specimen. Specimen containers with 10% formalin are provided by the laboratory.
4. Send immediately to the laboratory in a securely closed container. For additional information, please contact Client Services.

Collection and Transport of Specimens

Correct specimen collection and transport of clinical specimens to the laboratory are extremely important for rapid and accurate identification of significant microorganisms from patient samples.

General Considerations for Collection and Transport:

- Use sterile technique and transport to the laboratory as soon as possible.
- Close containers securely to prevent leaking of samples during transport. These specimens are biohazards.
- Whenever possible, obtain specimens prior to the administration of antibiotics.
- Do not use expired tubes or media for specimen collection.
- Write the patient's name and date of birth on each specimen container.
- If submitting two or more cultures, a separate test requisition is necessary for each culture.
- Send specimens in one of the following transport systems:
 1. E-Swabs with transport media: anaerobic and aerobic cultures.
 2. BBL Culture Swab: Mycobacterial (Acid Fast Bacillus); Fungal Culture & Stain.
 3. Sterile containers: sputum, body fluids (except blood and urine, see #4)

4. Special transport systems:

- **Blood:** Two 20 mL Vacutainer tubes with Supplemented Peptone Broth (SPB).
Note: E-Swabs cannot be used for these assays.
- **Gonorrhea Specimen:** Urethral discharge or any source - ThinPrep vial, SurePath vial, Roche, Aptima collection tubes, BD, or E-Swab.
- **Chlamydia Specimen:** Urethral discharge or any source - ThinPrep vial, SurePath vial, Roche, BD, Aptima collection tubes or Viral culturette.
- **Urine:** BD Vacutainer Grey-Top tube for Urine Culture and Roche collection devices.
- **Parasitology:** Special collection kits with formalin and PVA.

Body Fluid Culture (for PD fluid, See Peritoneal Fluid):

Pleural, pericardial, and synovial fluids must be aspirated aseptically. The skin at the body site should be disinfected with an iodophor prior to aspiration. Use sterile technique. Inoculate into sterile tube, container, or blood culture media.

Blood Culture:

Disinfect skin at the body site with iodophor or Chlorhexidine swabs which are 2% chlorhexidine Gluconate and 70% Isopropyl Alcohol, prior to venipuncture. Use sterile technique. Disinfect top of two (2) tubes with alcohol prior to inoculation. Two sets from separate venipuncture sites are recommended.

For adults, inoculate a set of blood culture bottles (1 Aerobic and 1 Anaerobic bottle) with 8-10 mL of blood in each bottle.

For pediatric collections, inoculate 1 pediatric blood culture bottle with 1-3 mL of blood.

Eye and Ear:

Use E-Swab (no Vial). Label with "LEFT" or "RIGHT," as applicable.

Fluid:

See Body Fluid or Peritoneal Fluid.

Fungi:

See Mycology.

Environmental (Water and Dialysate) Cultures:

See separate instructions for use of Millipore Sampler.

Genital Culture:

Collect these specimens using an E-Swab. Swabs must be stored at room temperature until transported to the laboratory.

Glucose Tolerance Testing (GTT):

For 2-hour and 3-hour panels: Collect blood sample in Grey Top tube upon patient arrival for the baseline glucose value. Dispense glucose beverage (generally 50g, 75g or 100g depending on test ordered). Glucose beverage should be consumed within 5 minutes. Collect subsequent blood samples at hourly intervals (1, 2, and/or 3 hours, depending on test ordered). All tubes must be labeled appropriately (Initial, 1-hour, 2-hour, and 3-hour, etc.). Some 1-hour or 2-hour tests do not require an initial baseline collection. (NOTE: 1, 2, 3 hr times start from when the patient finishes drinking the glucose beverage).

Gonorrhea/Chlamydia Endocervical NAAT Analysis:

1. Specimen collection swabs and transport media are supplied by the laboratory. Remove excess mucus from the cervical os and surrounding mucosa using one of the swabs provided and **DISCARD THE SWAB**.
2. Insert the second swab from the collection kit 1.0-1.5 cm into the endocervical canal.
3. Rotate the swab 30 seconds in the endocervical canal to ensure adequate sampling.
4. Withdraw the swab, avoiding any contact with the vaginal mucosa.
5. Insert this swab into the transport tube, or vial (ie. ThinPrep, Aptima) cap the tube, and store at 2 - 25°C until tested.

Group B Strep:

1. Collect specimen at 35 to 37 weeks gestation.
2. Using a single swab or two separate swabs, swab the distal vagina (vagina introitus), followed by the rectum (insert swab through the anal sphincter).
3. Insert swab in transport tube, cap securely, and label appropriately.

Fetal Fibronectin:

1. Submit one vaginal swab.

Maternal Serum Screening:

- Combined First, Combined First Plus, Integrated, Modified Sequential, Quad Screen, Serum Integrated, Triple Screen, and AFP:
 1. Draw one SST tube.
 2. Allow to clot for about 20 minutes.
 3. Centrifuge at 2500 RPM's for 10 minutes.
 4. Refrigerate until shipment.

Molecular Genetics:

- **InheriGen® Plus:** Draw three lavender tubes. Invert tubes eight (8) times to prevent clotting.
- **Ashkenazi Jewish Tests:** Draw two lavender tubes. Invert tubes eight (8) times to prevent clotting.
- **Cystic Fibrosis, Fragile X, and Spinal Muscular Atrophy (SMA):** Draw one Lavender Top tube per test. Invert tube eight (8) times to prevent clotting.
- **Tay-Sachs Enzyme (Hexosaminidase A Enzyme):** Draw one Red Top and one Yellow Top tube. If patient is pregnant, only Yellow Top tube is required.
- **Chromosome Analysis/Karyotype, Blood:** Draw one green top sodium heparin tube. Invert gently 5-6 times.
- **Chromosomal Microarray Analysis, Blood:** Draw one EDTA lavender top tube. Invert 8-10 times. Do NOT shake tube.
- **Y-Chromosome Microdeletion:** Draw one EDTA lavender top tube. Invert 8-10 times. Do NOT shake tube.
- **ClariTest™ Core Non-Invasive Prenatal Screening:** Collect 2 full Cell-Free DNA White Top Plastic Tubes from mother. See kit for detailed collection instructions. It is recommended to use 21-gauge straight needle; avoid butterfly if possible. *****It is important to fill both tubes to full capacity.*** Invert both tubes 8-10 times each.**

Mycology (Yeast):

Cultures for yeast can be submitted on a culturette. For fluids and sputum, best results are obtained by submitting the entire specimen. If dermatophytes are suspected, the specimen should be submitted in a dry, sterile tube.

Nasal Culture:

An E-Swab (**Blue Container Item # 24803**) is gently inserted through the nose to the posterior nasopharynx, where it is gently rotated. It should remain in this position for several seconds. The withdrawal should be slow to minimize irritation. Place the inoculated swab into the sterile plastic tube.

Parasitology Specimens:

Stools for Ova and Parasites should be shipped in Ova and Parasite kits. Transfer 5 gm minimum of stool in EACH of the paired vials. CLEAR tape preparation or pinworm paddle is appropriate for submission of specimens for pinworm examination. Submit intact parasites (insects or worms) in 70% alcohol.

Peritoneal Fluid or Dialysate Culture:

Disinfect bag's injection sampling port. Use sterile collection technique. Inoculate 3 mL each into four Vacutainer tubes with SPB (Supplemented Peptone Broth). Disinfect tops of tubes with alcohol prior to inoculation.

QuantiFERON®-TB GOLD Plus

- Collect one 6 mL Lithium Heparin (green top) tube. Allow tube to fill completely before removing.
- Gently mix by inverting the tube several times to dissolve the heparin. Label tube with two (2) patient identifiers and time of specimen collection.
- Place sample with completed requisition into a QTF-TB Gold Plus specimen bag, one (1) sample per bag.
- Seal bag and place in a refrigerator or cooler maintained at 2-8 degrees C. **Sample must be refrigerated within 3 hours of collection.**
- Ship to laboratory as soon as possible. **MUST REACH THE LAB** within 48 hours from collection.

Sputum Culture:

Instruct the patient to obtain material from a deep cough which is expectorated into a sterile container. Sputum containers are best suited for this collection. The volume of specimen need not be large (3 mL). Once collected, sputum should be refrigerated until transport. Be sure that the cap is tightly sealed on the container once the specimen is collected. A leaky container is a biohazard.

Stool Culture:

Submit stool in Cary-Blair transport media.

Throat Culture:

Use E-Swab to obtain all types of throat specimens. Rub the sterile swab firmly over the back of the throat (posterior pharynx), both tonsils or tonsillar fossa, and any area of inflammation. Once the specimen is collected, place the swab into the sterile plastic tube and break the ampule.

Throat, Group A Strep Screen:

Use BBL culturette swab or E-Swab to obtain specimen for Group A Strep only. Use Group A Strep, Rapid DNA test.

Wound Culture:

A superficial wound culture should be collected with an E-Swab. After collection, place swab back into plastic tube and refrigerate or leave at room temperature until transport. If the lesion is not open, a sterile needle and syringe should be employed to remove material. The swab may be inoculated with this sample.

NOTE:

- Please include site information on the requisition form and on swab with wound culture testing.
- CPT Codes shown with tests are to be used as guidelines only and may be subject to change. Their accuracy is neither expressed nor implied in this compendium. Please consult the AMA CPT Code Book for further information.

Specimen Quality and Rejection

Hemolysis:

Some analytes may be reported erroneously if the serum is not promptly removed from the clot, or if the Barrier Gel tube is not centrifuged after the clot has formed. Possible discrepancies are low glucose, high potassium, and LDH. Hemolyzed hematological specimens are unsuitable for testing.

Inadequate Draw or Quantity Not Sufficient (QNS):

Most hematology tests require that a full tube of blood be obtained. This is because there is a defined quantity of anticoagulant in each tube and the ratio of anticoagulant to the blood volume has to be exact to ensure quality results. Particularly important are Light Blue Top tubes used for coagulation tests. For Prothrombin Times, Activated Partial Thromboplastin Times, and Fibrinogen determinations, exactly 4.5-mL of blood has to be obtained (if using the full-size Vacutainer tube).

For CBCs, a “short draw” Lavender Top tube will result in red cell crenation, reduced MCV and Hematocrit, and possible changes in leukocyte morphology, platelets, and total leukocyte counts.

Clotted Specimens:

All hematological testing utilizes anticoagulated blood. For blood counts, a Lavender Top tube containing the anticoagulant EDTA is required. All specimens should be collected and the tube filled to the limit of the vacuum. Clotted samples, either macroscopic or microscopic in nature, cannot be processed for CBC testing, as such results will produce false leukopenia, low red cell counts, and aberrant red cell indices. As the equipment used to test blood counts incorporates a clot detector, it is occasionally possible that specimens that appear macroscopically normal will have small microscopic clots that are detected and will produce incorrect results. Similarly, small clots found in Blue Top tubes (for coagulation tests) will result in falsely-prolonged PT and PTT test results.

Alkaline Phosphatase:

If patient's age is not supplied, the reference range for adults will be used to analyze results. As the enzyme is increased in periods of bone growth, as well as in pathological bone disorders, the reference range for adolescents tends to be much higher than in adults. We will automatically provide adolescent reference ranges for all patients under 18 years of age if the age is clearly included on the test requisition form.

Decreased Bilirubin:

Bilirubin is photodegradable. Prolonged exposure of the specimen to bright light will produce decreased results.

Improperly Labeled Containers:

All specimen transport tubes and containers **MUST** be labeled properly to avoid specimen rejection and/or a delay in testing. All tubes and containers must be labeled clearly with patient name **AND** a second unique identifier, such as date of birth.

Decreased CO2 Levels:

Carbon Dioxide (CO₂) levels are decreased if the specimen is not tested promptly. CO₂ escapes from serum in vitro, at a rate proportional to time. This can be minimized by keeping the stopper on the tube and by refrigeration of the sample.

Icteric Specimens:

If the specimen is deeply icteric, falsely elevated cholesterol or bilirubin results may be obtained.

Lipemic Specimens:

Lipemia can falsely elevate AST and ALT. Additionally, it can indicate that the patient did not adequately fast for 12-18 hours before having the specimen collected. In this situation, cap for glucose and triglycerides will be elevated.

Old Specimens:

Blood specimens older than 24 hours cannot be adequately tested for some analytes. Particularly sensitive are most hematology tests, including coagulation procedures.

Poor Cell Preservation:

Blood cells, particularly leukocytes, become fragile and can be distorted morphologically if the specimen is older than 24 hours. In such situations, a reliable differential white cell count cannot be carried out.

Cytology Specimen Quality and Rejection

Unsatisfactory Specimen (UNSAT):

UNSATs are caused by a variety of factors including, but not limited to, patient biology, lubricants, collection technique, or laboratory interpretation. As such, one should investigate further to determine the root cause.

How to Reduce Frequency of UNSAT Results:

1. Review the rinsing technique. If using a brush to collect a cervical specimen, it is imperative to NOT over-rotate the device.
2. Rinsing technique is important to release the cells at the time of capture into the fixative solution. It is crucial to rinse the devices immediately after putting the head into the vial so that the cells do not stick to the device.
3. The use of lubricants is not recommended during Pap testing (Papanicolaou Technique Approved Guidelines [NCCLS Document GP15-A]). Lubricants increase the risk of contaminating or obscuring the cellular sample with both conventional Pap smears and all liquid-based methods. The Clinical and Laboratory Standards Institute (CLSI, formerly the NCCLS) recommends that lukewarm water be used to lubricate and warm the speculum.
 - If a lubricant must be used due to patient discomfort or other circumstances, it should be applied sparingly on the outer portion of the speculum with great care to avoid the tip, using a water-based lubricant.
 - The ONLY two lubricants recommended by Hologic are PAP Test Lubricating Jelly (Aseptic Control Products) and Surgilube Surgical Lubricant (HR Pharmaceuticals). It is critical to specimen quality that if a lubricant is used, only the recommended brands are used.

Lack of ECCs:

Lack of endocervical cells is common to both conventional and liquid-based Paps. Current image-guided technology is not designed to identify endocervical component.

Updated guidelines for lack of ECC results indicate yearly follow-up, provided the Pap results are normal and the patient is not in one of six high-risk categories (ASCCP 2003).

Collection is key to reducing this type of result: do not over-rotate the brush, and make sure to rinse immediately.

QNS for HPV Testing:

Depletion of the liquid is due to the amount of cells in the sample, not the amount of liquid. If the cell count is limited due to individual patient biology (e.g., menopausal) or a collection technique that does not capture enough cells, this may occur. **Again, proper collection is key to reducing this type of result.**

Expired Media: Specimens collected/transported in expired vials may be rejected.

Connectivity Solutions

InsightDx®: Online Test Ordering and Results

BioReference's advanced digital solutions improve workflows for healthcare providers and help to improve diagnostic outcomes for patients. BioReference increases access to vital patient diagnostic information that can help healthcare providers reach a diagnosis quicker. InsightDx is a state-of-the-art, secure, HIPAA-compliant connectivity solution for easy test ordering and reporting. With the ability to interface with most electronic medical records (EMRs), InsightDx allows healthcare providers to easily access and manage patient and practice information from virtually any device.


Advantages of InsightDx:

- Online test directory and electronic ordering
- Custom test requisitions
- Prompt and easy retrieval of tests results
- Automated printing of test results
- Uni-directional or bi-directional interfacing
- Summary reporting on selected criteria
- Test utilization reports
- Cumulative patient reports
- Collection guidance for specimen requirements

InsightDx is easy to use, and your account representative can coordinate a demonstration for your office.

Order Entry

The test ordering feature has a step-by-step workflow designed with ease of use and test order information accuracy in mind.



→ Frequently ordered tests and panels can be combined into a single group to streamline ordering, based upon medical necessity




← A real-time bridge with the EMR eliminates duplicate patient entries

← User - defined "favorite" tests appear

← Tests are alphabetically presented on the screen based on the provider's ordering history

Collection Guidance for Specimen Requirements

InsightDx® also features a collection guidance section to ensure the correct specimen types are drawn based on the tests you ordered.

COLLECTION GUIDANCE		03/14/2018 - J9999 10000010MN, 10000020MN	
(STANDARD)			
Total Draw Guidance			
# TO DRAW	CONTAINER	TEST CODE(S)	
2	 SST SST Tube 8.5 ml	0033; 0043; 0049; 0050; 0052; 0057; 0058; 0059; 0070; 0090; 0091; 0105; 0106; 0107; 0108; 0129; 0135; 0146; 0147; 0148; 0153; 0155; 0160; 0185; 0286; 0538; 0539; 0540; 0812; 1976; K135	
1	 LAV Lavender Top – EDTA 4 ml	0053; 0086; 0102	
1	 USC Urine Cup	0159	
Processing Guidance			
2 SST			
<ul style="list-style-type: none"> • 1 = Refrigerate • 1 = Pour off to 1 ALQS (Aliquot – Serum) - Refrigerate 			
1 LAV			
<ul style="list-style-type: none"> • 1 = Refrigerate 			
1 USC			
<ul style="list-style-type: none"> • 1 = Pour off to 1 UA (Urine Urinalysis Tube – Yellow) – Refrigerate 			


Identify the exact specimen requirements for orders placed

Results Review

Test results are easy to find in InsightDx®. Upon login, recent results will be listed in the Results Inbox for quick review. Critical results will be flagged here so that you may triage your patients as needed. Results are also stored in the patients chart for retrieval any time. InsightDx provides two different views of results, either a PDF format that is easily printed, or the discrete data (text only)

Name	Date	Accession	Flag	Alerts	Status	Provider	V	P
PATIENT_TEST	06/25/2019	920013650	N	N	F	Dr. John Smith	Y	N
PATIENT_TEST	06/25/2019	107146433	Y	N	F	Dr. John Smith	N	N
PATIENT_TEST	06/25/2019	941429925	N	N	F	Dr. John Smith	N	N
TEST_PATIENT	06/25/2019	102438286	N	N	F	Dr. John Smith	N	N
TEST_PATIENT	06/25/2019	102438112	N	N	F	Dr. John Smith	N	N
PATIENT_TEST	06/25/2019	102437658	N	Y	F	Dr. Wendy Anderson	N	N
PATIENT_TEST	06/25/2019	102437641	N	N	F	Dr. Evan Willmans	N	N
PATIENT_TEST	06/25/2019	102437626	N	N	F	Dr. John Smith	N	N
PATIENT_TEST	06/25/2019	102437630	N	N	F	Dr. John Smith	N	N
PATIENT_TEST	06/25/2019	102437625	N	N	F	Dr. John Smith	N	N
PATIENT_TEST	06/25/2019	102437623	N	N	F	Dr. Evan Willmans	N	N
PATIENT_TEST	06/25/2019	102437622	N	N	F	Dr. John Smith	N	N
PATIENT_TEST	06/25/2019	102437619	N	N	F	Dr. John Smith	N	N
PATIENT_TEST	06/25/2019	102437617	N	N	F	Dr. Wendy Anderson	N	N
PATIENT_TEST	06/25/2019	102437614	N	N	P	Dr. Evan Willmans	N	N

InsightDx is compatible with any web browser, including Google Chrome, Mozilla Firefox, or Microsoft Internet Explorer. If you're using a smart phone or tablet, the touch-optimized software is easy to use and offers a seamless workflow similar to the desktop experience.



Laboratory Analytics

The value of laboratory analytics is immeasurable. We're transforming the laboratory experience by closing the gap between data and diagnosis, allowing healthcare providers to better anticipate patient needs, improve efficiencies, and provide more personalized care. Through Global CareIndex®, we aim to help in the treatment of patients with reliable, actionable, and understandable information.

Global CareIndex

Global CareIndex (GCI) is a proprietary data and analytics platform that provides practice management and patient action tools that:

- Allow healthcare providers to generate easy to understand, custom and cumulative reports. GCI provides graphic representations to compare and analyze laboratory test results in order to help ensure consistent patient care.
- Provide chronic disease management reports to track at-risk patients who have not been reevaluated for chronic disease based on abnormal test results.
- Help recognize an acute disease in patients to monitor treatment progress and identify need for an additional evaluation.
- Organize data benchmarks according to a healthcare provider's or practice's parameters to track and trend treatment data across multiple providers.

GCI Benefits:

- Help improve patient care and practice operations
- Facilitate patient follow-up
- Evaluate and track disease progression
- Benchmark, track and trend laboratory data
- Identify at-risk patients
- Help achieve practice performance goals


Patient Portal

With BioReference's secure, HIPAA-compliant Patient Portal, patients have the laboratory at their fingertips. From a user-friendly website, patients can access their most recent laboratory test reports, review previous results, pay their bills, and update insurance information – all from their computer or mobile device.

Additionally, patients can view their laboratory test results in the Apple Health app on an iPhone (iOS 11.3 or later) or via the CommonHealth app on Android devices.

Parents or legal guardians are able to add dependents to their account in order to view a minor's COVID-19 test results. Other test results for minors can be acquired by emailing patientportal@bioreference.com with their name, date of birth, and the date their specimen was collected. Minor children cannot register for the self-service portal.

For more information, visit: <https://www.bioreference.com/patient-portal/>



Scarlet Health®



Scarlet Health® is BioReference's mobile phlebotomy service that provides specimen collection at a convenient location of your patients' choosing, such as their home or workplace.

Why Scarlet?

- Scarlet can help improve testing compliance by:
 - Enabling more convenient specimen collection for your patients
 - Minimizing your patients' concerns over potential infectious disease exposure
 - Potentially reducing your patients' specimen collection anxiety through familiar and comfortable surroundings
- Phlebotomists are professionally trained BioReference employees
- The ever-increasing Scarlet-eligible test menu currently includes nearly 2,000 tests. Visit the BioReference Test Directory at www.bioreference.com/test-directory for the most up-to-date test listing
- Available for patients 10 years and older for all tests
- Available for patients 4 years and older for COVID-19 PCR test nasal swab collections

How does Scarlet work?

Option 1: You can add Scarlet to your electronic BioReference lab test order:

- Add the Scarlet code TH31-8 to the test order in InsightDx or your EMR
- Scarlet will send your patient an email and a text to schedule their appointment
- A Scarlet phlebotomist goes directly to your patient to collect their specimen
- Collected specimens will be sent to BioReference for testing
- Lab test results will be sent to you, electronically
- Your patient may also access their test results via the secure, HIPAA-compliant BioReference Patient Portal

Option 2: You order lab testing and your patient can initiate a Scarlet collection:

- Give your patient a lab test order, either paper or electronic
- Your patient visits www.scarlethealth.com and uploads a picture of the test order
- Scarlet will send your patient an email and a text to schedule their appointment
- A Scarlet Health Phlebotomist (SHP) goes directly to your patient's home or workplace to collect their specimen
- Collected specimens will be sent to BioReference for testing
- Lab test results will be sent to you via fax or your preferred method on file
- Your patient may also access their test results via the secure, HIPAA-compliant BioReference Patient Portal

Would you like to learn more?

Contact your BioReference account representative or email hello@scarlethealth.com and our team will be in touch.

To watch a video on how Scarlet works, scan the code or go to scarlethealth.com/meetscarlet



Test Requisitions and Result Reports

Test Requisition Overview

Requisitions are available through Customer Service by using the order number associated with each requisition. The order number can be found on supply forms or requested through your account representative. We offer a variety of unique test requisitions that are tailored to your medical specialty and testing needs.

1. Patient ID – Indicate the patient ID, if applicable. This will appear on results report.

2. Comments – Indicate any comments, if applicable. This will appear on results report.

3. Fasting – Check appropriate box to indicate if patient is fasting.

4. Account – Identifies the unique client number.

5. Physicians – Identifies the ordering physician(s) name/practice and contact information.

6. Ethnicity – Indicate patient’s ethnicity by checking appropriate boxes.

Note: This is required for all reportable diseases.

7. Collected – Indicate date and time the specimen was collected.

8. Send Results – If a copy of results should be sent to another healthcare provider, include their contact information here.

9. Bill Information – All appropriate patient billing information is required.

10. Diagnosis Code Indicate the patient’s diagnosis and appropriate ICD-10 diagnosis codes.

11. Patient Status- Required for testing on all patients.

12. Physician’s Signature- Signature of physician or other authorized NPI provider is mandatory and required.

Note: If nothing is indicated, the admitting hospital may be billed for the charges.

Test Additions After Submission

The Customer Service Department can arrange for additional testing if the specimen is stable and the volume is adequate after your requested tests have been completed. We are required by federal mandate to ask for written approval for every test we perform. You will receive a request for written confirmation for verbal requests via hard-copy reporting or by facsimile. The physician or authorized healthcare provider must sign and return this written confirmation.


Patient Demographics

Test code(s) and test name(s) will be listed; Add/Delete must also be selected

Origin of Request

Area to include additional diagnosis codes

Requesters signature, title, and date required



OPKO Health Companies

CHANGE IN TESTING AUTHORIZATION FORM
RETURN FAX:201-345-7048
 Please review the information below and return with the required signature.

Lab ID: Patient Name: Account: Date of Collection: Patient DOB: Patient ID:	Date of Request: Form Initiated By: Account Fax: Requested By: Attention To:
Specimen Type	

*For Medicaid/Medicare patients, individual components must be ordered – **NO PROFILES/PANELS**

ADD ON/DELETE REQUEST
 At your request, listed below are the tests to add or delete for this patient:

CODE	TEST NAME	ADD	DELETE
		<input type="checkbox"/>	<input type="checkbox"/>
		<input type="checkbox"/>	<input type="checkbox"/>
		<input type="checkbox"/>	<input type="checkbox"/>
		<input type="checkbox"/>	<input type="checkbox"/>
		<input type="checkbox"/>	<input type="checkbox"/>
		<input type="checkbox"/>	<input type="checkbox"/>
		<input type="checkbox"/>	<input type="checkbox"/>

****Additional Diagnosis (DX) Codes**
 All additional DX codes should be emailed/scanned to BillingDXUpdate

Fax Attempts:

1st Request

2nd Request

PLEASE SIGN BELOW:
 I have authorized the above changes in testing.

Before sending CITA and creating a new add/delete incident for IHC and FISH, confirm material availability with lab.

INTERNAL USE ONLY			
Documentation Check List Once Signature Has Been Received			
<input type="checkbox"/> 10, 81, 84, 90, 91, 92, 93, 94, 95, 96, 97 Series	For Addition of Disclaimer Email/Scan to CSESCALATION	<input type="checkbox"/> 50 and 70 Series	Email/Scan to Maryland Cytology
<input type="checkbox"/> 20, 85 Series	Email/Scan to Cytology Transcriptionist	<input type="checkbox"/> 61 Series	Email/Scan to Melbourne Cytology
<input type="checkbox"/> 30 Series	Anatomic - Email/Scan to GP Lead Transcriptionists	<input type="checkbox"/> 80, 71 Series	Email/Scan to Houston Cytology
	Hempath - Forward through Incident Tracking	<input type="checkbox"/> 99 Series	Email/Scan to GCAssistants (indicate if report is final)

How is our service? Send feedback to: ServiceMatters@BioReference.com

481 EDWARD H. ROSS DRIVE ELMWOOD PARK, NEW JERSEY 07407 | (800) 229-5227 | FAX (201)-345-7048 | WWW.BIOREFERENCE.COM


A53

Results Reports

Your reports through BioReference are designed for ease of use, including:

- Easy-to-interpret design
- Detailed clinical abnormalities summary
- Previous test results
- Abnormal test results clearly classified

Clinical Report



BioReference
LABORATORIES
an **OPKO** Health Company

FINAL REPORT

PHYSICIAN

SAMPLE PHYSICIAN
SAMPLE MEDICAL GROUP
123 Main Street
Anytown, USA 12345
Acct #: (12345-0) 20
P: (123) 456-7890

PATIENT

SAMPLE PATIENT
DOB:10/25/1966 Age:52 Sex:M
Address:123 Main Street
Anytown, USA 12345
P: (123) 456-7890

SAMPLE

Specimen ID: 1000000
Date Of Report:10/03/2017
Date Collected:09/23/2017
Time Collected:10:37 Date
Received: 09/23/2017 Time
Received: 18:31

North America Eastern Time

CLINICAL REPORT

CLINICAL ABNORMALITIES SUMMARY:

(May not contain all abnormal results: narrative results may not have abnormal flags. Please review entire report.)

CO2	12 LO	LD	364 HI
Cholesterol	220 HI	LDL Cholesterol	122 HI
Milk	0.13 HI		
25OH, VITAMIN D	26.7 LO	ZnPP(EP),CHILD	37 HI

KIT,LAV,SST,U/A. NON FASTING

CHEMISTRY

Test	Result	Abnormal	Reference	Units	Rpt Date	Prior Result	Date
Total Protein	8.2		5.9-8.4	g/dL	09/24/17	7.4	09/08/16
Albumin	4.9		2.8-5.4	g/dL	09/24/17	4.5	09/08/16
Globulin	3.3		1.7-3.7	g/dL	09/24/17	2.9	09/08/16
A/G Ratio	1.5		1.1-2.9		09/24/17	1.6	09/08/16
Glucose	77		70-99	mg/dL	09/24/17	111 HI	09/08/16
Sodium	142		135-147	mmol/L	09/24/17	143	09/08/16
Potassium	4.6		3.5-5.5	mmol/L	09/24/17	4.5	09/08/16
Chloride	102		96-108	mmol/L	09/24/17	104	09/08/16
CO2		12 LO	22-29	mmol/L	09/24/17	22	09/08/16
BUN	14		5-18	mg/dL	09/24/17	12	09/08/16
Creatinine	0.62		0.30-0.70	mg/dL	09/24/17	0.50	09/08/16
BUN/Creat Ratio	22.6		10.0-28.0		09/24/17	24.0	09/08/16
Calcium	10.2		8.9-10.4	mg/dL	09/24/17	9.9	09/08/16
Uric Acid	4.6		3.4-8.5	mg/dL	09/24/17	4.1	09/08/16
Iron	108		59-158	ug/dL	09/24/17	104	09/08/16
Bilirubin, Total	<0.2		<1.2	mg/dL	09/24/17	<0.2	09/08/16
LD		364 HI	135-225	U/L	09/24/17	231 HI	09/08/16
Alk Phos	241		<330	U/L	09/24/17	200	09/08/16
AST	32		<40	U/L	09/24/17	28	09/08/16
Phosphorus	5.6		3.3-5.6	mg/dL	09/24/17	4.7	09/08/16
ALT	15		<41	U/L	09/24/17	15	09/08/16
GGTP	20		10-71	U/L	09/24/17	19	09/08/16

CARDIOVASCULAR/LIPIDS


Test	Result	Abnormal	Reference	Units	Rpt Date	Prior Result	Date
Cholesterol		220 HI	<170	mg/dL	09/24/17	172	09/08/16
Triglycerides	74		<90	mg/dL	09/24/17	194 HI	09/08/16
HDL CHOL., DIRECT	83		>or=60	mg/dL	09/24/17	68	09/08/16
HDL as % of Cholesterol	38		>14	%	09/24/17	40	09/08/16
Evaluation: BELOW AVERAGE RISK							
Chol/HDL Ratio	2.7		<7.4		09/24/17	2.5	09/08/16
Evaluation: BELOW AVERAGE RISK							
LDL/HDL Ratio	1.47		<3.56		09/24/17	0.96	09/08/16
LDL Cholesterol		122 HI	<110	mg/dL	09/24/17	65	09/08/16
VLDL, CALCULATED	15		7-32	mg/dL	09/24/17	39 HI	09/08/16

BioReference Laboratories, Inc.
481 Edward H. Ross Dr | Elmwood Park, NJ 07407 | (800) 229-5227

James Weisberger, M.D.
Laboratory Director

Clinical Page 1 of 6

Heart Health Report



an **OPKO** Health Company

Heart Health Final Report

PHYSICIAN

SAMPLE PHYSICIAN
 SAMPLE MEDICAL GROUP
 123 Main Street
 Anytown, USA 12345
 Acct #: (12345-0)
 P: (123) 456-7890

PATIENT

SAMPLE PATIENT
 DOB:01/01/1956 Age:61 Y Sex:F
 Address:123 Main Street
 Anytown, USA 12345
 P: (123) 456-7890

SAMPLE

Specimen ID: 123456789
 Date Of Report:01/01/2016
 Date Collected:01/01/2016
 Time Collected:00:00
 Date Received: 01/01/2016
 Time Received: 00:00

North America Eastern Time

Global Risk Calculation - Pooled Cohort

Risk calculation using estimated 10-year projection for ASCVD	13.9%	Low Risk <5%	Moderate Risk 5-9.9%	Borderline High Risk 10-19.9%	High Risk >=20%
---	-------	--------------	----------------------	-------------------------------	-----------------

Risk Factor Assessment

Race:	White or Other	Blood pressure:	131/83 mm Hg
Diabetic:	Yes	Treatment for High Blood Pressure:	No
Smoked cigarettes in the last month:	Yes		

Basic Lipid Evaluation

		Low Risk	Moderate Risk	High Risk	Previous Result	Date
Total Cholesterol	287 mg/dL	<200	200-239	>239	168	04/08/2017
Triglycerides	240 mg/dL	<150	150-199	>199	110	04/08/2017
HDL-C, Direct	72 mg/dL	>50	50-20	<20		
HDL-C as % of Total Cholesterol	25%	>25	25-9	<9		
Cholesterol/HDL-C Ratio	4.0	<3.9	3.9-9.0	>9.0		
LDL/HDL-C Ratio	2.53	<3.56	3.56-8.00	>8.00		
Non-HDL Cholesterol	215 mg/dL	<130	130-189	>189		
VLDL Cholesterol	48 mg/dL	<30	30-40	>40		
LDL-C Direct	182 mg/dL	<100	100-160	>160		

Lipoprotein Particle Evaluation

		Low Risk	Moderate Risk	High Risk	Previous Result	Date
VLDL Particles	113 nmol/L	<85	85-110	>110		
Total LDL Particles	1214 nmol/L	<700	700-900	>900		
Non-HDL Particles	1327 nmol/L	<800	800-1000	>1000		
RLP - Remnant Lipoprotein	250 nmol/L	<150	150-175	>175		
Small - Dense LDL III	339 nmol/L	<300	300-350	>350		
Small - Dense LDL IV	83 nmol/L	<100	100-115	>115		
Total HDL Particles	8468 nmol/L	>8000	8000-7000	<7000		
Large - Buoyant HDL 2b	3046 nmol/L	>1750	1750-1500	<1500		

Independent Risk Factors

		Low Risk	Moderate Risk	High Risk	Previous Result	Date
LP[a]-C	15.9 mg/dL	<20	20-30	>30		
hs-CRP	0.4 mg/L	<1.0	1.0-3.0	>3.0		
Hemoglobin A1c	12.4%	<5.7	5.7-6.4	>6.5	13.0	04/08/2017

Note: Refer to clinical report for performing laboratories.

BioReference Laboratories, Inc.
 481 Edward H. Ross Dr | Elmwood Park, NJ 07407 | (800) 229-5227

James Weisberger, M.D.
 Laboratory Director

Clinical Page 1 of 4
 Printed 06/13/2017 18:08

ClariTest Core Report

WOMEN'S HEALTH
genpath
an OPKO Health Company

Final Report

PHYSICIAN

TEST, PROVIDER
 CAREEVLVE TEST
 744 9TH AVE
 NEW YORK, NY 10019
 ACCT # J9999
 P: (201) 421-2004 F: (201) 421-2004

PATIENT


PATIENT, TEST
 DOB: 01/20/1985 AGE: 34 SEX: F
 PATIENT ID: 8
 ADDRESS: 123 SAMPLE STREET,
 ANYTOWN, NJ 12345

SAMPLE


Specimen ID: 102758857
 Date of Report: 07/31/2021 6:51 PM
 Date Collected: 07/26/2021 Time Unknown
 Date Received: 07/26/2021 12:51 PM
 Source: CFDNA White Top Tube

CLARITEST™ CORE NON-INVASIVE PRENATAL SCREEN
 run utilizing the same core technology as **harmony**


RESULTS SUMMARY



Result:
Low Risk




Fetal Sex:
Consistent with Female



Fetal Fraction:
14.0%

CLINICAL INFORMATION

Pregnancy Type: Singleton
Maternal Weight: 150
EDD: 01/24/2022
Gestational Age: 14 weeks, 0 days
IVF Pregnancy: No **Donor:** N/A
Age at Egg Retrieval: N/A



RESULTS

CONDITION	RESULT	INTERPRETATION
Trisomy 21	Low Risk	Results consistent with two copies of chromosome 21
Trisomy 18	Low Risk	Results consistent with two copies of chromosome 18
Trisomy 13	Low Risk	Results consistent with two copies of chromosome 13
Sex Chromosome Aneuploidies	Low Risk	Results consistent with two sex chromosomes

Comments: This is a screening test. False positive and false negative results can occur. See Test Performance Data table below. The negative predictive value (NPV) is >99% for all low risk results. Results should be interpreted and genetic counseling considered based on clinical history. Invasive testing, such as chorionic villus sampling or amniocentesis, is necessary for diagnosis.

TESTING METHODOLOGY


ClariTest™ Core is a non-invasive prenatal screen that measures the relative proportion of chromosomes in maternal blood to assess the probability of fetal trisomies 21, 18, and 13, sex chromosome aneuploidies, and if ordered, 22q11.2 deletion syndrome. Evaluation of sex chromosome aneuploidies and 22q11.2 deletion is only available in singleton pregnancies. A directed analysis of cell-free DNA (cfDNA) is performed using Digital Analysis of Selected Regions (DANSR™) with microarray quantitation and Fetal Fraction Optimized Risk of Trisomy Evaluation (FORTE™) analysis. The result incorporates the fetal fraction of cfDNA, maternal age and gestational age.

Ayala Aviram, Ph.D.
 Cytogenetic - Molecular Director, ex. 7510
 This report was electronically signed.

BioReference Laboratories, Inc.
 481 Edward H. Ross Drive
 Elmwood Park, NJ 07407
 (800) 633-4522

James Weisberger, M.D.
 Laboratory Director
 Created: 07/28/2021 6:52 PM

Pap, HPV High Risk & CT/GC Report



WOMEN'S HEALTH
genpath
an **OPKO** Health Company

Final Report

PHYSICIAN

DOROODGAR, MEHDI
CAREEVOLVE -W.H. TEST
481 B EDWARD ROSS DRIVE
ELMWOOD PARK, NJ 07407
ACCT #: **J9998** **00**
P: (201) 791-2600

PATIENT, TEST

DOB: **Age:** 45 Y **Sex:** F
Surgical #:
Patient ID:

SAMPLE

Specimen ID: 207037757
Date Collected: 7/21/2021 6:00 AM
Date Received: 7/21/2021
Date of Report: 7/22/2021 2:10 PM
Source: VAGINAL
Specimen: THINPREP

GYN CYTOLOGY REPORT

Diagnosis
ATYPICAL SQUAMOUS CELLS OF UNDETERMINED SIGNIFICANCE (ASC-US)

Adequacy
Satisfactory for evaluation / Endocervical/transformation zone component present.


Comment
This Pap smear was screened with the assistance of the Hologic ThinPrep(TM) Imaging System and screened by a cytotechnologist.

Test Ordered
PAP, LIQUID-BASED

Clinical Information
LMP: 06/22/2021

Screened By: Rebecca Vergara, M.D. Case Electronically Signed 07/22/2021

Cervicovaginal cytology should be considered a screening procedure subject to false negatives and false positives. Results are more reliable when a satisfactory sample is obtained on a regular repetitive basis, and should be interpreted together with past and current clinical data.



STI MOLECULAR PROFILE

Test	Normal	Abnormal	Test	Normal	Abnormal
HPV High Risk Non-16/18 ^{2,3,4,6}	Not Detected		Chlamydia trachomatis ^{5,6,7}	Not Detected	
HPV 18 ^{2,4,6,7}		Detected	Neisseria gonorrhoea ^{1,5,6,7}		Detected
HPV 16 ^{2,3,4,6}	Not Detected				

Notes

- Rare cross-reactivity may occur in this amplified DNA GC assay due to certain strains of *N. cinerea*, *N. subflava* and *N. lactamica*.
- The cobas® HPV test is FDA-cleared for ThinPrep® specimens and detects genomic HPV DNA in the polymorphic L1 region in 14 subtypes: Type 16, Type 18, and other high risk types (31,33,35,39,45,51,52,56,58,59,66,68). The test has been modified and validated for use in SurePath™ specimens.
- HPV types 16 and/or 18 that were Not Detected were undetectable or below the pre-set threshold.
- The non-repeat rate for HPV genotyping assays varies from 5 to 15%. In the NILM cytology category, there is a low positive predictive value (PPV = 15-20%) for CIN2+ with a positive high risk HPV result.
- Chlamydia trachomatis (CT) and Neisseria gonorrhoeae (NG) qualitative detection is performed on urogenital specimens or urine on one of the below platforms:
 - BD Probetec™ Qx Amplified DNA Assay tested with the BD Viper™ System using Strand Displacement Amplification technology. FDA cleared for both ThinPrep, SurePath and urine samples.
 - The Aptima combo 2® Assay detects ribosomal RNA (rRNA) using target capture and Transcription-Mediated Amplification (TMA) technology. FDA cleared for ThinPrep samples.
 - The cobas® CT/NG v2.0 using the cobas® 4800 or CT/NG on the cobas® 8800 detects DNA using Polymerase Chain Reaction (PCR) technology; the assay is FDA cleared for ThinPrep Samples.


BioReference Laboratories, Inc.
481 Edward H. Ross Dr | Elmwood Park, NJ 07407 | (800) 633-4522

James Weisberger, M.D.
Laboratory Director

Cytology Page 1 of 2
Created 7/22/21 2:10:27 PM EST

GenPath is a business unit of BioReference Laboratories, Inc.

InheriGen® Carrier Screening Report



an OPKO Health Company

Final Report

DOCTOR

SMITH, JANE
 WOMAN'S HEALTH
 123 ANY ROAD
 ANYTOWN, NJ 012345
 ACCT # J0000
 P:(123) 456-7890 F:(555) 123-4567


PATIENT

DOE, JANE
 DOB: 10/23/1981 Age:35 Y Sex: F
 Patient ID: 20394
 Address: 123 WINDING STREET
 ANYTOWN, NJ 012345

SAMPLE

Specimen ID: 123456789
 Date Reported: 01/10/2017 12:07 PM
 Date Collected: 12/22/2016 Time Unknown
 Date Received: 12/22/2016 11:22 PM
 Source: Peripheral Blood
 Clinical Information: AMA,Other:ROUTINE SCREENING

InheriGen: Pan-Ethnic Carrier Screen



KEY RESULTS		
Disease	Results	Interpretation
Cerebrotendinous Xanthomatosis (CTX)	Positive for one copy of the c.1183C>T (p.Arg395Cys) mutation in CYP27A1	Carrier of Cerebrotendinous Xanthomatosis (CTX)
<ul style="list-style-type: none"> All other mutations tested were negative. Genetic counseling and partner testing are recommended. 		

This test was developed and its performance characteristics were determined by BioReference Laboratories. It has not been cleared by the U.S. Food and Drug Administration. The FDA has determined that such clearance or approval is not necessary. This test is used for clinical purposes. It should not be regarded as investigational or for research. This lab has been approved by CLIA 88 and designated as a high complexity laboratory and is qualified to perform this test.

M.L. Cremona Ph.D., FACMG
 Clinical Molecular Geneticist
 Electronically signed by M.L. Cremona Ph.D., FACMG


BioReference Laboratories, Inc.
 481 Edward H. Ross Drive
 Elmwood Park, NJ 07407
 (800) 633-4522

James Weisberger, M.D.
 Laboratory Director

Page 1 of 17
 Created 01/10/2017 4:41 PM

GenPath is a business unit of BioReference Laboratories, Inc.

Aerobic Vaginitis Report



WOMEN'S HEALTH
genpath
an *OPKO* Health Company

Final Report

PHYSICIAN

EBEID, SAMIR
CAREEVOLVE -W.H. TEST
481 B EDWARD ROSS DRIVE
ELMWOOD PARK, NJ 07407
ACCT #: **J9998** **00**
P: (201) 791-2600

PATIENT

PATIENT, TEST M
DOB: **Age:** 45 Y **Sex:** F
Surgical #:
Patient ID:

SAMPLE

Specimen ID: 207037778
Date Collected: 7/21/2021 6:00 AM
Date Received: 7/21/2021
Date of Report: 10/19/2021 4:40 PM
Source: VAGINAL
Specimen: THINPREP

STI MOLECULAR PROFILE

Test	Normal	Abnormal	Test	Normal	Abnormal
L. reuteri/rhannosus ^{6,7,8}		Not Detected	Escherichia coli ^{2,7,8}	Not Detected	
Group A strep ^{5,7,8}	Not Detected		Staphylococcus aureus ^{2,7,8}		Detected
Group B strep ^{4,7,8}	Not Detected		Lactobacillus species ^{1,8,9}	Detected	
Enterococcus faecalis ^{7,8}		Detected	Lacto. Sp. Log Cells/mL ^{1,8,9}	>5.25	

Interpretation
RESULTS FAVOR AEROBIC VAGINITIS (AV).

Comment
No Lactobacillus DNA is detected. Aerobic bacterial DNA (from E. coli, Group B Strep, E. faecalis, S. aureus, Group A Strep) is detected.

Notes

1. This assay utilizes quantitative real time PCR (multiple detection temperatures technology, MuDT™) in liquid cytology specimens to quantify the levels of nucleic acid of Lactobacillus species, G. vaginalis and A. vaginae, and also detects nucleic acid from several obligate anaerobes associated with Bacterial Vaginosis (BV).
2. Escherichia coli (E.coli) is a gram-negative, rod-shaped coliform bacterium. It is a non-spore-forming, facultative anaerobic bacterium, making ATP by aerobic respiration if oxygen is present, but switching to fermentation or anaerobic respiration if oxygen is absent. Staphylococcus aureus is a facultative anaerobic, gram-positive coccus (round) bacterium that is non-motile and does not form spores. Aerobic vaginitis (AV) is caused by the presence of one or more aerobic pathogens, usually without the presence of Lactobacillus, causing a vaginal inflammatory immune response.
3. Enterococcus faecalis is a gram-positive, non-motile, commensal bacterium inhabiting the gastrointestinal tracts of humans. Aerobic vaginitis (AV) is caused by the presence of one or more aerobic pathogens, usually without the presence of Lactobacillus, causing a vaginal inflammatory immune response.
4. Group B streptococcus is a gram-positive, facultative anaerobic coccus bacterium. Aerobic vaginitis (AV) is caused by the presence of one or more aerobic pathogens, usually without the presence of Lactobacillus, causing a vaginal inflammatory immune response.
5. Group A streptococcus is a gram-positive, facultative anaerobic coccus bacterium. Aerobic vaginitis (AV) is caused by the presence of one or more aerobic pathogens, usually without the presence of Lactobacillus, causing a vaginal inflammatory immune response.
6. Lactobacillus rhamnosus is a short, gram-positive, facultative anaerobic, non-spore-forming rod that often appears in chains. Some strains of Lactobacillus rhamnosus bacteria are being used as probiotics. The Lactobacillus rhamnosus and Lactobacillus reuteri species are most commonly found in the healthy female genitourinary tract. Lactobacillus reuteri is a gram-positive, rod-shaped, lactic acid bacterium. These gram-positive bacteria are used as probiotics and as supplements for women who do not have the natural Lactobacillus species (Lactobacillus crispatus, Lactobacillus jensenii, and Lactobacillus gassner).
7. The Allplex® Aerobic Vaginitis (AV) Panel is qPCR technology for the identification of Escherichia coli (EC), Staphylococcus aureus (SA), Enterococcus faecalis (EF), Group A Streptococcus (GAS), Group B Streptococcus (GBS), Lactobacillus spp. (Lacto), Lactobacillus reuteri/Lactobacillus rhamnosus (LR), and β-globin as an Internal Control (IC).
8. This test was evaluated and its performance characteristics determined by BioReference Laboratories. It has not been cleared or approved by the U.S. Food and Drug Administration. The FDA has determined that such clearance or approval is not necessary. BioReference Laboratories is certified under the Clinical Laboratory Improvement Amendments of 1988 (CLIA) as qualified to perform high complexity clinical testing. This test is used for clinical purposes. It should not be regarded as investigational or for research.
9. Results should be interpreted in light of current and past laboratory data and symptomatology.

BioReference Laboratories, Inc.
481 Edward H. Ross Dr | Elmwood Park, NJ 07407 | (800) 633-4522

James Weisberger, M.D.
Laboratory Director

Cytology Page 1 of 2
Created 10/19/21 4:40:58 PM EST

GenPath is a business unit of BioReference Laboratories, Inc.

Billing and Payer Policies

Billing Policies and Insurance Coverage

Billing to Patient:

BioReference can bill your patients directly for our services. The patient’s full name and street address (including apartment number, city, state, and zip code) must be clearly printed in the space provided on the test requisition. A complete address at the time the test is ordered is essential. Each test requisition will result in a separate bill to the patient. Payment of patient bills is due upon receipt and, if not paid, will be followed by subsequent reminders and normal collection activity.

Bill To		Insurance information				
BILLING INFORMATION	BILL TO: <input type="checkbox"/> INSURANCE <input type="checkbox"/> PATIENT <input type="checkbox"/> CLIENT		ALL INSURANCES RELATION TO SUBSCRIBER:			
	<input type="checkbox"/> MEDICARE <input type="checkbox"/> MEDICAID <input type="checkbox"/> TRICARE		<input type="checkbox"/> CHILD <input type="checkbox"/> SELF <input type="checkbox"/> SPOUSE <input type="checkbox"/> OTHER: _____			
	INSURANCE CARRIER		INSURANCE ID #		GROUP #	
	SUBSCRIBER'S NAME				DATE OF BIRTH	
	INSURANCE ADDRESS		CITY		STATE	ZIP
	SECONDARY INSURANCE CARRIER		INSURANCE ID #		GROUP #	
	DIAGNOSIS	DX CODE	DX CODE	DX CODE	DX CODE	DX CODE
REFERRING PROVIDER		PRIOR AUTHORIZATION #				
SOURCE OF REFERRAL						
PATIENT STATUS – ONE MUST BE CHECKED						
<input type="checkbox"/> HOSPITAL INPATIENT <input type="checkbox"/> HOSPITAL OUTPATIENT <input type="checkbox"/> NOT A HOSPITAL PATIENT			HOSPITAL PATIENT			
DATE OF DISCHARGE ____/____/____						

↑ **Patient Status** ↓

Diagnosis Code(s) ←

Billing to Third Party:

BioReference will bill insurance carriers directly, when eligible for coverage under the insurer’s criteria, provided all the necessary information is supplied with the specimen. Please be certain to include all of the necessary information in the spaces provided on the test requisition at the time the test is ordered, including any and all diagnosis codes to the highest level of specificity. Complete information significantly reduces the need to interrupt and impose upon your staff or patients with requests for any missing information. BioReference will bill patients for all applicable copayments, coinsurance, and deductibles commensurate with the terms of their insurance policy and as indicated on the patient’s Explanation of Benefits issued by the patient’s health benefit plan.

Medicare / Medicaid:

For patients that are part of government healthcare programs, only AMA-approved panels should be ordered. All other tests must be ordered individually. A special test requisition is available upon request for all government sponsored health plans (**see page A77**).

Patient Status:

Required for testing on all patients. If nothing is indicated, the admitting hospital may be billed for the charges.

Reminder to Clinicians:

Diagnostic testing services should be ordered only when medically and reasonably necessary and when required for the diagnosis or treatment of a patient. Federal and state payers (Medicare and Medicaid) typically exclude most testing that is only ordered for screening purposes.

When ordering any of the above tests outside of their applicable utilization guidelines and without additional documentation, please have the patient sign the Advanced Beneficiary Notice (ABN), so they may be billed directly for the test.

Payer Policy

BioReference

LABORATORIES

an **OPKO** Health Company

BioReference is committed to providing the highest quality laboratory services for your patients. An important part of that quality is helping to ensure our customers and patients understand all aspects of our services. The guiding philosophy of BioReference is to perform only medically appropriate testing as set out in the guidelines of leading medical associations and organizations, as well as leveraging our team of medical experts and key opinion leaders in the industry to deliver the best diagnostic tools available to healthcare providers. It is also essential that BioReference adhere to all applicable federal, state, and local laws and regulations regarding billing for laboratory services; this letter seeks to clarify the billing policies of the company.

In accordance with the Explanation of Benefits (EOB) provided by the patient's health insurance carrier, regardless of whether in-network or out-of-network, patients will be sent two (2) statements in an effort to make a reasonable attempt to collect any and all outstanding balances. This will be followed by a pre-collection notice advising patients that if payment is not received in a timely manner, they may be outsourced to a collection agency. Financial Assistance Programs are available for qualified patients.

Uninsured patients or those who choose to self-pay are financially responsible for all services provided. All invoices are expected to be paid in full. If payment is not received in a timely manner, they may be outsourced to a collection agency.

Patients may pay their bill online by visiting **[bioreference.com/patient-portal](https://www.bioreference.com/patient-portal)**.

BioReference strives to provide unparalleled laboratory services for every one of your patients, and to enact the most patient-friendly billing policies in accordance with all laws and regulations. If you have any questions, please do not hesitate to contact the Billing Department at 800-229-5227 (Option 2).

For the most updated insurance information visit: [bioreference.com/insurance](https://www.bioreference.com/insurance)

Allergy Evaluations

Allergy Evaluation

All single allergens require 1 ml serum/spun barrier tube SST. If testing for any of the following profiles, please send 2 full SST tubes.

Food Allergy Profile

Test Code: K426-7

Allergen Type	Individual Test Code
Egg white	0671-8
Cow's milk	0672-6
Cod fish	0840-9
Wheat	0673-4
Sesame	0936-5
Peanut	0674-2
Soybean	0680-9
Hazelnut	1404-3
Almond	0815-1
Shrimp	0696-5
Tuna	0698-1
Salmon	0714-6
Cashew	1412-6
Walnut	1479-5
Scallop	2543-7
Total IgE	0996-9

**For Medicare/Medicaid patients, individual tests must be ordered.*

Childhood Allergy Profile

Test Code: K726-0

Allergen Type	Individual Test Code
D. pteronyssinus	0715-3
D. farinae	1372-2
Cat dander	0665-0
Dog dander	0664-3
Mouse urine	1360-7
Egg white	0671-8
Milk	0672-6
Cod fish	0840-9
Wheat	0673-4
Peanut	0674-2
Soybean	0680-9
Shrimp	0696-5
Walnut	1479-5
Cockroach	0716-1
Cladosporium herbarum	0661-9
Alternaria alternate	0660-1
Total IgE	0996-9

Region 1 Respiratory Profile (Northeast)

Test Code: 6823-9

Includes: CT; MA; NJ; NY; PA; VT; ME; NH; RI

Allergen Type	Individual Test Code
D. pteronyssinus	0715-3
D. farinae	1372-2
Cat dander	0665-0
Dog dander	0664-3
Mouse urine	1360-7
Bermuda grass (Cynodon dactylon)	1198-1
Timothy grass (Phleum pratense)	0683-3
Cockroach	0716-1
Penicillium notatum	2167-5
Cladosporium herbarum	0661-9
Aspergillus fumigatus	0694-0
Alternaria alternata	0660-1
Maple (box elder; Acer negundo)	0684-1
Birch (Betula verrucosa)	0685-8
Mountain Cedar (Juniperus sabinoides)	6334-7
Oak (Quercus alba)	0652-8
Elm (Ulmus americana)	0659-3
Walnut (Juglans californica)	0686-6
Maple leaf sycamore, London Plane	1305-2
Cottonwood (Populus deltoides)	0891-2
White ash (Fraxinus americana)	1306-0
Mulberry	3835-6
Common ragweed (short; Ambrosia elatior)	0717-9
Mugwort	0718-7
Rough pigweed (Amaranthus retroflexus)	1627-9
Sheep sorrel (Rumex acetosella)	0894-6
Total IgE	0996-9

Region 2 Respiratory Profile (Mid-Atlantic)

Test Code: 6824-7

Includes: DE; MD; VA; DC; NC

Allergen Type	Individual Test Cod
D. pteronyssinus	0715-3
D. farinae	1372-2
Cat dander	0665-0
Dog dander	0664-3
Mouse urine	1360-7
Bermuda grass (Cynodon dactylon)	1198-1
Timothy grass (Phleum pratense)	0683-3
Johnson grass (Sorghum halepense)	1824-2
Cockroach	0716-1
Penicillium notatum	2167-5
Cladosporium herbarum	0661-9
Aspergillus fumigatus	0694-0
Alternaria alternata	0660-1
Maple (box elder; Acer negindo)	0684-1
Birch (Betula verrucosa)	0685-8
Mountain Cedar (Juniperus sabinoides)	6334-7
Oak (Quercus alba)	0652-8
Elm (Ulmus americana)	0659-3
Cottonwood (Populus deltoides)	0891-2
Pecan/Hickory (Carya soecue, pecan)	1938-0
Mulberry	3835-6
Common ragweed (short; Ambrosia elatior)	0717-9
Rough pigweed (Amaranthus retroflexus)	1627-9
Sheep sorrel (Rumex acetosella)	0894-6
Total IgE	0996-9

Region 3 Respiratory Profile (Southeast)

Test Code: 6825-4

Includes: GA; SC; North FL

Allergen Type	Individual Test Code
D. pteronyssinus	0715-3
D. farinae	1372-2
Cat dander	0665-0
Dog dander	0664-3
Mouse urine	1360-7
Bermuda grass (Cynodon dactylon)	1198-1
Timothy grass (Phleum pratense)	0683-3
Bahia grass (Paspalum notatum)	1825-9
Cockroach	0716-1
Penicillium notatum	2167-5
Cladosporium herbarum	0661-9
Aspergillus fumigatus	0694-0
Alternaria alternata	0660-1
Maple (box elder; Acer negundo)	0684-1
Birch (Betula verrucosa)	0685-8
Mountain Cedar (Juniperus sabinoides)	6334-7
Oak (Quercus alba)	0652-8
Elm (Ulmus americana)	0659-3
Pecan/Hickory (Carya soecue, pecan)	1938-0
Common ragweed (short; Ambrosia elatior)	0717-9
Rough pigweed (Amaranthus retroflexus)	1627-9
Sheep sorrel (Rumex acetosella)	0894-6
Nettle (Urtica dioica)	6308-1
Total IgE	0996-9

Region 4 Respiratory Profile (South Florida)

Test Code: 6826-2

Includes: FL, South of Orlando

Allergen Type	Individual Test Code
D. pteronyssinus	0715-3
D. farinae	1372-2
Blomia tropicalis	B235-3
Cat dander	0665-0
Dog dander	0664-3
Mouse urine	1360-7
Bermuda grass (Cynodon dactylon)	1198-1
Timothy grass (Phleum pratense)	0683-3
Bahia grass (Paspalum notatum)	1825-9
Cockroach	0716-1
Penicillium notatum	2167-5
Cladosporium herbarum	0661-9
Aspergillus fumigatus	0694-0
Alternaria alternata	0660-1
Maple (box elder; Acer negundo)	0684-1
Mountain Cedar (Juniperus sabinoides)	6334-7
Oak (Quercus alba)	0652-8
Elm (Ulmus americana)	0659-3
Australian pine (Causarina equisetifolia)	3837-2
Common ragweed (short; Ambrosia elatior)	0717-9
Rough pigweed (Amaranthus retroflexus)	1627-9
Sheep sorrel (Rumex acetosella)	0894-6
Nettle (Urtica dioica)	6308-1
Total IgE	0996-9

Region 10 Respiratory Profile (West South Central)

Test Code: 6827-0

Includes: TX; OK

Allergen Type	Individual Test Code
D. pteronyssinus	0715-3
D. farinae	1372-2
Cat dander	0665-0
Dog dander	0664-3
Mouse urine	1360-7
Bermuda grass (<i>Cynodon dactylon</i>)	1198-1
Timothy grass (<i>Phleum pratense</i>)	0683-3
Cockroach	0716-1
Penicillium notatum	2167-5
Cladosporium herbarum	0661-9
Aspergillus fumigatus	0694-0
Alternaria alternata	0660-1
Maple (box elder; <i>Acer negundo</i>)	0684-1
Birch (<i>Betula verrucosa</i>)	0685-8
Mountain Cedar (<i>Juniperous sabinoides</i>)	6334-7
Oak (<i>Quercus alba</i>)	0652-8
Elm (<i>Ulmus americana</i>)	0659-3
Cottonwood (<i>Populous deltoides</i>)	0891-2
White Ash (<i>Fraxinus americana</i>)	1306-0
Pecan/Hickory (<i>Carya soecue</i> , pecan)	1938-0
Mulberry	3835-6
Common ragweed (short; <i>Ambrosia elatior</i>)	0717-9
Rough pigweed (<i>Amaranthus retroflexus</i>)	1627-9
Rough marsh elder (<i>Iva</i>)	1481-1
Sheep sorrel (<i>Rumex acetosella</i>)	0894-6
Nettle (<i>Urtica dioica</i>)	6308-1
Total IgE	0996-9

Region 12 Respiratory Profile (South CA, AZ Desert)

Test Code: 6828-8

Includes: South CA Desert; AZ Desert

Allergen Type	Individual Test Code
D. pteronyssinus	0715-3
D. farinae	1372-2
Cat dander	0665-0
Dog dander	0664-3
Mouse urine	1360-7
Bermuda grass (Cynodon dactylon)	1198-1
Perennial rye grass (Lolium perenne)	0682-5
Johnson grass (Sorghum halepense)	1824-2
Cockroach	0716-1
Penicillium notatum	2167-5
Cladosporium herbarum	0661-9
Aspergillus fumigatus	0694-0
Alternaria alternata	0660-1
Olive (Olea europa)	1251-8
Mountain Cedar (Juniperous sabinoides)	6334-7
Oak (Quercus alba)	0652-8
Elm (Ulmus americana)	0659-3
Cottonwood (Populus deltoides)	0891-2
Acacia (Acacia species)	3832-3
Common ragweed (short; Ambrosia elatior)	0717-9
Mugwort (safebrush; Artemisia vulgaris)	0718-7
Russian Thistle (Saltwort, Salsola kali)	0732-8
Rough pigweed (Amaranthus retroflexus)	1627-9
Total IgE	0996-9

Region 13 Respiratory Profile (South CA Coast)

Test Code: 6820-5

Includes: South CA Coast

Allergen Type	Individual Test Code
D. pteronyssinus	0715-3
D. farinae	1372-2
Cat dander	0665-0
Dog dander	0664-3
Mouse urine	1360-7
Bermuda grass (Cynodon dactylon)	1198-1
Timothy grass (Phleum pratense)	0683-3
Johnson grass (Sorghum halepense)	1824-2
Cockroach	0716-1
Penicillium notatum	2167-5
Cladosporium herbarum	0661-9
Aspergillus fumigatus	0694-0
Alternaria alternata	0660-1
Alder (Alnus incana)	0561-1
Mountain Cedar (Juniperus sabinoides)	6334-7
Oak (Quercus alba)	0652-8
Elm (Ulmus americana)	0659-3
Olive (Olea europaea)	1251-8
Walnut (Juglans californica)	0686-6
Cottonwood (Populus deltoides)	0891-2
Mulberry	3835-6
Common ragweed (short; Ambrosia elatior)	0717-9
Mugwort (safebrush; Artemisia vulgaris)	0718-7
Russian Thistle (Saltwort, Salsola kali)	0732-8
Rough pigweed (Amaranthus retroflexus)	1627-9
Total IgE	0996-9

Region 14 Respiratory Profile (Central CA)

Test Code: 6821-3

Includes: Central CA

Allergen Type	Individual Test Code
D. pteronyssinus	0715-3
D. farinae	1372-2
Cat dander	0665-0
Dog dander	0664-3
Mouse urine	1360-7
Bermuda grass (Cynodon dactylon)	1198-1
Timothy grass (Phleum pratense)	0683-3
Cockroach	0716-1
Penicillium notatum	2167-5
Cladosporium herbarum	0661-9
Aspergillus fumigatus	0694-0
Alternaria alternata	0660-1
Alder (Alnus incana)	0561-1
Birch (Betula verrucosa)	0685-8
Mountain Cedar (Juniperus sabinoides)	6334-7
Oak (Quercus alba)	0652-8
Elm (Ulmus americana)	0659-3
Olive (Olea europaea)	1251-8
Sycamore (Plantanus acerfolia)	1305-2
Mulberry	3835-6
Common ragweed (short; Ambrosia elatior)	0717-9
Mugwort (safebrush; Artemisia vulgaris)	0718-7
Russian Thistle (Saltwort, Salsola kali)	0732-8
Rough pigweed (Amaranthus retroflexus)	1627-9
Total IgE	0996-9

Region 17 Respiratory Profile (North CA and Pacific Northwest)

Test Code: 6822-1

Includes: Northern CA; OR; WA

Allergen Type	Individual Test Code
D. pteronyssinus	0715-3
D. farinae	1372-2
Cat dander	0665-0
Dog dander	0664-3
Mouse urine	1360-7
Timothy grass (Phleum pratense)	0683-3
Cockroach	0716-1
Penicillium notatum	2167-5
Cladosporium herbarum	0661-9
Aspergillus fumigatus	0694-0
Alternaria alternata	0660-1
Maple (box elder; Acer negundo)	0684-1
Alder (Alnus incana)	0561-1
Birch (Betula verrucosa)	0685-8
Mountain Cedar (Juniperus sabinoides)	6334-7
Oak (Quercus alba)	0652-8
Elm (Ulmus americana)	0659-3
Walnut (Juglans californica)	0686-6
Cottonwood (Populus deltoides)	0891-2
White ash (Fraxinus americana)	1306-0
Common ragweed (short; Ambrosia elatior)	0717-9
Rough pigweed (Amaranthus retroflexus)	1627-9
Sheep sorrel (Rumex acetosella)	0894-6
Nettle (Urtica dioica)	6308-1
Total IgE	0996-9


How to Use the Test Directory

How to Use the Test Directory

This directory lists our testing services in alphabetical order using common nomenclature. An alphabetical index is provided at the end of the directory to assist you in finding the test you need.

Some tests may have alternate names, so please refer to the alternate name filed within the test listing. If you cannot find a particular test, please contact your Account Representative or our Client Services Department and they will be able to assist you.

Our Test Format:

Test Name	Test Code
<p>Comprehensive Metabolic Panel</p> <hr/> <p>Alternate Name: COMP. METABOLIC (CMP) Methodology: Preferred Specimen: 1 mL SST Tube Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes Storage Instruction: Refrigerate Turn Around Time: 1 days Scarlet Eligible: Yes</p>	<p> 3427-2</p> <p>CPT Code: 83520 (1)</p>

↑

Test Information

The CPT codes provided are based on AMA guidelines and are for informational purposes only. CPT coding is the sole responsibility of the billing party. Please direct any questions regarding coding to the payer being billed.

Scarlet blood drop will appear next to test code if eligible for collection by a Scarlet phlebotomist.

AMA Disease-Specific Profiles

AMA Disease-Specific Profiles (Approved For Government Health Plans)

Code	Profile
3283-9 Acute Hepatitis Panel	Hepatitis A Antibody (HAAb), Igm (86709)
	Hepatitis B Core Antibody (HBcAb), Igm Antibody (86705)
	Hepatitis B Surface Antigen (HBsAg) (87340)
	Hepatitis C Antibody (86803)
2555-1 Basic Metabolic Panel <i>(With regular Calcium; For BMP with Ionized Calcium, please use test code 5563-2)</i>	Calcium, Total (82310)
	Carbon Dioxide (Bicarbonate) (82374)
	Chloride (82565)
	Creatinine (82565)
	Glucose, Serum (82947)
	Potassium (84132)
	Sodium (84295)
Blood Urea Nitrogen (BUN) (84520)	
3427-2 Comprehensive Metabolic Panel	Albumin (82040)
	Bilirubin, Total (82247)
	Calcium, Total (82310)
	Carbon Dioxide (Bicarbonate) (82374)
	Chloride (82565)
	Creatinine (82565)
	Glucose (82947)
	Phosphatase, Alkaline (84075)
	Potassium, Serum (84132)
	Protein, Total (84155)
	Sodium, Serum (84295)
	Transferase, Alanine Amino (ALT) (SGPT) (84460)
	Transferase, Aspartate Amino (AST) (SGOT) (84450)
Blood Urea Nitrogen (BUN) (84520)	

AMA Disease-Specific Profiles (Approved For Government Health Plans)

Code	Profile
0002-6 Electrolytes Panel	Carbon Dioxide (Bicarbonate) (82374)
	Chloride, Blood (82435)
	Potassium, Serum (84132)
	Sodium, Serum (84295)
3422-3 Hepatic Function Panel/Liver Panel	Albumin (82040)
	Bilirubin, Total (82247)
	Bilirubin, Direct (82248)
	Phosphatase, Alkaline (84075)
	Protein, Total (84155)
	Transferase, Alanine Amino (ALT) (SGPT) (84460)
	Transferase, Aspartate Amino (AST) (SGOT) (84460)
3284-7 Renal Function Panel	Albumin (82040)
	Calcium, Total (82310)
	Carbon Dioxide (Bicarbonate) (82374)
	Chloride (82435)
	Creatinine (82565)
	Glucose (82947)
	Phosphorus, Inorganic (Phosphate) (84100)
	Potassium, Serum (84132)
	Sodium, Serum (84295)
	Blood Urea Nitrogen (Bun) (84520)

Laboratory Tests in Alphabetical Order

Rest of Comprehensive Cancer Panel (after Breast Cancer Surgical Panel) J670-1**Alternate Name:** (Reflex to Remainder of Cancer Panel (after J662))**Methodology:** Full Gene Sequencing**Preferred Specimen:** 5 mL Peripheral Blood - Lavender Top**Collection Instruction:** Lavender: 2 tubes (5-6 mL each) Label with the patient name, date of birth and/or ID. Ideal handling is to ship immediately at ambient temperature for overnight delivery. Alternate specimen type: DNA: Extract and submit DNA 50 ng/mL (total volume 400 mL) in sterile container. Ship DNA in sealed and protective packaging at ambient temperature, using a cool pack in hot weather. Labeling: Name of person or identifier, DNA concentration and volume MUST be provided on the specimen tube.**Storage Instruction:** Refrigerate**Turn Around Time:** 14 days**CPT Code:** 81321 (1), 81405 (1)**Scarlet Eligible:** Yes**Rest of Cancer Panel (after KPSC Hereditary Cancer)** J827-7**Alternate Name:** (Reflex to Remainder of Cancer Panel (after J810-3))**Methodology:** Genotyping by Next Generation Sequencing**Preferred Specimen:** Lavender top- EDTA**Collection Instruction:** Lavender: 2 tubes (5-6ml each) Label with the patient name, date of birth and/or ID. Ideal handling is to ship immediately at ambient temperature for overnight delivery. Alternate sample type: DNA: Extract and submit DNA 50 ng/mL (total volume 400 mL) in sterile container. Ship DNA in sealed and protective packaging at ambient temperature, using a cool pack in hot weather. Labeling: Name of person or identifier, DNA concentration and volume MUST be provided on the specimen tube.**Storage Instruction:** Room Temp**Turn Around Time:** 14 days**CPT Code:** 81479 (1)**Scarlet Eligible:** Yes

C1q Complement

0724-5

Alternate Name: **SPECIMEN MUST BE RECEIVED FROZEN****Methodology:** Immunodiffusion**Preferred Specimen:** 2.0 mL Aliquot Tube-Serum**Collection Instruction:** Place 1-3 mL of serum in transport tube. Label as serum;refrigerate or freeze as required.**Storage Instruction:** STRICT Frozen**Turn Around Time:** 13 days**CPT Code:** 86160 (1)**Scarlet Eligible:** No**XCE 8 BY FISH**

B514-1

Alternate Name: +8 BY FISH**Methodology:** FISH**Preferred Specimen:** 2 mL Bone Marrow - Green Top**Collection Instruction:** Place bone marrow into tube, label with patient's name**Storage Instruction:** Refrigerate**Turn Around Time:** 2 days**CPT Code:** 88373 (1)**Scarlet Eligible:** No**-5/5Q- BY FISH-TC ONLY**

A869-0

Alternate Name: -5/5Q- BY FISH-TC ONLY**Methodology:** FISH**Preferred Specimen:** 2 mL Bone Marrow - Green Top**Collection Instruction:** Non-diluted bone marrow aspirate collected and transferred into sodium heparin (green top) tube. Also acceptable:Whole blood in green (sodium heparin) tube.**Storage Instruction:** Refrigerate**Turn Around Time:** 3-5 days**CPT Code:** 88374 (1)**Scarlet Eligible:** No

D5S2064 FOR -5/5q- BY FISH

B507-5

Alternate Name: -5/5q- BY FISH**Methodology:** FISH**Preferred Specimen:** 2 mL Bone Marrow - Green Top**Collection Instruction:** Place bone marrow into tube, label with patient's name**Storage Instruction:** Refrigerate**Turn Around Time:** 2 days**CPT Code:** 88374 (1)**Scarlet Eligible:** No**-7/7Q- BY FISH-TC ONLY**

A868-2

Alternate Name: -7/7Q- BY FISH-TC ONLY**Methodology:** FISH**Preferred Specimen:** 2 mL Bone Marrow - Green Top**Collection Instruction:** Non-diluted bone marrow aspirate collected and transferred into sodium heparin (green top) tube. Also acceptable: Whole blood in green (sodium heparin) tube**Storage Instruction:** Refrigerate**Turn Around Time:** 3-5 days**CPT Code:** 88374 (1)**Scarlet Eligible:** No**D7S486/XCE 7 FOR -7/7q- BY FISH**

B506-7

Alternate Name: -7/7q- BY FISH**Methodology:** FISH**Preferred Specimen:** 2 mL Bone Marrow - Green Top**Collection Instruction:** Place bone marrow into tube, label with patient's name**Storage Instruction:** Refrigerate**Turn Around Time:** 2 days**CPT Code:** 88374 (1)**Scarlet Eligible:** No

GLYCOMARK J114-0**Alternate Name:** 1,5-ANHYDROGLUCITOL ,1,5-AG**Methodology:** Enzymatic**Preferred Specimen:** 1 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 1 day**CPT Code:** 84378 (1)**Scarlet Eligible:** Yes**10-Color Screening (Short) Flow Cytometry Panel (Tech Only)**

TK81-6

Alternate Name: 10 Color Screening (Short) Flow Cytometry Panel/Flow (Tech Only)**Methodology:** Flow Cytometry**Preferred Specimen:** 2 Bone Marrow - Green Top**Storage Instruction:** Room Temp**Turn Around Time:** 1 day**CPT Code:** 88184 (1), 88185 (14)**Scarlet Eligible:** No**ATM FOR 11q22.3 BY FISH**

B512-5

Alternate Name: 11q22.3 BY FISH**Methodology:** FISH**Preferred Specimen:** 2 mL Bone Marrow - Green Top**Collection Instruction:** Place bone marrow into tube, label with patient's name**Storage Instruction:** Refrigerate**Turn Around Time:** 2 days**CPT Code:** 88373 (1)**Scarlet Eligible:** No

D13S319 (13q14.3) BY FISH

B510-9

Alternate Name: 13q14.3 BY FISH**Methodology:** FISH**Preferred Specimen:** 2 mL Bone Marrow - Green Top**Collection Instruction:** Place bone marrow into tube, label with patient's name**Storage Instruction:** Refrigerate**Turn Around Time:** 2 days**CPT Code:** 88373 (1)**Scarlet Eligible:** No**14-3-3 ETA Protein** B677-6**Alternate Name:** 14-3-3 ETA PROTEIN**Methodology:** Enzyme Linked Immunoabsorbance**Preferred Specimen:** 2 mL Aliquot Serum- Red Top**Collection Instruction:** Place 1-3 mL of serum in transport tube. Label as serum;refrigerate or freeze as required.**Storage Instruction:** Refrigerate**Turn Around Time:** 14 days**CPT Code:** 83520 (1)**Scarlet Eligible:** Yes**Estradiol, Serum** 0516-5**Alternate Name:** 17 Beta-Estradiol, Free, Serum**Methodology:** Electrochemiluminescence Immunoassay**Preferred Specimen:** 1 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 1 day**CPT Code:** 82670 (1)**Scarlet Eligible:** Yes

Estradiol, Free 3687-1**Alternate Name:** 17 Beta-Estradiol, Serum; Estradiol-17 Beta, Serum**Methodology:** Chromatography**Preferred Specimen:** Red Top**Collection Instruction:** Fill tube, label with patient name**Storage Instruction:** Refrigerate**Turn Around Time:** 11 day**CPT Code:** 82670 (1), 82681 (1)**Scarlet Eligible:** Yes**Hydroxyprogesterone(17), Alpha Serum/Plasma** 0997-7**Alternate Name:** 17-Hydroxyprogesterone**Methodology:** Liquid Chromatography Mass Spectrometry**Preferred Specimen:** 1 mL Red Top**Collection Instruction:** Fill tube, label with patient name**Storage Instruction:** Refrigerate**Turn Around Time:** 2 days**CPT Code:** 83498 (1)**Scarlet Eligible:** Yes**P53 by FISH**

A314-7

Alternate Name: 17P53,TP53,17P**Methodology:** FISH**Preferred Specimen:** 2 mL Bone Marrow - Green Top**Collection Instruction:** Non-diluted bone marrow aspirate collected and transferred into sodium heparin (green top) tube. Also acceptable: Whole blood in green (sodium heparin) tube.**Storage Instruction:** Refrigerate**Turn Around Time:** 3-5 days**CPT Code:** 88367 (1)**Scarlet Eligible:** No

Corticosterone 18-OH 0179-2

Alternate Name: 18-OH-Corticosterone**Methodology:** High Pressure Liquid Chromatography**Preferred Specimen:** 3 mL Aliquot Tube-Serum**Collection Instruction:** Fill tube, invert gently 2-3 times, let stand for 20 minutes, spin for 10-15 minutes label with patient name.**Storage Instruction:** Refrigerate**Turn Around Time:** 17 days**CPT Code:** 82542 (1)**Scarlet Eligible:** Yes

1P/19Q,D(1;19)DELETION BY FISH

A311-3

Alternate Name: 1P/19Q,D(1;19)DELETION BY FISH**Methodology:** FISH**Preferred Specimen:** Formalin-fixed, Paraffin-embedded Tissue**Collection Instruction:** This comes in block from client with surgical number imprint.**Turn Around Time:** 3 days**CPT Code:** 88377 (2)**Scarlet Eligible:** No

20Q12 BY FISH-TC ONLY

A871-6

Alternate Name: 20Q12 BY FISH-TC ONLY**Methodology:** FISH**Preferred Specimen:** 2 mL Bone Marrow - Green Top**Collection Instruction:** Non-diluted bone marrow aspirate collected and transferred into sodium heparin (green top) tube. Also acceptable: Whole blood in green (sodium heparin) tube.**Storage Instruction:** Refrigerate**Turn Around Time:** 3-5 days**CPT Code:** 88367 (1)**Scarlet Eligible:** No

D20C108 FOR DEL (20q) BY FISH

B508-3

Alternate Name: 20q12 BY FISH**Methodology:** FISH**Preferred Specimen:** 2 mL Bone Marrow - Green Top**Collection Instruction:** Place bone marrow into tube, label with patient's name**Storage Instruction:** Refrigerate**Turn Around Time:** 2 days**CPT Code:** 88367 (1)**Scarlet Eligible:** No**Osmolality, Urine 24hr.**

0988-6

Alternate Name: 24 Hours Urine Osmolality**Methodology:** Freeze Point Depression**Preferred Specimen:** 1 mL Urine Container - 24hr**Collection Instruction:** Discard first morning sample, then collect all urines after for 24 hrs, on completion label with collection time and patient's name; record total volume on Requisition**Storage Instruction:** Refrigerate**Turn Around Time:** 5 days**CPT Code:** 83935 (1)**Scarlet Eligible:** No**3-Alpha Androstanediol-G** 1613-9**Alternate Name:** 3-ALPHA DIOL-G**Methodology:** Enzyme Linked Immunoabsorbance**Preferred Specimen:** 1 mL Red Top**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 15 days**CPT Code:** 82154 (1)**Scarlet Eligible:** Yes

4K PSA rflx >3.0

J264-3

Alternate Name: 4K prostate screen, Prostate test, Kallikrein score, Four K**Methodology:** Chemiluminescence**Preferred Specimen:** 3 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 2 days**CPT Code:** 84153 (1)**Scarlet Eligible:** No**4K PSA Total + Free Reflex >3.0 to 4Kscore** K135-4**Alternate Name:** 4K prostate screen, Prostate test, Kallikrein score, Four K**Preferred Specimen:** 3 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 1 day**CPT Code:** 84153 (1), 84154 (1)**Scarlet Eligible:** Yes**4K Prostate Score (Serum)** J148-8**Alternate Name:** 4K prostate screen, Prostate test, Kallikrein score, Four K, 4Kscore**Methodology:** Electrochemiluminescence Immunoassay**Preferred Specimen:** 3 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 2 days**CPT Code:** 81539 (1)**Scarlet Eligible:** Yes

5-Flucytosine, S

 6180-4

Alternate Name: 5-FLUCYTOSINE

Methodology: Liquid Chromatography Tandem Mass Spectrometry

Preferred Specimen: Red Top

Collection Instruction: Fill tube, label with patient name

Storage Instruction: Refrigerate

Turn Around Time: 5 days

CPT Code: 80299 (1)

Scarlet Eligible: Yes

Thiopurine Metabolites

 3701-0

Alternate Name: 6-Methylmercaptopurine, 6-MMP

Methodology: Liquid Chromatography Tandem Mass Spectrometry

Preferred Specimen: 5 mL Lavender top- EDTA

Collection Instruction: Fill lavender-top (EDTA) tube completely, invert 8-10 times. DO NOT SHAKE TUBE!

Storage Instruction: Refrigerate

Turn Around Time: 8 days

CPT Code: 80299 (1)

Scarlet Eligible: Yes

A. Fumigatus Mold (m3), IgE

 0694-0

Alternate Name: A. Fumigatus Mold

Methodology: Immunocap

Preferred Specimen: 3 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 2 days

CPT Code: 86003 (1)

Scarlet Eligible: Yes

A. Vaginalis by RT-PCR

J212-2

Alternate Name: A. VAGINALIS BY PCR

Methodology: Polymerase Chain Reaction

Preferred Specimen: ThinPrep Vial

Collection Instruction: Collect specimen, swish in Thin prep vial, label with pt name.

Storage Instruction: Room Temp

Turn Around Time: 5-7 days

CPT Code: 87799 (1)

Scarlet Eligible: No

ABCD1 Gene Sequencing & Del/Dup

 J975-4

Alternate Name: ABCD1 Gene Sequencing & Del/Dup

Methodology: Sanger Sequencing

Preferred Specimen: Lavender top- EDTA

Collection Instruction: Blood specimens of any type (in EDTA or dried blood spot) and buccal swab cannot be accepted if the patient has ever received an allogeneic bone marrow transplant. Blood specimens will be rejected if frozen, hemolyzed or clotted. Blood can be refrigerated up to 7 days before shipping. Blood specimens older than 7 days can still be shipped; they will be tested if the yield and quality of DNA permit.

Storage Instruction: Room Temp

CPT Code: 81405 (1), 81479 (1)

Scarlet Eligible: Yes

Abetalipoproteinemia

 B148-8

Alternate Name: ABETALIPOPROTEINEMIA

Methodology: Genotyping by Next Generation Sequencing

Preferred Specimen: Lavender top- EDTA

Collection Instruction: Fill lavender-top (EDTA) tube completely, invert 8-10 times. DO NOT SHAKE TUBE!

Storage Instruction: Refrigerate

Turn Around Time: 10-14 days

CPT Code: 81479 (1)

Scarlet Eligible: Yes

Onkosight NGS ABL1 Sequencing

J132-2

Alternate Name: ABL1 BY NGS

Preferred Specimen: Bone Marrow - Lavender Top

Collection Instruction: Place bone marrow into tube, label with patient's name

Storage Instruction: Room Temp

Turn Around Time: 7-14 days

CPT Code: 81170 (1)

Scarlet Eligible: No

ABO and Rh Blood Typing

 0156-0

Alternate Name: ABO/Rh BLOOD TYPE

Methodology: ID-Micro Typing System gel test

Preferred Specimen: Pink Tube-EDTA

Collection Instruction: Fill tube, invert gently 5-6 times, label with patient name

Storage Instruction: Refrigerate

Turn Around Time: 1 day

CPT Code: 86900 (1), 86901 (1)

Scarlet Eligible: Yes

Absolute Neutrophil Count

 3617-8

Alternate Name: ABSOLUTE NEUTROPHIL, ANC

Methodology: Flow Cytometry

Preferred Specimen: Lavender top- EDTA

Collection Instruction: Fill lavender-top (EDTA) tube completely, invert 8-10 times. DO NOT SHAKE TUBE!

Storage Instruction: Refrigerate

Turn Around Time: 1 day

CPT Code: 99999 (1)

Scarlet Eligible: Yes

Anti-Cardiolipin Antibodies, Quantitative, IgG, IgM, IgA 0431-7**Alternate Name:** ACA**Methodology:** Enzyme Linked Immunoabsorbance**Preferred Specimen:** 1 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 86147 (3)**Scarlet Eligible:** Yes**Angiotensin Convert.Enzyme Insertion/DEL.** 8807-0**Alternate Name:** ACE INSERTION/DEL.**Methodology:** Fluor. Polarization Immunoassay**Preferred Specimen:** Lavender top- EDTA**Collection Instruction:** Fill lavender-top (EDTA) tube completely, invert 8-10 times. DO NOT SHAKE TUBE!**Storage Instruction:** Refrigerate**Turn Around Time:** 20 days**CPT Code:** 81400 (1)**Scarlet Eligible:** Yes**Acetazolamide (Diamox)** 1271-6**Alternate Name:** ACETAZOLAMIDE (DIAMO**Methodology:** High Pressure Liquid Chromatography**Preferred Specimen:** 1 mL Red Top**Collection Instruction:** Fill tube, label with patient name**Storage Instruction:** Refrigerate**Turn Around Time:** 13 days**CPT Code:** 80375 (1)**Scarlet Eligible:** Yes

Acetylcholine Modulating Autoabs

 3555-0

Alternate Name: ACETYLCHOLINE MODUL.

Methodology: Radio Immuno Assay

Preferred Specimen: 1 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 12 days

CPT Code: 83519 (1)

Scarlet Eligible: Yes

Acetylcholine Receptor Binding Antibody

 0874-8

Alternate Name: ACETYLCHOLINE RECEP.Ab.

Methodology: Radio Immuno Assay

Preferred Specimen: 1 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 7 days

CPT Code: 83519 (1)

Scarlet Eligible: Yes

Adrenocorticotrophic Hormone (ACTH)

0507-4

Alternate Name: ACTH; Corticopin,Cosyntropin

Methodology: Chemiluminescence

Preferred Specimen: 1 mL Aliquot Plasma-EDTA-Lavender Top

Collection Instruction: Centrifuge lavender-top at high speed for 15 minutes. Transfer plasma into plastic transfer tube. Label with date/time collected, PLASMA and patient's name. Must submit frozen.

Storage Instruction: STRICT Frozen

Turn Around Time: 2 days

CPT Code: 82024 (1)

Scarlet Eligible: No

Acute Hepatitis Panel

 3283-9

Alternate Name: ACUTE HEPATITIS PANEL

Preferred Specimen: SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 1 day

CPT Code: 80074 (1)

Scarlet Eligible: Yes

Acute Phase Reactant Profile

 0584-3

Alternate Name: ACUTE PHASE REACTANT

Preferred Specimen: SST Tube, Lavender top- EDTA

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Turn Around Time: 11 day

CPT Code: 85651 (1), 85810 (1), 86140 (1)

Scarlet Eligible: Yes

Myasthenia Gravis Panel 2

 B870-7

Alternate Name: AChR Antibody, AChR reflex panel, Acetylcholine Recep AB

Methodology: Radio Immuno Assay

Preferred Specimen: 2 mL SST Tube

Collection Instruction: Separate serum from cells ASAP or within 2 hours of collection. Transfer serum to a standard transport tube.

Storage Instruction: Refrigerate

Turn Around Time: 10 days

CPT Code: 83519 (3)

Scarlet Eligible: Yes

ADAMTS13 Activity with Reflex to Inhibitor

5741-4

Alternate Name: ADAM TS13,VWF Cleaving Protease (vWF-CP),ADAMTS-13 Activity,Prot**Methodology:** Immunoassay**Preferred Specimen:** 2 mL Aliquot Plasma-Citrated-Blue Top**Collection Instruction:** Collect full blue-top (citrated) tube. Centrifuge Blue-top at high speed for 15 minutes. Transfer plasma into plastic transfer tube. Label with date/time collected, PLASMA, patient's name and freeze.**Storage Instruction:** STRICT Frozen**Turn Around Time:** 8 days**CPT Code:** 85397 (1)**Scarlet Eligible:** No**Adenocarcinoma vs. Mesothelioma IHC Panel**

5181-3

Alternate Name: ADENOCARCINOMA V.MESOTHEL.**Methodology:** Immunohistochemistry**Preferred Specimen:** Formalin-fixed, Paraffin-embedded Tissue**Collection Instruction:** This comes in a block or slide form from client with surgical number imprint.**Turn Around Time:** 1 day**CPT Code:** 88341 (8), 88342 (1)**Scarlet Eligible:** No**Adenovirus Antibody, Serum** 0486-1**Alternate Name:** ADENOVIRUS ANTIBODY**Preferred Specimen:** 1 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 8 days**CPT Code:** 86603 (1)**Scarlet Eligible:** Yes

GP/AE1/AE3 (Stain Only)

5108-6

Alternate Name: AE1/AE3 (Stain Only)**Methodology:** Immunohistochemistry**Preferred Specimen:** Formalin-fixed, Paraffin-embedded Tissue**Collection Instruction:** This comes in a block or slide form from client with surgical number imprint.**Turn Around Time:** 1 day**CPT Code:** 88342 (1)**Scarlet Eligible:** No**Maternal Serum Alpha-Fetoprotein Screen (MSAFP) - ONTD Only** 0274-1**Alternate Name:** AFP**Preferred Specimen:** 2 mL SST Tube**Collection Instruction:** MUST BE 15-22WEEKS AND 6 DAYS. PROVIDE GESTATIONAL INFO.**Storage Instruction:** Refrigerate**Turn Around Time:** 4 days**CPT Code:** 82105 (1)**Scarlet Eligible:** Yes**Amniotic fluid AFP**

2122-0

Alternate Name: AFP, Amniotic Fluid**Preferred Specimen:** 20 mL Amniotic Fluid**Collection Instruction:** 3mL Amniotic Fluid submitted in a sterile, leak-proof container**Storage Instruction:** Room Temp**Turn Around Time:** 4 days**CPT Code:** 82106 (1)**Scarlet Eligible:** No

Alpha Fetoprotein, Tumor Marker (AFP)

 0025-7

Alternate Name: AFP, Tumor Marker

Methodology: Electrochemiluminescence Immunoassay

Preferred Specimen: 1 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 1 day

CPT Code: 82107 (1)

Scarlet Eligible: Yes

Alpha-Fetoprotein-L3%

 6299-2

Alternate Name: AFP-L3%

Methodology: Liquid-Phase Binding Assay

Preferred Specimen: 1.5 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 10 days

CPT Code: 82107 (1)

Scarlet Eligible: Yes

AFP/HCG Tumor Marker

 4514-6

Alternate Name: AFP/HCG Tumor Marker

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Turn Around Time: 1 day

CPT Code: 82105 (1), 84702 (1)

Scarlet Eligible: Yes

AH50 Complement Activity Alternate Pathway

B379-9

Alternate Name: AH50,Alternative Complement Pathway,Functional Complement,Hemoly**Methodology:** Immunodiffusion**Preferred Specimen:** 1 mL Aliquot Tube-Serum**Collection Instruction:** Allow specimen to clot for one hour at room temperature. Separate serum from cells ASAP or within 2 hours of collection. Transfer serum to a standard transport tube and freeze.Place 1-3 mL of serum in transport tube. Label as serum and freeze as required.**Storage Instruction:** STRICT Frozen**Turn Around Time:** 16 days**CPT Code:** 86161 (1)**Scarlet Eligible:** No

Ashkenazi Jewish Expanded Profile J293-2**Alternate Name:** AJ NGS 50**Methodology:** Genotyping by Next Generation Sequencing**Preferred Specimen:** Lavender top- EDTA**Collection Instruction:** Fill lavender-top (EDTA) tube completely, invert 8-10 times. DO NOT SHAKE TUBE!**Storage Instruction:** Refrigerate**Turn Around Time:** 14 days**CPT Code:** 81412 (1)**Scarlet Eligible:** Yes

Ashkenazi Jewish DNA Panel (NON NY) A282-6**Alternate Name:** AJ8, Ashkenazi Jewish DNA**Preferred Specimen:** 10 mL Lavender top- EDTA**Collection Instruction:** Fill lavender-top (EDTA) tube completely, invert 8-10 times. DO NOT SHAKE TUBE!**Storage Instruction:** Refrigerate**Turn Around Time:** 10-14 days**CPT Code:** 81200 (1), 81209 (1), 81242 (1), 81251 (1), 81255 (1), 81260 (1), 81290 (1), 81330 (1)**Scarlet Eligible:** Yes

Post Dialysis Albumin

2256-6

Alternate Name: ALBUMIN POST DIALYSIS

Methodology: Colorimetry

Preferred Specimen: 1 mL Microtainer - Pediatric SST

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 1 day

CPT Code: 82040 (1)

Scarlet Eligible: No

Alcohol Biomarkers (ETG), Qual. (500)

 6284-4

Alternate Name: ALCOHOL BIOMARKERS

Methodology: Enzyme Immunoassay

Preferred Specimen: 15 mL Urine Cup

Collection Instruction: Collect urine in cup, label with patients name

Storage Instruction: Refrigerate

Turn Around Time: 1 day

CPT Code: 80307 (1)

Scarlet Eligible: Yes

Aldosterone, Serum

 0302-0

Alternate Name: ALDOSTERONE

Methodology: Chemiluminescence

Preferred Specimen: 2 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 4 days

CPT Code: 82088 (1)

Scarlet Eligible: Yes

ALK (EML4/ALK) BY IHC

B565-3

Alternate Name: ALK (EML4/ALK) BY IHC**Methodology:** Immunohistochemistry**Preferred Specimen:** Formalin-fixed, Paraffin-embedded Tissue**Collection Instruction:** This comes in block form from client with surgical number imprint.**Storage Instruction:** Room Temp**Turn Around Time:** 1 day**CPT Code:** 88342 (1)**Scarlet Eligible:** No**ALK BY FISH (TC)**

B236-1

Alternate Name: ALK BY FISH (TC)**Methodology:** FISH**Preferred Specimen:** Formalin-fixed, Paraffin-embedded Tissue**Collection Instruction:** This comes in block form from client with surgical number imprint.**Storage Instruction:** Room Temp**Turn Around Time:** 3-5 days**CPT Code:** 88374 (1)**Scarlet Eligible:** No**ALK BY FISH, IF NEG REFLEX TO ROS1 BY FISH**

J015-9

Alternate Name: ALK FISH,IF NEG RFX>ROS**Methodology:** FISH**Preferred Specimen:** Formalin-fixed, Paraffin-embedded Tissue**Collection Instruction:** This comes in block form from client with surgical number imprint.**Storage Instruction:** Room Temp**Turn Around Time:** 3-5 days**CPT Code:** 88377 (1)**Scarlet Eligible:** No

EML4-ALK by FISH (FDA): Lung

A241-2

Alternate Name: ALK Status**Methodology:** FISH**Preferred Specimen:** Formalin-fixed, Paraffin-embedded Tissue**Collection Instruction:** Please write surgical number on block and on requisition. Provide fixation time on requisition as well**Storage Instruction:** Room Temp**Turn Around Time:** 3-5 days**CPT Code:** 88377 (1)**Scarlet Eligible:** No**ALK-2P23: Anaplastic Lymphoma**

B684-2

Alternate Name: ALK-2P23-ALCL**Methodology:** FISH**Preferred Specimen:** 2 mL Bone Marrow - Green Top**Collection Instruction:** Place bone marrow into tube, label with patient's name**Storage Instruction:** Room Temp**Turn Around Time:** 3 days**CPT Code:** 88377 (1)**Scarlet Eligible:** No**ALL Prognosis Panel by FISH**

P260-3

Alternate Name: ALL PROGNOSIS PNL/FISH**Methodology:** FISH**Preferred Specimen:** 2 mL Bone Marrow - Green Top**Collection Instruction:** Non-diluted bone marrow aspirate collected and transferred into sodium heparin (green top) tube. Also acceptable: Whole blood in green (sodium heparin) tube.**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 88374 (2)**Scarlet Eligible:** No

Allergen Cedar Red (t212), IgE 6305-7**Alternate Name:** ALLERGEN CEDAR RED, IGE**Methodology:** Immunocap**Preferred Specimen:** SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 86003 (1)**Scarlet Eligible:** Yes**Allergen Chestnut (t206), IgE** 2420-8**Alternate Name:** ALLERGEN CHESTNUT, IGE**Methodology:** Immunocap**Preferred Specimen:** 2 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 86003 (1)**Scarlet Eligible:** Yes**Allergen Firebush (w17), IgE** 2408-3**Alternate Name:** ALLERGEN FIREBUSH (KOCHIA)**Methodology:** Enzyme Immunoassay**Preferred Specimen:** 0.5 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 6 days**CPT Code:** 86003 (1)**Scarlet Eligible:** Yes

Allergen Herring (f205), IgE

 6267-9

Alternate Name: ALLERGEN HERRING, IGE

Methodology: Immunocap

Preferred Specimen: 2 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 3 days

CPT Code: 86003 (1)

Scarlet Eligible: Yes

Allergen White Mulberry (T70), IgE

 3835-6

Alternate Name: ALLERGEN WHITE MULBERRY

Methodology: Immunocap

Preferred Specimen: 2 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 5 days

CPT Code: 86003 (1)

Scarlet Eligible: Yes

Allergy Outdoor Panel

 P267-8

Alternate Name: ALLERGY OUTDOOR PANEL

Preferred Specimen: SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Turn Around Time: 3 days

CPT Code: 86003 (20)

Scarlet Eligible: Yes

Alkaline Phosphatase, Serum

 0185-9

Alternate Name: ALP; Phosphatase, Alkaline

Methodology: Colorimetry

Preferred Specimen: 1 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 1 day

CPT Code: 84075 (1)

Scarlet Eligible: Yes

AlphaSub-Unit

 1262-5

Alternate Name: ALPHA SUB-UNIT

Methodology: Electrochemiluminescence Immunoassay

Preferred Specimen: 1 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 16 days

CPT Code: 82397 (1)

Scarlet Eligible: Yes

Alpha-Globin Common Mutation Analysis (NY ONLY)

B663-6

Alternate Name: ALPHA THALASSEMIA

Methodology: Polymerase Chain Reaction

Preferred Specimen: 5 mL Lavender top- EDTA

Collection Instruction: Fill lavender-top (EDTA) tube completely, invert 8-10 times. DO NOT SHAKE TUBE!

Storage Instruction: Refrigerate

Turn Around Time: 14 days

CPT Code: 81257 (1)

Scarlet Eligible: No

Alpha-Globin Common Mutation Analysis (NON-NY)

 3977-6

Alternate Name: ALPHA THALASSEMIA

Methodology: Polymerase Chain Reaction

Preferred Specimen: 3 mL Lavender top- EDTA

Collection Instruction: Fill lavender-top (EDTA) tube completely, invert 8-10 times. DO NOT SHAKE TUBE!

Storage Instruction: Refrigerate

Turn Around Time: 22 days

CPT Code: 81257 (1)

Scarlet Eligible: Yes

Alpha-1-Acid Glycoprotein

 3844-8

Alternate Name: ALPHA-1-ACID

Methodology: Nephelometry

Preferred Specimen: 1 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 7 days

CPT Code: 82985 (1)

Scarlet Eligible: Yes

Alpha-2-Antiplasmin

5709-1

Alternate Name: ALPHA-2-ANTIPLASMIN

Methodology: Chromogenic

Preferred Specimen: 2 mL Aliquot Plasma-Citrated-Blue Top

Collection Instruction: Collect full blue-top (citrated) tube. Centrifuge Blue-top at high speed for 15 minutes. Transfer plasma into plastic transfer tube. Label with date/time collected, PLASMA, patient's name and freeze.

Storage Instruction: STRICT Frozen

Turn Around Time: 10 days

CPT Code: 85410 (1)

Scarlet Eligible: No

Alpha-2-Macroglobulin 3882-8**Alternate Name:** ALPHA-2-MACROGLOBULIN**Methodology:** Nephelometry**Preferred Specimen:** 1 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 2 days**CPT Code:** 83883 (1)**Scarlet Eligible:** Yes

Alpha-Globin mut. Fetus

B669-3

Alternate Name: ALPHA-GLOBIN, MUT.FETUS**Methodology:** Polymerase Chain Reaction**Preferred Specimen:** 20 Amniotic Fluid**Collection Instruction:** 20mL Amniotic Fluid submitted in a sterile, leak-proof container MATERNAL WHOLE BLOOD SHOULD BE SENT WITH ALL SAMPLE TYPES.**Storage Instruction:** Room Temp**Turn Around Time:** 23 days**CPT Code:** 81257 (1)**Scarlet Eligible:** No

Aluminum, Water, Dialysis

1817-6

Alternate Name: ALUMINUM,WATER,ANY**Preferred Specimen:** 20 mL Cup Plain**Collection Instruction:** Place sample in sterile cup label with patient's name and source**Storage Instruction:** Room Temp**Turn Around Time:** 5 days**CPT Code:** 84999 (1)**Scarlet Eligible:** No

Anti-Mitochondrial Antibody (AMA) 0939-9**Alternate Name:** AMA**Methodology:** Indirect Fluorescence Assay**Preferred Specimen:** 1 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 4 days**CPT Code:** 86256 (1)**Scarlet Eligible:** Yes**AML Diagnostic Panel by FISH**

P261-1

Alternate Name: AML DIAGNOSTIC BY FISH**Methodology:** FISH**Preferred Specimen:** 2 mL Bone Marrow - Green Top**Collection Instruction:** Non-diluted bone marrow aspirate collected and transferred into sodium heparin (green top) tube. Also acceptable: Whole blood in green (sodium heparin) tube.**Storage Instruction:** Refrigerate**Turn Around Time:** 5 days**CPT Code:** 88374 (5)**Scarlet Eligible:** No**AML - APL PML/RARA t(15;17) - Tech Only**

A881-5

Alternate Name: AML-M3(PML/RARA)BY FISH**Methodology:** FISH**Preferred Specimen:** 2 mL Bone Marrow - Green Top**Collection Instruction:** Place bone marrow into tube, label with patient's name**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 88374 (1)**Scarlet Eligible:** No

AML-M2 (AML/ETO) by Fish- TC ONLY

B891-3

Alternate Name: AML1/ETO,t(8;21) FISH**Methodology:** FISH**Preferred Specimen:** 5 mL Bone Marrow - Green Top**Collection Instruction:** Non-diluted bone marrow aspirate collected and transferred into sodium heparin (green top) tube. Also acceptable: Whole blood in green (sodium heparin) tube.**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 88374 (1)**Scarlet Eligible:** No**Amniotic Fluid Cystic Fibrosis**

B219-7

Alternate Name: AMNIOTIC FLUID CF**Methodology:** Multiplex PCR**Preferred Specimen:** 20 mL Amniotic Fluid**Collection Instruction:** Please submit 20(10)mL Amniotic Fluid OR 20(5)mg CVS. MATERNAL WHOLE BLOOD SHOULD BE SUBMITTED WITH ALL SAMPLE TYPES. Please note: Mayo will only perform testing on cultured cells. (cultured cells [2 T-25 flasks] will be prepared in our Cytogenetics Dept). If direct fluid is submitted, Mayo will culture the fluid before performing testing. Preparation of cultured cells may add an additional 10-14 days to the test TAT.**Turn Around Time:** 11 day**CPT Code:** 81220 (1)**Scarlet Eligible:** No**Amylase,Pleural Fluid**

6218-2

Alternate Name: AMYLASE, PLEURAL FLD.**Methodology:** Spectrophotometry**Preferred Specimen:** 1 mL Fluid-source required**Collection Instruction:** Submit fluid in sterile cup**Storage Instruction:** Refrigerate**Turn Around Time:** 7 days**CPT Code:** 82150 (1)**Scarlet Eligible:** No

Amylase, Urine, Random

 0037-2

Alternate Name: AMYLASE, URINE, RANDOM

Methodology: Enzyme Immunoassay

Preferred Specimen: 5 mL Urine Cup

Collection Instruction: Collect urine in cup, label with patients name

Storage Instruction: Refrigerate

Turn Around Time: 4 days

CPT Code: 82150 (1), 82570 (1)

Scarlet Eligible: Yes

Antinuclear Antibody Evaluation (ANA)

 0594-2

Alternate Name: ANA

Preferred Specimen: 4 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 1 day

CPT Code: 86225 (1), 86235 (4)

Scarlet Eligible: Yes

ANA with Reflex to IFA

 A233-9

Alternate Name: ANA w/Cascade

Methodology: Indirect Fluorescence Assay

Preferred Specimen: 1 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 2 days

CPT Code: 86038 (1)

Scarlet Eligible: Yes

Antinuclear Ab. (ANA) W/Reflex 0038-0**Alternate Name:** ANA; FANA**Methodology:** Indirect Fluorescence Assay**Preferred Specimen:** 1 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 2 days**CPT Code:** 86038 (1)**Scarlet Eligible:** Yes**Anal GC/CT ThinPrep (Non-NY)**

K987-8

Alternate Name: ANAL GC/CT THINPREP**Turn Around Time:** 7 days**CPT Code:** 87491 (1), 87591 (1)**Scarlet Eligible:** No**ANAL HPV E6/E7 MRNA Quant.**

B071-2

Alternate Name: ANAL HPV**Methodology:** Flow Cytometry**Preferred Specimen:** Anal ThinPrep Vial**Collection Instruction:** Collect specimen, swish in Thin prep vial, label with pt name.**Turn Around Time:** 5 days**CPT Code:** 88365 (1), 88184 (1)**Scarlet Eligible:** No**ANALyzer Panel (Screening)** K119-8**Alternate Name:** ANALyzer Pnl (scrn)**Turn Around Time:** 5 days**CPT Code:** 83516 (1), 86038 (1), 86160 (2), 86225 (1), 86235 (5), 86376 (1), 86431 (1)**Scarlet Eligible:** Yes

Androsterone NON NY

 6128-3

Alternate Name: ANDROSTERONE

Methodology: Enzyme Linked Immunoabsorbance

Preferred Specimen: 5.0 mL Aliquot Tube-Serum

Collection Instruction: Place 1-3 mL of serum in transport tube. Label as serum and freeze.

Storage Instruction: Refrigerate

Turn Around Time: 16 days

CPT Code: 82160 (1)

Scarlet Eligible: Yes

Anemia I Profile

 0998-5

Alternate Name: ANEMIA I

Preferred Specimen: SST Tube,Lavender top- EDTA

Storage Instruction: Refrigerate

Turn Around Time: 1 day

CPT Code: 82728 (1), 83540 (1), 83550 (1), 85025 (1), 85045 (1)

Scarlet Eligible: Yes

Anemia II Profile

 0999-3

Alternate Name: ANEMIA II

Preferred Specimen: SST Tube,Lavender top- EDTA

Storage Instruction: Refrigerate

Turn Around Time: 1 day

CPT Code: 82607 (1), 82728 (1), 82746 (1), 83540 (1), 83550 (1), 83615 (1), 85025 (1), 85045 (1)

Scarlet Eligible: Yes

Anemia III Profile

 2073-5

Alternate Name: ANEMIA III

Preferred Specimen: SST Tube,Lavender top- EDTA

Storage Instruction: Refrigerate

Turn Around Time: 1 day

CPT Code: 82607 (1), 82746 (1), 85025 (1)

Scarlet Eligible: Yes

Anemia Profile, Expanded 9893-9

Alternate Name: ANEMIA SCREEN-EXPANDED**Turn Around Time:** 3 days**CPT Code:** 82607 (1), 82668 (1), 82728 (1), 82746 (1), 83540 (1), 83550 (1), 85025 (1), 85045 (1)**Scarlet Eligible:** Yes

Angiotensin Converting Enzyme (CSF)6330-5

Alternate Name: ANGIOTENSIN CONVERTING ENZYME**Preferred Specimen:** 1 mL Fluid-source required**Collection Instruction:** Submit fluid in sterile cup**Storage Instruction:** Refrigerate**Turn Around Time:** 7 days**CPT Code:** 82164 (1)**Scarlet Eligible:** No

Angiotensin II 6176-2

Alternate Name: ANGIOTENSIN II**Methodology:** Radio Immuno Assay**Preferred Specimen:** 1 mL Aliquot Plasma-EDTA-Lavender Top**Collection Instruction:** Centrifuge lavender-top at high speed for 15 minutes. Transfer plasma into plastic transfer tube. Label with date/time collected, PLASMA and patient's name.**Storage Instruction:** Refrigerate**Turn Around Time:** 13 days**CPT Code:** 82163 (1)**Scarlet Eligible:** Yes

Anthrax Culture Screen

3573-3

Alternate Name: ANTHRAX CULTURE SCRE**Methodology:** Cell Culture**Preferred Specimen:** Swab-E**Collection Instruction:** Collect specimen with swab then place swab into transport carrier; Label with name and source**Turn Around Time:** 2 days**CPT Code:** 87081 (1)**Scarlet Eligible:** No

ANTI HU Abs.(Neuronal Nuclear) 1706-1**Alternate Name:** ANTI HU ABS.**Methodology:** Immunoflourescence Assay**Preferred Specimen:** 1 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 9 days**CPT Code:** 86255 (1)**Scarlet Eligible:** Yes

Anti-Annexin V. Antibodies, IgG, IgM 5706-7**Alternate Name:** ANTI-ANNEXIN V**Methodology:** Enzyme Linked Immunoabsorbance**Preferred Specimen:** Red Top**Collection Instruction:** Fill tube, label with patient name**Turn Around Time:** 5 days**CPT Code:** 83516 (2)**Scarlet Eligible:** Yes

Anti-Beta2 Glycoprotein, IgA

 3905-7

Alternate Name: ANTI-BETA2 GLYCO,IgA

Methodology: Enzyme Linked Immunoabsorbance

Preferred Specimen: SST Tube

Collection Instruction: Fill tube, label with patient name

Storage Instruction: Refrigerate

Turn Around Time: 2 days

CPT Code: 86146 (1)

Scarlet Eligible: Yes

Anti-Beta2 Glycoprotein, IgG

 3904-0

Alternate Name: ANTI-BETA2 GLYCO,IgG

Methodology: Enzyme Linked Immunoabsorbance

Preferred Specimen: SST Tube

Collection Instruction: Fill tube, label with patient name

Storage Instruction: Refrigerate

Turn Around Time: 2 days

CPT Code: 86146 (1)

Scarlet Eligible: Yes

Anti-Beta2 Glycoprotein, IgM

 3906-5

Alternate Name: ANTI-BETA2 GLYCO,IgM

Methodology: Enzyme Linked Immunoabsorbance

Preferred Specimen: SST Tube

Collection Instruction: Fill tube, label with patient name

Storage Instruction: Refrigerate

Turn Around Time: 2 days

CPT Code: 86146 (1)

Scarlet Eligible: Yes

Anti CMV Avidity, IgG

 J057-1

Alternate Name: ANTI-CMV IgG AVIDITY

Methodology: Enzyme Linked Immunoabsorbance

Preferred Specimen: SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 3 days

CPT Code: 87332 (1)

Scarlet Eligible: Yes

Anti-Epidermal Antibody, S

 0184-2

Alternate Name: ANTI-EPIDERMAL ABS.

Methodology: Immunofluorescence Assay

Preferred Specimen: 1 mL Red Top

Collection Instruction: Fill tube, label with patient name

Storage Instruction: Refrigerate

Turn Around Time: 14 days

CPT Code: 86255 (2)

Scarlet Eligible: Yes

Anti-Giardia Antibody IgA, IgG, IgM, Serum

 1208-8

Alternate Name: ANTI-GIARDIA Ab.

Methodology: Indirect Fluorescence Assay

Preferred Specimen: 1 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 7 days

CPT Code: 86674 (3)

Scarlet Eligible: Yes

Anti-IGA

 B701-4

Alternate Name: ANTI-IGA

Methodology: Enzyme Linked Immunoabsorbance

Preferred Specimen: 1 mL Aliquot Tube-Serum

Collection Instruction: Fill tube, label with patient name

Storage Instruction: Refrigerate

Turn Around Time: 14 days

CPT Code: 83520 (1)

Scarlet Eligible: Yes

Anti-Mullerian Hormone

 3707-7

Alternate Name: ANTI-MULLERIAN (AMH)

Methodology: Chemiluminescence

Preferred Specimen: 1 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 1 day

CPT Code: 82397 (1)

Scarlet Eligible: Yes

Anti-Ovarian Antibody, IgG

 0898-7

Alternate Name: ANTI-OVARIAN ABS.

Methodology: Immunofluorescence Assay

Preferred Specimen: 1 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 12 days

CPT Code: 86255 (1)

Scarlet Eligible: Yes

Anti-Parietal Cell Antibody

 0263-4

Alternate Name: ANTI-PARIETAL CELL Ab

Methodology: Indirect Fluorescence Assay

Preferred Specimen: 1 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 2 days

CPT Code: 86256 (1)

Scarlet Eligible: Yes

Antiphosphatidylserine Antibodies, IgG, IgM, Special Coagulation

 5790-1

Alternate Name: ANTI-PHOS-SERINE ABS.

Methodology: Enzyme Linked Immunoabsorbance

Preferred Specimen: Aliquot Tube-Serum

Collection Instruction: Place 1-3 mL of serum in transport tube. Label as serum;refrigerate or freeze as required.

Storage Instruction: Refrigerate

Turn Around Time: 5 days

CPT Code: 86148 (2)

Scarlet Eligible: Yes

Anti-Smith Antibody

 0851-6

Alternate Name: ANTI-SM(Smith)

Methodology: Chemiluminescence

Preferred Specimen: 1 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 1 day

CPT Code: 86235 (1)

Scarlet Eligible: Yes

Anti-Sperm Antibody (DIRECT) 3454-6**Alternate Name:** ANTI-SPERM AB.**Methodology:** Immunoassay**Preferred Specimen:** 1.0 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 8 days**CPT Code:** 89325 (2)**Scarlet Eligible:** Yes**Antithrombin III Activity (AT III)**

5714-1

Alternate Name: ANTI-THROMB.IIIfunct.**Methodology:** Chromogenic**Preferred Specimen:** 2 mL Aliquot Plasma-Citrated-Blue Top**Collection Instruction:** Collect full blue-top (citrated) tube. Centrifuge Blue-top at high speed for 15 minutes. Transfer plasma into plastic transfer tube. Label with date/time collected, PLASMA, patient's name and freeze.**Storage Instruction:** STRICT Frozen**Turn Around Time:** 4 days**CPT Code:** 85300 (1)**Scarlet Eligible:** No**Antithrombin III Antigen (ATIII)**

5715-8

Alternate Name: ANTI-THROMBIN III Ag**Methodology:** Immunoturbidimetric**Preferred Specimen:** 2 mL Aliquot Plasma-Citrated-Blue Top**Collection Instruction:** Collect full blue-top (citrated) tube. Centrifuge Blue-top at high speed for 15 minutes. Transfer plasma into plastic transfer tube. Label with date/time collected, PLASMA, patient's name and freeze.**Storage Instruction:** STRICT Frozen**Turn Around Time:** 4 days**CPT Code:** 85301 (1)**Scarlet Eligible:** No

Arsenic, Blood

 J019-1

Alternate Name: ARSENIC, BLOOD

Methodology: Inductively Coupled Plasma Mass Spectrometry

Preferred Specimen: Blue-Royal Blue Top: K2 EDTA Plasma(lavender line)

Collection Instruction: Fill tube, invert gently 5-6 times, label with patient name

Storage Instruction: Refrigerate

Turn Around Time: 1 day

CPT Code: 82175 (1)

Scarlet Eligible: Yes

Arthritis Profile

 0325-1

Alternate Name: ARTHRITIC SCREEN

Preferred Specimen: SST Tube,Lavender top- EDTA

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 2 days

CPT Code: 84550 (1), 85651 (1), 86038 (1), 86060 (1), 86431 (1)

Scarlet Eligible: Yes

Arthritis Profile - Expanded

 9892-1

Alternate Name: ARTHRITIC SCREEN-EXPAND

Preferred Specimen: SST Tube,Lavender top- EDTA

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 2 days

CPT Code: 84550 (1), 85651 (1), 86038 (1), 86140 (1), 86200 (1), 86225 (1), 86235 (4), 86431 (1)

Scarlet Eligible: Yes

Allergen Artichoke, IgE

 3781-2

Alternate Name: ARTICHOKE, IGE

Methodology: Enzyme Immunoassay

Preferred Specimen: 0.5 mL Aliquot Tube-Serum

Collection Instruction: Collect 1-2 mL whole blood in red top tube, centrifuge and transfer 0.5 mL serum into a transfer tube. (All serum acceptable)

Storage Instruction: Refrigerate

Turn Around Time: 7 days

CPT Code: 86003 (1)

Scarlet Eligible: Yes

Ashkenazi Jewish 11

 P658-8

Alternate Name: ASHKENAZI JEWISH 11

Preferred Specimen: Lavender top- EDTA

Collection Instruction: Fill lavender-top (EDTA) tube completely, invert 8-10 times. DO NOT SHAKE TUBE!

Storage Instruction: Refrigerate

Turn Around Time: 10-14 days

CPT Code: 81412 (1)

Scarlet Eligible: Yes

Ashkenazi Jewish 18

 P659-6

Alternate Name: ASHKENAZI JEWISH 18

Preferred Specimen: Lavender top- EDTA

Collection Instruction: Fill lavender-top (EDTA) tube completely, invert 8-10 times. DO NOT SHAKE TUBE!

Storage Instruction: Refrigerate

Turn Around Time: 10-14 days

CPT Code: 81412 (1)

Scarlet Eligible: Yes

Ashkenazi Jewish 25

 Q161-2

Alternate Name: ASHKENAZI JEWISH 25

Preferred Specimen: Lavender top- EDTA

Collection Instruction: Fill lavender-top (EDTA) tube completely, invert 8-10 times. DO NOT SHAKE TUBE!

Storage Instruction: Refrigerate

Turn Around Time: 10-14 days

CPT Code: 81412 (1)

Scarlet Eligible: Yes

Ashkenazi Jewish DNA Carrier

 3267-2

Alternate Name: ASHKENAZI JEWISH DNA

Methodology: Polymerase Chain Reaction

Preferred Specimen: Lavender top- EDTA

Collection Instruction: Fill lavender-top (EDTA) tube completely, invert 8-10 times. DO NOT SHAKE TUBE!

Storage Instruction: Refrigerate

Turn Around Time: 14 days

CPT Code: 81412 (1)

Scarlet Eligible: Yes

Ashkenazi Jewish DNA (NY patients only)

 P223-1

Alternate Name: ASHKENAZI JEWISH DNA-NY

Preferred Specimen: Lavender top- EDTA

Collection Instruction: Fill lavender-top (EDTA) tube completely, invert 8-10 times. DO NOT SHAKE TUBE!

Storage Instruction: Refrigerate

Turn Around Time: 10-14 days

CPT Code: 81200 (1), 81209 (1), 81242 (1), 81251 (1), 81255 (1), 81260 (1), 81290 (1), 81330 (1)

Scarlet Eligible: Yes

Antistreptolysin O (ASO) Titer

 0042-2

Alternate Name: ASO, Antistreptolysin, ASLO

Methodology: Immunoturbidimetric

Preferred Specimen: 1 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 2 days

CPT Code: 86060 (1)

Scarlet Eligible: Yes

Aspergillus Antibodies, Immunodiffusion, Serum

 1741-8

Alternate Name: ASPERGILLUS Ab.PANEL

Methodology: Immunodiffusion

Preferred Specimen: 1 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 10 days

CPT Code: 86606 (3)

Scarlet Eligible: Yes

Atenolol Level

 2392-9

Alternate Name: ATENOLOL LEVEL

Methodology: Liquid Chromatography Tandem Mass Spectrometry

Preferred Specimen: 1 mL Red Top

Collection Instruction: Fill tube, label with patient name

Storage Instruction: Refrigerate

Turn Around Time: 7 days

CPT Code: 80375 (1)

Scarlet Eligible: Yes

Atherosclerotic Risk Expanded 6802-3**Alternate Name:** ATHEROSCLEROTIC RISK EXPANDED**Preferred Specimen:** Aliquot Plasma-Citrated-Blue Top,Red Top,Lavender top- EDTA,SST Tube**Collection Instruction:** Submit 1 lav, 3 serum aliquots from 2 red tops & 4 frozen citrated plasma aliquots from 4 light blue tops.**Turn Around Time:** 5 days**CPT Code:** 80061 (1), 81240 (1), 81241 (1), 81291 (1), 83090 (1), 83695 (1), 83721 (1), 85240 (1), 85280 (1), 85379 (1), 85384 (1), 85598 (1), 85610 (1), 85613 (2), 85670 (1), 85730 (2), 85732 (8), 86141 (1), 86146 (3), 86147 (3)**Scarlet Eligible:** Yes**Antithrombin III Anti-Xa Assay**

5723-2

Alternate Name: ATIII ANTI-XA**Methodology:** Chromogenic**Preferred Specimen:** 2 mL Aliquot Plasma-Citrated-Blue Top**Collection Instruction:** Collect full blue-top (citrated) tube. Centrifuge Blue-top at high speed for 15 minutes. Transfer plasma into plastic transfer tube. Label with date/time collected, PLASMA, patient's name and freeze.**Storage Instruction:** STRICT Frozen**Turn Around Time:** 5 days**CPT Code:** 85300 (1)**Scarlet Eligible:** No**11Q22.3 BY FISH-TC ONLY**

A879-9

Alternate Name: ATM by FISH, TC Only**Methodology:** FISH**Preferred Specimen:** 5 mL Peripheral Blood - Green Top**Collection Instruction:** Fill tube, invert 8-10 times (DO NOT SHAKE!)**Storage Instruction:** Refrigerate**Turn Around Time:** 3-5 days**CPT Code:** 88373 (1)**Scarlet Eligible:** No

Dentatorubral-Pallidoluysian Atrophy Repeat Analysis

TH97-9

Alternate Name: ATN1-FRAG**Methodology:** Polymerase Chain Reaction**Preferred Specimen:** Lavender top- EDTA**Storage Instruction:** Room Temp**CPT Code:** 81177 (1)**Scarlet Eligible:** No

Spinocerebellar Ataxia Type 1 Repeat Analysis

TH84-7

Alternate Name: ATXN1-FRAG**Methodology:** Polymerase Chain Reaction**Preferred Specimen:** Lavender top- EDTA**Storage Instruction:** Room Temp**CPT Code:** 81178 (1)**Scarlet Eligible:** No

Spinocerebellar Ataxia Type 2 Repeat Analysis

TH85-4

Alternate Name: ATXN2-FRAG**Methodology:** Polymerase Chain Reaction**Preferred Specimen:** Lavender top- EDTA**Storage Instruction:** Room Temp**CPT Code:** 81179 (1)**Scarlet Eligible:** No

Spinocerebellar Ataxia Type 3 Repeat Analysis

TH86-2

Alternate Name: ATXN3-FRAG**Methodology:** Polymerase Chain Reaction**Preferred Specimen:** Lavender top- EDTA**Storage Instruction:** Room Temp**CPT Code:** 81180 (1)**Scarlet Eligible:** No

Spinocerebellar Ataxia Type 7 Repeat Analysis

TH88-8

Alternate Name: ATXN7-FRAG**Methodology:** Polymerase Chain Reaction**Preferred Specimen:** Lavender top- EDTA**Storage Instruction:** Room Temp**CPT Code:** 81181 (1)**Scarlet Eligible:** No

Spinocerebellar Ataxia Type 8 Repeat Analysis

TH89-6

Alternate Name: ATXN8OS-FRAG**Methodology:** Polymerase Chain Reaction**Preferred Specimen:** Lavender top- EDTA**Storage Instruction:** Room Temp**CPT Code:** 81182 (1)**Scarlet Eligible:** No

Automated UroVysion By FISH

5030-2

Alternate Name: AUTOMATED UROVYSION by FISH**Methodology:** FISH**Preferred Specimen:** 50 mL ThinPrep Cytolyt Solution**Collection Instruction:** Collect voided urine in Thinprep Cytolyte solution**Storage Instruction:** Refrigerate**Turn Around Time:** 3-5 days**CPT Code:** 88121 (1)**Scarlet Eligible:** No

AV Panel w/o Lacto Reuteri and Rhamnosis (Non NY)

L767-3

Alternate Name: AV Panel**Turn Around Time:** 7 days**CPT Code:** 87640 (1), 87653 (1), 87798 (1), 87799 (1), 87651 (1), 99999 (1)**Scarlet Eligible:** No

Allergen Abalone, IGE 5095-5**Alternate Name:** Abalone IGE**Methodology:** Immunoassay**Preferred Specimen:** 1 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 6 days**CPT Code:** 86003 (1)**Scarlet Eligible:** Yes**Abnormal APTT Assessment**

5851-1

Alternate Name: Abnormal Activated Partial Thromboplastin Time Assessment**Preferred Specimen:** Aliquot Plasma-Citrated-Blue Top**Collection Instruction:** Collect full blue-top (citrated) tube. Centrifuge Blue-top at high speed for 15 minutes. Transfer plasma into plastic transfer tube. Label with date/time collected, PLASMA, patient's name and freeze.**Turn Around Time:** 4 days**CPT Code:** 85240 (1), 85250 (1), 85270 (1), 85598 (1), 85610 (1), 85613 (2), 85730 (2), 85732 (8)**Scarlet Eligible:** No**Abnormal PT and APTT Assessment**

5853-7

Alternate Name: Abnormal Prothrombin Time/Activated Partial Thromboplastin Time Assessment**Preferred Specimen:** Aliquot Plasma-Citrated-Blue Top**Collection Instruction:** Collect full blue-top (citrated) tube. Centrifuge Blue-top at high speed for 15 minutes. Transfer plasma into plastic transfer tube. Label with date/time collected, PLASMA, patient's name and freeze.**Storage Instruction:** STRICT Frozen**Turn Around Time:** 4 days**CPT Code:** 85210 (1), 85220 (1), 85230 (1), 85240 (1), 85250 (1), 85260 (1), 85270 (1), 85379 (1), 85384 (1), 85598 (1), 85610 (1), 85611 (8), 85613 (2), 85670 (1), 85730 (2), 85732 (8)**Scarlet Eligible:** No

Eosinophil Count, Absolute, Blood

 0381-4

Alternate Name: Absolute Eosinophil Count; Eosinophil Count, EOS

Methodology: Flow Cytometry

Preferred Specimen: Lavender top- EDTA

Collection Instruction: Fill lavender-top (EDTA) tube completely, invert 8-10 times. DO NOT SHAKE TUBE!

Storage Instruction: Refrigerate

Turn Around Time: 1 day

CPT Code: 85008 (1)

Scarlet Eligible: Yes

Allergen Acacia (t19) IgE

 3832-3

Alternate Name: Acacia (t19) IgE

Methodology: Enzyme Immunoassay

Preferred Specimen: 0.5 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 6 days

CPT Code: 86003 (1)

Scarlet Eligible: Yes

Activation Markers

5811-5

Alternate Name: Activation Markers

Preferred Specimen: 2.0 Aliquot Plasma-Citrated-Blue Top

Collection Instruction: Collect 2 full blue-top (citrated) tube. Centrifuge Blue-top at high speed for 15 minutes. Transfer plasma into 3 plastic transfer tubes. Label with date/time collected, PLASMA, patient's name and freeze.

Turn Around Time: 10 days

CPT Code: 83520 (2), 85379 (1)

Scarlet Eligible: No

Acute 10 Color Flow Cytometry Leukemia/Lymphoma Panel (TC Only)

TH64-9

Alternate Name: Acute 10 Color Leukemia/Lymphoma Pane/Flow (Technical Only)**Methodology:** Flow Cytometry**Preferred Specimen:** Bone Marrow - Green Top**Storage Instruction:** Room Temp**Turn Around Time:** 1 day**CPT Code:** 88184 (1), 88185 (34)**Scarlet Eligible:** No

Acute 10 Color Flow Cytometry Leukemia/Lymphoma Panel (Global)

TH61-5

Alternate Name: Acute 10 color Leukemia/Lymphoma panel/Flow Cytometry**Methodology:** Flow Cytometry**Preferred Specimen:** Bone Marrow - Green Top**Storage Instruction:** Room Temp**Turn Around Time:** 1 day**CPT Code:** 88184 (1), 88189 (1), 88185 (34)**Scarlet Eligible:** No

Acute Leukemia + Myeloid Disorders Analysis (Technical Only) and StormPath BMM Report Template

R735-2

Alternate Name: Acute Flow TC and BMM**Turn Around Time:** 1 day**CPT Code:** 99999 (1), 88184 (1), 88185 (27)**Scarlet Eligible:** No

Acute Leukemia/MDS IHC Panel

5116-9

Alternate Name: Acute Leukemia/MDS IHC**Methodology:** Immunohistochemistry**Preferred Specimen:** Formalin-fixed, Paraffin-embedded Tissue**Collection Instruction:** This comes in a block or slide form from client with surgical number imprint.**Turn Around Time:** 1 day**CPT Code:** 88341 (10), 88342 (1)**Scarlet Eligible:** No**AML - M2 (AML/ETO) (RUNX1/RUNX1T1) by FISH**

5024-5

Alternate Name: Acute Myeloid Leukemia with t(8;21)**Methodology:** FISH**Preferred Specimen:** 2 mL Bone Marrow - Green Top**Collection Instruction:** Non-diluted bone marrow aspirate collected and transferred into sodium heparin (green top) tube. Also acceptable: Whole blood in green (sodium heparin) tube.**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 88374 (1)**Scarlet Eligible:** No**AML - M2 (AML/ETO) by RT-PCR**

5034-4

Alternate Name: Acute Myeloid Leukemia with t(8;21)**Methodology:** Real-Time Polymerase Chain Reaction**Preferred Specimen:** 2 mL Bone Marrow - Lavender Top**Collection Instruction:** Place bone marrow into tube, label with patient's name. Send in bone marrow kit.**Turn Around Time:** 5 days**CPT Code:** 81401 (1)**Scarlet Eligible:** No

AML - M4Eo by FISH

5025-2

Alternate Name: Acute Myelomonocytic Leukemia with Eosinophilia**Methodology:** FISH**Preferred Specimen:** 2 mL Bone Marrow - Green Top**Collection Instruction:** Non-diluted bone marrow aspirate collected and transferred into sodium heparin (green top) tube. Also acceptable: Whole blood in green (sodium heparin) tube**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 88374 (1)**Scarlet Eligible:** No**AML - M4Eo by PCR**

5035-1

Alternate Name: Acute Myelomonocytic Leukemia with Eosinophilia**Methodology:** Polymerase Chain Reaction**Preferred Specimen:** 5 mL Bone Marrow - Lavender Top**Collection Instruction:** Place bone marrow into tube, label with patient's name. Send in bone marrow kit.**Storage Instruction:** Refrigerate**Turn Around Time:** 14 days**CPT Code:** 81401 (1)**Scarlet Eligible:** No**AML - M3 (PML/RARA) by RT-PCR**

5261-3

Alternate Name: Acute Promyelocytic Leukemia with t(15;17)**Methodology:** Real-Time Polymerase Chain Reaction**Preferred Specimen:** 2 mL Bone Marrow - Lavender Top**Collection Instruction:** Place bone marrow into tube, label with patient's name. Send in bone marrow kit.**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 81315 (1)**Scarlet Eligible:** No

AML - M3 (PML/RARA) by FISH

5260-5

Alternate Name: Acute Promyelocytic Leukemia with t(15;17)**Methodology:** FISH**Preferred Specimen:** 2 mL Bone Marrow - Green Top**Collection Instruction:** Non-diluted bone marrow aspirate collected and transferred into sodium heparin (green top) tube. Also acceptable: Whole blood in green (sodium heparin) tube.**Storage Instruction:** Refrigerate**Turn Around Time:** 3-5 days**CPT Code:** 88374 (1)**Scarlet Eligible:** No**Acylglycines, Quant. Urine** 6310-7**Alternate Name:** Acylglycines, Quant.**Methodology:** Gas Chromat. Mass Spectrometry**Preferred Specimen:** 13 mL Urine Cup**Collection Instruction:** Collect urine in cup, label with patients name**Storage Instruction:** Refrigerate**Turn Around Time:** 16 days**CPT Code:** 82542 (1)**Scarlet Eligible:** Yes**Adenovirus Quant. PCR Plasma** A957-3**Alternate Name:** Adeno. Qnt. PCR Plasma**Methodology:** Polymerase Chain Reaction**Preferred Specimen:** 2.0 mL Aliquot Plasma-EDTA-Lavender Top**Collection Instruction:** Collect 4-5 mL whole blood in EDTA or ACD tube, centrifuge and transfer 2 mL plasma to sterile, screw top tube (minimum volume 0.5 mL).**Storage Instruction:** Refrigerate**Turn Around Time:** 4 days**CPT Code:** 87799 (1)**Scarlet Eligible:** Yes

Adenovirus Ag., Detection

6188-7

Alternate Name: Adenovirus Ag.

Methodology: Enzyme Immunoassay

Preferred Specimen: 3 mL Stool Cont.-Cup

Collection Instruction: Using applicator stick, place 20-30 gms of stool into cup, label with patient's name

Storage Instruction: STRICT Frozen

Turn Around Time: 8 days

CPT Code: 87301 (1)

Scarlet Eligible: No

Adenovirus Quant. R.T. PCR Serum

 J201-5

Alternate Name: Adenovirus Qnt.R.T. PCR

Preferred Specimen: 2.0 mL SST Tube

Collection Instruction: Collect 4-5 mL whole blood in red top tube, centrifuge and transfer 2 mL serum to sterile, screw top tube (minimum volume 0.5 mL). (Serum from SST acceptable)

Turn Around Time: 4 days

CPT Code: 87799 (1)

Scarlet Eligible: Yes

Adenovirus Quant. PCR, Urine

 A966-4

Alternate Name: Adenovirus Quant. PCR,

Methodology: Polymerase Chain Reaction

Preferred Specimen: 2.0 mL Urine Cup

Collection Instruction: 2 mL sample collected in a sterile urinalysis container then transferred to sterile, screw top tube for shipment (minimum volume 0.5 mL).

Storage Instruction: Refrigerate

Turn Around Time: 7 days

CPT Code: 87799 (1)

Scarlet Eligible: Yes

Adrenal 21-Hydroxylase Antibody

 3690-5

Alternate Name: Adrenal 21-Hydroxylase

Methodology: Enzyme Linked Immunoabsorbance

Preferred Specimen: 0.5 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 13 days

CPT Code: 83519 (1)

Scarlet Eligible: Yes

OnkoSight Advanced CNS NGS Panel

TH57-3

Alternate Name: Advanced CNS NGS

Methodology: Genotyping by Next Generation Sequencing

Preferred Specimen: Formalin-fixed, Paraffin-embedded Tissue

Storage Instruction: Room Temp

Turn Around Time: 10 days

CPT Code: 81445 (1)

Scarlet Eligible: No

OnkoSight Advanced Comprehensive Lung

TK78-2

Alternate Name: Advanced Comprehensive

Methodology: Genotyping by Next Generation Sequencing

Preferred Specimen: Formalin-fixed, Paraffin-embedded Tissue

Storage Instruction: Room Temp

Turn Around Time: 10 days

CPT Code: 81445 (1)

Scarlet Eligible: No

OnkoSight Advanced Gastrointestinal Stromal Tumor NGS Panel

TH58-1

Alternate Name: Advanced GIST NGS Panel**Methodology:** Genotyping by Next Generation Sequencing**Preferred Specimen:** Formalin-fixed, Paraffin-embedded Tissue**Storage Instruction:** Room Temp**Turn Around Time:** 10 days**CPT Code:** 81445 (1)**Scarlet Eligible:** No

OnkoSight Advanced GYN Tumor NGS

TH53-2

Alternate Name: Advanced GYN Tumor NGS**Methodology:** Genotyping by Next Generation Sequencing**Preferred Specimen:** Formalin-fixed, Paraffin-embedded Tissue**Storage Instruction:** Room Temp**Turn Around Time:** 10 days**CPT Code:** 81445 (1)**Scarlet Eligible:** No

OnkoSight Advanced Lung Cancer NGS Panel

TH49-0

Alternate Name: Advanced Lung Cancer NGS**Methodology:** Genotyping by Next Generation Sequencing**Preferred Specimen:** Formalin-fixed, Paraffin-embedded Tissue**Storage Instruction:** Room Temp**Turn Around Time:** 10 days**CPT Code:** 81445 (1)**Scarlet Eligible:** No

OnkoSight Advanced Melanoma NGS Panel

TH59-9

Alternate Name: Advanced Melanoma NGS**Methodology:** Genotyping by Next Generation Sequencing**Preferred Specimen:** Formalin-fixed, Paraffin-embedded Tissue**Storage Instruction:** Room Temp**Turn Around Time:** 10 days**CPT Code:** 81445 (1)**Scarlet Eligible:** No**OnkoSight Advanced Prostate NGS Panel**

TH48-2

Alternate Name: Advanced Prostate NGS**Methodology:** Genotyping by Next Generation Sequencing**Preferred Specimen:** Formalin-fixed, Paraffin-embedded Tissue**Storage Instruction:** Room Temp**Turn Around Time:** 10 days**CPT Code:** 81445 (1)**Scarlet Eligible:** No**OnkoSight Advanced Solid Tumor NGS Panel**

TJ16-5

Alternate Name: Advanced Solid TumorNGS**Methodology:** Genotyping by Next Generation Sequencing**Preferred Specimen:** Formalin-fixed, Paraffin-embedded Tissue**Storage Instruction:** Room Temp**Turn Around Time:** 10 days**CPT Code:** 81445 (1)**Scarlet Eligible:** No**Aerobic Vaginitis Profile (Non NY)**

R732-9

Alternate Name: Aerobic Vaginitis Profile**Turn Around Time:** 7 days**CPT Code:** 87651 (1), 87653 (1), 87798 (1), 87640 (1), 87799 (1), 99999 (1)**Scarlet Eligible:** No

Aluminum, Serum

 0378-0

Alternate Name: Al, Serum

Methodology: Inductively Coupled Plasma Mass Spectrometry

Preferred Specimen: Blue-Royal Blue Trace Element Serum (red line)

Collection Instruction: Fill tube, label with patient name

Storage Instruction: Refrigerate

Turn Around Time: 7 days

CPT Code: 82108 (1)

Scarlet Eligible: Yes

Albumin, Serum

 0033-1

Alternate Name: Albumin

Methodology: Colorimetry

Preferred Specimen: 1 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 1 day

CPT Code: 82040 (1)

Scarlet Eligible: Yes

Alcohol, Isopropyl

 A472-3

Alternate Name: Alcohol, Isopropyl

Methodology: Gas Chromatography/Flame Ionization

Preferred Specimen: Grey top- Sodium Fluoride

Collection Instruction: Fill tube, invert gently 5-6 times, label with patient name

Storage Instruction: Refrigerate

Turn Around Time: 5 days

CPT Code: 80320 (1)

Scarlet Eligible: Yes

Alcohol, Methyl

 A473-1

Alternate Name: Alcohol, Methyl

Methodology: Gas Chromatography/Flame Ionization

Preferred Specimen: Grey top- Sodium Fluoride

Collection Instruction: Fill tube, invert gently 5-6 times, label with patient name

Storage Instruction: Refrigerate

Turn Around Time: 5 days

CPT Code: 80320 (1)

Scarlet Eligible: Yes

Allergen Banana IgG (NON-NY)

 1771-5

Alternate Name: Allergen Banana IgG

Methodology: Immunocap

Preferred Specimen: 0.5 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 7 days

CPT Code: 86001 (1)

Scarlet Eligible: Yes

Allergen Bass Black IgE

 3734-1

Alternate Name: Allergen Bass Black IgE

Preferred Specimen: 1 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 4 days

CPT Code: 86003 (1)

Scarlet Eligible: Yes

Allergen Chicken IgG (NON-NY) 1780-6**Alternate Name:** Allergen Chicken IgG**Preferred Specimen:** 1 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 7 days**CPT Code:** 86001 (1)**Scarlet Eligible:** Yes**Allergen Lime (RF306), IgE** 3522-0**Alternate Name:** Allergen Lime (Rf306)**Methodology:** Immunocap**Preferred Specimen:** 2 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 86003 (1)**Scarlet Eligible:** Yes**Allergen Sage (F344), IgE** 6372-7**Alternate Name:** Allergen Sage (F344)**Methodology:** Immunocap**Preferred Specimen:** 2 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 86003 (1)**Scarlet Eligible:** Yes

Allergen Yeast Bakers, IgE

 0813-6

Alternate Name: Allergen Yeast Bakers

Methodology: Immunocap

Preferred Specimen: 3 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 3 days

CPT Code: 86003 (1)

Scarlet Eligible: Yes

Digoxin, Serum

 0083-6

Alternate Name: Allocar; Cardioreg; Digacin; Lanocor; Lanoxicaps; Lenoxin; Lanoxin; Purgoxin

Methodology: Enzyme Immunoassay

Preferred Specimen: Red Top

Collection Instruction: Fill tube, label with patient name

Storage Instruction: Refrigerate

Turn Around Time: 1 day

CPT Code: 80162 (1)

Scarlet Eligible: Yes

Allergen Almond Nut (f20), IgE

 0815-1

Alternate Name: Almond Nut

Methodology: Immunocap

Preferred Specimen: 1 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 3 days

CPT Code: 86003 (1)

Scarlet Eligible: Yes

Allergen Alpha Lactalbumin (f76), IgE

 1406-8

Alternate Name: Alpha Lactalbumin

Methodology: Immunocap

Preferred Specimen: 3 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 3 days

CPT Code: 86008 (1)

Scarlet Eligible: Yes

Vitamin E, Serum

 0447-3

Alternate Name: Alpha Tocopherol;Tocopherol;a-Tocopherol

Methodology: High Pressure Liquid Chromatography

Preferred Specimen: 2 mL Amber Serum

Collection Instruction: Draw SST or RED, let clot for 8-10 minutes. Centrifuge and pour into either an aliquot tube (must be covered in foil) or poured into an amber tube and label with patient name and specimen type (serum).

Storage Instruction: Refrigerate

Turn Around Time: 3 days

CPT Code: 84446 (1)

Scarlet Eligible: Yes

Triple Screen AFP3 (AFP, UE3, HCG)

 0825-0

Alternate Name: Alpha-Fetoprotein 3 (AFP), including Estriol/Human Chorionic Gonadotropin

Preferred Specimen: 2 mL SST Tube

Collection Instruction: MUST BE 15-22 WEEKS AND 6 DAYS. PROVIDE GESTATIONAL INFO.

Storage Instruction: Refrigerate

Turn Around Time: 4 days

CPT Code: 81510 (1)

Scarlet Eligible: Yes

Alport Syndrome, Autosomal Recessive

J316-1

Alternate Name: Alport Syndrome, Autosomal Recessive

Methodology: Genotyping by Next Generation Sequencing

Preferred Specimen: Lavender top- EDTA

Collection Instruction: Fill lavender-top (EDTA) tube completely, invert 8-10 times. DO NOT SHAKE TUBE!

Storage Instruction: Refrigerate

Turn Around Time: 10-14 days

CPT Code: 81408 (1)

Scarlet Eligible: No

Allergen Alter. Tenuis/Alter. IgG

 B771-7

Alternate Name: Alternaria T. Alter IgG

Methodology: Immunoassay

Preferred Specimen: 0.5 mL Aliquot Tube-Serum

Collection Instruction: Collect 1-2 mL whole blood in red top tube, centrifuge and transfer 0.5 mL serum into a transfer tube. (All serum acceptable)

Storage Instruction: Refrigerate

Turn Around Time: 7 days

CPT Code: 86001 (1)

Scarlet Eligible: Yes

Allergen Alternaria Tenuis Mold (m6), IgE

 0660-1

Alternate Name: Alternaria Tenuis Mold

Methodology: Immunocap

Preferred Specimen: 3 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 3 days

CPT Code: 86003 (1)

Scarlet Eligible: Yes

Theophylline, Serum

 0380-6

Alternate Name: Aminophylline;Elixophyllin®;Ethylenediamine;Phyllcontin;Sio-Phyllin®;Sustaire®;Theo-Dur®;Theolair®,ç;Theospan®;Truphylline®

Methodology: Colorimetry

Preferred Specimen: Red Top

Collection Instruction: Fill tube, label with patient name

Storage Instruction: Refrigerate

Turn Around Time: 3 days

CPT Code: 80198 (1)

Scarlet Eligible: Yes

Barbiturates, Urine, Screen (200)

 0921-7

Alternate Name: Amobarb; Butalbital; Pentobarb; Secobarb;Phenobarbital

Methodology: Enzyme Immunoassay

Preferred Specimen: 5 mL Urine Cup

Collection Instruction: Collect urine in cup, label with patients name

Storage Instruction: Refrigerate

Turn Around Time: 1 day

CPT Code: 80307 (1)

Scarlet Eligible: Yes

Amylase, Serum

 0036-4

Alternate Name: Amylase, Serum

Methodology: Enzyme Immunoassay

Preferred Specimen: 1 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 1 day

CPT Code: 82150 (1)

Scarlet Eligible: Yes

Amyotrophic Lateral Sclerosis / Frontotemporal Lobar Degeneration Panel T404-3**Alternate Name:** Amyotrophic Lateral Sclerosis Pa**Methodology:** Genotyping by Next Generation Sequencing**Preferred Specimen:** Lavender top- EDTA**Collection Instruction:** Blood specimens of any type (in EDTA or dried blood spot) and buccal swab cannot be accepted if the patient has ever received an allogeneic bone marrow transplant. Blood specimens will be rejected if frozen, hemolyzed or clotted. Blood can be refrigerated up to 7 days before shipping. Blood specimens older than 7 days can still be shipped; they will be tested if the yield and quality of DNA permit.**Storage Instruction:** Room Temp**CPT Code:** 81403 (1), 81404 (1), 81405 (1), 81407 (1), 81406 (2)**Scarlet Eligible:** Yes**Anal CT on ThinPrep (Non NY)**

J792-3

Alternate Name: Anal CT**Methodology:** Polymerase Chain Reaction**Preferred Specimen:** 3 mL Anal ThinPrep Vial**Collection Instruction:** Collect specimen, swish in Thin prep vial, label with pt name.**Storage Instruction:** Room Temp**Turn Around Time:** 5-7 days**CPT Code:** 87491 (1)**Scarlet Eligible:** No**Anal GC on ThinPrep (Non NY)**

J791-5

Alternate Name: Anal GC**Methodology:** Polymerase Chain Reaction**Preferred Specimen:** 3 mL Anal ThinPrep Vial**Collection Instruction:** Collect specimen, swish in Thin prep vial, label with pt name.**Storage Instruction:** Room Temp**Turn Around Time:** 5-7 days**CPT Code:** 87591 (1)**Scarlet Eligible:** No

Allergen Anchovy (rf313), IgE 1463-9**Alternate Name:** Anchovy (Rf313)**Methodology:** Immunocap**Preferred Specimen:** 3 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 86003 (1)**Scarlet Eligible:** Yes**PCP (6-Phencyclidine), Urine, Screen (25)** 0926-6**Alternate Name:** Angel Dust; Crystal Joint; Elephant Tranquilizers; Goon; Hog; Kay Jay; Killer weed; Mist; PCP; Peace Pills; Peace weed; Rocket Fuel; Sheets; Sherm; Snorts; Soma[®]; Supergrass; Wickistick; PCP**Methodology:** Enzyme Immunoassay**Preferred Specimen:** 5 mL Urine Cup**Collection Instruction:** Collect urine in cup, label with patients name**Storage Instruction:** Refrigerate**Turn Around Time:** 1 day**CPT Code:** 80307 (1)**Scarlet Eligible:** Yes**Animal Mix (ex1), IgE** 2180-8**Alternate Name:** Animal Mix**Methodology:** Immunocap**Preferred Specimen:** 5 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 86005 (1)**Scarlet Eligible:** Yes

Animals Screen(6)

 0902-7

Alternate Name: Animals Screen(6)

Preferred Specimen: 5 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 3 days

CPT Code: 86003 (5), 82785 (1)

Scarlet Eligible: Yes

Anophthalmia/Microphthalmia Panel

 J957-2

Alternate Name: Anophthalmia/Microphthalmia Pane

Methodology: Genotyping by Next Generation Sequencing

Preferred Specimen: Lavender top- EDTA

Collection Instruction: Blood specimens of any type (in EDTA or dried blood spot) and buccal swab cannot be accepted if the patient has ever received an allogeneic bone marrow transplant. Blood specimens will be rejected if frozen, hemolyzed or clotted. Blood can be refrigerated up to 7 days before shipping. Blood specimens older than 7 days can still be shipped; they will be tested if the yield and quality of DNA permit.

Storage Instruction: Refrigerate

Turn Around Time: 28 days

CPT Code: 81479 (1)

Scarlet Eligible: Yes

Chromatin IGG

 B874-9

Alternate Name: Anti-Chromatin, Anti-DNP, Anti-Nucleosome, Antichromatin, Antinucleo

Methodology: Enzyme Linked Immunoabsorbance

Preferred Specimen: 1.0 mL SST Tube

Collection Instruction: Separate serum from cells ASAP or within 2 hours of collection. Transfer serum to a standard transport tube.

Storage Instruction: Refrigerate

Turn Around Time: 8 days

CPT Code: 83516 (1)

Scarlet Eligible: Yes

Anti-Endomysial Antibody, IgA

 1206-2

Alternate Name: Anti-Endomysial Ab

Methodology: Indirect Fluorescence Assay

Preferred Specimen: 1 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 3 days

CPT Code: 86255 (1)

Scarlet Eligible: Yes

Anti-Jo-1, IgG

 T974-5

Alternate Name: Anti-Jo-1, IgG

Methodology: Chemiluminescence

Preferred Specimen: 1 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Room Temp

Turn Around Time: 1 day

CPT Code: 86235 (1)

Scarlet Eligible: Yes

Anti-Double-Stranded DNA (dsDNA) 0364-0**Alternate Name:** Anti-dsDNA**Methodology:** Chemiluminescence**Preferred Specimen:** 1 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 1 day**CPT Code:** 86225 (1)**Scarlet Eligible:** Yes**Antibody Screen (Ind.Coombs)** 0039-8**Alternate Name:** Antiglobulin Test,Indirect**Methodology:** Manual**Preferred Specimen:** Pink Tube-EDTA**Collection Instruction:** Fill tube, invert gently 5-6 times, label with patient name**Storage Instruction:** Refrigerate**Turn Around Time:** 1 day**CPT Code:** 86850 (1)**Scarlet Eligible:** Yes**Apolipoprotein A-1 (Apo A-1)** 0451-5**Alternate Name:** Apo A-1**Methodology:** Immunoturbidimetric**Preferred Specimen:** 1 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 1 day**CPT Code:** 82172 (1)**Scarlet Eligible:** Yes

Apolipoprotein A-1 and B (Apo A1/B)

 0895-3

Alternate Name: Apo A1/B

Methodology: Immunoturbidimetric

Preferred Specimen: 1 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 1 day

CPT Code: 82172 (2)

Scarlet Eligible: Yes

Apolipoprotein B (Apo B)

 0457-2

Alternate Name: Apo B

Methodology: Immunoturbidimetric

Preferred Specimen: 1 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 1 day

CPT Code: 82172 (1)

Scarlet Eligible: Yes

Allergen Apple (f49), IgE

 1134-6

Alternate Name: Apple

Methodology: Immunocap

Preferred Specimen: 3 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 3 days

CPT Code: 86003 (1)

Scarlet Eligible: Yes

Allergen Apricot (f237), IgE 2344-0**Alternate Name:** Apricot**Methodology:** Immunocap**Preferred Specimen:** 3 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 86003 (1)**Scarlet Eligible:** Yes**Allergen Apricot IgG (NON-NY)** B497-9**Alternate Name:** Apricot IgG (NON-NY)**Methodology:** Enzyme Immunoassay**Preferred Specimen:** 0.5 mL Aliquot Tube-Serum**Collection Instruction:** Collect 1-2 mL whole blood in red top tube, centrifuge and transfer 0.5 mL serum into a transfer tube. (All serum is acceptable)**Storage Instruction:** Refrigerate**Turn Around Time:** 7 days**CPT Code:** 86001 (1)**Scarlet Eligible:** Yes**Vaginitis/Vaginosis by RT-PCR, Aptima Tube**

L050-4

Alternate Name: Aptima Swab Vaginitis**Preferred Specimen:** Swab Aptima Orange label**Collection Instruction:** Collect specimen-break swab shaft into transport tube, then label with name and source**Turn Around Time:** 7 days**CPT Code:** 87512 (1), 87799 (2), 87798 (2), 99999 (1), 87481 (2), 87661 (1)**Scarlet Eligible:** No

Arthrogryposis, Mental Retardation, and Seizures

 J297-3

Alternate Name: Arthrogryposis mental retardation and seizures

Methodology: Genotyping by Next Generation Sequencing

Preferred Specimen: Lavender top- EDTA

Collection Instruction: Fill lavender-top (EDTA) tube completely, invert 8-10 times. DO NOT SHAKE TUBE!

Storage Instruction: Refrigerate

Turn Around Time: 10-14 days

CPT Code: 81479 (1)

Scarlet Eligible: Yes

Arylsulfatase A, U

2155-0

Alternate Name: Arylsulfatase A, U

Methodology: Colorimetry

Preferred Specimen: 10 mL Urine Container - 24hr

Collection Instruction: Discard first morning sample, then collect all urines after for 24 hrs, on completion label with collection time and patient's name; record total volume on Requisition

Storage Instruction: Refrigerate

Turn Around Time: 19 days

CPT Code: 84311 (1)

Scarlet Eligible: No

Arsenic, Urine, 24 Hours

0427-5

Alternate Name: As, Urine, 24 Hours

Methodology: Inductively Coupled Plasma Mass Spectrometry

Preferred Specimen: 10 mL Urine Container - 24hr

Collection Instruction: Discard first morning sample, then collect all urines after for 24 hrs. Collect urine in acid-washed or metal-free plastic container. On completion label with collection time and patient's name; record total volume on Requisition

Storage Instruction: Refrigerate

Turn Around Time: 8 days

CPT Code: 82175 (1)

Scarlet Eligible: No

Allergen Ascaris, (p1) IgE

 3579-0

Alternate Name: Ascaris (p1) IgE

Methodology: Enzyme Immunoassay

Preferred Specimen: 0.5 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 6 days

CPT Code: 86003 (1)

Scarlet Eligible: Yes

Vitamin C

0291-5

Alternate Name: Ascorbic Acid

Methodology: High Pressure Liquid Chromatography

Preferred Specimen: 1 mL Amber Serum

Collection Instruction: Draw SST or RED, let clot for 8-10 minutes. Centrifuge and pour into either an aliquot tube (must be covered in foil) or poured into an amber tube and label with patient name and specimen type (serum). FREEZE.

Storage Instruction: STRICT Frozen

Turn Around Time: 3 days

CPT Code: 82180 (1)

Scarlet Eligible: No

ADMA/SDMA

 B696-6

Alternate Name: Asymmetric Dimethyl Arginine, P

Methodology: Liquid Chromatography Mass Spectrometry

Preferred Specimen: 1 mL SST Tube

Collection Instruction: Centrifuge lavender-top at high speed for 15 minutes. Transfer plasma into plastic transfer tube. Label with date/time collected, PLASMA and patient's name.

Storage Instruction: Refrigerate

Turn Around Time: 13 days

CPT Code: 82542 (1)

Scarlet Eligible: Yes

Scale (w15) IgE B873-1**Alternate Name:** Atriplex lentiformis (Allergen, Weed, Scale),ImmunoCAP w15 (Alle**Methodology:** Immunoassay**Preferred Specimen:** 1.0 SST Tube**Collection Instruction:** Separate serum from cells ASAP or within 2 hours of collection. Transfer serum to a standard transport tube.**Storage Instruction:** Refrigerate**Turn Around Time:** 6 days**CPT Code:** 86003 (1)**Scarlet Eligible:** Yes**Allergen Australian Pine, IgE (t73)** 3837-2**Alternate Name:** Australian Pine**Methodology:** Immunocap**Preferred Specimen:** 1 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 86003 (1)**Scarlet Eligible:** Yes

Autism/ID

 T395-3

Alternate Name: Autism/ID Panel/ Sequencing and

Methodology: Genotyping by Next Generation Sequencing

Preferred Specimen: Lavender top- EDTA

Collection Instruction: Blood specimens of any type and buccal swab cannot be accepted if the patient has ever received an allogeneic bone marrow transplant. Blood specimens will be rejected if frozen, hemolyzed or clotted. Blood can be refrigerated up to 7 days before shipping. Blood specimens older than 7 days can still be shipped; they will be tested if the yield and quality of DNA permit.

Storage Instruction: Room Temp

Turn Around Time: 28 days

CPT Code: 81302 (1), 81321 (1), 81323 (1), 81404 (2), 81405 (2), 81406 (2), 81407 (1), 81408 (2)

Scarlet Eligible: Yes

Autoimmune Lymphoproliferative Syndrome Panel

 T990-1

Alternate Name: Autoimmune Lymphoproliferative S

Methodology: Genotyping by Next Generation Sequencing

Preferred Specimen: Lavender top- EDTA

Collection Instruction: Fill lavender-top (EDTA) tube completely, invert 8-10 times. DO NOT SHAKE TUBE!

Storage Instruction: Room Temp

CPT Code: 81479 (1)

Scarlet Eligible: Yes

Autosomal Dominant Osteogenesis Imperfecta Panel

 T992-7

Alternate Name: Autosomal Dominant Osteogenesis

Methodology: Genotyping by Next Generation Sequencing

Preferred Specimen: Lavender top- EDTA

Collection Instruction: Fill lavender-top (EDTA) tube completely, invert 8-10 times. DO NOT SHAKE TUBE!

Storage Instruction: Room Temp

CPT Code: 81408 (2)

Scarlet Eligible: Yes

ISH Single Antibody Stain Only

5289-4

Alternate Name: Available probes: Kappa, Lambda, EBER, HPV high/low risk**Methodology:** In Situ Hybridization**Preferred Specimen:** Formalin-fixed, Paraffin-embedded Tissue**Collection Instruction:** This comes in block form from client with surgical number imprint.**Turn Around Time:** 1 day**CPT Code:** 88365 (1)**Scarlet Eligible:** No

Allergen Avocado (f96), IgE 1945-5**Alternate Name:** Avocado**Methodology:** Immunocap**Preferred Specimen:** 2 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 86003 (1)**Scarlet Eligible:** Yes

Avocado IgG (NON-NY) B485-4**Alternate Name:** Avocado IgG (NON-NY)**Methodology:** Immunocap**Preferred Specimen:** 0.5 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 7 days**CPT Code:** 86001 (1)**Scarlet Eligible:** Yes

B. fragilis by RT PCR

J216-3

Alternate Name: B. FRAGILIS BY PCR**Methodology:** Polymerase Chain Reaction**Preferred Specimen:** ThinPrep Vial**Collection Instruction:** Collect specimen, swish in Thin prep vial, label with pt name.**Storage Instruction:** Room Temp**Turn Around Time:** 5-7 days**CPT Code:** 87798 (1)**Scarlet Eligible:** No**Borrelia Burgdorferi (LYME) G/M ABS Immunoblot** B662-8**Alternate Name:** B.BURGDORFERI G/M IB**Preferred Specimen:** 1 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 6 days**CPT Code:** 86617 (2)**Scarlet Eligible:** Yes**Beta-2-Microglobulin, Serum** 0262-6**Alternate Name:** B2-Microglobulin, Serum**Methodology:** Chemiluminescence**Preferred Specimen:** 1 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 2 days**CPT Code:** 82232 (1)**Scarlet Eligible:** Yes

Beta-2-Microglobulin, Urine, Random 1754-1**Alternate Name:** B2-Microglobulin, Urine, Random**Methodology:** Chemiluminescence**Preferred Specimen:** 4 mL Urine Cup**Collection Instruction:** Collect urine in cup, label with patients name**Turn Around Time:** 2 days**CPT Code:** 82232 (1)**Scarlet Eligible:** Yes**Vaginitis/Vaginosis, DNA - BD Affirm**

5093-0

Alternate Name: BACTERIAL VAGINOSIS SCRN.,DNA**Methodology:** Nucleic Acid Hybridization**Preferred Specimen:** Affirm(BD) VP111**Collection Instruction:** Collect specimen-break swab shaft into BD Affirm, then label with name and source**Storage Instruction:** Refrigerate**Turn Around Time:** 1 day**CPT Code:** 87480 (1), 87510 (1), 87660 (1)**Scarlet Eligible:** No**Basic Antiphospholipid/Lupus**

5994-9

Alternate Name: BASIC ANTI-PHOS/LUPUS**Turn Around Time:** 4 days**CPT Code:** 85025 (1), 85597 (1), 85598 (1), 85610 (1), 85611 (8), 85613 (2), 85730 (2), 85732 (8), 86146 (3), 86147 (3)**Scarlet Eligible:** No

Basic Food Allergy Panel

 4633-4

Alternate Name: BASIC FOOD PANEL

Preferred Specimen: SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 3 days

CPT Code: 82785 (1), 86003 (10)

Scarlet Eligible: Yes

BCR/ABL Quantification by RT-PCR

 5858-6

Alternate Name: BCR/ABL for CML Monitoring, Philadelphia Chromosome Analysis

Methodology: Polymerase Chain Reaction

Preferred Specimen: 5 mL Peripheral Blood - Lavender Top

Collection Instruction: Fill tube, invert gently 5-6 times, label with patient's name

Storage Instruction: Refrigerate

Turn Around Time: 3 days

CPT Code: 81206 (1), 81207 (1)

Scarlet Eligible: Yes

Vaginitis/Vaginosis by DNA probe, Thin Prep

P576-2

Alternate Name: BD AFFIRM THINPREP PNL

Preferred Specimen: ThinPrep Vial

Collection Instruction: Collect specimen, swish in Thin prep vial, label with pt name.

Storage Instruction: Refrigerate

Turn Around Time: 5 days

CPT Code: 87480 (1), 87510 (1), 87660 (1)

Scarlet Eligible: No

Bean Profile

 Q032-5

Alternate Name: BEAN PROFILE

Methodology: Immunocap

Preferred Specimen: 5 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 3 days

CPT Code: 82785 (1), 86003 (4)

Scarlet Eligible: Yes

Benzodiazepines, Urine, Screen (100)

 3233-4

Alternate Name: BENZODIAZEPINES,URN.SCRN.(100)

Methodology: Enzyme Immunoassay

Preferred Specimen: 5 mL Urine Cup

Collection Instruction: Collect urine in cup, label with patients name

Storage Instruction: Refrigerate

Turn Around Time: 1 day

CPT Code: 80307 (1)

Scarlet Eligible: Yes

Beta Carotene, Total

 0512-4

Alternate Name: BETA CAROTENE,TOTAL

Methodology: High Pressure Liquid Chromatography

Preferred Specimen: 2 mL Amber Serum

Collection Instruction: Draw SST or RED, let clot for 8-10 minutes. Centrifuge and pour into either an aliquot tube (must be covered in foil) or poured into an amber tube and label with patient name and specimen type (serum).

Storage Instruction: Refrigerate

Turn Around Time: 3 days

CPT Code: 82380 (1)

Scarlet Eligible: Yes

Beta-2-Glycoprotein I (G,A,M) 2675-7**Alternate Name:** BETA-2-GLYCOPROTEIN I (G,A,M)**Methodology:** Enzyme Linked Immunoabsorbance**Preferred Specimen:** SST Tube**Collection Instruction:** Fill tube, label with patient name**Storage Instruction:** Refrigerate**Turn Around Time:** 2 days**CPT Code:** 86146 (3)**Scarlet Eligible:** Yes**Beta-Galactosidase, Leukocytes**

3514-7

Alternate Name: BETA-GALACTOSIDASE**Methodology:** Fluorometric**Preferred Specimen:** Yellow top- ACD**Collection Instruction:** Fill tube, invert gently 5-6 times, label with patient's name**Storage Instruction:** Refrigerate**Turn Around Time:** 17 days**CPT Code:** 82657 (1)**Scarlet Eligible:** No**Osteocalcin, Serum**

0385-5

Alternate Name: BGP; Bone GLA Protein**Methodology:** Electrochemiluminescence Immunoassay**Preferred Specimen:** 1 mL Aliquot Tube-Serum**Collection Instruction:** Place 1-3 mL of serum in transport tube. Label as serum and freeze.**Storage Instruction:** STRICT Frozen**Turn Around Time:** 8 days**CPT Code:** 83937 (1)**Scarlet Eligible:** No

Bile Acids Fractionated 3917-2**Alternate Name:** BILE ACID FRACT.**Methodology:** Liquid Chromatography Tandem Mass Spectrometry**Preferred Specimen:** 1 mL Aliquot Tube-Serum**Collection Instruction:** Place 1-3 mL of serum in transport tube. Label as serum;refrigerate or freeze as required.**Storage Instruction:** Refrigerate**Turn Around Time:** 8 days**CPT Code:** 82542 (1)**Scarlet Eligible:** Yes

Biopsy Level II, PC ONLY

5233-2

Alternate Name: BIOPSY LEVEL II, PC ONLY**Methodology:** Histology**Preferred Specimen:** Biopsy In Formalin**Collection Instruction:** Collect specimen place in formalin jar write patient name and site on jar**Turn Around Time:** 1 day**CPT Code:** 88302 (1)**Scarlet Eligible:** No

Biopsy Level III, PC ONLY

5234-0

Alternate Name: BIOPSY LEVEL III, PC ONLY**Methodology:** Histology**Preferred Specimen:** Biopsy In Formalin**Collection Instruction:** Collect specimen place in formalin jar write patient name and site on jar**Turn Around Time:** 1 day**CPT Code:** 88304 (1)**Scarlet Eligible:** No

Biopsy Level IV, PC ONLY

5235-7

Alternate Name: BIOPSY LEVEL IV, PC ONLY**Methodology:** Histology**Preferred Specimen:** Biopsy In Formalin**Collection Instruction:** Collect specimen place in formalin jar write patient name and site on jar**Turn Around Time:** 1 day**CPT Code:** 88305 (1)**Scarlet Eligible:** No**Biopsy Level V, PC ONLY**

5236-5

Alternate Name: BIOPSY LEVEL V, PC ONLY**Methodology:** Histology**Preferred Specimen:** Biopsy In Formalin**Collection Instruction:** Collect specimen place in formalin jar write patient name and site on jar**Turn Around Time:** 1 day**CPT Code:** 88307 (1)**Scarlet Eligible:** No**Biopsy Pod 2-@ _**

5002-1

Alternate Name: BIOPSY POD 2-@(AREA)**Methodology:** Histology**Preferred Specimen:** Biopsy In Formalin**Collection Instruction:** Submit in 10% Neutral Buffered Formalin, varied jar sizes.**Turn Around Time:** 1 day**CPT Code:** 88305 (2), 88311 (2)**Scarlet Eligible:** No

Biopsy Pod 3-@ _

5003-9

Alternate Name: BIOPSY POD 3-@(AREA)**Methodology:** Histology**Preferred Specimen:** Biopsy In Formalin**Collection Instruction:** Submit in 10% Neutral Buffered Formalin, varied jar sizes.**Turn Around Time:** 1 day**CPT Code:** 88305 (3), 88311 (3)**Scarlet Eligible:** No**Biopsy Pod -@ _**

5000-5

Alternate Name: BIOPSY POD @**Methodology:** Histology**Preferred Specimen:** Biopsy In Formalin**Collection Instruction:** Submit in 10% Neutral Buffered Formalin, varied jar sizes.**Turn Around Time:** 2-3 days**CPT Code:** 88305 (1)**Scarlet Eligible:** No**Biopsy, general-@ (AREA)**

4000-6

Alternate Name: BIOPSY, GENERAL**Methodology:** Histology**Preferred Specimen:** Biopsy In Formalin**Collection Instruction:** Submit in 10% Neutral Buffered Formalin, varied jar sizes.**Storage Instruction:** Room Temp**Turn Around Time:** 2 days**CPT Code:** 88305 (1)**Scarlet Eligible:** No

Biopsy Gen 2-@ (AREA)

4007-1

Alternate Name: BIOPSY, GENERAL X2**Methodology:** Histology**Preferred Specimen:** Biopsy In Formalin**Collection Instruction:** Submit in 10% Neutral Buffered Formalin, varied jar sizes.**Turn Around Time:** 1 day**CPT Code:** 88305 (2)**Scarlet Eligible:** No**Biopsy Gen 3@AREA**

4003-0

Alternate Name: BIOPSY, GENERAL X3**Methodology:** Histology**Preferred Specimen:** Biopsy In Formalin**Collection Instruction:** Submit in 10% Neutral Buffered Formalin, varied jar sizes.**Turn Around Time:** 1 day**CPT Code:** 88305 (3)**Scarlet Eligible:** No**Biopsy Gen 4-@ (AREA)**

4004-8

Alternate Name: BIOPSY, GENERAL X4**Methodology:** Histology**Preferred Specimen:** Biopsy In Formalin**Collection Instruction:** Submit in 10% Neutral Buffered Formalin, varied jar sizes.**Turn Around Time:** 1 day**CPT Code:** 88305 (4)**Scarlet Eligible:** No

Biopsy Gen 5-@ (AREA)

4005-5

Alternate Name: BIOPSY, GENERAL X5**Methodology:** Histology**Preferred Specimen:** Biopsy In Formalin**Collection Instruction:** Submit in 10% Neutral Buffered Formalin, varied jar sizes.**Turn Around Time:** 1 day**CPT Code:** 88305 (5)**Scarlet Eligible:** No**Biopsy Gen 6-@ (AREA)**

4006-3

Alternate Name: BIOPSY, GENERAL X6**Methodology:** Histology**Preferred Specimen:** Biopsy In Formalin**Collection Instruction:** Submit in 10% Neutral Buffered Formalin, varied jar sizes.**Turn Around Time:** 1 day**CPT Code:** 88305 (6)**Scarlet Eligible:** No**Biopsy, GI (1 Jar)**

5631-7

Alternate Name: BIOPSY, GI**Methodology:** Histology**Preferred Specimen:** Biopsy In Formalin**Collection Instruction:** Submit in 10% Neutral Buffered Formalin, varied jar sizes.**Turn Around Time:** 1 day**CPT Code:** 88305 (1)**Scarlet Eligible:** No

Biopsy, GI (10 JARS)

A296-6

Alternate Name: BIOPSY, GI (10 JARS)**Methodology:** Histology**Preferred Specimen:** Biopsy In Formalin**Collection Instruction:** Submit in 10% Neutral Buffered Formalin, varied jar sizes.**Turn Around Time:** 1 day**CPT Code:** 88305 (10)**Scarlet Eligible:** No**Biopsy, GI (2 Jars)**

5632-5

Alternate Name: BIOPSY, GI (2 JARS)**Methodology:** Histology**Preferred Specimen:** Biopsy In Formalin**Collection Instruction:** Submit in 10% Neutral Buffered Formalin, varied jar sizes.**Turn Around Time:** 1 day**CPT Code:** 88305 (2)**Scarlet Eligible:** No**Biopsy, GI (3 Jars)**

5633-3

Alternate Name: BIOPSY, GI (3 JARS)**Methodology:** Histology**Preferred Specimen:** Biopsy In Formalin**Collection Instruction:** Submit in 10% Neutral Buffered Formalin, varied jar sizes.**Turn Around Time:** 1 day**CPT Code:** 88305 (3)**Scarlet Eligible:** No

Biopsy, GI (4 Jars)

5634-1

Alternate Name: BIOPSY, GI (4 JARS)**Methodology:** Histology**Preferred Specimen:** Biopsy In Formalin**Collection Instruction:** Submit in 10% Neutral Buffered Formalin, varied jar sizes.**Turn Around Time:** 1 day**CPT Code:** 88305 (4)**Scarlet Eligible:** No**Biopsy, GI (5 Jars)**

5635-8

Alternate Name: BIOPSY, GI (5 JARS)**Methodology:** Histology**Preferred Specimen:** Biopsy In Formalin**Collection Instruction:** Submit in 10% Neutral Buffered Formalin, varied jar sizes.**Turn Around Time:** 1 day**CPT Code:** 88305 (5)**Scarlet Eligible:** No**Biopsy, GI (6 Jars)**

5636-6

Alternate Name: BIOPSY, GI (6 JARS)**Methodology:** Histology**Preferred Specimen:** Biopsy In Formalin**Collection Instruction:** Submit in 10% Neutral Buffered Formalin, varied jar sizes.**Turn Around Time:** 1 day**CPT Code:** 88305 (6)**Scarlet Eligible:** No

Biopsy, GI (7 JARS)

A293-3

Alternate Name: BIOPSY, GI (7 JARS)**Methodology:** Histology**Preferred Specimen:** Biopsy In Formalin**Collection Instruction:** Submit in 10% Neutral Buffered Formalin, varied jar sizes.**Turn Around Time:** 2 days**CPT Code:** 88305 (7)**Scarlet Eligible:** No**Biopsy, GI (8 JARS)**

A294-1

Alternate Name: BIOPSY, GI (8 JARS)**Methodology:** Histology**Preferred Specimen:** Biopsy In Formalin**Collection Instruction:** Submit in 10% Neutral Buffered Formalin, varied jar sizes.**Turn Around Time:** 1 day**CPT Code:** 88305 (8)**Scarlet Eligible:** No**Biopsy, GI (9 JARS)**

A295-8

Alternate Name: BIOPSY, GI (9 JARS)**Methodology:** Histology**Preferred Specimen:** Biopsy In Formalin**Collection Instruction:** Submit in 10% Neutral Buffered Formalin, varied jar sizes.**Turn Around Time:** 1 day**CPT Code:** 88305 (9)**Scarlet Eligible:** No

Biopsy, Level VI Global

5237-3

Alternate Name: BIOPSY, LEVEL VI**Methodology:** Histology**Preferred Specimen:** Biopsy In Formalin**Collection Instruction:** Collect specimen place in formalin jar write patient name and site on jar**Turn Around Time:** 1 day**CPT Code:** 88309 (1)**Scarlet Eligible:** No**Liver Biopsy**

5009-6

Alternate Name: BIOPSY, LIVER**Methodology:** Histology**Preferred Specimen:** Biopsy In Formalin**Collection Instruction:** Submit in 10% Neutral Buffered Formalin, varied jar sizes.**Turn Around Time:** 1 day**CPT Code:** 88307 (1), 88313 (4)**Scarlet Eligible:** No**BK Virus DNA Quantification, PCR (Urine)** A492-1**Alternate Name:** BK VIRUS DNA QUANT., UR**Methodology:** Polymerase Chain Reaction**Preferred Specimen:** 1 mL Urine Cup**Collection Instruction:** Collect urine in cup, label with patients name**Storage Instruction:** Refrigerate**Turn Around Time:** 5 days**CPT Code:** 87799 (1)**Scarlet Eligible:** Yes

MVista(r) Blastomyces Antigen Quantitative EIA (Non-NY)

6160-6

Alternate Name: BLASTOMYCES AG.**Methodology:** Enzyme Immunoassay**Preferred Specimen:** 5 mL Urine Cup**Collection Instruction:** Collect urine in cup, label with patients name**Storage Instruction:** Refrigerate**Turn Around Time:** 6 days**CPT Code:** 87449 (1)**Scarlet Eligible:** No**Bleeding Diatheses Evaluation Profile I** 5850-3**Alternate Name:** BLEEDING DIATHESES EVAL1**Preferred Specimen:** 2 mL Light blue top,Lavender top- EDTA**Turn Around Time:** 1 day**CPT Code:** 85025 (1), 85610 (1), 85730 (1)**Scarlet Eligible:** Yes**Bleeding Diathesis Evaluation Profile II**

5997-2

Alternate Name: BLEEDING DIATHESIS EVALUATION**Preferred Specimen:** Aliquot Plasma-Citrated-Blue Top,Lavender top- EDTA**Collection Instruction:** Collect one lavender top tube and maintain at room temperature. Collect full blue-top (citrated) tube. Centrifuge Blue-top at high speed for 15 minutes. Transfer plasma into plastic transfer tube. Label with date/time collected, PLASMA, patient's name and freeze.**Storage Instruction:** STRICT Frozen**Turn Around Time:** 9 days**CPT Code:** 85025 (1), 85240 (1), 85245 (1), 85246 (1), 85250 (1), 85270 (1), 85290 (1), 85610 (1), 85730 (1)**Scarlet Eligible:** No

Bloom Syndrome Carrier Test



A658-7

Alternate Name: BLOOM SYNDROME

Methodology: Genotyping by Next Generation Sequencing

Preferred Specimen: Lavender top- EDTA

Collection Instruction: Fill lavender-top (EDTA) tube completely, invert 8-10 times. DO NOT SHAKE TUBE!

Storage Instruction: Refrigerate

Turn Around Time: 10-14 days

CPT Code: 81209 (1)

Scarlet Eligible: Yes

Bone Marrow Morph.- Tech Only

B846-7

Alternate Name: BM MORP- TC ONLY

Methodology: Histology

Preferred Specimen: Bone Marrow - Clot in Formalin, Bone Marrow Core in Formalin, Unstained Slide

Collection Instruction: Submit in 10% Neutral Buffered Formalin, varied jar sizes. Submit core/clot in formalin. Send smear in slide holder.

Storage Instruction: Room Temp

Turn Around Time: 1-2 days

CPT Code: 88305 (2), 88311 (1), 88313 (4)

Scarlet Eligible: No

Bone Marrow Morph. Clot Only- Tech Only

B843-4

Alternate Name: BM MORP. CLOT ONLY-TC

Methodology: Histology

Preferred Specimen: Bone Marrow - Clot in Formalin

Collection Instruction: Collect clot section place in formalin, label with patient's name

Turn Around Time: 1-2 days

CPT Code: 88305 (1), 88313 (2)

Scarlet Eligible: No

Bone Marrow Morph. Core Only- Tech Only

B845-9

Alternate Name: BM MORP. CORE ONLY- TC**Methodology:** Histology**Preferred Specimen:** Bone Marrow Core in Formalin**Collection Instruction:** Collect specimen place in formalin jar, label with patient's name and site**Storage Instruction:** Room Temp**Turn Around Time:** 1-2 days**CPT Code:** 88305 (1), 88311 (1), 88313 (2)**Scarlet Eligible:** No**Bone Marrow Morph. Smear Only- Tech Only**

B844-2

Alternate Name: BM MORP. SMEAR ONLY-TC**Methodology:** Histology**Preferred Specimen:** Unstained Slide**Collection Instruction:** Collect specimen and place on charged slide, label with pt name, place in slide holder for transport.**Storage Instruction:** Room Temp**Turn Around Time:** 1-2 days**CPT Code:** 88313 (1)**Scarlet Eligible:** No**Basic Metabolic Profile (BMP)** 2555-1**Alternate Name:** BMP, CHEM 7, SMA 7**Preferred Specimen:** SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 1 day**CPT Code:** 80048 (1)**Scarlet Eligible:** Yes

B-Type Natriuretic Peptide (BNP)

3553-5

Alternate Name: BNP**Methodology:** Chemiluminescence**Preferred Specimen:** 1 mL White Top (PPT)**Collection Instruction:** After collection centrifuge at high speed for 8-10 min. Remove plasma and submit in aliquot tube. Label it plasma**Storage Instruction:** Refrigerate**Turn Around Time:** 1 day**CPT Code:** 83880 (1)**Scarlet Eligible:** No**Bone Marrow Morphology**

5199-5

Alternate Name: BONE MARROW ANALYSIS**Methodology:** Histology**Preferred Specimen:** Bone Marrow - Clot in Formalin,Unstained Slide,Bone Marrow Core in Formalin**Collection Instruction:** Submit in 10% Neutral Buffered Formalin, varied jar sizes.**Turn Around Time:** 1-2 days**CPT Code:** 85097 (1), 88305 (2), 88311 (1), 88313 (4)**Scarlet Eligible:** No**Bone Marrow Analysis - Clot Only**

5202-7

Alternate Name: BONE MARROW ANALYSIS (CLOT)**Methodology:** Histology**Preferred Specimen:** Bone Marrow - Clot in Formalin**Collection Instruction:** Collect specimen place in formalin jar, label with patient's name and site**Turn Around Time:** 1-2 days**CPT Code:** 88305 (1), 88313 (2)**Scarlet Eligible:** No

Bone Marrow Morphology - Core Only

5200-1

Alternate Name: BONE MARROW ANALYSIS (CORE)**Methodology:** Histology**Preferred Specimen:** Bone Marrow Core in Formalin**Collection Instruction:** Collect specimen place in formalin jar, label with patient's name and site**Turn Around Time:** 1-2 days**CPT Code:** 88305 (1), 88311 (1), 88313 (2)**Scarlet Eligible:** No**Bone Marrow Slide Consult**

5207-6

Alternate Name: BONE MARROW SLIDE CONSULT.**Methodology:** Histology**Preferred Specimen:** Stained Slides**Turn Around Time:** 1-2 days**CPT Code:** 88321 (1)**Scarlet Eligible:** No**X/Y Bone Marrow Transplant Monitoring**

5066-6

Alternate Name: BONE MARROW X/Y CHROM(FISH)**Methodology:** FISH**Preferred Specimen:** 2 mL Bone Marrow - Green Top**Collection Instruction:** Non-diluted bone marrow aspirate collected and transferred into sodium heparin (green top) tube. Also acceptable: Whole blood in green (sodium heparin) tube.**Storage Instruction:** Refrigerate**Turn Around Time:** 3-5 days**CPT Code:** 88377 (1)**Scarlet Eligible:** No

Bone Marrow Analysis - Smears

5211-8

Alternate Name: BONE MARROW/SMEARS ONLY**Methodology:** Histology**Preferred Specimen:** Unstained Slide**Collection Instruction:** Client to collect specimen, prepare smears, label with patient's name, place in slide carrier.**Turn Around Time:** 1-2 days**CPT Code:** 85097 (1), 88313 (1)**Scarlet Eligible:** No

Bone/Tissue Culture

P210-8

Alternate Name: BONE/TISSUE CULTURE**Methodology:** Bacterial Culture**Preferred Specimen:** Swab-E**Collection Instruction:** Collect specimen with swab then place swab into transport carrier; Label with name and source**Storage Instruction:** Room Temp**Turn Around Time:** 5 days**CPT Code:** 87205 (1), 87070 (1), 87075 (1)**Scarlet Eligible:** No

B.Burgdorferi DNA QUAL PCR A519-1**Alternate Name:** BORRELIA PCR, LYME PCR**Methodology:** Polymerase Chain Reaction**Preferred Specimen:** Lavender top- EDTA**Collection Instruction:** Fill lavender-top (EDTA) tube completely, invert 8-10 times. DO NOT SHAKE TUBE!**Storage Instruction:** Refrigerate**Turn Around Time:** 6 days**CPT Code:** 87801 (1)**Scarlet Eligible:** Yes

BRAF, if neg reflex to MLH1 Hypermethylation NY Only

J463-1

Alternate Name: BRAF RFLX NEG TO MLH1**Methodology:** Genotyping by Next Generation Sequencing**Preferred Specimen:** Formalin-fixed, Paraffin-embedded Tissue**Collection Instruction:** 10-15 unstained slides at 5 microns (tumor content >10%) with H&E, Shavings (if tumor content >10%) with H&E, if sending DNA- Please call CS**Turn Around Time:** 5-10 days**CPT Code:** 81210 (1)**Scarlet Eligible:** No**BRAF, if neg reflex to MLH1 Hypermethylation- Non NY**

J107-4

Alternate Name: BRAF RFLX NEG TO MLH1**Methodology:** Genotyping by Next Generation Sequencing**Preferred Specimen:** Formalin-fixed, Paraffin-embedded Tissue**Collection Instruction:** 10-15 unstained slides at 5 microns (tumor content >10%) with H&E, Shavings (if tumor content >40%) with H&E, if sending DNA - Please call CS.**Storage Instruction:** Room Temp**Turn Around Time:** 5-10 days**CPT Code:** 81210 (1)**Scarlet Eligible:** No**BRAF Sequencing- Non NY**

J021-7

Alternate Name: BRAF Sequencing**Methodology:** Genotyping by Next Generation Sequencing**Preferred Specimen:** Formalin-fixed, Paraffin-embedded Tissue**Collection Instruction:** 10-15 unstained slides at 5 microns (tumor content >10%) with H&E, Shavings (if tumor content >40%) with H&E, if sending DNA - Please call CS.**Storage Instruction:** Room Temp**Turn Around Time:** 5-10 days**CPT Code:** 81210 (1)**Scarlet Eligible:** No

BRAF Sequencing NY Only

J456-5

Alternate Name: BRAF by NGS**Methodology:** Genotyping by Next Generation Sequencing**Preferred Specimen:** Formalin-fixed, Paraffin-embedded Tissue**Collection Instruction:** 10-15 unstained slides at 5 microns (tumor content >10%) with H&E, Shavings (if tumor content >10%) with H&E, if sending DNA- Please call CS**Turn Around Time:** 5-10 days**CPT Code:** 81210 (1)**Scarlet Eligible:** No**OnkoSight BRAF Sequencing - BM/PB**

T979-4

Alternate Name: BRAF by NGS - BM/PB**Methodology:** Genotyping by Next Generation Sequencing**Preferred Specimen:** 2 mL Bone Marrow - Lavender Top**Collection Instruction:** Place bone marrow into tube, label with patient's name**Storage Instruction:** Room Temp**Turn Around Time:** 5-10 days**CPT Code:** 81210 (1)**Scarlet Eligible:** No**BRAF/EGFR NGS if EGFR neg rfx to ALK FISH if neg rfx ROS1**

TB34-4

Alternate Name: BRAF/EGFR rfx >ALK>ROS1**Methodology:** Genotyping by Next Generation Sequencing**Preferred Specimen:** Formalin-fixed, Paraffin-embedded Tissue**Collection Instruction:** 0-15 unstained slides at 5 microns (tumor content >10%) with H&E, Shavings (if tumor content >40%) with H&E, if sending DNA - Please call CS. Please give to Block Retrieval for processing. Alternative specimen: Extracted DNA is acceptable, providing that the isolation of nucleic acid occurs in a CLIA-certified laboratory or a laboratory meeting equivalent requirements as determined by CMS and/or the CAP.**Storage Instruction:** Room Temp**Turn Around Time:** 10 days**CPT Code:** 81210 (1), 81235 (1)**Scarlet Eligible:** No

BRCA1/ BRCA2 Ashkenazi Founder Panel B361-7**Alternate Name:** BRCA-AJ**Preferred Specimen:** 2-5 mL Lavender top- EDTA**Collection Instruction:** Lavender: 2 tubes (5-6ml each) Label with the patient name, date of birth and/or ID. Ideal handling is to ship immediately at ambient temperature for overnight delivery. Alternate sample type: DNA: Extract and submit DNA 50 ng/mL (total volume 400 mL) in sterile container. Ship DNA in sealed and protective packaging at ambient temperature, using a cool pack in hot weather. Labeling: Name of person or identifier, DNA concentration and volume MUST be provided on the specimen tube.**Storage Instruction:** Room Temp**Turn Around Time:** 8-10 days**CPT Code:** 81212 (1)**Scarlet Eligible:** Yes**BRCA1/2 Sequencing and Del/Dup Analysis** B362-5**Alternate Name:** BRCA1 and BRCA2 Sequencing and D**Preferred Specimen:** 2-5 mL Lavender top- EDTA**Collection Instruction:** Lavender: 2 tubes (5-6ml each) Label with the patient name, date of birth and/or ID. Ideal handling is to ship immediately at ambient temperature for overnight delivery. Alternate sample type: DNA: Extract and submit DNA 50 ng/mL (total volume 400 mL) in sterile container. Ship DNA in sealed and protective packaging at ambient temperature, using a cool pack in hot weather. Labeling: Name of person or identifier, DNA concentration and volume MUST be provided on the specimen tube.**Storage Instruction:** Room Temp**Turn Around Time:** 8-10 days**CPT Code:** 81162 (1)**Scarlet Eligible:** Yes

Breast Carcinoma/Lymph Nodes/MM Metastasis

5170-6

Alternate Name: BREAST CA/LYMPH NODES/MM**Methodology:** Immunohistochemistry**Preferred Specimen:** Formalin-fixed, Paraffin-embedded Tissue**Collection Instruction:** This comes in a block or slide form from client with surgical number imprint.**Turn Around Time:** 1 day**CPT Code:** 88342 (1)**Scarlet Eligible:** No**Breast Carcinoma, R/O Microinvasion BY IHC-TC**

A952-4

Alternate Name: BREAST MICROINVASION-TC**Methodology:** Immunohistochemistry**Preferred Specimen:** Formalin-fixed, Paraffin-embedded Tissue**Collection Instruction:** This comes in a block or slide form from client with surgical number imprint.**Turn Around Time:** 1 day**CPT Code:** 88341 (2), 88342 (1)**Scarlet Eligible:** No**BREAST SMEAR (slide)**

1301-1

Alternate Name: BREAST SMEAR (slide)**Preferred Specimen:** Slides**Collection Instruction:** Label slides with patient name, place in slide holder for transport**Turn Around Time:** 4 days**CPT Code:** 88104 (1)**Scarlet Eligible:** No

Brucella AB., Agglutination A860-9**Alternate Name:** BRUCELLA AB., AGGLUT.**Methodology:** Agglutination**Preferred Specimen:** 1 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 11 day**CPT Code:** 86622 (1)**Scarlet Eligible:** Yes**Storage Sample Clinical Trials**

TF69-2

Alternate Name: BU1**Preferred Specimen:** 1.5 mL Aliquot Serum 11**Storage Instruction:** STRICT Frozen**CPT Code:** 99999 (1)**Scarlet Eligible:** No**Storage Sample Clinical Trials**

T794-7

Alternate Name: BU2**Preferred Specimen:** 1.5 mL Aliquot Edta**Storage Instruction:** STRICT Frozen**CPT Code:** 99999 (1)**Scarlet Eligible:** No**Storage Sample Clinical Trials**

T795-4

Alternate Name: BU3**Preferred Specimen:** 1.5 mL Aliquot Serum 12**Storage Instruction:** STRICT Frozen**CPT Code:** 99999 (1)**Scarlet Eligible:** No

BUN, Post Dialysis

1679-0

Alternate Name: BUN**Methodology:** Urease**Preferred Specimen:** 1 mL Microtainer - Pediatric SST**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 1 day**CPT Code:** 84520 (1)**Scarlet Eligible:** No**Blood Urea Nitrogen (BUN), Serum** 0049-7**Alternate Name:** BUN**Methodology:** Colorimetry**Preferred Specimen:** 1 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 1 day**CPT Code:** 84520 (1)**Scarlet Eligible:** Yes**BUN + Creatinine with Ratio** 4030-3**Alternate Name:** BUN/Creat Ratio**Turn Around Time:** 1 day**CPT Code:** 82565 (1), 84520 (1)**Scarlet Eligible:** Yes

Buprenorphine (Suboxone), Urine, Screen (5) 3956-0**Alternate Name:** BUPRENORPHINE**Methodology:** Enzyme Immunoassay**Preferred Specimen:** 5 mL Urine Cup**Collection Instruction:** Collect urine in cup, label with patients name**Storage Instruction:** Refrigerate**Turn Around Time:** 1 day**CPT Code:** 80307 (1)**Scarlet Eligible:** Yes**Bacterial Vaginosis and Aerobic Vaginitis (Non NY)**

L571-9

Alternate Name: BV + AV**Turn Around Time:** 7 days**CPT Code:** 87512 (1), 87799 (1), 99999 (1), 87651 (1), 87653 (1), 87798 (1), 87640 (1)**Scarlet Eligible:** No**BV PANEL BY RT-PCR**

H870-9

Alternate Name: BV PANEL BY RT-PCR**Preferred Specimen:** ThinPrep Vial**Turn Around Time:** 7 days**CPT Code:** 87512 (1), 87798 (2), 87799 (2)**Scarlet Eligible:** No**BV Panel by RT-PCR**

K835-9

Alternate Name: BV Panel by RT-PCR**Methodology:** Real-Time Polymerase Chain Reaction**Preferred Specimen:** Swab-Aptima Genprobe**Collection Instruction:** Collect specimen-break swab shaft into transport tube, then label with name and source**Storage Instruction:** Room Temp**Turn Around Time:** 7 days**CPT Code:** 87512 (1), 87799 (1), 87798 (1), 99999 (1)**Scarlet Eligible:** No

Bacterial Vag. W/RFX TP-NY.

H575-4

Alternate Name: BV TP NY**Turn Around Time:** 5 days**CPT Code:** 87480 (1), 87510 (1), 87660 (1)**Scarlet Eligible:** No**BV If Negative Reflex to Aerobic Vaginitis (Non NY)**

L570-1

Alternate Name: BV rfx to Aerobic Vaginitis**Turn Around Time:** 7 days**CPT Code:** 87512 (1), 87798 (2), 87799 (2)**Scarlet Eligible:** No**BVAB2 by RT-PCR**

J215-5

Alternate Name: BVAB2 BY PCR**Methodology:** Polymerase Chain Reaction**Preferred Specimen:** ThinPrep Vial**Collection Instruction:** Collect specimen, swish in Thin prep vial, label with pt name.**Storage Instruction:** Room Temp**Turn Around Time:** 5-7 days**CPT Code:** 87798 (1)**Scarlet Eligible:** No**Allergen Bahia Grass (g17), IgE** 1825-9**Alternate Name:** Bahia Grass**Methodology:** Immunocap**Preferred Specimen:** 3 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 86003 (1)**Scarlet Eligible:** Yes

Allergen Bamboo Shoot (f51), IgE 3642-6**Alternate Name:** Bamboo Shoot (F51)**Methodology:** Immunocap**Preferred Specimen:** 2 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 86003 (1)**Scarlet Eligible:** Yes**Allergen Banana (f92), IgE** 0863-1**Alternate Name:** Banana**Methodology:** Immunocap**Preferred Specimen:** 3 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 86003 (1)**Scarlet Eligible:** Yes**Phenobarbital, Serum** 0289-9**Alternate Name:** Barbita®; Comizial®; Fenilcal®;Gardenal®;Luminal®; Phenemal; Phenemalum;Phenobarb;Phenobarbitone;PheNY patientslethylmalolurea;Solfoton®;Stental Extentabs®**Methodology:** Enzyme Immunoassay**Preferred Specimen:** Red Top**Collection Instruction:** Fill tube, label with patient name**Storage Instruction:** Refrigerate**Turn Around Time:** 1 day**CPT Code:** 80184 (1)**Scarlet Eligible:** Yes

Bardet-Biedl Syndrome 2

 J317-9

Alternate Name: Bardet-Biedl Syndrome BBS2-associated

Methodology: Genotyping by Next Generation Sequencing

Preferred Specimen: Lavender top- EDTA

Collection Instruction: Fill lavender-top (EDTA) tube completely, invert 8-10 times. DO NOT SHAKE TUBE!

Storage Instruction: Refrigerate

Turn Around Time: 10-14 days

CPT Code: 81406 (1)

Scarlet Eligible: Yes

Allergen Barley (f6), IgE

 0816-9

Alternate Name: Barley

Methodology: Immunocap

Preferred Specimen: 3 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 3 days

CPT Code: 86003 (1)

Scarlet Eligible: Yes

Lipid Screen (Basic Lipid Profile)

 0009-1

Alternate Name: Basic Lipid Panel; Lipid Screen

Preferred Specimen: 2 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 1 day

CPT Code: 80061 (1)

Scarlet Eligible: Yes

Allergen Basil (rf269), IgE 1461-3**Alternate Name:** Basil (Rf269)**Methodology:** Immunocap**Preferred Specimen:** 3 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 86003 (1)**Scarlet Eligible:** Yes**Allergen Bay Leaf, (f278) IgE** 5056-7**Alternate Name:** Bay Leaf (f278) IgE**Methodology:** Enzyme Immunoassay**Preferred Specimen:** 0.5 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 6 days**CPT Code:** 86003 (1)**Scarlet Eligible:** Yes**Allergen Bean Green/String IgG** B483-9**Alternate Name:** Bean Green/String IgG**Methodology:** Enzyme Immunoassay**Preferred Specimen:** 0.5 mL Aliquot Tube-Serum**Collection Instruction:** Collect 1-2 mL whole blood in red top tube, centrifuge and transfer 0.5 mL serum into a transfer tube. (All serum acceptable)**Storage Instruction:** Refrigerate**Turn Around Time:** 7 days**CPT Code:** 86001 (1)**Scarlet Eligible:** Yes

Allergen Beech Tree, IgE (t5) 0948-0**Alternate Name:** Beech Tree**Methodology:** Immunocap**Preferred Specimen:** 3 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 86003 (1)**Scarlet Eligible:** Yes**Allergen Beef (f27), IgE** 0861-5**Alternate Name:** Beef**Methodology:** Immunocap**Preferred Specimen:** 3 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 86003 (1)**Scarlet Eligible:** Yes**Allergen Beetroot (f319), IgE** 3803-4**Alternate Name:** Beetroot**Methodology:** Immunocap**Preferred Specimen:** 2 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 86003 (1)**Scarlet Eligible:** Yes

Immunotyping, Urine

 1644-4

Alternate Name: Bence Jones Protein, Immunofixation

Methodology: Electrophoresis

Preferred Specimen: 9 mL Urine Cup

Collection Instruction: Collect urine in cup, label with patients name

Storage Instruction: Refrigerate

Turn Around Time: 2 days

CPT Code: 86335 (1)

Scarlet Eligible: Yes

Amphetamines, Urine, Screen (1000)

 0920-9

Alternate Name: Bennies; Crystal; Dexedrine®; Dexies; Ferndex®; Speed; Uppers

Methodology: Enzyme Immunoassay

Preferred Specimen: 5 mL Urine Cup

Collection Instruction: Collect urine in cup, label with patients name

Storage Instruction: Refrigerate

Turn Around Time: 1 day

CPT Code: 80307 (1)

Scarlet Eligible: Yes

Allergen Bermuda Grass (g2), IgE

 1198-1

Alternate Name: Bermuda Grass

Methodology: Immunocap

Preferred Specimen: 3 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 3 days

CPT Code: 86003 (1)

Scarlet Eligible: Yes

Allergen Betalactoglobulin (f77), IgE

 1268-2

Alternate Name: Beta Lactoglobulin

Methodology: Immunocap

Preferred Specimen: 3 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 3 days

CPT Code: 86008 (1)

Scarlet Eligible: Yes

Pregnancy, Urine

 0133-9

Alternate Name: Beta Subunit Human Chorionic Gonadotropin, Urine;hCG, Slide Test, Stat;hCG,Urine;Human Chorionic Gonadotropin, Urine

Methodology: Colorimetry

Preferred Specimen: 5 mL Urine Cup

Collection Instruction: Collect urine in cup, label with patients name

Storage Instruction: Refrigerate

Turn Around Time: 1 day

CPT Code: 81025 (1)

Scarlet Eligible: Yes

Procainamide, Ser.(+napa #0525)

 1846-5

Alternate Name: Bicoryl®;Novocainamidum;Novocamid®;Procaine Amide Hydrochloride;Procanbid®;Procan® SR;Pronestyl®;Pronestyl-SR®;Retard®;Rhythmmin®

Methodology: Fluor. Polarization Immunoassay

Preferred Specimen: Red Top

Collection Instruction: Fill tube, label with patient name

Storage Instruction: Refrigerate

Turn Around Time: 1 day

CPT Code: 80192 (1)

Scarlet Eligible: Yes

Special Stain, Halls Bile - TC

T409-2

Alternate Name: Bile Halls SS- TC

Methodology: Histology

Preferred Specimen: Formalin-fixed, Paraffin-embedded Tissue

Collection Instruction: This comes in block form from client with surgical number imprint. 3-4 unstained positively charged slides(3 to 5 microns thick sections each)

Storage Instruction: Room Temp

Turn Around Time: 3-6 days

CPT Code: 88313 (1)

Scarlet Eligible: No

Bilirubin, Direct, Serum

 0044-8

Alternate Name: Bilirubin, Conjugated; Direct Bilirubin

Methodology: Colorimetry

Preferred Specimen: 2 mL SST Tube

Collection Instruction: Place 1-3 mL of serum in transport tube. Label as serum;refrigerate or freeze as required.

Storage Instruction: Refrigerate

Turn Around Time: 1 day

CPT Code: 82248 (1)

Scarlet Eligible: Yes

Bilirubin, Total + Direct, Serum

 0045-5

Alternate Name: Bilirubin Fractionation

Methodology: Colorimetry

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Turn Around Time: 1 day

CPT Code: 82247 (1), 82248 (1)

Scarlet Eligible: Yes

Bilirubin, Total, Serum

 0043-0

Alternate Name: Bilirubin, Total

Methodology: Colorimetry

Preferred Specimen: 2 mL SST Tube

Collection Instruction: Place 1-3 mL of serum in transport tube. Label as serum;refrigerate or freeze as required.

Storage Instruction: Refrigerate

Turn Around Time: 1 day

CPT Code: 82247 (1)

Scarlet Eligible: Yes

Quinidine, Serum

 0140-4

Alternate Name: Biquin®;Cardioquin®;Cin-Quin®;Kiditard®;Kiniden®;Quinaglute®;Dura-Tabs®;Quinalan®;Extentabs®;Quini®;Durules®;Quinora®;Systodin®

Methodology: Enzyme Immunoassay

Preferred Specimen: Red Top

Collection Instruction: Fill tube, label with patient name

Storage Instruction: Refrigerate

Turn Around Time: 2 days

CPT Code: 80194 (1)

Scarlet Eligible: Yes

Allergen Black Pepper (f250), IgE

 1422-5

Alternate Name: Black Pepper

Methodology: Immunocap

Preferred Specimen: 3 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 3 days

CPT Code: 86003 (1)

Scarlet Eligible: Yes

Allergen Blackberry (rf211), IgE 1486-0**Alternate Name:** Blackberry**Methodology:** Immunocap**Preferred Specimen:** 3 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 86003 (1)**Scarlet Eligible:** Yes**GP/Non-Automated Urovysion BY FISH**

6274-5

Alternate Name: Bladder Cancer**Methodology:** FISH**Preferred Specimen:** 50 mL ThinPrep Cytolyt Solution**Collection Instruction:** Collect voided urine in Thinprep Cytolyte solution**Storage Instruction:** Refrigerate**Turn Around Time:** 3-5 days**CPT Code:** 88120 (1)**Scarlet Eligible:** No**Allergen Blomia Tropicalis (d201), IgE** B235-3**Alternate Name:** Blomia Tropicalis**Methodology:** Immunocap**Preferred Specimen:** 1 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 86003 (1)**Scarlet Eligible:** Yes

Culture, Blood

0341-8

Alternate Name: Blood Culture**Methodology:** Bacterial Culture**Preferred Specimen:** Blood Culture Bottles-Aerobic/Anaerobic**Collection Instruction:** Collect 5-10 mL of blood in each bottle, label with patient's name**Storage Instruction:** Room Temp**Turn Around Time:** 5 days**CPT Code:** 87040 (1)**Scarlet Eligible:** No**Culture, Blood (spec.#2)**

1350-8

Alternate Name: Blood Culture**Methodology:** Bacterial Culture**Preferred Specimen:** 10 mL Blood Culture Bottles-Aerobic/Anaerobic**Collection Instruction:** Collect 5-10 mL of blood in each bottle, label with patient's name**Storage Instruction:** Room Temp**Turn Around Time:** 5 days**CPT Code:** 87040 (1)**Scarlet Eligible:** No**Culture, Blood (spec.#3)**

1351-6

Alternate Name: Blood Culture**Methodology:** Bacterial Culture**Preferred Specimen:** 10 mL Blood Culture Bottles-Aerobic/Anaerobic**Collection Instruction:** Collect 5-10 mL of blood in each bottle, label with patient's name**Storage Instruction:** Room Temp**Turn Around Time:** 5 days**CPT Code:** 87040 (1)**Scarlet Eligible:** No

Malaria/Babesia/Other Blood Parasites J897-0**Alternate Name:** Blood Parasites**Methodology:** Microscopic Examination**Preferred Specimen:** 2 mL Lavender top- EDTA**Collection Instruction:** Fill lavender-top (EDTA) tube completely, invert 8-10 times. DO NOT SHAKE TUBE!**Storage Instruction:** Room Temp**Turn Around Time:** 1 day**CPT Code:** 87207 (1)**Scarlet Eligible:** Yes

Occult Blood,Stool (1st Specimen)

0122-2

Alternate Name: Blood, Occult, Stool, Fecal Occult Blood Test; FOBT, Guaiac**Methodology:** Colorimetry**Preferred Specimen:** Stool-Hemoccult Card**Collection Instruction:** Using applicator stick, place small amount of stool on card, close flap, label with patient name and date collected.**Storage Instruction:** Refrigerate**Turn Around Time:** 1 day**CPT Code:** 82272 (1)**Scarlet Eligible:** No

Occult Blood,Stool (3rd Spec.)

0323-6

Alternate Name: Blood, Occult, Stool; Fecal Occult Blood Test; FOBT; Guaiac**Methodology:** Colorimetry**Preferred Specimen:** Stool-Hemoccult Card**Collection Instruction:** Using applicator stick, place small amount of stool on card, close flap, label with patient name and date collected.**Storage Instruction:** Refrigerate**Turn Around Time:** 1 day**CPT Code:** 82272 (1)**Scarlet Eligible:** No

Occult Blood, Stool (2nd Spec.)

0319-4

Alternate Name: Blood, Occult, Stool; Fecal Occult Blood Test; FOBT; Guaiac**Methodology:** Colorimetry**Preferred Specimen:** Stool-Hemoccult Card**Collection Instruction:** Using applicator stick, place small amount of stool on card, close flap, label with patient name and date collected.**Storage Instruction:** Refrigerate**Turn Around Time:** 1 day**CPT Code:** 82272 (1)**Scarlet Eligible:** No**Allergen Blue Mussel (f37), IgE** 0697-3**Alternate Name:** Blue Mussel**Methodology:** Immunocap**Preferred Specimen:** 3 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 86003 (1)**Scarlet Eligible:** Yes**Allergen Blueberry (rf228), IgE** 1487-8**Alternate Name:** Blueberry**Methodology:** Immunocap**Preferred Specimen:** 3 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Turn Around Time:** 3 days**CPT Code:** 86003 (1)**Scarlet Eligible:** Yes

Culture, Body Fluid W/Gram Stain

0556-1

Alternate Name: Body Fluid Culture with gram stain**Preferred Specimen:** Fluid-source required**Collection Instruction:** Submit fluid in sterile cup**Storage Instruction:** Refrigerate**Turn Around Time:** 5 days**CPT Code:** 87070 (1), 87205 (1), 87075 (1)**Scarlet Eligible:** No**Ostase - Alkaline Phosphatase Bone Specific** T447-2**Alternate Name:** Bone Specific Alkaline Phosphatase**Methodology:** Chemiluminescence**Preferred Specimen:** 2 SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 2 days**CPT Code:** 84080 (1)**Scarlet Eligible:** Yes**Brain Tumor Panel** T831-7**Alternate Name:** Brain Tumor Panel**Methodology:** Full Gene Sequencing**Preferred Specimen:** Lavender top- EDTA**Collection Instruction:** 2 tubes (5-6mL each) Label with the patient name, date of birth, and/or ID.**Storage Instruction:** Room Temp**Turn Around Time:** 21 day**CPT Code:** 81404 (1), 81405 (1), 81406 (1), 81407 (1)**Scarlet Eligible:** Yes

Allergen Brazil Nut (f18), IgE 1405-0**Alternate Name:** Brazil Nut**Methodology:** Immunocap**Preferred Specimen:** 3 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 86003 (1)**Scarlet Eligible:** Yes**Breast Basal Layer Triple Stain by IHC Global**

TA18-9

Alternate Name: Breast Basal Layer Trip**Methodology:** Immunohistochemistry**Preferred Specimen:** Formalin-fixed, Paraffin-embedded Tissue**Collection Instruction:** This comes in block form from client with surgical number imprint.**Storage Instruction:** Room Temp**Turn Around Time:** 1 day**CPT Code:** 88344 (1)**Scarlet Eligible:** No**ER / PR / HER2 (Tech Only)w/digital imaging**

5127-6

Alternate Name: Breast Cancer IHC Tech Only: ER, PR, HER2**Methodology:** Immunohistochemistry**Preferred Specimen:** Formalin-fixed, Paraffin-embedded Tissue**Collection Instruction:** This comes in block form from client with surgical number imprint.**Turn Around Time:** 1 day**CPT Code:** 88361 (3)**Scarlet Eligible:** No

Breast Cancer Surgical Panel

 J662-8

Alternate Name: Breast Cancer Surgical Panel

Methodology: Full Gene Sequencing

Preferred Specimen: 5 mL Peripheral Blood - Lavender Top

Collection Instruction: Lavender: 2 tubes (5-6 mL each) Label with the patient name, date of birth and/or ID. Ideal handling is to ship immediately at ambient temperature for overnight delivery. Alternate specimen type: DNA: Extract and submit DNA 50 ng/mL (total volume 400 mL) in sterile container. Ship DNA in sealed and protective packaging at ambient temperature, using a cool pack in hot weather. Labeling: Name of person or identifier, DNA concentration and volume MUST be provided on the specimen tube.

Storage Instruction: Room Temp

Turn Around Time: 8-10 days

CPT Code: 81162 (1), 81406 (1)

Scarlet Eligible: Yes

Cytochrome P450 2D6 Genotype (NY)

5296-9

Alternate Name: Breast Cancer Therapy, Codeine, Tramadol, Depression Panel

Methodology: Polymerase Chain Reaction

Preferred Specimen: 5 mL Lavender top- EDTA

Collection Instruction: Fill lavender-top (EDTA) tube completely, invert 8-10 times. DO NOT SHAKE TUBE!

Storage Instruction: Refrigerate

Turn Around Time: 14 days

CPT Code: 81226 (1)

Scarlet Eligible: No

CYP2D6 - Tamoxifen Resistance (NON-NY) 5287-8**Alternate Name:** Breast Cancer Therapy, Codeine, Tramadol, Depression Panel**Methodology:** Polymerase Chain Reaction**Preferred Specimen:** 5 mL Peripheral Blood - Lavender Top**Storage Instruction:** Refrigerate**Turn Around Time:** 10-13 days**CPT Code:** 81226 (1)**Scarlet Eligible:** Yes**Breast Cancer Management Panel** J055-5**Alternate Name:** Breast High/Moderate Risk Panel**Preferred Specimen:** 2-5 mL Lavender top- EDTA**Collection Instruction:** 2 tubes (5-6mL each) Label with the patient name, date of birth, and/or ID.**Storage Instruction:** Refrigerate**Turn Around Time:** 14 days**CPT Code:** 81162 (1), 81321 (1), 81323 (1), 81406 (1)**Scarlet Eligible:** Yes**Breast/Gyn Cancer Panel** B273-4**Alternate Name:** Breast/Ovarian Cancer Panel**Preferred Specimen:** 2-5 mL Lavender top- EDTA**Collection Instruction:** Lavender: 2 tubes (5-6ml each) Label with the patient name, date of birth and/or ID. Ideal handling is to ship immediately at ambient temperature for overnight delivery.

Alternate sample type: DNA: Extract and submit DNA 50 ng/mL (total volume 400 mL) in sterile container. Ship DNA in sealed and protective packaging at ambient temperature, using a cool pack in hot weather. Labeling: Name of person or identifier, DNA concentration and volume MUST be provided on the specimen tube.

Storage Instruction: Room Temp**Turn Around Time:** 14 days**CPT Code:** 81162 (1), 81292 (1), 81294 (1), 81321 (1)**Scarlet Eligible:** Yes

Allergen Broccoli (f260), IgE 1229-4**Alternate Name:** Broccoli**Methodology:** Immunocap**Preferred Specimen:** 3 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 86003 (1)**Scarlet Eligible:** Yes**Allergen Brome Grass (G11), IgE** 2394-5**Alternate Name:** Brome Grass**Methodology:** Immunocap**Preferred Specimen:** 3 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 86003 (1)**Scarlet Eligible:** Yes**Breast Basal Layer Triple Stain by IHC Tech Only**

TA17-1

Alternate Name: Brst Basal Layer x3-TC**Methodology:** Immunohistochemistry**Preferred Specimen:** Formalin-fixed, Paraffin-embedded Tissue**Collection Instruction:** This comes in block form from client with surgical number imprint.**Storage Instruction:** Room Temp**Turn Around Time:** 1 day**CPT Code:** 88344 (1)**Scarlet Eligible:** No

Allergen Brussel Sprouts (rf217), IgE 1814-3**Alternate Name:** Brussel Sprouts**Methodology:** Immunocap**Preferred Specimen:** 3 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 86003 (1)**Scarlet Eligible:** Yes

Allergen Buckwheat (f11), IgE 1629-5**Alternate Name:** Buckwheat**Methodology:** Immunocap**Preferred Specimen:** 3 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 86003 (1)**Scarlet Eligible:** Yes

C-Difficile Toxins A+B, Antigen

0259-2

Alternate Name: C difficile**Methodology:** Enzyme Immunoassay**Preferred Specimen:** Stool Cont.-Cup**Collection Instruction:** Using applicator stick, place 20-30 gms of stool into cup, label with patient's name**Storage Instruction:** Refrigerate**Turn Around Time:** 1 day**CPT Code:** 87324 (1), 87449 (1)**Scarlet Eligible:** No

C-Peptide, Serum

 0578-5

Alternate Name: C-Peptide, Serum

Methodology: Chemiluminescence

Preferred Specimen: 1 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 3 days

CPT Code: 84681 (1)

Scarlet Eligible: Yes

C-Reactive Protein (hs-CRP), High Sensitivity

 3320-9

Alternate Name: C-RP, High Sensitivity, Cardiac CRP

Methodology: Chemiluminescence

Preferred Specimen: 1 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 2 days

CPT Code: 86141 (1)

Scarlet Eligible: Yes

C-Reactive Protein (CRP), Serum

 0069-5

Alternate Name: C-RP, Serum

Methodology: Immunoturbidimetric

Preferred Specimen: 1 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 1 day

CPT Code: 86140 (1)

Scarlet Eligible: Yes

Allergen Cephalosporium Acremonium (m202) IgE 3830-7**Alternate Name:** C. Acremonium IgE**Methodology:** Immunoassay**Preferred Specimen:** 0.5 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 7 days**CPT Code:** 86003 (1)**Scarlet Eligible:** Yes**Candida glabrata by PCR**

T783-0

Alternate Name: C. Glabrata by PCR**Methodology:** Multiplex PCR**Preferred Specimen:** Swab Aptima Orange label**Collection Instruction:** Collect specimen-break swab shaft into transport tube, then label with name and source**Storage Instruction:** Room Temp**Turn Around Time:** 5 days**CPT Code:** 87481 (1)**Scarlet Eligible:** No**Candida dubliniensis by PCR**

T786-3

Alternate Name: C. dubliniensis by PCR**Methodology:** Multiplex PCR**Preferred Specimen:** Swab Aptima Orange label**Collection Instruction:** Collect specimen-break swab shaft into transport tube, then label with name and source**Storage Instruction:** Room Temp**Turn Around Time:** 5 days**CPT Code:** 87481 (1)**Scarlet Eligible:** No

Candida krusei

T449-8

Alternate Name: C. krusei**Methodology:** Multiplex PCR**Preferred Specimen:** Swab Aptima Orange label**Collection Instruction:** Collect specimen-break swab shaft into transport tube, then label with name and source**Storage Instruction:** Room Temp**Turn Around Time:** 5 days**CPT Code:** 87481 (1)**Scarlet Eligible:** No**Candida parapsilosis**

T536-2

Alternate Name: C. parapsilosis**Methodology:** Multiplex PCR**Preferred Specimen:** Swab Aptima Orange label**Collection Instruction:** Collect specimen-break swab shaft into transport tube, then label with name and source**Storage Instruction:** Room Temp**Turn Around Time:** 21 day**CPT Code:** 87481 (1)**Scarlet Eligible:** No**Candida tropicalis by PCR**

T745-9

Alternate Name: C. tropicalis**Methodology:** Multiplex PCR**Preferred Specimen:** Swab Aptima Orange label**Collection Instruction:** Collect specimen-break swab shaft into transport tube, then label with name and source**Storage Instruction:** Room Temp**Turn Around Time:** 5 days**CPT Code:** 87481 (1)**Scarlet Eligible:** No

Chlamydia Trachomatis, Urine, rRNA

 6368-5

Alternate Name: C.TRACHOMATIS, UR, rRNA

Methodology: Transcription Mediated Amplification

Preferred Specimen: Urine Container-Genprobe-Aptima

Collection Instruction: First morning sample, collect in sterile cup, transfer 2 ml into aptima holder. Correct level is between the black fill lines(window) on the holder.

Storage Instruction: Refrigerate

Turn Around Time: 3 days

CPT Code: 87491 (1)

Scarlet Eligible: Yes

Complement C2, Serum

 0172-7

Alternate Name: C2, Serum

Methodology: Radio Immuno Assay

Preferred Specimen: 2 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 11 day

CPT Code: 86160 (1)

Scarlet Eligible: Yes

Complement C3, Serum

 0532-2

Alternate Name: C3, Serum

Methodology: Immunoturbidimetric

Preferred Specimen: 1 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 1 day

CPT Code: 86160 (1)

Scarlet Eligible: Yes

Complement C4, Serum

 0533-0

Alternate Name: C4, Serum

Methodology: Immunoturbidimetric

Preferred Specimen: 1 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 1 day

CPT Code: 86160 (1)

Scarlet Eligible: Yes

C4a Level

A127-3

Alternate Name: C4a Level

Methodology: Radio Immuno Assay

Preferred Specimen: 1 mL Aliquot Plasma-EDTA-Lavender Top

Collection Instruction: Centrifuge lavender-top at high speed for 15 minutes. Transfer plasma into plastic transfer tube. Label with date/time collected, PLASMA and patient's name.

Storage Instruction: STRICT Frozen

Turn Around Time: 38 days

CPT Code: 86160 (1)

Scarlet Eligible: No

C9ORF72 Repeat Analysis

 J805-3

Alternate Name: C9ORF72-FRAG

Methodology: Polymerase Chain Reaction

Preferred Specimen: Peripheral Blood - Lavender Top

Collection Instruction: Fill tube, invert gently 5-6 times, label with patient's name

Storage Instruction: Room Temp

CPT Code: 81479 (1)

Scarlet Eligible: Yes

CA 15-3, Serum 2130-3**Alternate Name:** CA 15-3**Methodology:** Chemiluminescence**Preferred Specimen:** 1 mL Red Top**Collection Instruction:** Fill tube, label with patient name**Storage Instruction:** Refrigerate**Turn Around Time:** 1 day**CPT Code:** 86300 (1)**Scarlet Eligible:** Yes

CA 19-9, Serum 0535-5**Alternate Name:** CA 19-9**Methodology:** Chemiluminescence**Preferred Specimen:** 2 mL Red Top**Collection Instruction:** Fill tube, label with patient name**Storage Instruction:** Refrigerate**Turn Around Time:** 1 day**CPT Code:** 86301 (1)**Scarlet Eligible:** Yes

CA 27.29, Serum 0823-5**Alternate Name:** CA 27.29**Methodology:** Chemiluminescence**Preferred Specimen:** 1 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 1 day**CPT Code:** 86300 (1)**Scarlet Eligible:** Yes

CA 125, Serum 0536-3**Alternate Name:** CA-125**Methodology:** Electrochemiluminescence Immunoassay**Preferred Specimen:** 1 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 1 day**CPT Code:** 86304 (1)**Scarlet Eligible:** Yes**Spinocerebellar Ataxia Type 6 Repeat Analysis**

TH87-0

Alternate Name: CACNA1A-FRAG**Methodology:** Polymerase Chain Reaction**Preferred Specimen:** Lavender top- EDTA**Storage Instruction:** Room Temp**CPT Code:** 81184 (1)**Scarlet Eligible:** No**Cadmium, Blood** J018-3**Alternate Name:** CADMIUM, BLOOD**Methodology:** Inductively Coupled Plasma Mass Spectrometry**Preferred Specimen:** Blue-Royal Blue Top: K2 EDTA Plasma(lavender line)**Collection Instruction:** Fill tube, invert gently 5-6 times, label with patient name**Storage Instruction:** Refrigerate**Turn Around Time:** 1 day**CPT Code:** 82300 (1)**Scarlet Eligible:** Yes

Vitamin D, 25-Hydroxy, Serum 0286-5

Alternate Name: CALCIFEDIOL**Methodology:** Chemiluminescence**Preferred Specimen:** 2 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 2 days**CPT Code:** 82306 (1)**Scarlet Eligible:** Yes

CALL RESULT TO DOCTOR 9990-3

Alternate Name: CALL RESULT TO DOCTOR**CPT Code:** 99999 (1)**Scarlet Eligible:** Yes

Campylobacter Jejuni Antibodies 5019-5

Alternate Name: CAMPYLOBACTER**Methodology:** Enzyme Linked Immunoabsorbance**Preferred Specimen:** 1 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 9 days**CPT Code:** 86625 (1)**Scarlet Eligible:** Yes

Canavan Disease Test

 A657-9

Alternate Name: CANAVAN DISEASE

Methodology: Genotyping by Next Generation Sequencing

Preferred Specimen: Lavender top- EDTA

Collection Instruction: Fill lavender-top (EDTA) tube completely, invert 8-10 times. DO NOT SHAKE TUBE!

Storage Instruction: Refrigerate

Turn Around Time: 10-14 days

CPT Code: 81200 (1)

Scarlet Eligible: Yes

Vulvovaginal Candidiasis Panel

B976-2

Alternate Name: CANDIDA GENUS PLUS ALBICANS

Preferred Specimen: ThinPrep Vial

Collection Instruction: Collect specimen, swish in Thin prep vial, label with pt name.

Storage Instruction: Room Temp

Turn Around Time: 5-7 days

CPT Code: 87481 (1)

Scarlet Eligible: No

Breast Carcinoma, Rule Out Microinvasion, with Interp.

5176-3

Alternate Name: CARCINOMA PANEL

Methodology: Immunohistochemistry

Preferred Specimen: Formalin-fixed, Paraffin-embedded Tissue

Collection Instruction: This comes in block or slide form with surgical number imprint.

Turn Around Time: 1 day

CPT Code: 88341 (3), 88342 (1)

Scarlet Eligible: No

Allergen Catfish, (f369) IgE 0820-1**Alternate Name:** CATFISH**Methodology:** Immunoassay**Preferred Specimen:** 0.5 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 6 days**CPT Code:** 86003 (1)**Scarlet Eligible:** Yes**Cathepsin D by IHC**

5151-6

Alternate Name: CATHEPSIN D by IHC**Methodology:** Immunohistochemistry**Preferred Specimen:** Formalin-fixed, Paraffin-embedded Tissue**Collection Instruction:** This comes in a block or slide form from client with surgical number imprint.**Turn Around Time:** 1 day**CPT Code:** 82387 (1)**Scarlet Eligible:** No**CCP (CYCLIC CITRULLINATED PEPTIDE) IGG, SERUM** 3747-3**Alternate Name:** CCP, cyclic citrullinated peptide antibody**Methodology:** Chemiluminescence**Preferred Specimen:** 1 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 1 day**CPT Code:** 86200 (1)**Scarlet Eligible:** Yes

T-NK CD57 Flow Cytometry Analysis

 5221-7

Alternate Name: CD57

Methodology: Flow Cytometry

Preferred Specimen: Peripheral Blood - Green Top

Collection Instruction: Place bone marrow into tube, label with patient's name. Send in bone marrow kit.

Storage Instruction: Room Temp

Turn Around Time: 1 day

CPT Code: 88184 (1), 88185 (2), 88187 (1)

Scarlet Eligible: Yes

CD71 IHC

TJ12-4

Alternate Name: CD71 IHC

Methodology: Immunohistochemistry

Preferred Specimen: Formalin-fixed, Paraffin-embedded Tissue

Storage Instruction: Room Temp

CPT Code: 88342 (1)

Scarlet Eligible: No

CD71 IHC- TC

TJ13-2

Alternate Name: CD71 IHC- TC

Methodology: Immunohistochemistry

Preferred Specimen: Formalin-fixed, Paraffin-embedded Tissue

Storage Instruction: Room Temp

CPT Code: 88342 (1)

Scarlet Eligible: No

Clostridium Difficile Toxins A+B Genes By DNA Amplification

B137-1

Alternate Name: CDIFF TOXINS A+B GENES**Methodology:** LAMP DNA Amplification**Preferred Specimen:** Stool Cont.-Cup**Collection Instruction:** Using applicator stick, place 10 gms of stool in container, label with patient's name**Storage Instruction:** Refrigerate**Turn Around Time:** 1 day**CPT Code:** 87493 (1)**Scarlet Eligible:** No

Carcinoembryonic Antigen (CEA) 0055-4**Alternate Name:** CEA**Methodology:** Electrochemiluminescence Immunoassay**Preferred Specimen:** 1 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 1 day**CPT Code:** 82378 (1)**Scarlet Eligible:** Yes

CEA, Peritoneal Fluid

6169-7

Alternate Name: CEA PERITONEAL,FLD**Methodology:** Immunoassay**Preferred Specimen:** 3 mL Fluid-source required**Collection Instruction:** Submit fluid in sterile cup**Storage Instruction:** Refrigerate**Turn Around Time:** 11 day**CPT Code:** 82378 (1)**Scarlet Eligible:** No

AML - CEBPA Mutational Analysis

8860-9

Alternate Name: CEBPA MUT. ANALYSIS**Methodology:** Polymerase Chain Reaction**Preferred Specimen:** 2 mL Bone Marrow - Lavender Top**Collection Instruction:** Place bone marrow into tube, label with patient's name. Send in bone marrow kit.**Storage Instruction:** Refrigerate**Turn Around Time:** 6 days**CPT Code:** 81218 (1)**Scarlet Eligible:** No**Celiac Disease Antibody Evaluation** 1186-6**Alternate Name:** CELIAC DISEASE ABS.**Preferred Specimen:** 2 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 83516 (2), 86255 (1)**Scarlet Eligible:** Yes**Celiac Disease Eval + HLA Genetics** K002-6**Alternate Name:** CELIAC EVAL+HLA**Turn Around Time:** 12 days**CPT Code:** 81382 (2), 83516 (4), 86255 (1)**Scarlet Eligible:** Yes

Cell Count, Fluid

0056-2

Alternate Name: CELL COUNT, FLUID**Preferred Specimen:** 2 mL Fluid-source required**Collection Instruction:** Submit fluid in sterile cup**Storage Instruction:** Refrigerate**CPT Code:** 89051 (1)**Scarlet Eligible:** No

Centromere Autoantibodies 0587-6**Alternate Name:** CENTROMERE AUTOABS.**Methodology:** Chemiluminescence**Preferred Specimen:** 1 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 1 day**CPT Code:** 86038 (1)**Scarlet Eligible:** Yes

Cervicitis W/O PAP W/O HPV PLUS

Q265-1

Alternate Name: CERV W/O PAP W/O HPV+**Preferred Specimen:** ThinPrep Vial**Collection Instruction:** Collect specimen, swish in Thin prep vial, label with pt name.**Turn Around Time:** 5-7 days**CPT Code:** 87491 (1), 87529 (2), 87591 (1), 87661 (1)**Scarlet Eligible:** No

Cystic Fibrosis 40- NGS

 J435-9

Alternate Name: CF 40- NGS

Methodology: Genotyping by Next Generation Sequencing

Preferred Specimen: Lavender top- EDTA

Collection Instruction: Fill lavender-top (EDTA) tube completely, invert 8-10 times. DO NOT SHAKE TUBE!

Storage Instruction: Refrigerate

Turn Around Time: 7-10 days

CPT Code: 81220 (1)

Scarlet Eligible: Yes

CF/Fragile X/SMA

 2115-4

Alternate Name: CF/FRAGILE X/SMA

Preferred Specimen: Lavender top- EDTA

Collection Instruction: Fill lavender-top (EDTA) tube completely, invert 8-10 times. DO NOT SHAKE TUBE!

Storage Instruction: Refrigerate

Turn Around Time: 10 days

CPT Code: 81220 (1), 81243 (1), 81400 (1)

Scarlet Eligible: Yes

Cystic Fibrosis (CFTR) Intron 9 Poly-T Analysis (5T/7T/9T)

 J520-8

Alternate Name: CFTR Poly-T (5T/7T/9T)

Methodology: Genotyping by Next Generation Sequencing

Preferred Specimen: Lavender top- EDTA

Collection Instruction: Fill lavender-top (EDTA) tube completely, invert 8-10 times. DO NOT SHAKE TUBE!

Storage Instruction: Refrigerate

Turn Around Time: 7-10 days

CPT Code: 81224 (1)

Scarlet Eligible: Yes

CFTR Sequencing and Deletion/Duplication Analysis

 T829-1

Alternate Name: CFTR Sequencing and Deletion/Dup

Methodology: Full Gene Sequencing

Preferred Specimen: Lavender top- EDTA

Collection Instruction: 2 tubes (5-6mL each) Label with the patient name, date of birth, and/or ID.

Storage Instruction: Room Temp

Turn Around Time: 21 day

CPT Code: 81222 (1), 81223 (1)

Scarlet Eligible: Yes

Chem 12 Profile

 0004-2

Alternate Name: CHEM 12 PROFILE

Preferred Specimen: 2 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 1 day

CPT Code: 80012 (1)

Scarlet Eligible: Yes

Chem 7 Panel

 0768-2

Alternate Name: CHEM 7 PANEL

Preferred Specimen: 1 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 1 day

CPT Code: 80007 (1)

Scarlet Eligible: Yes

Chlamydia Trachomatis by Multiplex PCR

6337-0

Alternate Name: CHLAMYD.TRACH BY MULTIP

Methodology: Polymerase Chain Reaction

Preferred Specimen: ThinPrep Vial

Collection Instruction: Collect specimen, swish in Thin prep vial, label with pt name.

Storage Instruction: Refrigerate

Turn Around Time: 5 days

CPT Code: 87491 (1)

Scarlet Eligible: No

Chloramphenicol

 3792-9

Alternate Name: CHLORAMPHENICOL

Methodology: High Pressure Liquid Chromatography

Preferred Specimen: 1 mL Red Top

Collection Instruction: Fill tube, label with patient name

Storage Instruction: Refrigerate

Turn Around Time: 4 days

CPT Code: 82415 (1)

Scarlet Eligible: Yes

Cholinesterase, Serum

 0545-4

Alternate Name: CHOLINESTERASE,S.

Methodology: Colorimetry

Preferred Specimen: 2 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 3 days

CPT Code: 82480 (1)

Scarlet Eligible: Yes

Chromosome Analysis- Breakage, Fanconi Anemia

B534-9

Alternate Name: CHROM. ANAL./FANCONI**Methodology:** Cell Culture**Preferred Specimen:** 4 mL Green top- Sodium Heparin**Collection Instruction:** Fill tube, invert gently 5-6 times, label with patient name**Storage Instruction:** Room Temp, Refrigerate**Turn Around Time:** 19 days**CPT Code:** 88230 (1), 88249 (1)**Scarlet Eligible:** No

Chromosome Analysis w/Reflex Microarray 5394-2**Alternate Name:** CHROM.W/RFX MICROARRAY**Preferred Specimen:** Microtainer - Pediatric Green Top,Lavender top- EDTA**Collection Instruction:** Collect Green top and lavender- Room Temp.**Turn Around Time:** 21 day**CPT Code:** 81228 (1), 88230 (1), 88262 (1), 88291 (1)**Scarlet Eligible:** Yes

Whole Genome Chromosomal Microarray A978-9**Alternate Name:** CHROMOSOME MICROARRAY ANALYSIS**Preferred Specimen:** Lavender top- EDTA**Collection Instruction:** Fill lavender-top (EDTA) tube completely, invert 8-10 times. DO NOT SHAKE TUBE!**Storage Instruction:** Room Temp**Turn Around Time:** 14-21 day**CPT Code:** 81228 (1)**Scarlet Eligible:** Yes

Citrate, Serum

 1804-4

Alternate Name: CITRATE, SERUM

Methodology: Spectrophotometry

Preferred Specimen: 2 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 9 days

CPT Code: 82507 (1)

Scarlet Eligible: Yes

CPK Isoenzymes

 0558-7

Alternate Name: CK Isoenzymes; Ck-MB and Total CK; CPK Isoenzymes

Methodology: Electrophoresis

Preferred Specimen: 1 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 1 day

CPT Code: 82550 (1), 82552 (1)

Scarlet Eligible: Yes

CK-903 for Prostate Cancer

5434-6

Alternate Name: CK-903, IHC

Methodology: Immunohistochemistry

Preferred Specimen: Formalin-fixed, Paraffin-embedded Tissue

Collection Instruction: This comes in a block or slide form from client with surgical number imprint.

Turn Around Time: 1 day

CPT Code: 88342 (1)

Scarlet Eligible: No

CPK (CK), Total 0068-7

Alternate Name: CK; CPK; Creatine Phosphokinase, Total, Serum

Methodology: Enzymatic Reference method with Hexokinase

Preferred Specimen: 1 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 1 day

CPT Code: 82550 (1)

Scarlet Eligible: Yes

Creatine Kinase-MB Fraction(CKMB) 2922-3

Alternate Name: CKMB

Methodology: Electrochemiluminescence Immunoassay

Preferred Specimen: 1 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 1 day

CPT Code: 82553 (1)

Scarlet Eligible: Yes

1Q21 BY FISH-TC ONLY

A876-5

Alternate Name: CKS1B by FISH, TC Only

Methodology: FISH

Preferred Specimen: 2 mL Bone Marrow - Green Top

Collection Instruction: Non-diluted bone marrow aspirate collected and transferred into sodium heparin (green top) tube. Also acceptable: Whole blood in green (sodium heparin) tube.

Storage Instruction: Refrigerate

Turn Around Time: 3-5 days

CPT Code: 88374 (1)

Scarlet Eligible: No

OnkoSight Advanced Chronic Lymphoid Neoplasm NGS Panel

TH55-7

Alternate Name: CLL Cancer NGS Panel**Methodology:** Genotyping by Next Generation Sequencing**Preferred Specimen:** Bone Marrow - Lavender Top**Storage Instruction:** Room Temp**Turn Around Time:** 10 days**CPT Code:** 81450 (1)**Scarlet Eligible:** No

CLL FISH Panel - TC Only

P962-4

Alternate Name: CLL FISH PANEL- TC ONLY**Methodology:** FISH**Preferred Specimen:** 5 mL Peripheral Blood - Green Top**Collection Instruction:** Fill tube, invert 8-10 times (DO NOT SHAKE!)**Storage Instruction:** Refrigerate**Turn Around Time:** 3-5 days**CPT Code:** 88367 (1), 88373 (3)**Scarlet Eligible:** No

Minimal Residual Disease for CLL/SLL 5155-7**Alternate Name:** CLL MRD Panel**Methodology:** Flow Cytometry**Preferred Specimen:** 5 mL Peripheral Blood - Green Top**Collection Instruction:** Fill tube, invert 8-10 times (DO NOT SHAKE!)**Storage Instruction:** Room Temp**Turn Around Time:** 24 hours**CPT Code:** 88184 (1), 88185 (8), 88188 (1)**Scarlet Eligible:** Yes

CMV Ab.,IGG *POS. Reflex To IGM 2377-0**Alternate Name:** CMV Ab.IgG(reflex)**Methodology:** Chemiluminescence**Preferred Specimen:** 1 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 1 day**CPT Code:** 86644 (1)**Scarlet Eligible:** Yes**Cytomegalovirus (CMV) by Multiplex PCR (NON-NY)**

6353-7

Alternate Name: CMV BY MULTIPLEX PCR**Methodology:** Polymerase Chain Reaction**Preferred Specimen:** ThinPrep Vial**Collection Instruction:** Collect specimen, swish in Thin prep vial, label with pt name.**Turn Around Time:** 5 days**CPT Code:** 87496 (1)**Scarlet Eligible:** No**CMV DNA Quant PCR, Urine** B214-8**Alternate Name:** CMV PCR URINE**Methodology:** Polymerase Chain Reaction**Preferred Specimen:** 1 mL Urine Cup**Collection Instruction:** Collect in a sterile container and store refrigerated or frozen.**Storage Instruction:** Refrigerate**Turn Around Time:** 5 days**CPT Code:** 87497 (1)**Scarlet Eligible:** Yes

Cytomegalovirus (CMV), DNA, Ultraquant 1161-9**Alternate Name:** CMV,DNA PCR**Methodology:** Polymerase Chain Reaction**Preferred Specimen:** 2 mL Aliquot Plasma-EDTA-Lavender Top**Collection Instruction:** Centrifuge lavender-top at high speed for 15 minutes. Transfer plasma into plastic transfer tube. Label with date/time collected, PLASMA and patient's name.**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 87497 (1)**Scarlet Eligible:** Yes**Carboxyhemoglobin, (CO), Quant.** 0544-7**Alternate Name:** CO, Carbon Monoxide**Methodology:** Spectrophotometry**Preferred Specimen:** 5 mL Lavender top- EDTA**Collection Instruction:** Fill lavender-top (EDTA) tube completely, invert 8-10 times. DO NOT SHAKE TUBE!**Storage Instruction:** Refrigerate**Turn Around Time:** 6 days**CPT Code:** 82375 (1)**Scarlet Eligible:** Yes**Carbon Dioxide, Serum (CO2)** 0052-1**Alternate Name:** CO2**Methodology:** Automated Chemistry**Preferred Specimen:** 1 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 1 day**CPT Code:** 82374 (1)**Scarlet Eligible:** Yes

COA/BMP

K935-7

Alternate Name: COA/BMP**Turn Around Time:** 1 day**CPT Code:** 80048 (1)**Scarlet Eligible:** No

AtheroSclerotic Risk (Coag)

5874-3

Alternate Name: COAG/ATHEROSCLEROTIC RISK**Preferred Specimen:** Red Top,Light blue top**Storage Instruction:** Refrigerate**Turn Around Time:** 4 days**CPT Code:** 80061 (1), 83090 (1), 83695 (1), 85240 (1), 85384 (1), 85610 (1), 85670 (1), 85730 (1), 86141 (1)**Scarlet Eligible:** No

Coagulation Profile 0994-4**Alternate Name:** COAGULATION**Preferred Specimen:** SST Tube,Lavender top- EDTA,Light blue top**Storage Instruction:** Refrigerate**Turn Around Time:** 1 day**CPT Code:** 83718 (1), 85025 (1), 85384 (1), 85610 (1), 85730 (1), G0059 (1)**Scarlet Eligible:** Yes

Cocaine, Urine, Screen (100) 1478-7**Alternate Name:** COCAINE(100), QUAL.**Methodology:** Enzyme Immunoassay**Preferred Specimen:** 5 mL Urine Cup**Collection Instruction:** Collect urine in cup, label with patients name**Storage Instruction:** Refrigerate**Turn Around Time:** 1 day**CPT Code:** 80307 (1)**Scarlet Eligible:** Yes

Cocaine, Urine, Screen (300)

 0923-3

Alternate Name: COCAINE, URINE SCREE

Methodology: Enzyme Immunoassay

Preferred Specimen: 25 mL Urine Cup

Collection Instruction: Collect urine in cup, label with patients name

Storage Instruction: Refrigerate

Turn Around Time: 1 day

CPT Code: 80307 (1)

Scarlet Eligible: Yes

Collagen Binding Assay

5744-8

Alternate Name: COLLAGEN BINDING

Methodology: Enzyme Linked Immunoabsorbance

Preferred Specimen: 1 mL Aliquot Plasma-Citrated-Blue Top

Collection Instruction: Collect full blue-top (citrated) tube. Centrifuge Blue-top at high speed for 15 minutes. Transfer plasma into plastic transfer tube. Label with date/time collected, PLASMA, patient's name and freeze.

Storage Instruction: STRICT Frozen

Turn Around Time: 7 days

CPT Code: 85246 (1)

Scarlet Eligible: No

Collagen Type II AB.

 6175-4

Alternate Name: COLLAGEN II AB

Methodology: Enzyme Linked Immunoabsorbance

Preferred Specimen: 3 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 18 days

CPT Code: 83520 (1)

Scarlet Eligible: Yes

Colon Biopsy (2 Specimens)

5652-3

Alternate Name: COLON BIOPSY X2

Methodology: Histology

Preferred Specimen: Biopsy In Formalin

Collection Instruction: Submit in 10% Neutral Buffered Formalin, varied jar sizes.

Turn Around Time: 1 day

CPT Code: 88305 (2)

Scarlet Eligible: No

Comprehensive Heart Health Baseline

 F306-6

Alternate Name: COMP HEARTHLTH BAS(ACT)

Preferred Specimen: 2 mL SST Tube, Lavender top- EDTA

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Turn Around Time: 2 days

CPT Code: 80053 (1), 82465 (1), 83036 (1), 83695 (1), 83704 (1), 83718 (1), 83721 (1), 84478 (1), 85025 (1), 86141 (1)

Scarlet Eligible: Yes

Comprehensive Heart Health Monitoring

 F307-4

Alternate Name: COMP HRTHLTH MNITR(ACT)

Turn Around Time: 2 days

CPT Code: 80053 (1), 82465 (1), 83036 (1), 83704 (1), 83718 (1), 83721 (1), 84478 (1), 85025 (1), 86141 (1)

Scarlet Eligible: Yes

Comprehensive Metabolic Panel

 3427-2

Alternate Name: COMP. METABOLIC (CMP)

Preferred Specimen: 1 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 1 day

CPT Code: 80053 (1)

Scarlet Eligible: Yes

Comp. Metabolic/GGTP

 9150-4

Alternate Name: COMP. METABOLIC/GGTP

Preferred Specimen: 2 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 1 day

CPT Code: 80053 (1), 82977 (1)

Scarlet Eligible: Yes

Complement C6

 1847-3

Alternate Name: COMPLEMENT C6

Methodology: Immunodiffusion

Preferred Specimen: 1 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 11 day

CPT Code: 86160 (1)

Scarlet Eligible: Yes

Complement C7

 1848-1

Alternate Name: COMPLEMENT C7

Methodology: Immunodiffusion

Preferred Specimen: 1 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 13 days

CPT Code: 86160 (1)

Scarlet Eligible: Yes

Complement C8

 1849-9

Alternate Name: COMPLEMENT C8

Methodology: Immunodiffusion

Preferred Specimen: 1 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 13 days

CPT Code: 86160 (1)

Scarlet Eligible: Yes

Complement C9

 1850-7

Alternate Name: COMPLEMENT C9

Methodology: Immunodiffusion

Preferred Specimen: 1 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 13 days

CPT Code: 86160 (1)

Scarlet Eligible: Yes

Complement (C5), Serum

1289-8

Alternate Name: COMPLEMENT, C5**Methodology:** Immunodiffusion**Preferred Specimen:** 1 mL SST Tube**Collection Instruction:** Place 1-3 mL of serum in transport tube. Label as serum and freeze.**Storage Instruction:** Refrigerate**Turn Around Time:** 9 days**CPT Code:** 86160 (1)**Scarlet Eligible:** No

Comprehensive Slide Consult

5256-3

Alternate Name: COMPREHENSIVE SLIDE CONSULT**Methodology:** Morphology**Preferred Specimen:** Stained Slides**Collection Instruction:** Client to collect specimen, prepare smears, label with patient's name, place in slide carrier.**Turn Around Time:** 1-2 days**CPT Code:** 88325 (1)**Scarlet Eligible:** No

Cone Biopsy/LEEP

5672-1

Alternate Name: CONE BIOPSY/LEEP**Methodology:** Histology**Preferred Specimen:** Biopsy In Formalin**Collection Instruction:** Submit in 10% Neutral Buffered Formalin, varied jar sizes.**Turn Around Time:** 2 days**CPT Code:** 88307 (1)**Scarlet Eligible:** No

Congo Red Amyloid Stain

5011-2

Alternate Name: CONGO RED AMYLOID STAIN

Methodology: Histology

Preferred Specimen: Formalin-fixed, Paraffin-embedded Tissue

Collection Instruction: This comes in a block or slide form from client with surgical number imprint.

Storage Instruction: Room Temp

Turn Around Time: 2 days

CPT Code: 88313 (1)

Scarlet Eligible: No

Coronary Risk Profile II

 0993-6

Alternate Name: CORONARY RISK PROFIL

Preferred Specimen: SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 1 day

CPT Code: 80061 (1), 82172 (2), 83700 (1)

Scarlet Eligible: Yes

Cortisol, AM, baseline

0066-1

Alternate Name: CORTISOL, AM (baseline)

Methodology: Chemiluminescence

Preferred Specimen: 1 mL Red Top

Collection Instruction: Fill tube, label with patient name

Storage Instruction: Refrigerate

Turn Around Time: 2 days

CPT Code: 82533 (1)

Scarlet Eligible: No

Novel Coronavirus COVID-19 for International Travel TL40-0**Alternate Name:** COVID-19**Methodology:** Real-Time Polymerase Chain Reaction**Preferred Specimen:** Swab-Viral Culturette**Storage Instruction:** Refrigerate**CPT Code:** 87635 (1)**Scarlet Eligible:** Yes

COVID-19 Ab. Qual/Quant M160-0**Alternate Name:** COVID-19 Ab. Qual/Quant**Methodology:** Chemiluminescence**Preferred Specimen:** 1.0 mL SST Tube**Storage Instruction:** Room Temp, Refrigerate**Turn Around Time:** 3 days**CPT Code:** 86769 (1)**Scarlet Eligible:** Yes

COVID-19 Ab. Qual/Quant w/ Reflex to TH99 M162-6**Alternate Name:** COVID-19 Ab. Qual/Quant w/ Reflex to TH99**Methodology:** Chemiluminescence**Preferred Specimen:** 1.0 SST Tube**Storage Instruction:** Room Temp, Refrigerate**Turn Around Time:** 3 days**CPT Code:** 86769 (1)**Scarlet Eligible:** Yes

Novel Coronavirus COVID-19 Nasal/Nasopharynx TH68-0**Alternate Name:** COVID-19 Nasal/Nasopharynx**Methodology:** Real-Time Polymerase Chain Reaction**Preferred Specimen:** Swab-Viral Culturette**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** U0003 (1)**Scarlet Eligible:** Yes

Novel Coronavirus COVID-19 Oropharynx

TH69-8

Alternate Name: COVID-19 Oropharynx**Methodology:** Real-Time Polymerase Chain Reaction**Preferred Specimen:** Swab-Viral Culturette**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** U0003 (1)**Scarlet Eligible:** No

Novel Coronavirus COVID-19 Pooled N/NP/OP

TH71-4

Alternate Name: COVID-19 Pooled N/NP/OP**Methodology:** Real-Time Polymerase Chain Reaction**Preferred Specimen:** Swab-Viral Culturette**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** U0003 (1)**Scarlet Eligible:** No

COVID-19, FLU A and FLU B M123-8**Alternate Name:** COVID-19, FLU A and FLU B**Methodology:** Real-Time Polymerase Chain Reaction**Preferred Specimen:** 1 Swab-Viral Culturette**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 87636 (1)**Scarlet Eligible:** Yes**Coxsackie A + B** 4242-4**Alternate Name:** COXSACKIE A + B**Preferred Specimen:** 4 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 9 days**CPT Code:** 86658 (12)**Scarlet Eligible:** Yes**OnkoSight Advanced Colorectal Cancer NGS Panel**

TH50-8

Alternate Name: CRC NGS Panel**Methodology:** Genotyping by Next Generation Sequencing**Preferred Specimen:** Formalin-fixed, Paraffin-embedded Tissue**Storage Instruction:** Room Temp**Turn Around Time:** 10 days**CPT Code:** 81445 (1)**Scarlet Eligible:** No

Creatine, 24HR Urine

3486-8

Alternate Name: CREATINE, 24HR**Methodology:** Colorimetry**Preferred Specimen:** 3 mL Urine Tube 24 hour**Collection Instruction:** Discard first morning sample, then collect all urines after for 24 hrs, on completion label with collection time and patient's name; record total volume on Requisition**Storage Instruction:** STRICT Frozen**Turn Around Time:** 6 days**CPT Code:** 82540 (1)**Scarlet Eligible:** No

Creatine, Serum 0875-5**Alternate Name:** CREATINE, SERUM**Methodology:** Colorimetry**Preferred Specimen:** 2 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 6 days**CPT Code:** 82540 (1)**Scarlet Eligible:** Yes

Post Dialysis Creatinine

1687-3

Alternate Name: CREATININE POST DIALYS.**Methodology:** Colorimetry**Preferred Specimen:** Microtainer - Pediatric SST**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 1 day**CPT Code:** 82565 (1)**Scarlet Eligible:** No

PDF Creatinine (Timed Test code)

2063-6

Alternate Name: CREATININE, 24hr.DIALYSATE FLD**Preferred Specimen:** 10.0 mL Fluid-source required**Collection Instruction:** Submit fluid in sterile cup**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 82570 (1)**Scarlet Eligible:** No**Creatinine, Arterial**

4534-4

Alternate Name: CREATININE, ARTERIAL**Methodology:** Colorimetry**Preferred Specimen:** 1 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 1 day**CPT Code:** 82565 (1)**Scarlet Eligible:** No**Creatinine Clearance (24Hr. Urine)**

0072-9

Alternate Name: CREATININE, CLEAR,(24**Preferred Specimen:** 2 mL SST Tube,Urine Container - 24hr**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 1 day**CPT Code:** 82575 (1)**Scarlet Eligible:** No

Creatinine, Systemic

 4535-1

Alternate Name: CREATININE, SYSTEMIC

Methodology: Colorimetry

Preferred Specimen: 1 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 1 day

CPT Code: 82540 (1)

Scarlet Eligible: Yes

Creatinine, Urine, 24 HR.

0071-1

Alternate Name: CREATININE, URINE 24 HR

Methodology: Colorimetry

Preferred Specimen: 10 mL Urine Container - 24hr

Collection Instruction: Discard first morning sample, then collect all urines after for 24 hrs, on completion label with collection time and patient's name; record total volume on Requisition

Storage Instruction: Refrigerate

Turn Around Time: 1 day

CPT Code: 81050 (1), 82570 (1)

Scarlet Eligible: No

Cryptococcus Antibody

 0928-2

Alternate Name: CRYPTOCOCCUS Ab.

Methodology: Agglutination

Preferred Specimen: 2 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 8 days

CPT Code: 86403 (1)

Scarlet Eligible: Yes

Cerebrospinal Fluid (CSF) Cytology

5112-8

Alternate Name: CSF Cytology**Methodology:** Immunohistochemistry**Preferred Specimen:** Fluid-source required**Collection Instruction:** Submit fluid in sterile cup**Storage Instruction:** Refrigerate**Turn Around Time:** 4 days**CPT Code:** 88108 (1)**Scarlet Eligible:** No

Chlamydia (CT) PCR Urine

 T407-6**Alternate Name:** CT Urine PCR**Methodology:** Polymerase Chain Reaction**Preferred Specimen:** 10 mL Urine Cobas Vial**Collection Instruction:** Patients should not urinate 1 hour prior to specimen collection.

Approximately 10-15 mL of urine should be collected from the beginning of the stream. Once collected the urine should be transferred to the cobas PCR media tube within 24 hrs. Use transfer pipette to add urine to the cobas PCR tube. Final volume of the tube should be between fill lines. Replace and tighten the cap and invert the tube 5 times to mix.

Storage Instruction: Refrigerate**Turn Around Time:** 3 days**CPT Code:** 87491 (1)**Scarlet Eligible:** Yes

Chlamydia, Anal Aptima

A114-1

Alternate Name: CT, ANAL APTIMA**Methodology:** Transcription Mediated Amplification**Preferred Specimen:** Swab-Aptima Genprobe**Collection Instruction:** Collect specimen-break swab shaft into transport tube, then label with name and source**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 87491 (1)**Scarlet Eligible:** No

Chlamydia, Oral Aptima

A113-3

Alternate Name: CT, ORAL APTIMA**Methodology:** Transcription Mediated Amplification**Preferred Specimen:** Swab-Aptima Genprobe**Collection Instruction:** Collect specimen-break swab shaft into transport tube, then label with name and source**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 87491 (1)**Scarlet Eligible:** No

Chlamydia, swab, TMA, Aptima

1004-1

Alternate Name: CT, rRNA,TMA SWAB**Methodology:** Transcription Mediated Amplification**Preferred Specimen:** Swab-Aptima Genprobe**Collection Instruction:** Collect specimen-break swab shaft into transport tube, then label with name and source**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 87491 (1)**Scarlet Eligible:** No

High Risk STI CT/GC

3851-3

Alternate Name: CT/GC**Methodology:** Transcription Mediated Amplification**Preferred Specimen:** ThinPrep Vial**Collection Instruction:** Collect specimen, swish in Thin Prep or SurePath vial, label with patients name.**Turn Around Time:** 2 days**CPT Code:** 87491 (1), 87591 (1)**Scarlet Eligible:** No

Chlamydia/N. Gonorrhea CT/GC PCR Urine L344-1**Alternate Name:** CT/GC PCR Urine**Methodology:** Real-Time Polymerase Chain Reaction**Preferred Specimen:** 10 Urine Cobas Vial**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 87491 (1), 87591 (1)**Scarlet Eligible:** Yes

Chlamydia + Gonorrhea, Urine, Aptima 0257-6**Alternate Name:** CT/GC rRNA,APTIMA,URINE**Methodology:** Transcription Mediated Amplification**Preferred Specimen:** Urine Container-Genprobe-Aptima**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 87491 (1), 87591 (1)**Scarlet Eligible:** Yes

Chlamydia + Gonorrhoeae, Anal, Swab, Aptima

P011-0

Alternate Name: CT/GC, ANAL, APTIMA**Methodology:** Transcription Mediated Amplification**Preferred Specimen:** Swab-Aptima Genprobe**Collection Instruction:** Collect specimen-break swab shaft into transport tube, then label with name and source**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 87491 (1), 87591 (1)**Scarlet Eligible:** No

Chlamydia + Gonorrhea ,Oral, Swab, Aptima

P010-2

Alternate Name: CT/GC, ORAL, APTIMA**Methodology:** Transcription Mediated Amplification**Preferred Specimen:** Swab-Aptima Genprobe**Collection Instruction:** Collect specimen-break swab shaft into transport tube, then label with name and source**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 87491 (1), 87591 (1)**Scarlet Eligible:** No**Chlamydia and Gonorrhea, rRNA,TMA Aptima Swab**

1005-8

Alternate Name: CT/GC,rRNA,TMA SWAB**Methodology:** Transcription Mediated Amplification**Preferred Specimen:** Swab-Aptima Genprobe**Collection Instruction:** Collect specimen-break swab shaft into transport tube, then label with name and source**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 87491 (1), 87591 (1)**Scarlet Eligible:** No**High Risk STI CT/GC/Trich/M.Gen.**

P006-0

Alternate Name: CT/GC/Trich/MGenHR STI**Preferred Specimen:** ThinPrep Vial**Turn Around Time:** 5 days**CPT Code:** 87491 (1), 87591 (1), 87661 (1), 87798 (1)**Scarlet Eligible:** No

Culture, Catheter Tip

J010-0

Alternate Name: CULTURE, CATHETER TIP**Methodology:** Bacterial Culture**Preferred Specimen:** Cup Plain**Collection Instruction:** Place sample in sterile cup label with patient's name and source**Storage Instruction:** Room Temp**Turn Around Time:** 1-4 days**CPT Code:** 87070 (1)**Scarlet Eligible:** No**Culture, Mouth**

0960-5

Alternate Name: CULTURE, MOUTH**Methodology:** Bacterial Culture**Preferred Specimen:** Swab-E**Collection Instruction:** Collect specimen with swab then place swab into transport carrier; Label with name and source**Turn Around Time:** 3 days**CPT Code:** 87070 (1)**Scarlet Eligible:** No**Culture, Stool (2nd Specimen)**

0226-1

Alternate Name: CULTURE, STOOL (2ND)**Methodology:** Bacterial Culture**Preferred Specimen:** Stool Cont. C/S (Cairy Blair)**Collection Instruction:** Using applicator stick, place 10 gms of stool in container, label with patient's name**Storage Instruction:** Refrigerate**Turn Around Time:** 4 days**CPT Code:** 87045 (1), 87046 (2)**Scarlet Eligible:** No

Culture Stool (3rd Specimen)

0225-3

Alternate Name: CULTURE, STOOL (3RD SPECIMEN)**Methodology:** Bacterial Culture**Preferred Specimen:** Stool Cont. C/S (Cairy Blair)**Collection Instruction:** Using applicator stick, place 10 gms of stool in container, label with patient's name**Storage Instruction:** Refrigerate**Turn Around Time:** 4 days**CPT Code:** 87045 (1), 87046 (2)**Scarlet Eligible:** No**Culture, ID Only (Any Source)**

1043-9

Alternate Name: CULTURE, ID ONLY (ANY SOURCE)**Methodology:** Bacterial Culture**Preferred Specimen:** Cup Plain**Collection Instruction:** Place sample in sterile cup label with patient's name and source**Turn Around Time:** 4 days**CPT Code:** 87086 (1)**Scarlet Eligible:** No**Curvularia Lunata IgG** B775-8**Alternate Name:** CURVULARIA LUNATA IGG**Methodology:** Immunoassay**Preferred Specimen:** 0.5 mL Red Top**Collection Instruction:** Collect 1-2 mL whole blood in red top tube, centrifuge and transfer 0.5 mL serum into a transfer tube. (All serum acceptable)**Storage Instruction:** Refrigerate**Turn Around Time:** 7 days**CPT Code:** 86001 (1)**Scarlet Eligible:** Yes

Cycloserine Level

3941-2

Alternate Name: CYCLOSERINE**Methodology:** Gas Chromat. Mass Spectrometry**Preferred Specimen:** 1 mL Aliquot Tube-Serum**Collection Instruction:** Spin and separate within 2hrs of collection and FREEZE.**Storage Instruction:** STRICT Frozen**Turn Around Time:** 7 days**CPT Code:** 80299 (1)**Scarlet Eligible:** No

Cyclospora ID, Modified Acid Fast

1468-8

Alternate Name: CYCLOSPORA ID**Methodology:** Modified Acid-Fast Stain**Preferred Specimen:** Ova & Parasite Mini**Collection Instruction:** With applicator stick, place 10 gms of stool into each vial, label with patient name**Storage Instruction:** Refrigerate**Turn Around Time:** 2 days**CPT Code:** 87207 (1)**Scarlet Eligible:** No

Cysticercus Antibody, IgG, Ser WB

 1949-7**Alternate Name:** CYSTICERCOSIS Ab.IgG**Methodology:** Western Blot**Preferred Specimen:** 1 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 10 days**CPT Code:** 86682 (1)**Scarlet Eligible:** Yes

Cystine, Urine Quant. 24HR.

3849-7

Alternate Name: CYSTINE, QUANT**Methodology:** Liquid Chromatography Tandem Mass Spectrometry**Preferred Specimen:** 4 mL Urine Container - 24hr**Collection Instruction:** Collection Instructions 24-hour or other timed urine collection. Avoid dilute urine when possible. Refrigerate 24-hour/timed specimens during collection. Mix urine well. Transfer urine to standard transport tube and freeze immediately. Record total volume and collection time interval on transport tube and test request form.**Storage Instruction:** STRICT Frozen**Turn Around Time:** 11 day**CPT Code:** 82131 (1)**Scarlet Eligible:** No

PAP Smear, 2 Slides, Autopap

1102-3

Alternate Name: CYTOLOGY, FEMALE, GENITAL**Preferred Specimen:** Slides**Turn Around Time:** 5 days**CPT Code:** 88148 (1)**Scarlet Eligible:** No

Cytology, Respiratory System

1402-7

Alternate Name: CYTOLOGY, RESPIRATOR**Preferred Specimen:** Slides**Collection Instruction:** Label slides with patient name, place in slide holder for transport**Turn Around Time:** 4 days**CPT Code:** 88161 (1)**Scarlet Eligible:** No

Cytology, Thyroid By FNA

4300-0

Alternate Name: CYTOLOGY, THYROID**Preferred Specimen:** Slides**Collection Instruction:** Label slides with patient name, place in slide holder for transport.**Turn Around Time:** 4 days**CPT Code:** 88104 (1)**Scarlet Eligible:** No**Cytology, Urine With Interpretation**

2100-6

Alternate Name: CYTOLOGY, URINE W/INTERP**Preferred Specimen:** 50% Alcohol Jar**Collection Instruction:** Body fluid for cytology in 50% alcohol (ex...urine, sputum, nipple discharge).
Add directly to an equal volume of 50% Alcohol Solution.**Storage Instruction:** Room Temp**Turn Around Time:** 4 days**CPT Code:** 88108 (1)**Scarlet Eligible:** No**Cytopatho. Urine-PC (Alcohol)**

5314-0

Alternate Name: CYTOPATHO. URN-PC (ALCOHOL)**Methodology:** Cytogenetics**Preferred Specimen:** Slides**Collection Instruction:** Label slides with patient name, place in slide holder for transport**Turn Around Time:** 1 day**CPT Code:** 88108 (1)**Scarlet Eligible:** No

Cytopathology Urine-TC (Thinprep)

5218-3

Alternate Name: CYTOPATHOLOGY URINE-TC (THINPREP)**Methodology:** Cytogenetics**Preferred Specimen:** 50 mL ThinPrep Cytolyt Solution**Collection Instruction:** Follow kit instructions**Storage Instruction:** Refrigerate**Turn Around Time:** 4 days**CPT Code:** 88112 (1)**Scarlet Eligible:** No**Anal Cytopathology, ThinPrep**

6626-6

Alternate Name: CYTOPATHOLOGY, ANAL, THINPREP**Preferred Specimen:** Anal ThinPrep Vial**Collection Instruction:** Collect specimen, swish in Thin prep vial, label with pt name.**Storage Instruction:** Refrigerate**Turn Around Time:** 4 days**CPT Code:** 88112 (1)**Scarlet Eligible:** No**Calcium, Ionized, Serum** 0051-3**Alternate Name:** Ca, Ionized, Serum**Methodology:** Ion Selective Electrode**Preferred Specimen:** 3 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 82330 (1)**Scarlet Eligible:** Yes

Calcium, Serum

 0050-5

Alternate Name: Ca, Serum

Methodology: Colorimetry

Preferred Specimen: 1 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 1 day

CPT Code: 82310 (1)

Scarlet Eligible: Yes

Calcium, Urine, 24 Hr.

0359-0

Alternate Name: Ca, Urine, 24 Hours

Methodology: Colorimetry

Preferred Specimen: 10 mL Urine Container - 24hr

Collection Instruction: Discard first morning sample, then collect all urines after for 24 hrs, on completion label with collection time and patient's name; record total volume on requisition. 24 hr urine should be collected in containers with 20-30ml of 6N HCL.

Storage Instruction: Refrigerate

Turn Around Time: 1 day

CPT Code: 81050 (1), 82340 (1)

Scarlet Eligible: No

Calcium, Urine, Timed Specimen

1660-0

Alternate Name: Ca, Urine, Time Specimen

Methodology: Colorimetry

Preferred Specimen: 5 mL Urine Cup

Collection Instruction: Collect urine in cup, label with patients name

Storage Instruction: Refrigerate

Turn Around Time: 2 days

CPT Code: 82340 (1)

Scarlet Eligible: No

Stone Analysis

0527-2

Alternate Name: Calculi**Methodology:** Fourier Transform Infrared Spectroscopy**Preferred Specimen:** Stone - Cup**Collection Instruction:** Place stone in sterile cup, label with patient's name**Storage Instruction:** Refrigerate**Turn Around Time:** 7 days**CPT Code:** 82365 (1)**Scarlet Eligible:** No

Chromosome Analysis (Oncology)- Tissue

J913-5

Alternate Name: Cancer Cytogenetics Karyotype**Methodology:** Chromosome Analysis**Preferred Specimen:** Tissue in RPMI**Collection Instruction:** Label specimen with 2 patient identification. Please include specimen collection date on requisition.**Storage Instruction:** Refrigerate**Turn Around Time:** 5-7 days**CPT Code:** 88262 (1), 88239 (1)**Scarlet Eligible:** No

Allergen C.Albicans (m5), IgE 0892-0**Alternate Name:** Candida**Methodology:** Immunocap**Preferred Specimen:** 3 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 86003 (1)**Scarlet Eligible:** Yes

Allergen Candida Ablicans IgG

 B776-6

Alternate Name: Candida Ablicans IgG

Methodology: Immunoassay

Preferred Specimen: 0.5 mL Aliquot Tube-Serum

Collection Instruction: Collect 1-2 mL whole blood in red top tube, centrifuge and transfer 0.5 mL serum into a transfer tube. (All serum acceptable)

Storage Instruction: Refrigerate

Turn Around Time: 7 days

CPT Code: 86001 (1)

Scarlet Eligible: Yes

Candida Species by M. PCR - Swab

L416-7

Alternate Name: Candida Species by M. PCR - Swab

Collection Instruction: Collect specimen-break swab shaft into transport tube, then label with name and source

Turn Around Time: 21 day

CPT Code: 87481 (1)

Scarlet Eligible: No

Allergen Cardamon (rf267), IgE

 2308-5

Alternate Name: Cardamon

Methodology: Immunocap

Preferred Specimen: 3 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 3 days

CPT Code: 86003 (1)

Scarlet Eligible: Yes

Homocysteine Level

 1311-0

Alternate Name: Cardiac or Ultra sensitive Homocysteine

Methodology: Enzyme Immunoassay

Preferred Specimen: 1 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 1 day

CPT Code: 83090 (1)

Scarlet Eligible: Yes

Carnitine Palmitoyltransferase Deficiency, Type 2

 J315-3

Alternate Name: Carnitine Palmitoyltransferase Deficiency Type 2

Methodology: Genotyping by Next Generation Sequencing

Preferred Specimen: Lavender top- EDTA

Collection Instruction: Fill lavender-top (EDTA) tube completely, invert 8-10 times. DO NOT SHAKE TUBE!

Storage Instruction: Refrigerate

Turn Around Time: 10-14 days

CPT Code: 81404 (1)

Scarlet Eligible: Yes

Allergen Carob, (f296) IgE

 3990-9

Alternate Name: Carob (Rf296)

Methodology: Immunoassay

Preferred Specimen: 1 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 16 days

CPT Code: 86003 (1)

Scarlet Eligible: Yes

Allergen Carrots (f31), IgE

 0934-0

Alternate Name: Carrots

Methodology: Immunocap

Preferred Specimen: 3 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 2 days

CPT Code: 86003 (1)

Scarlet Eligible: Yes

Allergen Cat Dander (e1), IgE

 0665-0

Alternate Name: Cat Dander

Methodology: Immunocap

Preferred Specimen: 3 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 3 days

CPT Code: 86003 (1)

Scarlet Eligible: Yes

Urine Culture, Catheterized

2603-9

Alternate Name: Catheter Urine Culture

Methodology: Bacterial Culture

Preferred Specimen: 5-10 mL Urine Tube - Grey Top

Collection Instruction: Perform a clean catch process, collect urine in a sterile container, transfer 10-15 ml into a Boricult, label with patient's name

Storage Instruction: Refrigerate

Turn Around Time: 4 days

CPT Code: 87086 (1)

Scarlet Eligible: No

Allergen Cauliflower (rf291), IgE 1815-0**Alternate Name:** Cauliflower**Methodology:** Immunocap**Preferred Specimen:** 3 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 86003 (1)**Scarlet Eligible:** Yes**Allergen Celery (f85), IgE** 1380-5**Alternate Name:** Celery**Methodology:** Immunocap**Preferred Specimen:** 3 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 2 days**CPT Code:** 86003 (1)**Scarlet Eligible:** Yes**Cereal Mix (fx3), IgE** 2185-7**Alternate Name:** Cereal Mix**Methodology:** Immunocap**Preferred Specimen:** 5 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 86005 (1)**Scarlet Eligible:** Yes

Culture, Cerebrospinal Fluid

0966-2

Alternate Name: Cerebrospinal Fluid Culture, CSF**Preferred Specimen:** 1 mL Fluid-source required**Collection Instruction:** Submit fluid in sterile cup**Turn Around Time:** 1 day**CPT Code:** 87070 (1), 87205 (1)**Scarlet Eligible:** No

Protein Electrophoresis, CSF

3946-1

Alternate Name: Cerebrospinal Fluid Protein Electrophoresis**Methodology:** Spectrophotometry**Preferred Specimen:** 3 mL Fluid-source required**Collection Instruction:** Submit fluid in sterile cup**Storage Instruction:** Refrigerate**Turn Around Time:** 4 days**CPT Code:** 84157 (1), 84166 (1)**Scarlet Eligible:** No

Cervical Biopsy

5660-6

Alternate Name: Cervical Biopsy**Methodology:** Histology**Preferred Specimen:** Biopsy In Formalin**Collection Instruction:** Submit in 10% Neutral Buffered Formalin, varied jar sizes.**Turn Around Time:** 1 day**CPT Code:** 88305 (1)**Scarlet Eligible:** No

Allergen Cheddar Cheese (f81), IgE 0850-8**Alternate Name:** Cheddar Cheese**Methodology:** Immunocap**Preferred Specimen:** 3 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 86003 (1)**Scarlet Eligible:** Yes

Allergen Cheesemolds (f82), IgE 1249-2**Alternate Name:** Cheesemolds**Methodology:** Immunocap**Preferred Specimen:** 3 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 86003 (1)**Scarlet Eligible:** Yes

Chem 29 Profile 0165-1**Alternate Name:** Chemprofile 24 and High-Density Lipoprotein**Preferred Specimen:** SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 1 day**CPT Code:** 83718 (1), G0059 (1)**Scarlet Eligible:** Yes

CH24/HDL,CBC/D/PLT 0855-7

Alternate Name: Chemprofile 24, High Density Lipoprotein, Complete Blood Count w/ Differential and Platelets

Preferred Specimen: SST Tube, Lavender top- EDTA

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 1 day

CPT Code: 83718 (1), 85025 (1), G0059 (1)

Scarlet Eligible: Yes

Allergen Chick Pea (f309), IgE 1163-5

Alternate Name: Chick Pea

Methodology: Immunocap

Preferred Specimen: 3 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 3 days

CPT Code: 86003 (1)

Scarlet Eligible: Yes

Allergen Chicken Feathers (e85), IgE 2570-0

Alternate Name: Chicken Feathers

Methodology: Immunocap

Preferred Specimen: 3 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 3 days

CPT Code: 86003 (1)

Scarlet Eligible: Yes

Allergen Chicken Meat (f83), IgE

 0817-7

Alternate Name: Chicken Meat

Methodology: Immunocap

Preferred Specimen: 3 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 3 days

CPT Code: 86003 (1)

Scarlet Eligible: Yes

Childhood Allergy Profile

 K726-0

Alternate Name: Childhood Allergy Prof.

Turn Around Time: 3 days

CPT Code: 82785 (1), 86003 (16)

Scarlet Eligible: Yes

Allergen Chili Pepper (rf279), IgE

 1423-3

Alternate Name: Chili Pepper

Methodology: Immunocap

Preferred Specimen: 3 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 3 days

CPT Code: 86003 (1)

Scarlet Eligible: Yes

Chlamydia Trachomatis MultiPlex PCR - swab

J835-0

Alternate Name: Chlamydia PCR Swab**Methodology:** Multiplex PCR**Preferred Specimen:** Swab-Aptima Genprobe**Collection Instruction:** Collect specimen-break swab shaft into transport tube, then label with name and source**Turn Around Time:** 5 days**CPT Code:** 87491 (1)**Scarlet Eligible:** No

High Risk STI CT/GC/Trich

6116-8

Alternate Name: Chlamydia, Gonorrhea, Trichomonas Vaginalis**Preferred Specimen:** ThinPrep Vial**Collection Instruction:** Collect specimen, swish in Thin prep vial, label with pt name.**Turn Around Time:** 5 days**CPT Code:** 87491 (1), 87591 (1), 87661 (1)**Scarlet Eligible:** No

Chlamydia, Liquid-Based

3852-1

Alternate Name: Chlamydia, Liquid-Based**Methodology:** Transcription Mediated Amplification**Preferred Specimen:** ThinPrep Vial**Collection Instruction:** Collect specimen, swish in Thin Prep or SurePath vial, label with patients name.**Turn Around Time:** 2 days**CPT Code:** 87491 (1)**Scarlet Eligible:** No

Allergen Chocolate Cocoa (f93), IgE

 1007-4

Alternate Name: Chocolate Cocoa

Methodology: Immunocap

Preferred Specimen: 3 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 3 days

CPT Code: 86003 (1)

Scarlet Eligible: Yes

Cholesterol

 0058-8

Alternate Name: Cholesterol

Methodology: Enzyme Immunoassay

Preferred Specimen: 2 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 1 day

CPT Code: 82465 (1)

Scarlet Eligible: Yes

Bile Acids, Fract. + Total Pregnancy

 J676-8

Alternate Name: Cholic Acid,Chenodeoxycholic Acid,Deoxycholic Acid

Methodology: Liquid Chromatography Tandem Mass Spectrometry

Preferred Specimen: 1 mL SST Tube

Collection Instruction: Collect blood in a red top or SST tube. After clot formation centrifuge sample and pour off serum into a transport tube. Store sample refrigerated or frozen.

Storage Instruction: Refrigerate

Turn Around Time: 8 days

CPT Code: 82542 (1)

Scarlet Eligible: Yes

Chromium, Plasma/Serum

 0277-4

Alternate Name: Chromium, Plasma/Serum

Methodology: Inductively Coupled Plasma Mass Spectrometry

Preferred Specimen: 2 mL Blue-Royal Blue Trace Element Serum (red line)

Collection Instruction: Fill tube, label with patient name

Storage Instruction: Refrigerate

Turn Around Time: 1-2 days

CPT Code: 82495 (1)

Scarlet Eligible: Yes

Chromogranin A

TA34-6

Alternate Name: Chromogranin A

Methodology: Enzyme Linked Immunoabsorbance

Preferred Specimen: Aliquot Tube-Serum

Collection Instruction: Place 1-3 mL of serum in transport tube. Label as serum;refrigerate or freeze as required.

Storage Instruction: STRICT Frozen

Turn Around Time: 4 days

CPT Code: 86316 (1)

Scarlet Eligible: No

Karyotype CVS

A587-8

Alternate Name: Chromosome Analysis, CVS

Methodology: Chromosome Analysis

Preferred Specimen: 20 mg Chorionic Villi

Collection Instruction: CVS specimen should be collected in a sterile, screw-top container with tissue culture transport medium (available upon Request). If transport medium is not avail., plain RPMI, Hanks solution or saline can be used

Storage Instruction: Room Temp

Turn Around Time: 7-14 days

CPT Code: 88235 (1), 88261 (1), 88267 (1)

Scarlet Eligible: No

Chromosome Analysis, POC, Tissue

1053-8

Alternate Name: Chromosome Analysis, POC, Tissue**Methodology:** Chromosome Analysis**Preferred Specimen:** 20-50 mL Products of Conception**Collection Instruction:** Products of Conception (0.5-1.0 cm) specimen should be collected in a sterile, screw-top container filled with tissue culture transport medium (available upon Request from the laboratory). If transport medium is not available, plain RPMI, Hanks solution or saline can be used. Ship at room temperature or refrigerated.**Storage Instruction:** Room Temp**Turn Around Time:** 20 days**CPT Code:** 88291 (1), 88230 (1), 88262 (1)**Scarlet Eligible:** No**Chromosome Analysis,Amnio.FLD(IG)**

2136-0

Alternate Name: Chromosome analysis, AF**Methodology:** Chromosome Analysis**Preferred Specimen:** 20 mL Amniotic Fluid**Collection Instruction:** 20-25 ml Amniotic Fluid should be collected in a sterile, screw top leak-proof conical tube(s).**Storage Instruction:** Room Temp**Turn Around Time:** 7-14 days**CPT Code:** 88269 (1), 88235 (1), 88280 (1)**Scarlet Eligible:** No**Chromosome Analysis/Karyotype, Blood** 0559-5**Alternate Name:** Chromosome analysis, PB/Karotype**Methodology:** Chromosome Analysis**Preferred Specimen:** 2-5 mL Green top- Sodium Heparin**Collection Instruction:** Fill tube, invert 8-10 times (DO NOT SHAKE!)**Storage Instruction:** Room Temp**Turn Around Time:** 7-14 days**CPT Code:** 88230 (1), 88262 (1)**Scarlet Eligible:** Yes

Chronic 10 Color Flow Cytometry Lymphoproliferative Panel (Global)

TH66-4

Alternate Name: Chronic 10 Color Lymphoproliferative Panel/Flow Cytometry**Methodology:** Flow Cytometry**Preferred Specimen:** Bone Marrow - Green Top**Storage Instruction:** Room Temp**Turn Around Time:** 1 day**CPT Code:** 88184 (1), 88189 (1), 88185 (28)**Scarlet Eligible:** No**Chronic 10 Color Flow Cytometry Lymphoproliferative Panel (Tech Only)**

TH65-6

Alternate Name: Chronic 10 color Lymphoproliferative panel/Flow (Technical Only)**Methodology:** Flow Cytometry**Preferred Specimen:** Bone Marrow - Green Top**Storage Instruction:** Room Temp**Turn Around Time:** 1 day**CPT Code:** 88184 (1), 88185 (28)**Scarlet Eligible:** No**Chronic Fatigue Syndrome** F100-3**Alternate Name:** Chronic Fatigue Syndrom**Preferred Specimen:** SST Tube,Lavender top- EDTA**Storage Instruction:** Refrigerate**Turn Around Time:** 2 days**CPT Code:** 84436 (1), 84439 (1), 84443 (1), 85025 (1), 86038 (1), 86141 (1), 86618 (1), 86644 (1), 86645 (1), 86663 (1), 86664 (1), 86665 (2)**Scarlet Eligible:** Yes**Lymphoproliferative Disorders Analysis (TC Only) and StormPath BMM ReportTemplate**

R734-5

Alternate Name: Chronic Flow TC and BMM**Turn Around Time:** 1 day**CPT Code:** 99999 (1), 88184 (1), 88185 (17)**Scarlet Eligible:** No

Chronic Granulomatous Disease Panel

 T989-3

Alternate Name: Chronic Granulomatous Disease Pa

Methodology: Genotyping by Next Generation Sequencing

Preferred Specimen: Lavender top- EDTA

Collection Instruction: Fill lavender-top (EDTA) tube completely, invert 8-10 times. DO NOT SHAKE TUBE!

Storage Instruction: Room Temp

CPT Code: 81479 (1)

Scarlet Eligible: Yes

Hepatitis Comprehensive II

 2302-8

Alternate Name: Chronic Hepatitis Profile

Preferred Specimen: SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 1 day

CPT Code: 86704 (1), 86706 (1), 86707 (1), 86708 (1), 86803 (1), 87340 (1), 87350 (1)

Scarlet Eligible: Yes

OnkoSight Advanced Chronic Lymphoid NGS Panel

TJ93-4

Alternate Name: Chronic Lymphoid NGS

Methodology: Genotyping by Next Generation Sequencing

Preferred Specimen: Formalin-fixed, Paraffin-embedded Tissue

Storage Instruction: Room Temp

Turn Around Time: 7-10 days

CPT Code: 81450 (1)

Scarlet Eligible: No

Lithium, Serum

 0119-8

Alternate Name: Cibalith S; Eskalith; Lithane; Lithobid; Lithonate; Lithotabs; Pfl-Lith; Phasal

Methodology: Colorimetry

Preferred Specimen: Red Top

Collection Instruction: Fill tube, label with patient name

Storage Instruction: Refrigerate

Turn Around Time: 1 day

CPT Code: 80178 (1)

Scarlet Eligible: Yes

Cyclosporine, Whole Blood

 0022-4

Alternate Name: Ciclosporin; CSA; Cya; Neoral[®]; Sandimmune[®]

Methodology: Enzyme Immunoassay

Preferred Specimen: Lavender top- EDTA

Collection Instruction: Submit 2 lavenders when Cyclosporine is ordered in conjunction with any other test requiring lavender.

Storage Instruction: Refrigerate

Turn Around Time: 1 day

CPT Code: 80158 (1)

Scarlet Eligible: Yes

Allergen Coriander (rf317), IgE

 2361-4

Alternate Name: Cilantro

Methodology: Immunocap

Preferred Specimen: 3 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 3 days

CPT Code: 86003 (1)

Scarlet Eligible: Yes

Allergen Cinnamon (rf220), IgE 2345-7**Alternate Name:** Cinnamon**Methodology:** Immunocap**Preferred Specimen:** 3 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 86003 (1)**Scarlet Eligible:** Yes

Chloride, Serum 0057-0**Alternate Name:** Cl, Serum**Methodology:** Ion Selective Electrode**Preferred Specimen:** 1 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 1 day**CPT Code:** 82435 (1)**Scarlet Eligible:** Yes

Chloride, Urine, Random 1794-7**Alternate Name:** Cl, Urine Random**Methodology:** Ion Selective Electrode**Preferred Specimen:** 3 mL Urine Cup**Collection Instruction:** Collect urine in cup, label with patients name**Storage Instruction:** Refrigerate**Turn Around Time:** 1 day**CPT Code:** 82436 (1)**Scarlet Eligible:** Yes

Chloride, Urine 24HR.

0439-0

Alternate Name: Cl, Urine, 24 Hours**Methodology:** Ion Selective Electrode**Preferred Specimen:** 3 mL Urine Container - 24hr**Collection Instruction:** Discard first morning sample, then collect all urines after for 24 hrs, on completion label with collection time and patient's name; record total volume on Requisition**Storage Instruction:** Refrigerate**CPT Code:** 81050 (1), 82436 (1)**Scarlet Eligible:** No**Allergen C. Herbarum (m2), IgE** 0661-9**Alternate Name:** Cladosporium herbarum (m2) IgE; HormoDendrum**Methodology:** Immunocap**Preferred Specimen:** 3 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 86003 (1)**Scarlet Eligible:** Yes**Allergen Clam (f207), IgE** 1169-2**Alternate Name:** Clam**Methodology:** Immunocap**Preferred Specimen:** 3 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 86003 (1)**Scarlet Eligible:** Yes

ClariTest™ Core Non-Invasive Prenatal Screen (NY)

TL42-6

Alternate Name: ClariTest Core NIPS(NY)**Methodology:** cfDNA is sequenced using microarray quantitation and DANSR and the FORTE algorithm.**Preferred Specimen:** 20 mL Cell-Free DNA White Top Plastic Tube**Storage Instruction:** Room Temp**Turn Around Time:** 5-7 days**CPT Code:** 81507 (1)**Scarlet Eligible:** No

ClariTest Core Non-Invasive Prenatal Screen (NON-NY) TH18-5**Alternate Name:** ClariTest Core Non-Invasive Prenatal Screen (NON-NY)**Methodology:** cfDNA is sequenced using microarray quantitation and DANSR and the FORTE algorithm.**Preferred Specimen:** Cell-Free DNA White Top Plastic Tube**Storage Instruction:** Room Temp**Turn Around Time:** 5-7 days**CPT Code:** 81507 (1)**Scarlet Eligible:** Yes

ClariTest Core Non-Invasive Prenatal Screen with 22q11.2 Microdeletion (NON-NY) TH19-3**Alternate Name:** ClariTest Core with 22q (NON-NY)**Methodology:** cfDNA is sequenced using microarray quantitation and DANSR and the FORTE algorithm.**Preferred Specimen:** Cell-Free DNA White Top Plastic Tube**Storage Instruction:** Room Temp**Turn Around Time:** 5-7 days**CPT Code:** 81507 (1), 81422 (1)**Scarlet Eligible:** Yes

ClariTest Core Non-Invasive Prenatal Screen with 22q11.2 Microdeletion (NY)

TL43-4

Alternate Name: ClariTestCore NIPS +22q**Methodology:** cfDNA is sequenced using microarray quantitation and DANSR and the FORTE algorithm.**Preferred Specimen:** 20 mL Cell-Free DNA White Top Plastic Tube**Storage Instruction:** Room Temp**Turn Around Time:** 5-7 days**CPT Code:** 81507 (1), 81422 (1)**Scarlet Eligible:** No**Drug Confirmation, Clonazepam, Urine (LC/MS)** L204-7**Alternate Name:** Clonazepam & Metab Conf.**Methodology:** Liquid Chromatography Tandem Mass Spectrometry**Preferred Specimen:** 5 mL Urine Cup**Collection Instruction:** Collect urine in cup, label with patients name**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 80346 (1)**Scarlet Eligible:** Yes**Allergen Clove (rf268), IgE** 2350-7**Alternate Name:** Clove**Methodology:** Immunocap**Preferred Specimen:** 3 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 86003 (1)**Scarlet Eligible:** Yes

CoEnzyme Q10 Deficiency, Primary, 7 J441-7**Alternate Name:** CoEnzyme Q10 Def.**Methodology:** Genotyping by Next Generation Sequencing**Preferred Specimen:** Lavender top- EDTA**Collection Instruction:** Fill lavender-top (EDTA) tube completely, invert 8-10 times. DO NOT SHAKE TUBE!**Storage Instruction:** Refrigerate**Turn Around Time:** 10-14 days**CPT Code:** 81479 (1)**Scarlet Eligible:** Yes

Cobalt, Urine

1955-4

Alternate Name: Cobalt urine**Methodology:** Inductively Coupled Plasma Mass Spectrometry**Preferred Specimen:** 10 mL Urine Container - 24hr**Collection Instruction:** Discard first morning sample, then collect all urines after for 24 hrs, on completion label with collection time and patient's name; record total volume on Requisition**Storage Instruction:** Refrigerate**Turn Around Time:** 7 days**CPT Code:** 83018 (1)**Scarlet Eligible:** No

Allergen Cocklebur (w13), IgE 1939-8**Alternate Name:** Cocklebur**Methodology:** Immunocap**Preferred Specimen:** 3 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 86003 (1)**Scarlet Eligible:** Yes

Allergen Cockroach (i6), IgE

 0716-1

Alternate Name: Cockroach

Methodology: Immunocap

Preferred Specimen: 3 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 3 days

CPT Code: 86003 (1)

Scarlet Eligible: Yes

Allergen Cocoa-Chocolate IgG (NON-NY)

 1781-4

Alternate Name: Cocoa-Chocolate IgG

Preferred Specimen: 1 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 7 days

CPT Code: 86001 (1)

Scarlet Eligible: Yes

Allergen Coconut (f36), IgE

 1318-5

Alternate Name: Coconut

Methodology: Immunocap

Preferred Specimen: 3 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 3 days

CPT Code: 86003 (1)

Scarlet Eligible: Yes

Allergen Codfish (f3), IgE

 0840-9

Alternate Name: Codfish

Methodology: Immunocap

Preferred Specimen: 1 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 3 days

CPT Code: 86003 (1)

Scarlet Eligible: Yes

Coenzyme Q10

J322-9

Alternate Name: Coenzyme Q10

Methodology: Liquid Chromatography Tandem Mass Spectrometry

Preferred Specimen: 1 mL Amber Serum

Collection Instruction: Place 1-3 mL of serum in transport vial should be either an amber tube if not please wrap in foil to protect from light, label as serum and FREEZE.

Storage Instruction: STRICT Frozen

Turn Around Time: 3 days

CPT Code: 82542 (1)

Scarlet Eligible: No

Allergen Coffee (rf221), IgE

 1133-8

Alternate Name: Coffee

Methodology: Immunocap

Preferred Specimen: 3 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 3 days

CPT Code: 86003 (1)

Scarlet Eligible: Yes

Coffin-Siris Syndrome

 T993-5

Alternate Name: Coffin-Siris Syndrome

Methodology: Genotyping by Next Generation Sequencing

Preferred Specimen: Lavender top- EDTA

Collection Instruction: Fill lavender-top (EDTA) tube completely, invert 8-10 times. DO NOT SHAKE TUBE!

Storage Instruction: Room Temp

CPT Code: 81479 (1)

Scarlet Eligible: Yes

Cold Agglutinins Titer

0063-8

Alternate Name: Cold Agglutinins

Methodology: Agglutination

Preferred Specimen: Aliquot Tube-Serum

Collection Instruction: Place 1-3 mL of serum in transport tube. Label as serum;refrigerate or freeze as required.

Storage Instruction: Refrigerate

Turn Around Time: 2 days

CPT Code: 86157 (1)

Scarlet Eligible: No

B-CrossLaps/Serum

T421-7

Alternate Name: Collagen Telopeptide

Methodology: Electrochemiluminescence Immunoassay

Preferred Specimen: Aliquot Tube-Serum

Collection Instruction: Place 1-3 mL of serum in transport tube. Label as serum;refrigerate or freeze as required.

Storage Instruction: STRICT Frozen

Turn Around Time: 7 days

CPT Code: 82523 (1)

Scarlet Eligible: No

Allergen Common Birch (t3), IgE

 0685-8

Alternate Name: Common Birch

Methodology: Immunocap

Preferred Specimen: 3 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 2 days

CPT Code: 86003 (1)

Scarlet Eligible: Yes

Allergen Common Millet, IgE (f55) IgE

 3694-7

Alternate Name: Common Millet (f55) IgE

Methodology: Enzyme Immunoassay

Preferred Specimen: 0.5 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 6 days

CPT Code: 86003 (1)

Scarlet Eligible: Yes

Allergen Common Ragweed (w1) ,IgE

 0717-9

Alternate Name: Common Ragweed

Methodology: Immunocap

Preferred Specimen: 3 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes


Storage Instruction: Refrigerate

Turn Around Time: 3 days

CPT Code: 86003 (1)

Scarlet Eligible: Yes

Allergen Common Reed (G7) IgE+ 2395-2**Alternate Name:** Common Reed**Methodology:** Immunocap**Preferred Specimen:** 3 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 86003 (1)**Scarlet Eligible:** Yes**Comprehensive Thyroid-Expanded** 9891-3**Alternate Name:** Comp. Thyroid - Expand**Preferred Specimen:** SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 2 days**CPT Code:** 84436 (1), 84439 (1), 84443 (1), 84479 (1), 84480 (1), 84481 (1), 86376 (1)**Scarlet Eligible:** Yes**CBC w/Diff, Platelet Ct.** 0053-9**Alternate Name:** Complete Blood Count (CBC), Includes Differential and Platelets**Methodology:** Flow Cytometry**Preferred Specimen:** Lavender top- EDTA**Collection Instruction:** Fill lavender-top (EDTA) tube completely, invert 8-10 times. DO NOT SHAKE TUBE!**Storage Instruction:** Refrigerate**Turn Around Time:** 1 day**CPT Code:** 85025 (1)**Scarlet Eligible:** Yes

CBC w/o DIFF (Hemogram)/PLAT. CT 0034-9**Alternate Name:** Complete Blood Count w/out Differential, Platelet Count**Methodology:** Flow Cytometry**Preferred Specimen:** Lavender top- EDTA**Collection Instruction:** Fill lavender-top (EDTA) tube completely, invert 8-10 times. DO NOT SHAKE TUBE!**Storage Instruction:** Refrigerate**Turn Around Time:** 1 day**CPT Code:** 85027 (1)**Scarlet Eligible:** Yes**Cortisol, Serum AM and PM**

0374-9

Alternate Name: Compound F, Serum AM and PM; Hydrocortisone, Serum AM and PM**Methodology:** Chemiluminescence**Preferred Specimen:** 2 mL Red Top**Storage Instruction:** Refrigerate**Turn Around Time:** 2 days**CPT Code:** 82533 (2)**Scarlet Eligible:** No**Cortisol, Random** 0900-1**Alternate Name:** Compound F, Serum, Random; Hydrocortisone, Serum, Random**Methodology:** Chemiluminescence**Preferred Specimen:** 1 mL Red Top**Collection Instruction:** Fill tube, label with patient name**Storage Instruction:** Refrigerate**Turn Around Time:** 2 days**CPT Code:** 82533 (1)**Scarlet Eligible:** Yes

Cortisol, PM

0067-9

Alternate Name: Compound F, Serum; Hydrocortisone, Serum

Methodology: Chemiluminescence

Preferred Specimen: 1 mL Red Top

Collection Instruction: Fill tube, label with patient name

Storage Instruction: Refrigerate

Turn Around Time: 2 days

CPT Code: 82533 (1)

Scarlet Eligible: No

Comprehensive Common Cancer Panel

 B275-9

Alternate Name: Comprehensive Cancer Panel

Preferred Specimen: 2-5 mL Lavender top- EDTA

Collection Instruction: Lavender: 2 tubes (5-6ml each) Label with the patient name, date of birth and/or ID. Ideal handling is to ship immediately at ambient temperature for overnight delivery. Alternate sample type: DNA: Extract and submit DNA 50 ng/mL (total volume 400 mL) in sterile container. Ship DNA in sealed and protective packaging at ambient temperature, using a cool pack in hot weather. Labeling: Name of person or identifier, DNA concentration and volume MUST be provided on the specimen tube.

Storage Instruction: Room Temp

Turn Around Time: 14 days

CPT Code: 81201 (1), 81162 (1), 81203 (1), 81292 (1), 81294 (1), 81295 (1)

Scarlet Eligible: Yes

Comprehensive Respiratory Panel

L740-0

Alternate Name: Comprehensive Respiratory Panel

Methodology: Polymerase Chain Reaction

Preferred Specimen: Swab-Viral Culturette

Storage Instruction: Refrigerate

Turn Around Time: 1 day

CPT Code: 87486 (1), 87581 (1), 87633 (1), 87798 (1)

Scarlet Eligible: No

Comprehensive Respiratory Panel with Rflx to COVID-19

M062-8

Alternate Name: Comprehensive Respiratory Panel with Rflx to COVID-19**Methodology:** Polymerase Chain Reaction**Preferred Specimen:** Swab-Viral Culturette**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 87581 (1), 87633 (1), 87486 (1), 87798 (1)**Scarlet Eligible:** No

Congenital Amegakaryocytic Thrombocytopenia (CAMT) J306-2**Alternate Name:** Congenital Amegakaryocytic Thrombocytopenia (CAMT)**Methodology:** Genotyping by Next Generation Sequencing**Preferred Specimen:** Lavender top- EDTA**Collection Instruction:** Fill lavender-top (EDTA) tube completely, invert 8-10 times. DO NOT SHAKE TUBE!**Storage Instruction:** Refrigerate**Turn Around Time:** 10-14 days**CPT Code:** 81402 (1)**Scarlet Eligible:** Yes

Conventional Pap Slide(s)

1100-7

Alternate Name: Conventional Pap**Methodology:** Microscopic Examination**Preferred Specimen:** Slide GYN**Collection Instruction:** Label slides with patient name, place in slide holder for transport**Storage Instruction:** Room Temp**Turn Around Time:** 5 days**CPT Code:** 88148 (1)**Scarlet Eligible:** No

Allergen Corn (maize)(f8), IgE 0821-9**Alternate Name:** Corn (Maize)**Methodology:** Immunocap**Preferred Specimen:** 3 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 86003 (1)**Scarlet Eligible:** Yes**Allergen Cotton Seed, (k83) IgE**

3770-5

Alternate Name: Cotton Seed (k83) IgE**Methodology:** Immunoassay**Preferred Specimen:** 1 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 6 days**CPT Code:** 86003 (1)**Scarlet Eligible:** No**Allergen Cotton-Fiber (o1), IgE** 1436-5**Alternate Name:** Cotton-Fiber**Methodology:** Immunocap**Preferred Specimen:** 3 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 86003 (1)**Scarlet Eligible:** Yes

Warfarin, Pharmacogenomic Assay

6261-2

Alternate Name: Coumadin Sensitivity, CYP2C9, VKORC1**Methodology:** Polymerase Chain Reaction**Preferred Specimen:** 2 mL Lavender top- EDTA**Collection Instruction:** Fill lavender-top (EDTA) tube completely, invert 8-10 times. DO NOT SHAKE TUBE!**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 81355 (1)**Scarlet Eligible:** No

Allergen Cow Dander (e4), IgE 0692-4**Alternate Name:** Cow Dander**Methodology:** Immunocap**Preferred Specimen:** 3 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 2 days**CPT Code:** 86003 (1)**Scarlet Eligible:** Yes

Allergen Crab (f23), IgE 1168-4**Alternate Name:** Crab**Methodology:** Immunocap**Preferred Specimen:** 3 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 86003 (1)**Scarlet Eligible:** Yes

Allergen Cranberry (rf341), IgE

 3796-0

Alternate Name: Cranberry

Methodology: Immunocap

Preferred Specimen: 2 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 3 days

CPT Code: 86003 (1)

Scarlet Eligible: Yes

Creatinine, Serum

 0070-3

Alternate Name: Creatinine

Methodology: Colorimetry

Preferred Specimen: 1 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 1 day

CPT Code: 82565 (1)

Scarlet Eligible: Yes

Cryptococcus Antigen, Serum

 0722-9

Alternate Name: Cryptococcal Antigen

Methodology: Agglutination

Preferred Specimen: 1.0 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 8 days

CPT Code: 86403 (1)

Scarlet Eligible: Yes

Cryptosporidium EIA

0348-3

Alternate Name: Cryptosporidium EIA**Methodology:** Enzyme Immunoassay**Preferred Specimen:** Ova & Parasite Mini**Collection Instruction:** With applicator stick, place 10 gms of stool into each vial, label with patient name**Storage Instruction:** Refrigerate**Turn Around Time:** 2 days**CPT Code:** 87328 (1)**Scarlet Eligible:** No

Cryptosporidium ID, Modified Acid Fast

J745-1

Alternate Name: Cryptosporidium ID, (MAF)**Methodology:** Modified Acid-Fast Stain**Preferred Specimen:** Ova & Parasite Mini**Collection Instruction:** With applicator stick, place 10 gms of stool into each vial, label with patient name**Storage Instruction:** Refrigerate**Turn Around Time:** 2 days**CPT Code:** 87015 (1), 87207 (1)**Scarlet Eligible:** No

Crystal Identification, Body Fluid

0579-3

Alternate Name: Crystals, Fluid**Methodology:** Microscopic Examination**Preferred Specimen:** 1 mL Fluid-source required**Collection Instruction:** Submit fluid in sterile cup**Storage Instruction:** Refrigerate**Turn Around Time:** 2 days**CPT Code:** 89060 (1)**Scarlet Eligible:** No

Copper, Plasma

 0479-6

Alternate Name: Cu, Plasma

Methodology: Inductively Coupled Plasma Mass Spectrometry

Preferred Specimen: Blue-Royal Blue Top: K2 EDTA Plasma(lavender line)

Collection Instruction: Fill tube, invert gently 5-6 times, label with patient name

Storage Instruction: Refrigerate

Turn Around Time: 3 days

CPT Code: 82525 (1)

Scarlet Eligible: Yes

Copper, Urine, 24 Hours

0869-8

Alternate Name: Cu, Urine, 24 Hours

Methodology: Atomic Absorption Spectrometry

Preferred Specimen: 10 mL Urine Container - 24hr

Collection Instruction: Discard first morning sample, then collect all urines after for 24 hrs, on completion label with collection time and patient's name; record total volume on Requisition

Storage Instruction: Refrigerate

Turn Around Time: 8 days

CPT Code: 82525 (1)

Scarlet Eligible: No

Allergen Cucumber (f244), IgE

 1664-2

Alternate Name: Cucumber

Methodology: Immunocap

Preferred Specimen: 3 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 3 days

CPT Code: 86003 (1)

Scarlet Eligible: Yes

Allergen Cultivated Rye (G12), IgE 2406-7**Alternate Name:** Cultivated Rye**Methodology:** Immunocap**Preferred Specimen:** 3 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 86003 (1)**Scarlet Eligible:** Yes

Allergen Cultivated Wheat (g15), IgE 3221-9**Alternate Name:** Cultivated Wheat (G15)**Methodology:** Immunocap**Preferred Specimen:** 3 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 86003 (1)**Scarlet Eligible:** Yes

Culture, Actinomyces

J011-8

Alternate Name: Culture Actinomyces, IUD Culture**Methodology:** Bacterial Culture**Preferred Specimen:** Swab-E**Collection Instruction:** Place sample in sterile cup label with patient's name and source**Storage Instruction:** Room Temp**Turn Around Time:** 7 days**CPT Code:** 87070 (1)**Scarlet Eligible:** No

Medical Implants/Devices Culture

TG39-3

Alternate Name: Culture Implants/Device**Methodology:** Bacterial Culture**Preferred Specimen:** Cup Plain**Storage Instruction:** Room Temp**Turn Around Time:** 5 days**CPT Code:** 87070 (1)**Scarlet Eligible:** No

Culture, Anal (Beta strep. Group B)

3773-9

Alternate Name: Culture, Anal for Beta Strep. Group B**Methodology:** Bacterial Culture**Preferred Specimen:** Swab-E**Collection Instruction:** Collect specimen with swab then place swab into transport carrier; Label with name and source**Turn Around Time:** 4 days**CPT Code:** 87070 (1)**Scarlet Eligible:** No

Culture, Environmental

0819-3

Alternate Name: Culture, Environmental**Methodology:** Bacterial Culture**Preferred Specimen:** Swab-E**Collection Instruction:** Place sample in sterile cup, label with specimen source. DO NOT ADD fixative.**Turn Around Time:** 7 days**CPT Code:** 87070 (1)**Scarlet Eligible:** No

Culture, Tracheal Airway

K909-2

Alternate Name: Culture, Tracheal Airway**Methodology:** Bacterial Culture**Preferred Specimen:** Cup-Sputum**Collection Instruction:** Submit sputum in sterile container, label with patient name**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 87205 (1), 87070 (1)**Scarlet Eligible:** No

Urine Culture, Special

TL62-4

Alternate Name: Culture, Urine, Special**Methodology:** Bacterial Culture**Preferred Specimen:** 5-10 mL Urine Tube - Grey Top**Storage Instruction:** Refrigerate**Turn Around Time:** 4 days**CPT Code:** 87086 (1)**Scarlet Eligible:** No

Allergen Curry (rf281), IgE 2356-4**Alternate Name:** Curry**Methodology:** Immunocap**Preferred Specimen:** 3 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 86003 (1)**Scarlet Eligible:** Yes

Allergen Curvularia Lunata (m16), IgE 2476-0**Alternate Name:** Curvularia Lunata**Methodology:** Immunocap**Preferred Specimen:** 3 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 86003 (1)**Scarlet Eligible:** Yes**BCL-1,T(11:14),PCR**

5098-9

Alternate Name: Cyclin-D1, Mantle Cell Lymphoma**Methodology:** Polymerase Chain Reaction**Preferred Specimen:** 2 mL Bone Marrow - Lavender Top**Collection Instruction:** Place bone marrow into tube, label with patient's name. Send in bone marrow kit.**Storage Instruction:** Refrigerate**Turn Around Time:** 16 days**CPT Code:** 81401 (1)**Scarlet Eligible:** No**Cystatin C** J013-4**Alternate Name:** Cystatin C**Methodology:** Immunoassay**Preferred Specimen:** SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 1 day**CPT Code:** 82610 (1)**Scarlet Eligible:** Yes

Cytology, Bladder Washing (50% Alcohol)

J529-9

Alternate Name: Cyto. Bladder Washing**Methodology:** Microscopic Examination**Preferred Specimen:** 50% Alcohol Jar**Collection Instruction:** Body fluid for cytology in 50% alcohol (ex...urine, sputum, nipple discharge).
Add directly to an equal volume of 50% Alcohol Solution**Storage Instruction:** Room Temp**Turn Around Time:** 4 days**CPT Code:** 88104 (1)**Scarlet Eligible:** No**Cytology, Bladder Washing (ThinPrep)**

J534-9

Alternate Name: Cyto. Bladder Washing-TP**Methodology:** Microscopic Examination**Preferred Specimen:** ThinPrep Cytolyt Solution**Collection Instruction:** Collect specimen swish in Cytolyte vial, label with pt name.**Storage Instruction:** Room Temp**Turn Around Time:** 4 days**CPT Code:** 88112 (1)**Scarlet Eligible:** No**Oncology Chromosome Analysis- BM/PB**

5250-6

Alternate Name: Cytogenetics,Karyotype, Cancer Cytogenetics Karyotype**Methodology:** Chromosome Analysis**Preferred Specimen:** 1-3 mL Bone Marrow - Green Top**Collection Instruction:** Place bone marrow into tube, label with patient's name**Storage Instruction:** Room Temp**Turn Around Time:** 5-7 days**CPT Code:** 88237 (1), 88262 (1), 88291 (1)**Scarlet Eligible:** No

CMV IGM 0461-4**Alternate Name:** Cytomegalovirus Antibody IgM**Methodology:** Enzyme Linked Immunoabsorbance**Preferred Specimen:** 1 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 2 days**CPT Code:** 86645 (1)**Scarlet Eligible:** Yes**CMV Ab. (IGG)** 0400-2**Alternate Name:** Cytomegalovirus Antibody, IgG**Methodology:** Chemiluminescence**Preferred Specimen:** 1 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 2 days**CPT Code:** 86644 (1)**Scarlet Eligible:** Yes**D-Dimer**

5743-0

Alternate Name: D-DIMER**Methodology:** Immunoturbidimetric**Preferred Specimen:** 1 mL Aliquot Plasma-Citrated-Blue Top**Collection Instruction:** Collect full blue-top (citrated) tube. Centrifuge Blue-top at high speed for 15 minutes. Transfer plasma into plastic transfer tube. Label with date/time collected, PLASMA and patient's name.**Storage Instruction:** STRICT Frozen**Turn Around Time:** 2 days**CPT Code:** 85379 (1)**Scarlet Eligible:** No

Allergen D. Farinae (Dust Mite) (d2), IgE 1372-2**Alternate Name:** D. Farinae (Dust Mite)**Methodology:** Immunocap**Preferred Specimen:** 3 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 86003 (1)**Scarlet Eligible:** Yes**Allergen D. Pteronyssinus (d1), IgE** 0715-3**Alternate Name:** D. Pteronyssinus**Methodology:** Immunocap**Preferred Specimen:** 3 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 86003 (1)**Scarlet Eligible:** Yes**13Q14.3 BY FISH-TC ONLY**

A878-1

Alternate Name: D13S319 by FISH, TC Only**Methodology:** FISH**Preferred Specimen:** 5 mL Peripheral Blood - Green Top**Collection Instruction:** Fill tube, invert 8-10 times (DO NOT SHAKE!)**Storage Instruction:** Refrigerate**Turn Around Time:** 3-5 days**CPT Code:** 88373 (1)**Scarlet Eligible:** No

DES-Gamma-Carboxy-Prothrombin

 B383-1

Alternate Name: DCP

Methodology: Immunoassay

Preferred Specimen: 1 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 10 days

CPT Code: 83951 (1)

Scarlet Eligible: Yes

Decalcification (Nails/Bone)

3188-0

Alternate Name: DECALCIFICATION (NAILS/BONE)

Methodology: Histology

Preferred Specimen: Biopsy In Formalin

Collection Instruction: Submit in 10% Neutral Buffered Formalin, varied jar sizes.

Turn Around Time: 2 days

CPT Code: 88311 (1)

Scarlet Eligible: No

Dementia Panel

 T844-0

Alternate Name: DEMENTIA-EXOME-V5

Methodology: Genotyping by Next Generation Sequencing

Preferred Specimen: Lavender top- EDTA

Collection Instruction: Blood specimens of any type and buccal swab cannot be accepted if the patient has ever received an allogeneic bone marrow transplant. Blood specimens will be rejected if frozen, hemolyzed or clotted. Blood can be refrigerated up to 7 days before shipping. Blood specimens older than 7 days can still be shipped; they will be tested if the yield and quality of DNA permit.

Storage Instruction: Room Temp

CPT Code: 81404 (1), 81405 (2), 81406 (2)

Scarlet Eligible: Yes

Deoxycorticosterone (DOC)

 0800-3

Alternate Name: DEOXYCORTICOSTERONE

Methodology: Chromatography

Preferred Specimen: 2 mL Red Top

Collection Instruction: Fill tube, invert gently 2-3 times, let stand for 20 minutes, spin for 10-15 minutes label with patient name.

Storage Instruction: Refrigerate

Turn Around Time: 10 days

CPT Code: 82633 (1)

Scarlet Eligible: Yes

Dexamethasone

 5352-0

Alternate Name: DEXAMETHASONE

Methodology: Liquid Chromatography Tandem Mass Spectrometry

Preferred Specimen: Aliquot Tube-Serum

Collection Instruction: Separate serum or plasma from cells ASAP or within 2 hours of collection. Transfer serum or plasma to a standard transport tube.

Storage Instruction: Refrigerate

Turn Around Time: 10 days

CPT Code: 80299 (1)

Scarlet Eligible: Yes

Dehydroepiandrosterone (DHEA)

 0178-4

Alternate Name: DHEA, Serum

Methodology: Enzyme Linked Immunoabsorbance

Preferred Specimen: 1 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 3 days

CPT Code: 82626 (1)

Scarlet Eligible: Yes

DHEA Sulfate

 0406-9

Alternate Name: DHEA-S, DHEA-SO4

Methodology: Chemiluminescence

Preferred Specimen: 1 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 2 days

CPT Code: 82627 (1)

Scarlet Eligible: Yes

Dihydrotestosterone

 J892-1

Alternate Name: DHT

Methodology: Liquid Chromatography Tandem Mass Spectrometry

Preferred Specimen: 2 mL Red Top

Collection Instruction: Fill tube, label with patient name

Storage Instruction: Refrigerate

Turn Around Time: 3 days

CPT Code: 83789 (1)

Scarlet Eligible: Yes

Diabetes Profile

 0391-3

Alternate Name: DIABETES PROFILE

Preferred Specimen: Lavender top- EDTA,SST Tube,Urine Urinalysis Tube - Yellow,Grey top-Sodium Fluoride

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 1 day

CPT Code: 81001 (1), 82947 (1), 83036 (1), 85025 (1), G0059 (1)

Scarlet Eligible: Yes

Diabetic Screen

 0222-0

Alternate Name: DIABETIC SCREEN

Preferred Specimen: Lavender top- EDTA,Grey top- Sodium Fluoride

Storage Instruction: Refrigerate

Turn Around Time: 1 day

CPT Code: 82947 (1), 83036 (1)

Scarlet Eligible: Yes

DIC Level 2

5872-7

Alternate Name: DIC Assesment Panel Level-1; Disseminated Intravascular Coagulation Panel Level-1

Preferred Specimen: 3 mL Aliquot Plasma-Citrated-Blue Top

Collection Instruction: Collect full blue-top (citrated) tube. Centrifuge Blue-top at high speed for 15 minutes. Transfer plasma into plastic transfer tube. Label with date/time collected, PLASMA and patient's name.

Storage Instruction: STRICT Frozen

Turn Around Time: 10 days

CPT Code: 83520 (2)

Scarlet Eligible: No

DIC Assessment Panel Level-1

5839-6

Alternate Name: DIC Assesment Panel Level-2; Disseminated Intravascular Coagulation Panel Level-2

Preferred Specimen: Aliquot Plasma-Citrated-Blue Top,Lavender top- EDTA

Storage Instruction: Refrigerate

Turn Around Time: 4 days

CPT Code: 85025 (1), 85060 (1), 85379 (1), 85384 (1), 85610 (1), 85670 (1), 85730 (1)

Scarlet Eligible: No

DIC Assessment

5992-3

Alternate Name: DIC Assessment; DIC Screen

Preferred Specimen: Aliquot Plasma-Citrated-Blue Top,Lavender top- EDTA

Storage Instruction: STRICT Frozen, Refrigerate

Turn Around Time: 10 days

CPT Code: 83520 (2), 85025 (1), 85060 (1), 85379 (1), 85384 (1), 85610 (1), 85670 (1), 85730 (1)

Scarlet Eligible: No

Dihydrolipomide Dehydrogenase

 A644-7

Alternate Name: DIHYDROLIPOMIDE DEHYDRO

Methodology: Genotyping by Next Generation Sequencing

Preferred Specimen: Lavender top- EDTA

Collection Instruction: Fill lavender-top (EDTA) tube completely, invert 8-10 times. DO NOT SHAKE TUBE!

Storage Instruction: Refrigerate

Turn Around Time: 10-14 days

CPT Code: 81400 (1)

Scarlet Eligible: Yes

Dihydrotestosterone, Free (incl.Total)

 0802-9

Alternate Name: DIHYDROTEST.FREE/TOT

Methodology: Liquid Chromatography Tandem Mass Spectrometry

Preferred Specimen: 5 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 15 days

CPT Code: 82642 (1)

Scarlet Eligible: Yes

DLBCL FISH PANEL: MYC BA, BCL2, BCL6

L218-7

Alternate Name: DLBCL FISH PANEL**Methodology:** FISH**Preferred Specimen:** Bone Marrow - Green Top**Collection Instruction:** Non-diluted bone marrow aspirate collected and transferred into sodium heparin (green top) tube. Also acceptable, whole blood in green (sodium heparin) tube. Label specimen with patient first and last names and date of birth.**Storage Instruction:** Refrigerate**Turn Around Time:** 3-5 days**CPT Code:** 88374 (1), 88377 (2)**Scarlet Eligible:** No**Lymphoma - Diffuse large B-Cell, BCL6 by FISH**

5028-6

Alternate Name: DLBCL; BCL6, 3q27**Methodology:** FISH**Preferred Specimen:** 2 mL Bone Marrow - Green Top**Collection Instruction:** Non-diluted bone marrow aspirate collected and transferred into sodium heparin (green top) tube. Also acceptable: Whole blood in green (sodium heparin) tube.**Storage Instruction:** Refrigerate**Turn Around Time:** 3-5 days**CPT Code:** 88377 (1)**Scarlet Eligible:** No**DPD-5 FU Genotype** 6285-1**Alternate Name:** DPD-5 FU GENOTYPE**Methodology:** Polymerase Chain Reaction**Preferred Specimen:** 5 mL Peripheral Blood - Lavender Top**Collection Instruction:** Fill tube, invert gently 5-6 times, label with patient's name**Storage Instruction:** Refrigerate**Turn Around Time:** 10-13 days**CPT Code:** 81232 (1)**Scarlet Eligible:** Yes

Drug Abuse Screen, Urine. (8 drug) 0628-8**Alternate Name:** DRUG ABUSE SCREEN, URINE**Methodology:** Enzyme Immunoassay**Preferred Specimen:** 5 mL Urine Cup**Collection Instruction:** Collect urine in cup, label with patients name**Storage Instruction:** Refrigerate**Turn Around Time:** 1 day**CPT Code:** 80307 (1)**Scarlet Eligible:** Yes

Allergen Casein (f78), IgE 1267-4**Alternate Name:** Dairy**Methodology:** Immunocap**Preferred Specimen:** 3 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 86008 (1)**Scarlet Eligible:** Yes

Allergen Dandelion (w8), IgE 1363-1**Alternate Name:** Dandelion**Methodology:** Immunocap**Preferred Specimen:** 3 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 86003 (1)**Scarlet Eligible:** Yes

Deafness, Autosomal Recessive 1A (GJB2) J308-8**Alternate Name:** Deafness autosomal recessive 1A (GJB2)**Methodology:** Genotyping by Next Generation Sequencing**Preferred Specimen:** Lavender top- EDTA**Collection Instruction:** Fill lavender-top (EDTA) tube completely, invert 8-10 times. DO NOT SHAKE TUBE!**Storage Instruction:** Refrigerate**Turn Around Time:** 10-14 days**CPT Code:** 81252 (1)**Scarlet Eligible:** Yes**Gliadin Antibodies, IgG, IgA** 0608-0**Alternate Name:** Deamidated Gliadin**Methodology:** Enzyme Linked Immunoabsorbance**Preferred Specimen:** 1 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 83516 (2)**Scarlet Eligible:** Yes**Meperidine, Urine, Screen, Qual. (200)** 8545-6**Alternate Name:** Demerol**Methodology:** Enzyme Immunoassay**Preferred Specimen:** 5 mL Urine Cup**Collection Instruction:** Collect urine in cup, label with patients name**Storage Instruction:** Refrigerate**Turn Around Time:** 1 day**CPT Code:** 80307 (1)**Scarlet Eligible:** Yes

Valproic Acid

 0542-1

Alternate Name: Depakote, Depacon, Depakene, Depakote, Depamidel Dipropylacet

Methodology: Enzyme Immunoassay

Preferred Specimen: Red Top

Collection Instruction: Fill tube, label with patient name

Storage Instruction: Refrigerate

Turn Around Time: 1 day

CPT Code: 80164 (1)

Scarlet Eligible: Yes

Heparin Cofactor II

5748-9

Alternate Name: Dermatan Sulfate Cofactor

Methodology: Chromogenic

Preferred Specimen: 2 mL Aliquot Plasma-Citrated-Blue Top

Collection Instruction: Collect full blue-top (citrated) tube. Centrifuge Blue-top at high speed for 15 minutes. Transfer plasma into plastic transfer tube. Label with date/time collected, PLASMA, patient's name and freeze.

Storage Instruction: STRICT Frozen

Turn Around Time: 15 days

CPT Code: 85130 (1)

Scarlet Eligible: No

Culture, Dialysate

0857-3

Alternate Name: Dialysate Culture

Methodology: Bacterial Culture

Preferred Specimen: 2 mL Cup Plain

Collection Instruction: Place sample in sterile cup label with patient's name and source

Storage Instruction: Refrigerate

Turn Around Time: 5 days

CPT Code: 87070 (1)

Scarlet Eligible: No

Culture, Dialysis Water

0856-5

Alternate Name: Dialysis Water Culture

Methodology: Bacterial Culture

Preferred Specimen: 2 mL Cup Plain

Collection Instruction: Place sample in sterile cup label with patient's name and source

Storage Instruction: Refrigerate

Turn Around Time: 5 days

CPT Code: 87070 (1)

Scarlet Eligible: No

Allergen Dill (f277), IgE

 3605-3

Alternate Name: Dill

Methodology: Immunocap

Preferred Specimen: 2 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 3 days

CPT Code: 86003 (1)

Scarlet Eligible: Yes

DRVVT Complete

5730-7

Alternate Name: Dilute Russell's viper venom time

Methodology: Clot Detection

Preferred Specimen: 2 mL Aliquot Plasma-Citrated-Blue Top

Collection Instruction: Collect full blue-top (citrated) tube. Centrifuge Blue-top at high speed for 15 minutes. Transfer plasma into plastic transfer tube. Label with date/time collected, PLASMA, patient's name and submit frozen.

Storage Instruction: STRICT Frozen

Turn Around Time: 3 days

CPT Code: 85613 (2)

Scarlet Eligible: No

Diphtheria Antibody, IgG

 1118-9

Alternate Name: Diphtheria Immunity

Methodology: Enzyme Immunoassay

Preferred Specimen: 2 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 8 days

CPT Code: 86001 (1)

Scarlet Eligible: Yes

Coombs Test, Direct

 0064-6

Alternate Name: Direct Coombs

Methodology: Hemagglutination Assay

Preferred Specimen: Pink Tube-EDTA

Collection Instruction: Fill tube, invert gently 5-6 times, label with patient name

Storage Instruction: Refrigerate

Turn Around Time: 1 day

CPT Code: 86880 (1)

Scarlet Eligible: Yes

Disorders of Hyperphenylalaninemia and Biopterin Metabolism Panel

 J995-2

Alternate Name: Disorders of Hyperphenylalaninemia

Methodology: Genotyping by Next Generation Sequencing

Preferred Specimen: Lavender top- EDTA

Collection Instruction: Blood specimens of any type (in EDTA or dried blood spot) and buccal swab cannot be accepted if the patient has ever received an allogeneic bone marrow transplant. Blood specimens will be rejected if frozen, hemolyzed or clotted. Blood can be refrigerated up to 7 days before shipping. Blood specimens older than 7 days can still be shipped; they will be tested if the yield and quality of DNA permit.

Storage Instruction: Room Temp

CPT Code: 81406 (1), 81479 (1), 81405 (1)

Scarlet Eligible: Yes

Sickle Cell Screen

 0366-5

Alternate Name: Dithionite Test; Itano Solubility Test; Murayama test; Sickle Cell Preparation, Metabisulfite Test; Sickle Cell Solubility Test; Sickledex; Sickle Screen; Sickle-Sol; Sickle-Stat

Methodology: Solubility

Preferred Specimen: Lavender top- EDTA

Collection Instruction: Fill lavender-top (EDTA) tube completely, invert 8-10 times. DO NOT SHAKE TUBE!

Storage Instruction: Refrigerate

Turn Around Time: 1 day

CPT Code: 85660 (1)

Scarlet Eligible: Yes

Allergen Dog Dander (e5), IgE

 0664-3

Alternate Name: Dog Dander

Methodology: Immunocap

Preferred Specimen: 3 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 3 days

CPT Code: 86003 (1)

Scarlet Eligible: Yes

Dosage Analysis of SMN1 and SMN2

 T789-7

Alternate Name: Dosage Analysis of SMN1 and SMN2

Methodology: Methylation-Sensitive Multiple Ligation-Dependent Probe Amplification

Preferred Specimen: Lavender top- EDTA

Collection Instruction: Blood specimens of any type and buccal swab cannot be accepted if the patient has ever received an allogeneic bone marrow transplant. Blood specimens will be rejected if frozen, hemolyzed or clotted. Blood can be refrigerated up to 7 days before shipping. Blood specimens older than 7 days can still be shipped; they will be tested if the yield and quality of DNA permit.

Storage Instruction: Room Temp

CPT Code: 81329 (1)

Scarlet Eligible: Yes

Allergen Duck Feathers (e86), IgE

 0846-6

Alternate Name: Duck Feathers

Methodology: Immunocap

Preferred Specimen: 3 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 3 days

CPT Code: 86003 (1)

Scarlet Eligible: Yes

Dust Mix (hx2), IgE 2182-4**Alternate Name:** Dust Mix**Methodology:** Immunocap**Preferred Specimen:** 5 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 86005 (1)**Scarlet Eligible:** Yes**Dyskeratosis Congenita, Autosomal Recessive 5** J299-9**Alternate Name:** Dyskeratosis Congenita autosomal Recessive 5**Methodology:** Genotyping by Next Generation Sequencing**Preferred Specimen:** Lavender top- EDTA**Collection Instruction:** Fill lavender-top (EDTA) tube completely, invert 8-10 times. DO NOT SHAKE TUBE!**Storage Instruction:** Refrigerate**Turn Around Time:** 10-14 days**CPT Code:** 81479 (1)**Scarlet Eligible:** Yes

Dystonia Panel

 T403-5

Alternate Name: Dystonia Panel / Sequencing and

Methodology: Genotyping by Next Generation Sequencing

Preferred Specimen: Lavender top- EDTA

Collection Instruction: Blood specimens of any type (in EDTA or dried blood spot) and buccal swab cannot be accepted if the patient has ever received an allogeneic bone marrow transplant. Blood specimens will be rejected if frozen, hemolyzed or clotted. Blood can be refrigerated up to 7 days before shipping. Blood specimens older than 7 days can still be shipped; they will be tested if the yield and quality of DNA permit.

Storage Instruction: Room Temp

CPT Code: 81405 (2), 81404 (4), 81406 (2), 81407 (1), 81408 (1)

Scarlet Eligible: Yes

Dytonia and Parkinsonism Panel

 T402-7

Alternate Name: Dystonia and Parkinsonism Panel

Methodology: Genotyping by Next Generation Sequencing

Preferred Specimen: Lavender top- EDTA

Collection Instruction: Blood specimens of any type (in EDTA or dried blood spot) and buccal swab cannot be accepted if the patient has ever received an allogeneic bone marrow transplant. Blood specimens will be rejected if frozen, hemolyzed or clotted. Blood can be refrigerated up to 7 days before shipping. Blood specimens older than 7 days can still be shipped; they will be tested if the yield and quality of DNA permit.

Storage Instruction: Room Temp

CPT Code: 81405 (2), 81404 (5), 81406 (2), 81407 (1), 81408 (2)

Scarlet Eligible: Yes

Escherichia coli (Non NY)

J968-9

Alternate Name: E. COLI**Methodology:** Real-Time Polymerase Chain Reaction**Preferred Specimen:** ThinPrep Vial**Collection Instruction:** Collect specimen, swish in Thin prep vial, label with pt name.**Storage Instruction:** Room Temp**Turn Around Time:** 5 days**CPT Code:** 87798 (1)**Scarlet Eligible:** No**Ehrlichia chaffeensis DNA, Real-Time PCR** 3900-8**Alternate Name:** E. Chaffeensis RT PCR**Methodology:** Polymerase Chain Reaction**Preferred Specimen:** 0.7 mL Lavender top- EDTA**Collection Instruction:** Fill lavender-top (EDTA) tube completely, invert 8-10 times. DO NOT SHAKE TUBE!**Storage Instruction:** Refrigerate**Turn Around Time:** 5 days**CPT Code:** 87798 (1)**Scarlet Eligible:** Yes**Enterococcus faecalis (Non NY)**

J967-1

Alternate Name: E. faecalis**Methodology:** Real-Time Polymerase Chain Reaction**Preferred Specimen:** ThinPrep Vial**Collection Instruction:** Collect specimen, swish in Thin prep vial, label with pt name.**Storage Instruction:** Room Temp**Turn Around Time:** 5 days**CPT Code:** 87798 (1)**Scarlet Eligible:** No

E. Coli (Pathogenic) Culture

1177-5

Alternate Name: E.COLI SEROTYPE**Preferred Specimen:** 1.0 mL Stool Cont. C/S (Cairy Blair)**Collection Instruction:** Using applicator stick, place 10 gms of stool in container, label with patient's name**Storage Instruction:** Refrigerate**Turn Around Time:** 10 days**CPT Code:** 87046 (1)**Scarlet Eligible:** No**EDDP (Methadone Metabolite), Urine, Screen, Qual. (300)** 6286-9**Alternate Name:** EDDP**Methodology:** Enzyme Immunoassay**Preferred Specimen:** 5 mL Urine Cup**Collection Instruction:** Collect urine in cup, label with patients name**Storage Instruction:** Refrigerate**Turn Around Time:** 1 day**CPT Code:** 80307 (1)**Scarlet Eligible:** Yes**EGFR, if neg reflex to ALK- Non Ny**

J105-8

Alternate Name: EGFR NGS RFX NEG>**Methodology:** Genotyping by Next Generation Sequencing**Preferred Specimen:** Formalin-fixed, Paraffin-embedded Tissue**Collection Instruction:** 10-15 unstained slides at 5 microns (tumor content>10%) with H&E, Shavings (if tumor content >40%) with H&E, if sending DNA - Please call CS.**Storage Instruction:** Room Temp**Turn Around Time:** 5-10 days**CPT Code:** 81235 (1)**Scarlet Eligible:** No

EGFR, if neg reflex to ALK NY Only

J461-5

Alternate Name: EGFR NGS RFX NEG>**Methodology:** Genotyping by Next Generation Sequencing**Preferred Specimen:** Formalin-fixed, Paraffin-embedded Tissue**Collection Instruction:** 10-15 unstained slides at 5 microns (tumor content >10%) with H&E, Shavings (if tumor content >10%) with H&E, if sending DNA- Please call CS**Turn Around Time:** 5-10 days**CPT Code:** 81235 (1)**Scarlet Eligible:** No**EGFR, if neg reflex to ALK-TC only- NY Only**

J466-4

Alternate Name: EGFR NGS RFX NEG>ALK**Methodology:** Genotyping by Next Generation Sequencing**Preferred Specimen:** Formalin-fixed, Paraffin-embedded Tissue**Collection Instruction:** 10-15 unstained slides at 5 microns (tumor content >10%) with H&E, Shavings (if tumor content >10%) with H&E, if sending DNA- Please call CS**Turn Around Time:** 5-10 days**CPT Code:** 81235 (1)**Scarlet Eligible:** No**EGFR, if neg reflex to ALK - TC only Non NY**

J202-3

Alternate Name: EGFR NGS RFX NEG>ALK**Methodology:** Genotyping by Next Generation Sequencing**Preferred Specimen:** Formalin-fixed, Paraffin-embedded Tissue**Collection Instruction:** 10-15 unstained slides at 5 microns (tumor content>10%) with H&E, Shavings (if tumor content >40%) with H&E, if sending DNA - Please call CS.**Storage Instruction:** Room Temp**Turn Around Time:** 5-10 days**CPT Code:** 81235 (1)**Scarlet Eligible:** No

EGFR, if neg reflex to ALK, if neg reflex to ROS1- Non NY

J106-6

Alternate Name: EGFR RFX >ALK>ROS1**Methodology:** Genotyping by Next Generation Sequencing**Preferred Specimen:** Formalin-fixed, Paraffin-embedded Tissue**Collection Instruction:** 10-15 unstained slides at 5 microns (tumor content>10%) with H&E, Shavings (if tumor content >40%) with H&E, if sending DNA - Please call CS.**Storage Instruction:** Room Temp**Turn Around Time:** 5-10 days**CPT Code:** 81235 (1)**Scarlet Eligible:** No**EGFR, if neg reflex to ALK, if neg reflex to ROS1 NY Only**

J460-7

Alternate Name: EGFR RFX>ALK>ROS1**Methodology:** Genotyping by Next Generation Sequencing**Preferred Specimen:** Formalin-fixed, Paraffin-embedded Tissue**Collection Instruction:** 10-15 unstained slides at 5 microns (tumor content >10%) with H&E, Shavings (if tumor content >10%) with H&E, if sending DNA- Please call CS**Turn Around Time:** 5-10 days**CPT Code:** 81235 (1)**Scarlet Eligible:** No**EGFR by FISH**

A240-4

Alternate Name: EGFR by FISH (NON-NY)**Methodology:** FISH**Preferred Specimen:** Formalin-fixed, Paraffin-embedded Tissue**Collection Instruction:** Please write surgical number on block and on requisition. Provide fixation time on requisition as well**Storage Instruction:** Room Temp**Turn Around Time:** 11 day**CPT Code:** 88365 (1)**Scarlet Eligible:** No

EGFR Sequencing NY Only

J454-0

Alternate Name: EGFR by NGS**Methodology:** Genotyping by Next Generation Sequencing**Preferred Specimen:** Formalin-fixed, Paraffin-embedded Tissue**Collection Instruction:** 10-15 unstained slides at 5 microns (tumor content >10%) with H&E, Shavings (if tumor content >10%) with H&E, if sending DNA- Please call CS**Turn Around Time:** 5-10 days**CPT Code:** 81235 (1)**Scarlet Eligible:** No

EGFR and KRAS, if both neg, reflex ALK, if neg reflex ROS1 Non NY

H579-6

Alternate Name: EGFR+ KRAS>ALK>ROS1**Methodology:** Genotyping by Next Generation Sequencing**Preferred Specimen:** Formalin-fixed, Paraffin-embedded Tissue**Collection Instruction:** This comes in block form from client with surgical number imprint.**Turn Around Time:** 5-10 days**CPT Code:** 81235 (1), 81275 (1), 81276 (1)**Scarlet Eligible:** No

EGFR by NGS, ALK, ROS1, and MET by FISH- Non NY H581-2**Alternate Name:** EGFR, ALK, ROS1, MET**Methodology:** Genotyping by Next Generation Sequencing**Turn Around Time:** 5-10 days**CPT Code:** 81235 (1), 88377 (3)**Scarlet Eligible:** Yes

EGFR by NGS, ALK, ROS1, and MET by FISH (Ny Only)

K335-0

Alternate Name: EGFR-NGS,ALK,ROS1,MET**Turn Around Time:** 10 days**CPT Code:** 81235 (1), 88377 (3)**Scarlet Eligible:** No

EGFR and KRAS, if both neg, reflex ALK, if neg reflex ROS 1 NY Only

J465-6

Alternate Name: EGFR/KRAS>ALK>ROS1**Methodology:** Genotyping by Next Generation Sequencing**Preferred Specimen:** Formalin-fixed, Paraffin-embedded Tissue**Collection Instruction:** 10-15 unstained slides at 5 microns (tumor content >10%) with H&E, Shavings (if tumor content >10%) with H&E, if sending DNA- Please call CS**Turn Around Time:** 5-10 days**CPT Code:** 81235 (1), 81275 (1), 81276 (1)**Scarlet Eligible:** No**Electrolytes (24 hr urine)**

8017-6

Alternate Name: ELECTROLYTES (24 hr U)**Turn Around Time:** 1 day**CPT Code:** 81050 (1), 82436 (1), 84133 (1), 84300 (1)**Scarlet Eligible:** No**Electrolytes, Urine, Random** 0989-4**Alternate Name:** ELECTROLYTES, URINE, RANDOM**Preferred Specimen:** 10 mL Urine Cup**Collection Instruction:** Collect urine in cup, label with patients name**Storage Instruction:** Refrigerate**Turn Around Time:** 1 day**CPT Code:** 82436 (1), 84133 (1), 84300 (1)**Scarlet Eligible:** Yes

Encainide + Metabolite Level 0410-1

Alternate Name: ENCAINIDE + METABOLITE LEVEL**Methodology:** Liquid Chromatography Tandem Mass Spectrometry**Preferred Specimen:** 2 mL Red Top**Collection Instruction:** Fill tube, label with patient name**Storage Instruction:** Refrigerate**Turn Around Time:** 5 days**CPT Code:** 80375 (1)**Scarlet Eligible:** Yes

Endo-Cervical Biopsy5662-2

Alternate Name: ENDO-CERVICAL BIOPSY**Methodology:** Histology**Preferred Specimen:** Biopsy In Formalin**Collection Instruction:** Submit in 10% Neutral Buffered Formalin, varied jar sizes.**Turn Around Time:** 1 day**CPT Code:** 88305 (1)**Scarlet Eligible:** No

Endometrial Biopsy5664-8

Alternate Name: ENDOMETRIAL BIOPSY**Methodology:** Histology**Preferred Specimen:** Biopsy In Formalin**Collection Instruction:** Submit in 10% Neutral Buffered Formalin, varied jar sizes.**Storage Instruction:** Room Temp**Turn Around Time:** 48 hours**CPT Code:** 88305 (1)**Scarlet Eligible:** No

Enterococcus/VRE Screen-@

6108-5

Alternate Name: ENTEROCOCCUS/VRE SCREEN**Methodology:** Bacterial Culture**Preferred Specimen:** Stool Cont.-Cup**Collection Instruction:** Using applicator stick, place 20-30 gms of stool into cup, label with patient's name**Storage Instruction:** Refrigerate**Turn Around Time:** 4 days**CPT Code:** 87081 (1)**Scarlet Eligible:** No**Enterovirus RNA, Qualitative** 3788-7**Alternate Name:** ENTEROVIRUS RNA, Qual**Methodology:** Polymerase Chain Reaction**Preferred Specimen:** 1 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 5 days**CPT Code:** 87498 (1)**Scarlet Eligible:** Yes**Epicoccum Purpurascens IgG** B779-0**Alternate Name:** EPICOCCUM PURPURA. IGG**Methodology:** Immunoassay**Preferred Specimen:** 0.5 mL Aliquot Tube-Serum**Collection Instruction:** Collect 1-2 mL whole blood in red top tube, centrifuge and transfer 0.5 mL serum into a transfer tube. (All serum acceptable)**Storage Instruction:** Refrigerate**Turn Around Time:** 7 days**CPT Code:** 86001 (1)**Scarlet Eligible:** Yes

Erythropoietin, Serum

 0183-4

Alternate Name: EPO

Methodology: Chemiluminescence

Preferred Specimen: 1 mL SST Tube

Collection Instruction: Fill tube, invert gently 2-3 times, let stand for 20 minutes, spin for 10-15 minutes label with patient name. This specimen must be sent to lab within 24 hours of draw time. If not being submitted same day as collection, specimen must be spun down, poured into an aliquot and frozen.

Storage Instruction: Refrigerate

Turn Around Time: 3 days

CPT Code: 82668 (1)

Scarlet Eligible: Yes

Epstein-Barr Virus By PCR

A315-4

Alternate Name: EPSTEIN-BARR VIRUS BY PCR

Methodology: Polymerase Chain Reaction

Preferred Specimen: Formalin-fixed, Paraffin-embedded Tissue

Collection Instruction: This comes in block form from client with surgical number imprint.

Turn Around Time: 7 days

CPT Code: 87798 (1)

Scarlet Eligible: No

ER,PR,KI-67,P53,HER2 FISH, TC

A278-4

Alternate Name: ER,PR,KI-67,P53,HER2 FISH, TC

Methodology: Immunohistochemistry

Preferred Specimen: Formalin-fixed, Paraffin-embedded Tissue

Collection Instruction: This comes in block form from client with surgical number imprint.

Turn Around Time: 3 days

CPT Code: 88361 (4), 88374 (1)

Scarlet Eligible: No

ER / PR / Ki-67/ HER2 (Tech Only)

5433-8

Alternate Name: ER/ PR/Ki-67/HER2 (Tech Only)**Methodology:** Immunohistochemistry**Preferred Specimen:** Formalin-fixed, Paraffin-embedded Tissue**Collection Instruction:** This comes in block form from client with surgical number imprint.**Turn Around Time:** 1 day**CPT Code:** 88361 (4)**Scarlet Eligible:** No**ER/PR (Tech Only)**

5425-4

Alternate Name: ER/PR (TECH COMPONENT ONLY)**Methodology:** Immunohistochemistry**Preferred Specimen:** Formalin-fixed, Paraffin-embedded Tissue**Collection Instruction:** This comes in a block or slide form from client with surgical number imprint.**Turn Around Time:** 1 day**CPT Code:** 88361 (2)**Scarlet Eligible:** No**ER/PR - w/Interpretation w/digital imaging**

5198-7

Alternate Name: ER/PR RECEP.PROFILE**Methodology:** Immunohistochemistry**Preferred Specimen:** Formalin-fixed, Paraffin-embedded Tissue**Collection Instruction:** This comes in a block or slide form from client with surgical number imprint.**Turn Around Time:** 1 day**CPT Code:** 88361 (2)**Scarlet Eligible:** No

ER/ PR/ DNA/ KI-67/ HER2 - Reflex to HER2 by FISH

5408-0

Alternate Name: ER/PR/DNA/KI-67/HER2 W/RFLX**Methodology:** Immunohistochemistry**Preferred Specimen:** Formalin-fixed, Paraffin-embedded Tissue**Collection Instruction:** This comes in a block or slide form from client with surgical number imprint.**Turn Around Time:** 3-5 days**CPT Code:** 88182 (1), 88361 (4)**Scarlet Eligible:** No**ER/PR /DNA/ Ki-67 - w/Interp w/digital imaging**

5160-7

Alternate Name: ER/PR/DNA/Ki-67 W/INTERP.**Methodology:** Immunohistochemistry**Preferred Specimen:** Formalin-fixed, Paraffin-embedded Tissue**Collection Instruction:** This comes in block form from client with surgical number imprint.**Turn Around Time:** 1 day**CPT Code:** 88182 (1), 88361 (3)**Scarlet Eligible:** No**ER/PR/HER2 - w/Interpretation w/digital imaging**

5161-5

Alternate Name: ER/PR/HER2-NEU W/INTERP.**Methodology:** Immunohistochemistry**Preferred Specimen:** Formalin-fixed, Paraffin-embedded Tissue**Collection Instruction:** This comes in a block or slide form from client with surgical number imprint.**Turn Around Time:** 1 day**CPT Code:** 88361 (3)**Scarlet Eligible:** No

ER/PR/HER2w/digital imaging- Rflex to HER2 by FISH

5406-4

Alternate Name: ER/PR/HER2-RFX BY FISH**Methodology:** Immunohistochemistry**Preferred Specimen:** Formalin-fixed, Paraffin-embedded Tissue**Collection Instruction:** This comes in a block or slide form from client with surgical number imprint.**Turn Around Time:** 3-5 days**CPT Code:** 88361 (3)**Scarlet Eligible:** No**ER/ PR/ KI-67/ HER2 - Reflex to HER2 by FISH**

5407-2

Alternate Name: ER/PR/KI-67/HER2 W/REFLEX**Methodology:** Immunohistochemistry**Preferred Specimen:** Formalin-fixed, Paraffin-embedded Tissue**Collection Instruction:** This comes in a block or slide form from client with surgical number imprint.**Turn Around Time:** 3-5 days**CPT Code:** 88361 (4)**Scarlet Eligible:** No**ER/PR/ Ki-67/ HER2 - w/Interp w/digital imaging**

5163-1

Alternate Name: ER/PR/KI-67/HER2/IHC/INTER.**Methodology:** Immunohistochemistry**Preferred Specimen:** Formalin-fixed, Paraffin-embedded Tissue**Collection Instruction:** This comes in a block or slide form from client with surgical number imprint.**Turn Around Time:** 1 day**CPT Code:** 88361 (4)**Scarlet Eligible:** No

ER/PRKI-67/HER2/P53 BY IHC with Interp. w/digital imaging

A954-0

Alternate Name: ER/PRKI-67/HER2/P53**Methodology:** Immunohistochemistry**Preferred Specimen:** Formalin-fixed, Paraffin-embedded Tissue**Collection Instruction:** This comes in a block or slide form from client with surgical number imprint.**Turn Around Time:** 2 days**CPT Code:** 88361 (5)**Scarlet Eligible:** No

ER/PRKI-67/HER2/P53 BY IHC,TC

A951-6

Alternate Name: ER/PRKI-67/HER2/P53-TC**Methodology:** Immunohistochemistry**Preferred Specimen:** Formalin-fixed, Paraffin-embedded Tissue**Collection Instruction:** This comes in a block or slide form from client with surgical number imprint.**Turn Around Time:** 1 day**CPT Code:** 88361 (5)**Scarlet Eligible:** No

ERG by IHC (EP111)

T411-8

Alternate Name: ERG by IHC**Methodology:** Immunohistochemistry**Preferred Specimen:** Formalin-fixed, Paraffin-embedded Tissue**Collection Instruction:** This comes in block form from client with surgical number imprint.**Storage Instruction:** Room Temp**Turn Around Time:** 1-2 days**CPT Code:** 88342 (1)**Scarlet Eligible:** No

ERG by IHC (EP111) - Tech Only

T412-6

Alternate Name: ERG by IHC -TC**Methodology:** Immunohistochemistry**Preferred Specimen:** Formalin-fixed, Paraffin-embedded Tissue**Collection Instruction:** This comes in block form from client with surgical number imprint.**Storage Instruction:** Room Temp**Turn Around Time:** 1-2 days**CPT Code:** 88342 (1)**Scarlet Eligible:** No**Esophageal Biospy X1**

5630-9

Alternate Name: ESOPHAGEAL BIOPSY**Methodology:** Histology**Preferred Specimen:** Biopsy In Formalin**Collection Instruction:** Submit in 10% Neutral Buffered Formalin, varied jar sizes.**Turn Around Time:** 1 day**CPT Code:** 88305 (1)**Scarlet Eligible:** No**Estradiol (E2), Serum, LCMS** J258-5**Alternate Name:** ESTRADIOL (E2), SERUM**Methodology:** Liquid Chromatography Tandem Mass Spectrometry**Preferred Specimen:** 1 mL Red Top**Collection Instruction:** Fill tube, invert gently 2-3 times, let stand for 20 minutes, spin for 10-15 minutes label with patient name.**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 82670 (1)**Scarlet Eligible:** Yes

Estrogen Panel

 2317-6

Alternate Name: ESTROGEN PANEL

Collection Instruction: Fill tube, invert gently 2-3 times, let stand for 20 minutes, spin for 10-15 minutes label with patient name.

Turn Around Time: 3 days

CPT Code: 82670 (1), 82677 (1), 82679 (1)

Scarlet Eligible: Yes

Estrone (E1), Serum

 J259-3

Alternate Name: ESTRONE (E1), SERUM

Methodology: Liquid Chromatography Tandem Mass Spectrometry

Preferred Specimen: 1 mL Red Top

Collection Instruction: Fill tube, label with patient name

Storage Instruction: Refrigerate

Turn Around Time: 3 days

CPT Code: 82679 (1)

Scarlet Eligible: Yes

Drug Confirmation, Ethanol, Urine (GC/HS)

 6239-8

Alternate Name: ETHANOL URN.,CONFIRMATION

Methodology: Headspace Gas Chromatography

Preferred Specimen: 1 mL Urine Cup

Collection Instruction: Collect urine in cup, label with patients name

Storage Instruction: Refrigerate

Turn Around Time: 1 day

CPT Code: 80320 (1)

Scarlet Eligible: Yes

Euglobin Lysis, Blood

0481-2

Alternate Name: EUGLOBULIN CL LYSIS TIME

Methodology: Clot Detection

Preferred Specimen: 2 mL Aliquot Plasma-Citrated-Blue Top

Collection Instruction: Collect full blue-top (citrated) tube. Centrifuge Blue-top at high speed for 15 minutes. Transfer plasma into plastic transfer tube. Label with date/time collected, PLASMA and patient's name.

Storage Instruction: STRICT Frozen

Turn Around Time: 10 days

CPT Code: 85360 (1)

Scarlet Eligible: No

Expanded CF, Fragile X, SMA

 P150-6

Alternate Name: EXPAN. CF, FRAG X, SMA

Preferred Specimen: Lavender top- EDTA

Collection Instruction: Fill lavender-top (EDTA) tube completely, invert 8-10 times. DO NOT SHAKE TUBE!

Turn Around Time: 4-10 days

CPT Code: 81220 (1), 81243 (1), 81400 (1)

Scarlet Eligible: Yes

Expanded Anti-Phos/Lupus

5990-7

Alternate Name: EXPANDED ANTI-PHOS/LUPUS

Preferred Specimen: Aliquot Plasma-Citrated-Blue Top, Aliquot Serum- Red Top, Lavender top- EDTA

Collection Instruction: Draw 1 lavender keep room temp. Draw 2 plain red spin, transfer serum into 4 aliquots and freeze. Draw 3 lt blue spin, transfer plasma into 4 aliquots and freeze.

Storage Instruction: STRICT Frozen, Freeze, Refrigerate

Turn Around Time: 8 days

CPT Code: 83516 (2), 83520 (2), 85025 (1), 85597 (1), 85598 (1), 85610 (1), 85611 (8), 85613 (2), 85730 (2), 85732 (8), 86146 (3), 86147 (3), 86148 (2), 86849 (1)

Scarlet Eligible: No

ExtraTube(s) Drawn

B978-8

Alternate Name: EXTRA TUBE(S) DRAWN**CPT Code:** 99999 (1)**Scarlet Eligible:** No

Culture, Ear

0087-7

Alternate Name: Ear Culture**Methodology:** Bacterial Culture**Preferred Specimen:** Swab-E**Collection Instruction:** Collect specimen with swab then place swab into transport carrier; Label with name and source**Storage Instruction:** Room Temp**Turn Around Time:** 5 days**CPT Code:** 87070 (1)**Scarlet Eligible:** No

Culture, Ear (Left)

0462-2

Alternate Name: Ear Culture, Left**Methodology:** Bacterial Culture**Preferred Specimen:** Swab-E**Collection Instruction:** Collect specimen with swab then place swab into transport carrier; Label with name and source**Storage Instruction:** Room Temp**Turn Around Time:** 5 days**CPT Code:** 87070 (1)**Scarlet Eligible:** No

Culture, Ear (Right)

0634-6

Alternate Name: Ear Culture, Right**Methodology:** Bacterial Culture**Preferred Specimen:** Swab-E**Collection Instruction:** Collect specimen with swab then place swab into transport carrier; Label with name and source**Storage Instruction:** Room Temp**Turn Around Time:** 5 days**CPT Code:** 87070 (1)**Scarlet Eligible:** No**EBV (Epstein-Barr Virus)DNA/PCR** 3206-0**Alternate Name:** Ebv (Epstein-Barr Virus) through DNA/PCR**Methodology:** Polymerase Chain Reaction**Preferred Specimen:** Lavender top- EDTA**Collection Instruction:** Fill lavender-top (EDTA) tube completely, invert 8-10 times. DO NOT SHAKE TUBE!**Storage Instruction:** Refrigerate**Turn Around Time:** 5 days**CPT Code:** 87799 (1)**Scarlet Eligible:** Yes**Egg Components IgE** H992-1**Alternate Name:** Egg Components IgE**Methodology:** Immunoassay**Preferred Specimen:** 1 mL SST Tube**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 82785 (1), 86003 (2)**Scarlet Eligible:** Yes

Allergen Egg White (f1), IgE 0671-8

Alternate Name: Egg White**Methodology:** Immunocap**Preferred Specimen:** 1 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 86003 (1)**Scarlet Eligible:** Yes

Egg White w/Reflex to Component Panel M066-9

Alternate Name: Egg White w/Reflex to Component Panel**Turn Around Time:** 3 days**Scarlet Eligible:** Yes

Allergen Egg Yolk (f75), IgE 0849-0

Alternate Name: Egg Yolk**Methodology:** Immunocap**Preferred Specimen:** 3 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 86008 (1)**Scarlet Eligible:** Yes

Allergen Eggplant (rf262), IgE

 2265-7

Alternate Name: Eggplant

Methodology: Immunocap

Preferred Specimen: 3 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 3 days

CPT Code: 86003 (1)

Scarlet Eligible: Yes

Ehlers-Danlos Syndrome, Type VIIC

 J294-0

Alternate Name: Ehlers-Danlos syndrome type VIIC

Methodology: Genotyping by Next Generation Sequencing

Preferred Specimen: Lavender top- EDTA

Collection Instruction: Fill tube, invert gently 5-6 times, label with patient's name

Storage Instruction: Refrigerate

Turn Around Time: 10-14 days

CPT Code: 81479 (1)

Scarlet Eligible: Yes

Electrolytes

 0002-6

Alternate Name: Electrolytes

Preferred Specimen: 2 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 1 day

CPT Code: 80051 (1)

Scarlet Eligible: Yes

Protein Electrophoresis

 0085-1

Alternate Name: Electrophoresis, Protein Electrophoresis Serum, SPEP

Methodology: Electrophoresis

Preferred Specimen: 2 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 3 days

CPT Code: 84155 (1), 84165 (1)

Scarlet Eligible: Yes

Allergen Elm Tree (t8), IgE

 0659-3

Alternate Name: Elm Tree

Methodology: Immunocap

Preferred Specimen: 3 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 3 days

CPT Code: 86003 (1)

Scarlet Eligible: Yes

Allergen Eng. Plantain (w9), IgE

 0650-2

Alternate Name: Eng. Plantain

Methodology: Immunocap

Preferred Specimen: 3 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 3 days

CPT Code: 86003 (1)

Scarlet Eligible: Yes

Nasal Smear (for Eosinophils)

0248-5

Alternate Name: Eosinophils, Smear**Methodology:** Microscopic Examination**Preferred Specimen:** Slides**Collection Instruction:** Label slides with patient name, place in slide holder for transport**Turn Around Time:** 2 days**CPT Code:** 89190 (1)**Scarlet Eligible:** No**Eosinophil Ct, Urine** 1183-3**Alternate Name:** Eosinophils, Urine**Methodology:** Microscopic Examination**Preferred Specimen:** 5 mL Urine Cup**Collection Instruction:** Collect urine in cup, label with patients name**Storage Instruction:** Refrigerate**Turn Around Time:** 1 day**CPT Code:** 89050 (1)**Scarlet Eligible:** Yes**Epidermolysis Bullosa Panel Sponsored by Krystal Biotech**

TL45-9

Alternate Name: Epidermolysis Bullosa Panel Spon**Methodology:** Genotyping by Next Generation Sequencing**Preferred Specimen:** Lavender top- EDTA**Storage Instruction:** Room Temp**Turn Around Time:** 10 days**CPT Code:** 81479 (1)**Scarlet Eligible:** No

EBV Panel (Capsid/EBNA G+M) 0572-8**Alternate Name:** Epstein Barr virus**Preferred Specimen:** 2 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 1 day**CPT Code:** 86663 (1), 86664 (1), 86665 (2)**Scarlet Eligible:** Yes**EBV, Early Antigen Ab** 0582-7**Alternate Name:** Epstein-Barr Virus**Methodology:** Chemiluminescence**Preferred Specimen:** 1 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 1 day**CPT Code:** 86663 (1)**Scarlet Eligible:** Yes**EBV Capsid Ab, IgG** 0234-5**Alternate Name:** Epstein-Barr Virus, IgG**Methodology:** Chemiluminescence**Preferred Specimen:** 1 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 1 day**CPT Code:** 86665 (1)**Scarlet Eligible:** Yes

EBV, Nuclear Antigen Ab, IgG 0583-5**Alternate Name:** Epstein-Barr Virus, IgG**Methodology:** Chemiluminescence**Preferred Specimen:** 1 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 1 day**CPT Code:** 86664 (1)**Scarlet Eligible:** Yes**EBV Capsid Ab, IgM** 0580-1**Alternate Name:** Epstein-Barr Virus, IgM**Methodology:** Chemiluminescence**Preferred Specimen:** 1 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 1 day**CPT Code:** 86665 (1)**Scarlet Eligible:** Yes**ESR (Sed-Rate)** 0086-9**Alternate Name:** Erythrocyte Sedimentation Rate (ESR); Sed-Rate**Methodology:** Manual**Preferred Specimen:** 1 mL Lavender top- EDTA**Collection Instruction:** Fill lavender-top (EDTA) tube completely, invert 8-10 times. DO NOT SHAKE TUBE!**Storage Instruction:** Refrigerate**Turn Around Time:** 1 day**CPT Code:** 85651 (1)**Scarlet Eligible:** Yes

Estriol, Unconjugated

 3116-1

Alternate Name: Estriol, Free; 16-Hydroxyestradiol;uE3; unconjugated Estriol, Pregnancy; Unconjugated Estrogen, Serum

Methodology: Chemiluminescence

Preferred Specimen: 1 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 2 days

CPT Code: 82677 (1)

Scarlet Eligible: Yes

Estrogens, Fractionated

 H906-1

Alternate Name: Estrogens, Fractionated

Methodology: Liquid Chromatography Tandem Mass Spectrometry

Preferred Specimen: Red Top

Storage Instruction: Refrigerate

Turn Around Time: 3 days

CPT Code: 82671 (1)

Scarlet Eligible: Yes

Drug Confirmation, Ethanol, Blood (GC/HS)

 B784-0

Alternate Name: Ethanol (GC-HS), BLD

Methodology: Headspace Gas Chromatography

Preferred Specimen: Grey top- Sodium Fluoride

Collection Instruction: Fill tube, invert gently 5-6 times, label with patient name

Storage Instruction: Refrigerate

Turn Around Time: 1 day

CPT Code: 80320 (1)

Scarlet Eligible: Yes

Alcohol (Ethanol), Blood 0985-2**Alternate Name:** Ethanol, Blood; Ethyl Alcohol, Blood**Methodology:** Enzyme Immunoassay**Preferred Specimen:** Grey top- Sodium Fluoride**Collection Instruction:** Fill tube, invert gently 5-6 times, label with patient name**Storage Instruction:** Refrigerate**Turn Around Time:** 1 day**CPT Code:** 82077 (1)**Scarlet Eligible:** Yes**Alcohol (Ethanol), Urine, Screen (20)** 0995-1**Alternate Name:** Ethanol, Urine, Ethyl Alcohol, Urine**Methodology:** Enzyme Immunoassay**Preferred Specimen:** 5 mL Urine Cup**Collection Instruction:** Collect urine in cup, label with patients name**Storage Instruction:** Refrigerate**Turn Around Time:** 1 day**CPT Code:** 80307 (1)**Scarlet Eligible:** Yes**Allergen Eucalyptus (t18), IgE** 1480-3**Alternate Name:** Eucalyptus**Methodology:** Immunocap**Preferred Specimen:** 3 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 86003 (1)**Scarlet Eligible:** Yes

EWSR1(22Q12) Gene Rearrang. FISH

B556-2

Alternate Name: Ewing Sarcoma FISH**Methodology:** FISH**Preferred Specimen:** Formalin-fixed, Paraffin-embedded Tissue**Collection Instruction:** This comes in block form from client with surgical number imprint.**Storage Instruction:** Room Temp**Turn Around Time:** 3-5 days**CPT Code:** 88377 (1)**Scarlet Eligible:** No**Expanded Cystic Fibrosis Panel** J434-2**Alternate Name:** Expanded Cystic Fibrosis Panel**Methodology:** Genotyping by Next Generation Sequencing**Preferred Specimen:** Lavender top- EDTA**Collection Instruction:** Fill lavender-top (EDTA) tube completely, invert 8-10 times. DO NOT SHAKE TUBE!**Storage Instruction:** Refrigerate**Turn Around Time:** 7-10 days**CPT Code:** 81220 (1)**Scarlet Eligible:** Yes**Factor II Activity**

5724-0

Alternate Name: FACT. II ACT.**Methodology:** Clot Detection**Preferred Specimen:** 2 mL Aliquot Plasma-Citrated-Blue Top**Collection Instruction:** Collect full blue-top (citrated) tube. Centrifuge Blue-top at high speed for 15 minutes. Transfer plasma into plastic transfer tube. Label with date/time collected, PLASMA, patient's name, DOB and freeze.**Storage Instruction:** STRICT Frozen**Turn Around Time:** 4 days**CPT Code:** 85210 (1)**Scarlet Eligible:** No

Factor IX Activity

5769-5

Alternate Name: FACT. IX ACT.**Methodology:** Clot Detection**Preferred Specimen:** 2 mL Aliquot Plasma-Citrated-Blue Top**Collection Instruction:** Collect full blue-top (citrated) tube. Centrifuge Blue-top at high speed for 15 minutes. Transfer plasma into plastic transfer tube. Label with date/time collected, PLASMA, patient's name and freeze.**Storage Instruction:** STRICT Frozen**Turn Around Time:** 4 days**CPT Code:** 85250 (1)**Scarlet Eligible:** No**Factor V Activity**

5725-7

Alternate Name: FACT. V ACT.**Methodology:** Clot Detection**Preferred Specimen:** 2 mL Aliquot Plasma-Citrated-Blue Top**Collection Instruction:** Collect full blue-top (citrated) tube. Centrifuge Blue-top at high speed for 15 minutes. Transfer plasma into plastic transfer tube. Label with date/time collected, PLASMA, patient's name, DOB and freeze.**Storage Instruction:** STRICT Frozen**Turn Around Time:** 4 days**CPT Code:** 85220 (1)**Scarlet Eligible:** No

Factor VII Activity

5728-1

Alternate Name: FACT. VII ACT.**Methodology:** Clot Detection**Preferred Specimen:** 2 mL Aliquot Plasma-Citrated-Blue Top**Collection Instruction:** Collect full blue-top (citrated) tube. Centrifuge Blue-top at high speed for 15 minutes. Transfer plasma into plastic transfer tube. Label with date/time collected, PLASMA, patient's name and freeze.**Storage Instruction:** STRICT Frozen**Turn Around Time:** 4 days**CPT Code:** 85230 (1)**Scarlet Eligible:** No

Factor VIII Activity

5729-9

Alternate Name: FACT. VIII ACT.**Methodology:** Clot Detection**Preferred Specimen:** 2 mL Aliquot Plasma-Citrated-Blue Top**Collection Instruction:** Collect full blue-top (citrated) tube. Centrifuge Blue-top at high speed for 15 minutes. Transfer plasma into plastic transfer tube. Label with date/time collected, PLASMA, patient's name, DOB and freeze.**Storage Instruction:** STRICT Frozen**Turn Around Time:** 4 days**CPT Code:** 85240 (1)**Scarlet Eligible:** No

Factor X Activity

5735-6

Alternate Name: FACT. X ACT.**Methodology:** Clot Detection**Preferred Specimen:** 2 mL Aliquot Plasma-Citrated-Blue Top**Collection Instruction:** Collect full blue-top (citrated) tube. Centrifuge Blue-top at high speed for 15 minutes. Transfer plasma into plastic transfer tube. Label with date/time collected, PLASMA, patient's name and freeze.**Storage Instruction:** STRICT Frozen**Turn Around Time:** 4 days**CPT Code:** 85260 (1)**Scarlet Eligible:** No**Factor XI Activity**

5737-2

Alternate Name: FACT. XI ACT.**Methodology:** Clot Detection**Preferred Specimen:** 2 mL Aliquot Plasma-Citrated-Blue Top**Collection Instruction:** Collect full blue-top (citrated) tube. Centrifuge Blue-top at high speed for 15 minutes. Transfer plasma into plastic transfer tube. Label with date/time collected, PLASMA, patient's name and freeze.**Storage Instruction:** STRICT Frozen**Turn Around Time:** 4 days**CPT Code:** 85270 (1)**Scarlet Eligible:** No

Factor XII Activity

5738-0

Alternate Name: FACT. XII ACT.**Methodology:** Clot Detection**Preferred Specimen:** 2 mL Aliquot Plasma-Citrated-Blue Top**Collection Instruction:** Collect full blue-top (citrated) tube. Centrifuge Blue-top at high speed for 15 minutes. Transfer plasma into plastic transfer tube. Label with date/time collected, PLASMA, patient's name and freeze.**Storage Instruction:** STRICT Frozen**Turn Around Time:** 4 days**CPT Code:** 85280 (1)**Scarlet Eligible:** No**Factor V Mutation (Leiden)** 5726-5**Alternate Name:** FACTOR V MUTATION**Methodology:** Polymerase Chain Reaction**Preferred Specimen:** 4 mL Lavender top- EDTA**Collection Instruction:** Fill lavender-top (EDTA) tube completely, invert 8-10 times. DO NOT SHAKE TUBE!**Storage Instruction:** Room Temp**Turn Around Time:** 5 days**CPT Code:** 81241 (1)**Scarlet Eligible:** Yes**Factor VII Antigen**

6275-2

Alternate Name: FACTOR VII ANTIGEN**Methodology:** Enzyme Linked Immunoabsorbance**Preferred Specimen:** 1 mL Aliquot Plasma-Citrated-Blue Top**Collection Instruction:** Collect full blue-top (citrated) tube. Centrifuge Blue-top at high speed for 15 minutes. Transfer plasma into plastic transfer tube. Label with date/time collected, PLASMA, patient's name and freeze.**Storage Instruction:** STRICT Frozen**Turn Around Time:** 11 day**CPT Code:** 85230 (1)**Scarlet Eligible:** No

Factor X Antigen

5736-4

Alternate Name: FACTOR X AG.

Methodology: Enzyme Linked Immunoabsorbance

Preferred Specimen: 2 mL Aliquot Plasma-Citrated-Blue Top

Collection Instruction: Collect full blue-top (citrated) tube. Centrifuge Blue-top at high speed for 15 minutes. Transfer plasma into plastic transfer tube. Label with date/time collected, PLASMA, patient's name and freeze.

Storage Instruction: STRICT Frozen

CPT Code: 85260 (1)

Scarlet Eligible: No

Factor X Chromogenic

5707-5

Alternate Name: FACTOR X CHROMOGENIC

Methodology: Chromogenic

Preferred Specimen: 1 mL Aliquot Plasma-Citrated-Blue Top

Collection Instruction: Collect full blue-top (citrated) tube. Centrifuge Blue-top at high speed for 15 minutes. Transfer plasma into plastic transfer tube. Label with date/time collected, PLASMA, patient's name and freeze.

Storage Instruction: STRICT Frozen

Turn Around Time: 6 days

CPT Code: 85260 (1)

Scarlet Eligible: No

Factor XIII Activity

5739-8

Alternate Name: FACTOR XIII ACT.

Methodology: Chromogenic

Preferred Specimen: Aliquot Plasma-Citrated-Blue Top

Collection Instruction: Collect full blue-top (citrated) tube. Centrifuge Blue-top at high speed for 15 minutes. Transfer plasma into plastic transfer tube. Label with date/time collected, PLASMA, patient's name and freeze.

Storage Instruction: STRICT Frozen

Turn Around Time: 5 days

CPT Code: 85290 (1)

Scarlet Eligible: No

Familial Hyperinsulinism

 A643-9

Alternate Name: FAM-HYPERINSULINISM-SENDOUT

Methodology: Genotyping by Next Generation Sequencing

Preferred Specimen: Lavender top- EDTA

Collection Instruction: Fill lavender-top (EDTA) tube completely, invert 8-10 times. DO NOT SHAKE TUBE!

Storage Instruction: Refrigerate

Turn Around Time: 7-10 days

CPT Code: 81400 (1), 81401 (1)

Scarlet Eligible: Yes

Familial Dysautonomia

 A697-5

Alternate Name: FAMILIAL DYSAUTONOMIA

Methodology: Genotyping by Next Generation Sequencing

Preferred Specimen: Lavender top- EDTA

Collection Instruction: Fill lavender-top (EDTA) tube completely, invert 8-10 times. DO NOT SHAKE TUBE!

Storage Instruction: Refrigerate

Turn Around Time: 10-14 days

CPT Code: 81260 (1)

Scarlet Eligible: Yes

Fanconi Anemia, Type C

 A656-1

Alternate Name: FANCC

Methodology: Genotyping by Next Generation Sequencing

Preferred Specimen: Lavender top- EDTA

Collection Instruction: Fill lavender-top (EDTA) tube completely, invert 8-10 times. DO NOT SHAKE TUBE!

Storage Instruction: Refrigerate

Turn Around Time: 10-14 days

CPT Code: 81242 (1)

Scarlet Eligible: Yes

Very Long Chain Fatty Acids

B658-6

Alternate Name: FATTY ACID LONG CHN**Methodology:** Gas Chromat. Mass Spectrometry**Preferred Specimen:** 1 mL Red Top**Collection Instruction:** Fill tube, label with patient name**Storage Instruction:** Refrigerate**Turn Around Time:** 12 days**CPT Code:** 82726 (1)**Scarlet Eligible:** No

Fax Result To Doctor

 9993-7**Alternate Name:** FAX RESULT TO DOCTOR**CPT Code:** 99999 (1)**Scarlet Eligible:** Yes

Glucose, Fasting

 0095-0**Alternate Name:** FBS**Methodology:** Enzyme Immunoassay**Preferred Specimen:** Grey top- Sodium Fluoride**Collection Instruction:** Fill tube, invert gently 5-6 times, label with patient name**Storage Instruction:** Refrigerate**Turn Around Time:** 1 day**CPT Code:** 82947 (1)**Scarlet Eligible:** Yes

Febrile Agglutinins

 0278-2

Alternate Name: FEBRILE AGGLUTININS

Preferred Specimen: 2 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 8 days

CPT Code: 86622 (2), 86757 (4), 86768 (5)

Scarlet Eligible: Yes

Fecal Calprotectin

J920-0

Alternate Name: FECAL CALPROTECTIN

Methodology: Enzyme Linked Immunoabsorbance

Preferred Specimen: Stool Cont.-Cup

Collection Instruction: Using applicator stick, place 20-30 gms of stool into cup, label with patient's name

Storage Instruction: Refrigerate

Turn Around Time: 5 days

CPT Code: 83993 (1)

Scarlet Eligible: No

Fecal Lactoferrin

3374-6

Alternate Name: FECAL LACTOFERRIN

Methodology: Immunoassay

Preferred Specimen: Stool Cont.-Cup

Collection Instruction: Using applicator stick, place 20-30 gms of stool into cup, label with patient's name

Storage Instruction: Refrigerate

Turn Around Time: 1 day

CPT Code: 83630 (1)

Scarlet Eligible: No

Fentanyl, Urine, Screen, Qual. (2) 6194-5**Alternate Name:** FENTANYL**Methodology:** Enzyme Immunoassay**Preferred Specimen:** 1 mL Urine Cup**Collection Instruction:** Collect urine in cup, label with patients name**Storage Instruction:** Refrigerate**Turn Around Time:** 1 day**CPT Code:** 80307 (1)**Scarlet Eligible:** Yes**Ferritin** 0088-5**Alternate Name:** FERRITIN**Methodology:** Chemiluminescence**Preferred Specimen:** 1 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 1 day**CPT Code:** 82728 (1)**Scarlet Eligible:** Yes**Fetal, Fragile X**

B131-4

Alternate Name: FETAL, FRAGILE X**Methodology:** Polymerase Chain Reaction**Preferred Specimen:** 20 mL Amniotic Fluid**Collection Instruction:** 10-15 mL Amniotic Fluid or 5-10mg CVS for direct test or 3 T-25 flasks of cultured cells AMBIENT along with 1 LAV of maternal blood and 1 LAV of paternal blood. MATERNAL WHOLE BLOOD SHOULD BE SENT WITH ALL SAMPLE TYPES.**Storage Instruction:** Room Temp**Turn Around Time:** 14 days**CPT Code:** 81243 (1), 81244 (1)**Scarlet Eligible:** No

Fetal Fibronectin

3576-6

Alternate Name: FFN**Methodology:** Enzyme Immunoassay**Preferred Specimen:** Fetal Fibronectin**Collection Instruction:** Special swab-contact the lab**Storage Instruction:** Refrigerate**Turn Around Time:** 1 day**CPT Code:** 82731 (1)**Scarlet Eligible:** No

FGFR-Related Disorders Panel

 TG50-0**Alternate Name:** FGFR-Related Disorders Panel**Methodology:** Genotyping by Next Generation Sequencing**Preferred Specimen:** Lavender top- EDTA**Storage Instruction:** Room Temp**Turn Around Time:** 28 days**CPT Code:** 81404 (2)**Scarlet Eligible:** Yes

FGFR1 by FISH (Tech Only)

 TG46-8**Alternate Name:** FGFR1-TC**Methodology:** FISH**Preferred Specimen:** Bone Marrow - Green Top**Storage Instruction:** Room Temp**Turn Around Time:** 3 days**CPT Code:** 88374 (1)**Scarlet Eligible:** Yes

Fibrinogen, Activity

 0089-3

Alternate Name: FIBRINOGEN

Methodology: Photometric

Preferred Specimen: 1 mL Aliquot Plasma-Citrated-Blue Top

Collection Instruction: Collect full blue-top (citrated) tube. Centrifuge Blue-top at high speed for 15 minutes. Transfer plasma into plastic transfer tube. Label with date/time collected, PLASMA and patient's name.

Storage Instruction: Refrigerate

Turn Around Time: 1 day

CPT Code: 85384 (1)

Scarlet Eligible: Yes

Fibrinolytic Evaluation - Standard

5860-2

Alternate Name: FIBRINOLYTIC EVALUATION STANDARD

Preferred Specimen: Aliquot Plasma-Citrated-Blue Top

Collection Instruction: Collect 3 full blue-top (citrated) tubes. Centrifuge Blue-tops at high speed for 15 minutes. Transfer plasma into plastic 4 transfer tubes. Label with date/time collected, CITRATED PLASMA and patient's name. Must be submitted Frozen.

Turn Around Time: 4 days

CPT Code: 85379 (1), 85384 (1), 85420 (1), 85610 (1), 85670 (1), 85730 (1)

Scarlet Eligible: No

FGF 23 (Fibroblast Growth Factor 23)

B380-7

Alternate Name: FIBROBLAST FGF23

Methodology: Enzyme Linked Immunoabsorbance

Preferred Specimen: 1 mL Aliquot Plasma-EDTA-Lavender Top

Collection Instruction: Centrifuge lavender-top at high speed for 15 minutes. Transfer plasma into plastic transfer tube. Label with date/time collected, PLASMA and patient's name.

Storage Instruction: STRICT Frozen

Turn Around Time: 12 days

CPT Code: 83520 (1)

Scarlet Eligible: No

Chronic Eosinophilic Leukemia: FIP1L1-PDGFR α by FISH 5182-1**Alternate Name:** FIP1L1-PDGFR α by FISH, CHIC2**Methodology:** FISH**Preferred Specimen:** 5 mL Peripheral Blood - Green Top**Collection Instruction:** Fill tube, invert 8-10 times (DO NOT SHAKE!)**Storage Instruction:** Refrigerate**Turn Around Time:** 3-5 days**CPT Code:** 88377 (1)**Scarlet Eligible:** Yes**Lymphoma - Non-Hodgkin, BCL1, BCL2, BCL6 (FISH Panel)**

5273-8

Alternate Name: FISH Panel: t(11;14), t(14;18), 3q27, t(8;14)**Methodology:** FISH**Preferred Specimen:** 2 mL Bone Marrow - Green Top**Collection Instruction:** Non-diluted bone marrow aspirate collected and transferred into sodium heparin (green top) tube. Also acceptable: Whole blood in green (sodium heparin) tube.**Storage Instruction:** Refrigerate**Turn Around Time:** 3-5 days**CPT Code:** 88374 (1), 88377 (2)**Scarlet Eligible:** No**Multiple Myeloma FISH Panel**

5282-9

Alternate Name: FISH Panel: 13q14, t(11;14) & +11, 17p13, t(4;14), 1q21, t(14;16)**Methodology:** FISH**Preferred Specimen:** 2 mL Bone Marrow - Green Top**Collection Instruction:** Non-diluted bone marrow aspirate collected and transferred into sodium heparin (green top) tube.**Storage Instruction:** Refrigerate**Turn Around Time:** 3-5 days**CPT Code:** 88367 (1), 88373 (1), 88374 (4)**Scarlet Eligible:** No

FISH, FGFR1, 8p11-12

B557-0

Alternate Name: FISH, FGFR1, 8p11-12**Methodology:** FISH**Preferred Specimen:** 3 mL Peripheral Blood - Green Top**Collection Instruction:** Fill tube, invert 8-10 times (do not shake). Clinical history/reason for referral is required with test order. Prior therapy and transplant history should be provided with test order.**Storage Instruction:** Room Temp**Turn Around Time:** 3 days**CPT Code:** 88374 (1)**Scarlet Eligible:** No**Allergen Flaxseed (f70), IgE** 3369-6**Alternate Name:** FLAXSEED (RAST)**Methodology:** Immunocap**Preferred Specimen:** 1 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 16 days**CPT Code:** 86003 (1)**Scarlet Eligible:** Yes**OnkoSight FLT3** A044-0**Alternate Name:** FLT3 Mutation Analysis**Methodology:** Genotyping by Next Generation Sequencing**Preferred Specimen:** Peripheral Blood - Lavender Top**Collection Instruction:** Fill tube, invert gently 5-6 times, label with patient's name**Storage Instruction:** Room Temp**Turn Around Time:** 5-10 days**CPT Code:** 81246 (1), 81245 (1)**Scarlet Eligible:** Yes

Onkosight NGS FLT3 IF NEG. RFLX TO CEBPA+NPM1 NGS J154-6**Alternate Name:** FLT3 NGS RFX CEPBA+NPM1**Methodology:** Genotyping by Next Generation Sequencing**Preferred Specimen:** Peripheral Blood - Lavender Top**Collection Instruction:** Place bone marrow into tube, label with patient's name**Storage Instruction:** Room Temp**Turn Around Time:** 7-14 days**CPT Code:** 81246 (1), 81245 (1)**Scarlet Eligible:** Yes

Onkosight NGS FLT3 AND NPM1 Sequencing J155-3**Alternate Name:** FLT3+NPM1 BY NGS**Methodology:** Genotyping by Next Generation Sequencing**Preferred Specimen:** Peripheral Blood - Lavender Top**Collection Instruction:** Place bone marrow into tube, label with patient's name**Storage Instruction:** Room Temp**Turn Around Time:** 7-14 days**CPT Code:** 81246 (1), 81245 (1), 81310 (1)**Scarlet Eligible:** Yes

Influenza A/B, RSV BY PCR

1410-0

Alternate Name: FLU A/B, RSV BY PCR**Methodology:** Polymerase Chain Reaction**Preferred Specimen:** Swab-Viral Culturette**Collection Instruction:** Collect sample, place in holder, label with patient name. NOT TO BE USED FOR BACTERIAL TRANSPORT**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 87501 (2), 87807 (1)**Scarlet Eligible:** No

Cytology, Alcohol-Based FNA

5243-1

Alternate Name: FNA Cytology, Alcohol**Preferred Specimen:** 50% Alcohol Jar**Collection Instruction:** Body fluid for cytology in 50% alcohol (ex...urine, sputum, nipple discharge).
Add directly to an equal volume of 50% Alcohol Solution.**Turn Around Time:** 4 days**CPT Code:** 88108 (1)**Scarlet Eligible:** No**Cytology, Thinprep FNA**

5242-3

Alternate Name: FNA Cytology, ThinPrep Pap**Preferred Specimen:** ThinPrep Cytolyt Solution**Collection Instruction:** Collect specimen swish in Cytolyte vial, label with pt name.**Turn Around Time:** 4 days**CPT Code:** 88173 (1)**Scarlet Eligible:** No**Folate, RBC**

0873-0

Alternate Name: FOLATE, RBC**Preferred Specimen:** Lavender top- EDTA,Amber Lavender**Collection Instruction:** Fill lavender-top (EDTA) tube completely, invert 8-10 times. DO NOT SHAKE TUBE!**Storage Instruction:** Refrigerate, STRICT Frozen**Turn Around Time:** 1 day**CPT Code:** 82747 (1), 85014 (1)**Scarlet Eligible:** No

Food Allerpanel (4 mix) 2189-9**Alternate Name:** FOOD ALLERPANEL (4 mix)**Methodology:** Immunocap**Preferred Specimen:** 5 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 82785 (1), 86005 (4)**Scarlet Eligible:** Yes**Food Panel II** 2797-9**Alternate Name:** FOODS PANEL ALLERGEN**Preferred Specimen:** 5 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 82784 (1), 82785 (1), 86003 (10)**Scarlet Eligible:** Yes**FOXO1 (FKHR) (13q14) GENE BY FISH**

B665-1

Alternate Name: FOXO1 (FKHR) BY FISH**Methodology:** FISH**Preferred Specimen:** Formalin-fixed, Paraffin-embedded Tissue**Collection Instruction:** This comes in block form from client with surgical number imprint.**Storage Instruction:** Room Temp, Refrigerate**Turn Around Time:** 3-5 days**CPT Code:** 88377 (1)**Scarlet Eligible:** No

Fractional Excretion Of Sodium

 P791-7

Alternate Name: FRAC. EXCRETION OF NA

Preferred Specimen: Urine Cup,SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 1 day

CPT Code: 82565 (1), 82570 (1), 84295 (1), 84300 (1)

Scarlet Eligible: Yes

Fragile X

 2383-8

Alternate Name: FRAGILE X

Methodology: Polymerase Chain Reaction

Preferred Specimen: Lavender top- EDTA

Collection Instruction: Fill lavender-top (EDTA) tube completely, invert 8-10 times. DO NOT SHAKE TUBE!


Storage Instruction: Refrigerate

Turn Around Time: 5 days

CPT Code: 81243 (1)

Scarlet Eligible: Yes

FSH (Follicle Stimulating Hormone)

 0092-7

Alternate Name: FSH

Methodology: Electrochemiluminescence Immunoassay

Preferred Specimen: 1 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 1 day

CPT Code: 83001 (1)

Scarlet Eligible: Yes

Chronic Urticaria Index

 6263-8

Alternate Name: FUNCTIONAL ANTI-FCER ABS.CU;CU Index, Histamine Release

Methodology: Enzyme Immunoassay

Preferred Specimen: 1 mL Aliquot Tube-Serum

Collection Instruction: Fill tube, label with patient name

Storage Instruction: Refrigerate

Turn Around Time: 11 day

CPT Code: 86352 (1)

Scarlet Eligible: Yes

Fungal Culture, MISC W/Reflex

B790-7

Alternate Name: FUNGAL CULTURE, MISC

Preferred Specimen: Swab-E

Collection Instruction: Call lab for sample preparation, dependant on test being performed

Turn Around Time: 37 days

CPT Code: 87102 (1)

Scarlet Eligible: No

Fungal Culture, MISC

3246-6

Alternate Name: FUNGAL CULTURE, MISC

Preferred Specimen: 3 mL Swab-E

Collection Instruction: Collect urine in cup, label with patients name

Turn Around Time: 44 days

CPT Code: 87102 (1)

Scarlet Eligible: No

Friedreich Ataxia Sequencing and Del/Dup

TH94-6

Alternate Name: FXN Gene / Friedreich Ataxia Seq

Methodology: Genotyping by Next Generation Sequencing

Preferred Specimen: Lavender top- EDTA

Storage Instruction: Room Temp

CPT Code: 81286 (1)

Scarlet Eligible: No

Friedreich Ataxia Repeat Analysis

TH95-3

Alternate Name: FXN-FRAG**Methodology:** Polymerase Chain Reaction**Preferred Specimen:** Lavender top- EDTA**Storage Instruction:** Room Temp**CPT Code:** 81284 (1)**Scarlet Eligible:** No

Von Willebrand Multimers

5816-4

Alternate Name: Factor 8 Multimers; Factor VIII Multimers**Methodology:** Electrophoresis**Preferred Specimen:** 1 mL Aliquot Plasma-Citrated-Blue Top**Collection Instruction:** Collect full blue-top (citrated) tube. Centrifuge Blue-top at high speed for 15 minutes. Transfer plasma into plastic transfer tube. Label with date/time collected, PLASMA, patient's name and freeze.**Storage Instruction:** STRICT Frozen**Turn Around Time:** 13 days**CPT Code:** 85247 (1)**Scarlet Eligible:** No

Factor V (R2)Polymorphism 5727-3**Alternate Name:** Factor V HR-2 Haplotype**Methodology:** Polymerase Chain Reaction**Preferred Specimen:** 4 mL Yellow top- ACD**Collection Instruction:** Fill tube, invert gently 5-6 times, label with patient's name**Storage Instruction:** Room Temp**Turn Around Time:** 25 days**CPT Code:** 81400 (1)**Scarlet Eligible:** Yes

Factor XI Deficiency (Hemophilia C)

 J310-4

Alternate Name: Factor XI Deficiency (Hemophilia C)

Methodology: Genotyping by Next Generation Sequencing

Preferred Specimen: Lavender top- EDTA

Collection Instruction: Fill lavender-top (EDTA) tube completely, invert 8-10 times. DO NOT SHAKE TUBE!

Storage Instruction: Refrigerate

Turn Around Time: 10-14 days

CPT Code: 81401 (1)

Scarlet Eligible: Yes

Allergen False Ragweed (w4), IgE

 2407-5

Alternate Name: False Ragweed

Methodology: Immunocap

Preferred Specimen: 2 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 3 days

CPT Code: 86003 (1)

Scarlet Eligible: Yes

Familial Hypercholesterolemia LDLR

 B151-2

Alternate Name: Familial Hypercholester

Methodology: Genotyping by Next Generation Sequencing

Preferred Specimen: Lavender top- EDTA

Collection Instruction: Fill lavender-top (EDTA) tube completely, invert 8-10 times. DO NOT SHAKE TUBE!

Storage Instruction: Refrigerate

Turn Around Time: 10-14 days

CPT Code: 81479 (1)

Scarlet Eligible: Yes

Familial Mediterranean Fever

 J307-0

Alternate Name: Familial Mediterranean Fever

Methodology: Genotyping by Next Generation Sequencing

Preferred Specimen: Lavender top- EDTA

Collection Instruction: Fill lavender-top (EDTA) tube completely, invert 8-10 times. DO NOT SHAKE TUBE!

Storage Instruction: Refrigerate

Turn Around Time: 10-14 days

CPT Code: 81404 (1)

Scarlet Eligible: Yes

Feather Mix (ex71), IgE

 1300-3

Alternate Name: Feather Mix (Ex71)

Methodology: Immunocap

Preferred Specimen: 5 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 3 days

CPT Code: 86005 (1)

Scarlet Eligible: Yes

Occult Blood, Stool, Immunochem (FIT)

6182-0

Alternate Name: Fecal Occult Blood Test; FOBT; Guaiac; FIT

Methodology: Immunochemical

Preferred Specimen: FOBT Sample Bottle

Collection Instruction: Add fresh stool to container, mix gently and submit

Storage Instruction: Refrigerate

Turn Around Time: 1 day

CPT Code: 82274 (1)

Scarlet Eligible: No

Female STI Urine Profile

 P863-4

Alternate Name: Female STI Urine Profil

Preferred Specimen: Urine Tube BD

Collection Instruction: Collect Specimen- then label with name and source. Recommended first morning urine.

Storage Instruction: Refrigerate

Turn Around Time: 5 days

CPT Code: 87491 (1), 87591 (1), 87661 (1), 87798 (1)

Scarlet Eligible: Yes

Allergen Fenugreek (RF305) IgE

 5057-5

Alternate Name: Fenugreek (RF305) IgE

Methodology: Immunocap

Preferred Specimen: 1 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 6 days

CPT Code: 86003 (1)

Scarlet Eligible: Yes

Allergen Ferret Epithelium (e217), IgE

 3776-2

Alternate Name: Ferret Epithelium

Methodology: Immunoassay

Preferred Specimen: 0.5 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 6 days

CPT Code: 86003 (1)

Scarlet Eligible: Yes

Fetal, Spinal Muscular Atrophy

B216-3

Alternate Name: Fetal, SMA testing

Methodology: Methylation-Sensitive Multiple Ligation-Dependent Probe Amplification

Preferred Specimen: 10 mL Amniotic Fluid

Collection Instruction: Minimum 5ml AMF / 5mg villi for direct testing (need to send back-up cultures: 2 T-25 flasks). If we send 10ml/10mg of direct sample, Quest will put half into culture themselves. If not enough AMF or CVS is received, cultured cells will be submitted in 2 T-25 flasks. MATERNAL WHOLE BLOOD SHOULD BE SUBMITTED WITH ALL SAMPLE TYPES.

Storage Instruction: Refrigerate

Turn Around Time: 10-14 days

CPT Code: 81265 (1), 81337 (1)

Scarlet Eligible: No

Feulgen Stain - Tech Only

T983-6

Alternate Name: Feulgen Stain - TC

Methodology: Special Stain

Preferred Specimen: ThinPrep Cytolyt Solution

Collection Instruction: Collect specimen swish in Cytolyte vial, label with pt name.

Storage Instruction: Refrigerate

Turn Around Time: 4 days

CPT Code: 88313 (1)

Scarlet Eligible: No

Fibrotest/Actitest

 H510-1

Alternate Name: Fibrosure, Necroin inflammatory Activity Score

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Turn Around Time: 2 days

CPT Code: 82172 (1), 82247 (1), 82977 (1), 83010 (1), 83883 (1), 84460 (1)

Scarlet Eligible: Yes

Allergen Fig (f328), IgE 1937-2**Alternate Name:** Fig**Methodology:** Immunocap**Preferred Specimen:** 2 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 86003 (1)**Scarlet Eligible:** Yes**Allergen Fire Ant (i70), IgE** 0904-3**Alternate Name:** Fire Ant**Methodology:** Immunocap**Preferred Specimen:** 3 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 86003 (1)**Scarlet Eligible:** Yes**Combined First (NT, Total BHCG, PAPP-A)** 6246-3**Alternate Name:** First Trimester Screen w/ NT**Preferred Specimen:** 1 mL SST Tube**Collection Instruction:** MUST BE 11-13 WEEKS AND 6 DAYS. PROVIDE GESTATIONAL INFO.**Storage Instruction:** Refrigerate**Turn Around Time:** 4 days**CPT Code:** 81508 (1)**Scarlet Eligible:** Yes

Combined First Plus (NT, Total BHCG, Inhibin-A, PAPP-A) 8622-3**Alternate Name:** First Trimester Screen w/ NT, inhibin A (DIA)**Preferred Specimen:** 2 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 4 days**CPT Code:** 81509 (1)**Scarlet Eligible:** Yes**Five (5) Antibody w/interpretation**

5141-7

Alternate Name: Five Antibody**Methodology:** Immunohistochemistry**Preferred Specimen:** Formalin-fixed, Paraffin-embedded Tissue**Collection Instruction:** This comes in a block or slide form from client with surgical number imprint.**Turn Around Time:** 1 day**CPT Code:** 88341 (4), 88342 (1)**Scarlet Eligible:** No**Pre-kallikrein Clotting Assay**

5779-4

Alternate Name: Fletcher Factor**Methodology:** Electromagnetic Mechanical Clot Detection**Preferred Specimen:** 2 mL Aliquot Plasma-Citrated-Blue Top**Collection Instruction:** Transfer plasma to a standard transport tube.**Storage Instruction:** STRICT Frozen**Turn Around Time:** 12 days**CPT Code:** 85292 (1)**Scarlet Eligible:** No

Allergen Flounder (SAS) IgE

 B540-6

Alternate Name: Flounder IgE

Preferred Specimen: 0.5 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 8 days

CPT Code: 86003 (1)

Scarlet Eligible: Yes

Fluid Analysis (Synovial)

0182-6


Alternate Name: Fluid Analysis (Synovial)

Turn Around Time: 11 day

CPT Code: 87075 (1), 82945 (1), 84157 (1), 84560 (1), 86431 (1), 87070 (1), 87205 (1), 89051 (1), 89060 (1)

Scarlet Eligible: No

Folate (Folic Acid)

 0090-1

Alternate Name: Folate Acid, Folic Acid

Methodology: Chemiluminescence

Preferred Specimen: 1 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 1 day

CPT Code: 82746 (1)

Scarlet Eligible: Yes

Heparin Level (ANTI-XA) - Arixtra

B754-3

Alternate Name: Fondaparinux**Preferred Specimen:** 1.0 mL Aliquot Plasma-Citrated-Blue Top**Collection Instruction:** Collect full blue-top (citrated) tube. Centrifuge Blue-top at high speed for 15 minutes. Transfer plasma into plastic transfer tube. Label with date/time collected, PLASMA and patient's name.**Storage Instruction:** STRICT Frozen**Turn Around Time:** 7 days**CPT Code:** 85130 (1)**Scarlet Eligible:** No

Food Allergy Profile K426-7**Alternate Name:** Food Allergy Profile**Preferred Specimen:** 1 mL SST Tube**Turn Around Time:** 3 days**CPT Code:** 82785 (1), 86003 (15)**Scarlet Eligible:** Yes

Food Allergy Profile w/ rfx to Milk and Peanut K361-6**Alternate Name:** Food Allergy Profile**Methodology:** Immunocap**Preferred Specimen:** 3 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 82785 (1), 86003 (16)**Scarlet Eligible:** Yes

Foods I Screen (fish/6) 0743-5**Alternate Name:** Foods I Screen (Fish/6)**Preferred Specimen:** 5 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 82785 (1), 86003 (6)**Scarlet Eligible:** Yes

Foods II Screen (10) 0745-0**Alternate Name:** Foods II Screen (10)**Preferred Specimen:** 5 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 82785 (1), 86003 (10)**Scarlet Eligible:** Yes

Allergen Formaldehyde (k80), IgE 2106-3**Alternate Name:** Formaldehyde**Methodology:** Immucap**Preferred Specimen:** 3 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 86003 (1)**Scarlet Eligible:** Yes

Catecholamines, Fractionation, Plasma

0214-7

Alternate Name: Free Catecholamine Fractionation, Plasma

Methodology: High Pressure Liquid Chromatography

Preferred Specimen: 4 mL Aliquot Plasma Heparinized-green top

Collection Instruction: Patient Preparation: Patients should be relaxed in either a supine or upright position before blood is drawn. States of anxiety and stress can cause fluctuations in the catecholamine levels. Draw specimen in a pre-chilled green-top vacutainer. Patient should avoid alcohol, coffee, tea, tobacco and strenuous exercise prior to collection. Overnight fasting is preferred. Collection Instructions: After drawing specimen, place green-top tube in ice bath. Centrifuge for 20 minutes 1000XG. The plasma ****must**** be free of RBCs. Freeze on dry ice to transport.


Storage Instruction: STRICT Frozen

Turn Around Time: 10 days

CPT Code: 82384 (1)

Scarlet Eligible: No

Thyroxine, Free (FT4)

 0091-9

Alternate Name: Free T4, FT4

Methodology: Electrochemiluminescence Immunoassay

Preferred Specimen: 1 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 1 day

CPT Code: 84439 (1)

Scarlet Eligible: Yes

Glucose-6-Phosphate Dehydrogenase

 1135-3

Alternate Name: G-6-PD,Quant..

Methodology: Kinetic

Preferred Specimen: 1 mL Lavender top- EDTA

Collection Instruction: Fill lavender-top (EDTA) tube completely, invert 8-10 times. DO NOT SHAKE TUBE!

Storage Instruction: Refrigerate

Turn Around Time: 7 days

CPT Code: 82955 (1)

Scarlet Eligible: Yes

GGTP (Gamma-GT)

 0093-5

Alternate Name: G-GTP

Methodology: Enzyme Immunoassay

Preferred Specimen: 2 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 1 day

CPT Code: 82977 (1)

Scarlet Eligible: Yes

G. vaginalis by RT-PCR

J211-4

Alternate Name: G. VAGINALIS BY PCR

Methodology: Polymerase Chain Reaction

Preferred Specimen: ThinPrep Vial

Collection Instruction: Collect specimen, swish in Thin prep vial, label with pt name.

Storage Instruction: Room Temp

Turn Around Time: 5-7 days

CPT Code: 87512 (1)

Scarlet Eligible: No

G.T.T. 2 hr (includ. 30 min)

Q605-8

Alternate Name: G.T.T. 2hr (w/30min)**Preferred Specimen:** Grey top- Sodium Fluoride,Urine tube without preservative**Storage Instruction:** Refrigerate**Turn Around Time:** 1 day**CPT Code:** 82945 (4), 82951 (1), 82952 (1)**Scarlet Eligible:** No**Galactosemia Carrier Screen** B155-3**Alternate Name:** GALACTOSEMIA SCREEN**Methodology:** Genotyping by Next Generation Sequencing**Preferred Specimen:** Lavender top- EDTA**Collection Instruction:** Fill lavender-top (EDTA) tube completely, invert 8-10 times. DO NOT SHAKE TUBE!**Storage Instruction:** Refrigerate**Turn Around Time:** 10-14 days**CPT Code:** 81401 (1)**Scarlet Eligible:** Yes**Ganglioside Asialo** 5090-6**Alternate Name:** GANGLIOSIDE ASIALO**Preferred Specimen:** 1 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 9 days**CPT Code:** 83520 (2)**Scarlet Eligible:** Yes

Ganglioside GD1A Autoabs

 6211-7

Alternate Name: GANGLIOSIDE GD1A

Preferred Specimen: 1 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 9 days

CPT Code: 83520 (2)

Scarlet Eligible: Yes

Ganglioside GD1B

 5088-0

Alternate Name: GANGLIOSIDE GD1B

Preferred Specimen: 1 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 9 days

CPT Code: 83520 (2)

Scarlet Eligible: Yes

Ganglioside GQ1B Autoantibody

 3883-6

Alternate Name: GANGLIOSIDE GQ1B

Methodology: Enzyme Immunoassay

Preferred Specimen: 1 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 9 days

CPT Code: 83520 (1)

Scarlet Eligible: Yes

Gastric Biopsy (1 Specimen)

5640-8

Alternate Name: GASTRIC BIOPSY X1**Methodology:** Histology**Preferred Specimen:** Biopsy In Formalin**Collection Instruction:** Submit in 10% Neutral Buffered Formalin, varied jar sizes.**Turn Around Time:** 1 day**CPT Code:** 88305 (1)**Scarlet Eligible:** No

Gastric Washings/Brushings

5643-2

Alternate Name: GASTRIC WASHINGS/BRUSHINGS**Preferred Specimen:** Biopsy In Formalin**Collection Instruction:** Collect specimen place in formalin jar write patient name and site on jar**Turn Around Time:** 1 day**CPT Code:** 88108 (1), 88305 (1)**Scarlet Eligible:** No

GC MultiPlex PCR - swab

J834-3

Alternate Name: GC PCR on Swab**Methodology:** Multiplex PCR**Preferred Specimen:** Swab-Aptima Genprobe**Collection Instruction:** Collect specimen-break swab shaft into transport tube, then label with name and source**Storage Instruction:** Room Temp**Turn Around Time:** 5 days**CPT Code:** 87591 (1)**Scarlet Eligible:** No

GC, Anal Aptima

A112-5

Alternate Name: GC, ANAL APTIMA**Methodology:** Transcription Mediated Amplification**Preferred Specimen:** Swab-Aptima Genprobe**Collection Instruction:** Collect specimen-break swab shaft into transport tube, then label with name and source**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 87591 (1)**Scarlet Eligible:** No

GC, Oral Aptima

A111-7

Alternate Name: GC, ORAL APTIMA**Methodology:** Transcription Mediated Amplification**Preferred Specimen:** Swab-Aptima Genprobe**Collection Instruction:** Collect specimen-break swab shaft into transport tube, then label with name and source**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 87591 (1)**Scarlet Eligible:** No

GC,rRNA,TMA Aptima Swab

1003-3

Alternate Name: GC,rRNA,TMA SWAB**Methodology:** Transcription Mediated Amplification**Preferred Specimen:** Swab-Aptima Genprobe**Collection Instruction:** Collect specimen-break swab shaft into transport tube, then label with name and source**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 87591 (1)**Scarlet Eligible:** No

GC/CT SWAB BY PCR

L583-4

Alternate Name: GC/CT SWAB BY PCR**Turn Around Time:** 3 days**CPT Code:** 87491 (1), 87591 (1)**Scarlet Eligible:** No**GC/CT/Trich, Aptima URINE** H001-1**Alternate Name:** GC/CT/TRICH**Turn Around Time:** 3 days**CPT Code:** 87491 (1), 87591 (1), 87661 (1)**Scarlet Eligible:** Yes**General Inhibitor Screen**

5800-8

Alternate Name: GENERAL INHIBITOR SCREEN**Preferred Specimen:** Aliquot Plasma-Citrated-Blue Top**Collection Instruction:** Fill tube to line at top of tube, invert 8-10 times (DO NOT SHAKE!)**Turn Around Time:** 4 days**CPT Code:** 85610 (1), 85611 (8), 85670 (1), 85730 (2), 85732 (8)**Scarlet Eligible:** No**General Thrombophilia Assessment**

6800-7

Alternate Name: GENERAL THROMBOPHILIA ASSESSMENT**Preferred Specimen:** Aliquot Plasma-Citrated-Blue Top, Aliquot Serum- Red Top, Lavender top-EDTA**Collection Instruction:** Lavender must be sent separately at room temp.**Turn Around Time:** 5 days**CPT Code:** 81240 (1), 81241 (1), 83090 (1), 85025 (1), 85240 (1), 85250 (1), 85270 (1), 85280 (1), 85300 (1), 85303 (1), 85306 (2), 85307 (2), 85379 (1), 85384 (1), 85420 (1), 85598 (1), 85610 (1), 85613 (2), 85670 (1), 85730 (2), 86146 (3), 86147 (3)**Scarlet Eligible:** No

Culture, Genital

0299-8

Alternate Name: GENITAL CULTURE**Methodology:** Bacterial Culture**Preferred Specimen:** Swab-E**Collection Instruction:** Collect specimen with swab then place swab into transport carrier; Label with name and source**Turn Around Time:** 4 days**CPT Code:** 87070 (1)**Scarlet Eligible:** No

Gentamicin, Peak

0730-2

Alternate Name: GENTAMICIN, PEAK**Methodology:** Enzyme Immunoassay**Preferred Specimen:** Red Top**Collection Instruction:** Fill tube, label with patient name**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 80170 (1)**Scarlet Eligible:** No

Gentamicin, Peak + Trough

9081-1

Alternate Name: GENTAMICIN, PEAK + TROUGH**Methodology:** Fluor. Polarization Immunoassay**Preferred Specimen:** 2 mL Red Top**Collection Instruction:** Fill tubes, label with patient name.**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 80170 (2)**Scarlet Eligible:** No

Gentamicin (Random)

 A616-5

Alternate Name: GENTAMICIN, RANDOM

Methodology: Fluor. Polarization Immunoassay

Preferred Specimen: Red Top

Collection Instruction: Fill tube, label with patient name

Storage Instruction: Refrigerate

Turn Around Time: 2 days

CPT Code: 80170 (1)

Scarlet Eligible: Yes

GENTAMICIN, TROUGH

 1930-7

Alternate Name: GENTAMICIN, TROUGH

Methodology: Fluor. Polarization Immunoassay

Preferred Specimen: Red Top

Collection Instruction: Fill tube, label with patient name

Storage Instruction: Refrigerate

Turn Around Time: 2 days

CPT Code: 80170 (1)

Scarlet Eligible: Yes

Germ Cell Tumor IHC Panel

5194-6

Alternate Name: GERM CELL TUMOR, IHC

Methodology: Immunohistochemistry

Preferred Specimen: Formalin-fixed, Paraffin-embedded Tissue

Collection Instruction: This comes in a block or slide form from client with surgical number imprint.

Turn Around Time: 1 day

CPT Code: 88341 (9), 88342 (1)

Scarlet Eligible: No

Allergen-Giant Ragweed IgG 5082-3

Alternate Name: GIANT RAGWEED IGG**Methodology:** Enzyme Immunoassay**Preferred Specimen:** 0.5 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 7 days**CPT Code:** 86001 (1)**Scarlet Eligible:** Yes

Giardia Antigen EIA (2ND SPECIMEN)3898-4

Alternate Name: GIARDIA ANTIGEN (2ND)**Methodology:** Enzyme Immunoassay**Preferred Specimen:** Ova & Parasite Mini**Collection Instruction:** With applicator stick, place 10 gms of stool into each vial, label with patient name**Storage Instruction:** Refrigerate**Turn Around Time:** 1 day**CPT Code:** 87329 (1)**Scarlet Eligible:** No

Giardia Antigen EIA (3RD SPECIMEN)3899-2

Alternate Name: GIARDIA ANTIGEN (3RD)**Methodology:** Enzyme Immunoassay**Preferred Specimen:** Ova & Parasite Mini**Collection Instruction:** With applicator stick, place 10 gms of stool into each vial, label with patient name**Storage Instruction:** Refrigerate**Turn Around Time:** 1 day**CPT Code:** 87329 (1)**Scarlet Eligible:** No

GIST Profile (IHC)

5175-5

Alternate Name: GIST PROFILE**Methodology:** Immunohistochemistry**Preferred Specimen:** Formalin-fixed, Paraffin-embedded Tissue**Collection Instruction:** This comes in block or slide form with surgical number imprint.**Turn Around Time:** 1 day**CPT Code:** 88341 (5), 88342 (1)**Scarlet Eligible:** No**Gleason Score 3+4, Reflex To PTEN FISH**

J143-9

Alternate Name: GLEASON SCORE REFLEX**Methodology:** FISH**Preferred Specimen:** Biopsy In Formalin**Collection Instruction:** Collect specimen place in formalin jar write patient name and site on jar**Turn Around Time:** 3-5 days**CPT Code:** 99999 (1)**Scarlet Eligible:** No**Gliadin IGA, ABS.** 5868-5**Alternate Name:** GLIADIN(DP) IgA,Ab**Methodology:** Enzyme Linked Immunoabsorbance**Preferred Specimen:** 1 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 83516 (1)**Scarlet Eligible:** Yes

Gliadin IgG, ABS

 3822-4

Alternate Name: GLIADIN(DP) IgG,Ab

Methodology: Enzyme Linked Immunoabsorbance

Preferred Specimen: 1 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 3 days

CPT Code: 83516 (1)

Scarlet Eligible: Yes

GLU.TOL.3HR.(Pregnancy)100GM

1015-7

Alternate Name: GLU.TOL.3HR.(PREGNANCY)

Preferred Specimen: Grey top- Sodium Fluoride

Collection Instruction: Label ALL specimens with time of collection (4 grey tops)

Storage Instruction: Refrigerate

Turn Around Time: 1 day

CPT Code: 82951 (1), 82952 (1)

Scarlet Eligible: No

Glucose, Post Dialysis

3110-4

Alternate Name: GLUCOSE POST DIALYSIS

Methodology: Enzyme Immunoassay

Preferred Specimen: Microtainer - Pediatric SST

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 1 day

CPT Code: 82947 (1)

Scarlet Eligible: No

Glucose Tolerance 2 Hour

8979-7

Alternate Name: GLUCOSE TOLERANCE 2 HOUR**Turn Around Time:** 1 day**CPT Code:** 82945 (3), 82951 (1)**Scarlet Eligible:** No**Glucose Tolerance 3 HRS.**

0097-6

Alternate Name: GLUCOSE TOLERANCE 3 hrs**Collection Instruction:** Label ALL specimens with time of collection (4 grey tops, 4 urine tubes)**Turn Around Time:** 1 day**CPT Code:** 82945 (4), 82951 (1), 82952 (1)**Scarlet Eligible:** No**Glucose Tolerance 4 HRS.**

0098-4

Alternate Name: GLUCOSE TOLERANCE 4**Preferred Specimen:** Grey top- Sodium Fluoride,Urine tube without preservative**Collection Instruction:** Label ALL specimens with time of collection (6 grey tops, 6 urine tubes)**Storage Instruction:** Refrigerate**Turn Around Time:** 1 day**CPT Code:** 82945 (6), 82951 (1), 82952 (3)**Scarlet Eligible:** No**Glucose Tolerance 5 HRS.**

0099-2

Alternate Name: GLUCOSE TOLERANCE 5**Preferred Specimen:** Grey top- Sodium Fluoride,Urine tube without preservative**Storage Instruction:** Refrigerate**Turn Around Time:** 1 day**CPT Code:** 82945 (7), 82951 (1), 82952 (4)**Scarlet Eligible:** No

Glucose, Synovial

0829-2

Alternate Name: GLUCOSE, SYNOVIAL**Methodology:** Spectrophotometry**Preferred Specimen:** 1 mL Fluid-source required**Collection Instruction:** Submit fluid in sterile cup**Storage Instruction:** Refrigerate**Turn Around Time:** 7 days**CPT Code:** 82945 (1)**Scarlet Eligible:** No

Glucose, Urine, Random 5042-7**Alternate Name:** GLUCOSE, URINE, RANDOM**Methodology:** Enzyme Immunoassay**Preferred Specimen:** 5 mL Urine Cup**Collection Instruction:** Collect urine in cup, label with patients name**Storage Instruction:** Refrigerate**Turn Around Time:** 1 day**CPT Code:** 82945 (1)**Scarlet Eligible:** Yes

Glucose, 2HR. PP W/Glucola

3157-5

Alternate Name: GLUCOSE,2HR PP (75g)**Methodology:** Enzyme Immunoassay**Preferred Specimen:** Grey top- Sodium Fluoride**Collection Instruction:** Fill tube, invert gently 5-6 times, label with patient name**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 82950 (1)**Scarlet Eligible:** No

Glucose, Urine 24HR Quantitative

0096-8

Alternate Name: GLUCOSE,URINE 24 HR

Methodology: Enzyme Immunoassay

Preferred Specimen: 5 mL Urine Container - 24hr

Collection Instruction: Discard first morning sample, then collect all urines after for 24 hrs, on completion label with collection time and patient's name; record total volume on Requisition

Storage Instruction: Refrigerate

CPT Code: 81050 (1), 82945 (1)

Scarlet Eligible: No

Gluten, IgG (NON-NY)

 2598-1

Alternate Name: GLUTEN, IgG(RAST)

Methodology: Enzyme Immunoassay

Preferred Specimen: 0.3 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 7 days

CPT Code: 86001 (1)

Scarlet Eligible: Yes

Glycogen Storage, Type IA (GSDIA)

 A651-2

Alternate Name: GLYCOGEN STORAGE TYP 1A

Methodology: Genotyping by Next Generation Sequencing

Preferred Specimen: Lavender top- EDTA

Collection Instruction: Fill lavender-top (EDTA) tube completely, invert 8-10 times. DO NOT SHAKE TUBE!

Storage Instruction: Refrigerate

Turn Around Time: 10-14 days

CPT Code: 81250 (1)

Scarlet Eligible: Yes

GM 1 Auto Antibody 1146-0**Alternate Name:** GM 1 AUTO ANTIBODY**Methodology:** Immunoassay**Preferred Specimen:** 1 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 13 days**CPT Code:** 83520 (2)**Scarlet Eligible:** Yes**Gonadotropin Releasing Hormone (NON-NY)** 0719-5**Alternate Name:** GNRH**Preferred Specimen:** 3 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 10 days**CPT Code:** 83520 (1)**Scarlet Eligible:** Yes**Allergen Goat Milk IgG (Non-NY)** B500-0**Alternate Name:** GOAT MILK, IGG (NON-NY)**Methodology:** Enzyme Immunoassay**Preferred Specimen:** 0.5 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 7 days**CPT Code:** 86001 (1)**Scarlet Eligible:** Yes

Gonadotropin I

 2318-4

Alternate Name: GONADOTROPIN I

Preferred Specimen: 3 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 1 day

CPT Code: 83001 (1), 83002 (1), 84403 (1)

Scarlet Eligible: Yes

GP/Bile Duct Brushing

5119-3

Alternate Name: GP/BILE DUCT BRUSHING

Preferred Specimen: Biopsy In Formalin

Collection Instruction: Collect specimen place in formalin jar write patient name and site on jar

Turn Around Time: 2 days

CPT Code: 88104 (1)

Scarlet Eligible: No

Bone Marrow Smear Interpretation

5285-2

Alternate Name: GP/BM SMEAR INTERPRETATION

Methodology: Histology

Preferred Specimen: Stained Slides

Collection Instruction: Collect specimen and place on charged slide, label with pt name, place in slide holder for transport.

Turn Around Time: 2 days

CPT Code: 85097 (1)

Scarlet Eligible: No

ISH Single Antibody, W/Interp.

5286-0

Alternate Name: GP/ISH SINGLE AB.,W/INTERP.**Methodology:** In Situ Hybridization**Preferred Specimen:** Formalin-fixed, Paraffin-embedded Tissue**Collection Instruction:** This comes in a block or slide form from client with surgical number imprint.**Turn Around Time:** 1 day**CPT Code:** 88365 (1)**Scarlet Eligible:** No

GP/Level III Histo (2 Slides)

5159-9

Alternate Name: GP/LEVEL III HISTO TC**Methodology:** Histology**Preferred Specimen:** Biopsy In Formalin**Collection Instruction:** Submit in 10% Neutral Buffered Formalin, varied jar sizes.**Turn Around Time:** 1 day**CPT Code:** 88304 (2)**Scarlet Eligible:** No

GP/Level III Histo. TC (1 Slide)

5158-1

Alternate Name: GP/LEVEL III HISTO,TC**Methodology:** Histology**Preferred Specimen:** Biopsy In Formalin**Collection Instruction:** Submit in 10% Neutral Buffered Formalin, varied jar sizes.**Turn Around Time:** 1 day**CPT Code:** 88304 (1)**Scarlet Eligible:** No

Gram Stain

0103-2

Alternate Name: GRAM STAIN**Methodology:** Microscopic Examination**Preferred Specimen:** Slides**Collection Instruction:** Label slides with patient name, place in slide holder for transport**Turn Around Time:** 1 day**CPT Code:** 87205 (1)**Scarlet Eligible:** No

Group A Strep (Non NY)

J965-5

Alternate Name: GROUP A STREP**Methodology:** Real-Time Polymerase Chain Reaction**Preferred Specimen:** ThinPrep Vial**Collection Instruction:** Collect specimen, swish in Thin prep vial, label with pt name.**Storage Instruction:** Room Temp**Turn Around Time:** 5 days**CPT Code:** 87651 (1)**Scarlet Eligible:** No

Group B Strep (Non NY)

J966-3

Alternate Name: GROUP B STREP**Methodology:** Real-Time Polymerase Chain Reaction**Preferred Specimen:** ThinPrep Vial**Collection Instruction:** Collect specimen, swish in Thin prep vial, label with pt name.**Storage Instruction:** Room Temp**Turn Around Time:** 5 days**CPT Code:** 87653 (1)**Scarlet Eligible:** No

Growth Hormone 0510-8

Alternate Name: GROWTH HORMONE**Methodology:** Chemiluminescence**Preferred Specimen:** 2 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 2 days**CPT Code:** 83003 (1)**Scarlet Eligible:** Yes

GTT,GEST.,2HR.(ADA) PANEL

P782-6

Alternate Name: GTT,GEST.,2HR.(ADA) PANEL**Preferred Specimen:** Grey top- Sodium Fluoride**Collection Instruction:** Fill tube, invert gently 5-6 times, label with patient name**Storage Instruction:** Refrigerate**Turn Around Time:** 1 day**CPT Code:** 82951 (1)**Scarlet Eligible:** No

GTT,GEST,3HR.(ACOG,CARP/COUS)

6794-2

Alternate Name: GTT/ACOG,3hr**Preferred Specimen:** Grey top- Sodium Fluoride**Collection Instruction:** Submit 4 grey top tubes, each labeled with time collected.**Storage Instruction:** Refrigerate**Turn Around Time:** 1 day**CPT Code:** 82951 (1), 82952 (1)**Scarlet Eligible:** No

Aspergillus AG EIA, Serum

 B604-0

Alternate Name: Galactomannan Antigen

Methodology: Enzyme Immunoassay

Preferred Specimen: 2 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 9 days

CPT Code: 87305 (1)

Scarlet Eligible: Yes

Allergen Garlic (f47), IgE

 0965-4

Alternate Name: Garlic

Methodology: Immunocap

Preferred Specimen: 3 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 3 days

CPT Code: 86003 (1)

Scarlet Eligible: Yes

Gastric Distress

 F101-1

Alternate Name: Gastric Distress

Preferred Specimen: SST Tube

Storage Instruction: Refrigerate

Turn Around Time: 3 days

CPT Code: 83516 (4), 86003 (1), 86255 (1), 86677 (3)

Scarlet Eligible: Yes

Gastrin, Serum

0508-2

Alternate Name: Gastrin, Serum

Methodology: Immunoassay

Preferred Specimen: 1 mL Aliquot Tube-Serum

Collection Instruction: Place 1-3 mL of serum in transport tube. Label as serum and freeze.

Storage Instruction: STRICT Frozen

Turn Around Time: 8 days

CPT Code: 82941 (1)

Scarlet Eligible: No

Gaucher Disease Carrier Screening

 A655-3

Alternate Name: Gaucher Carrier Screen

Methodology: Genotyping by Next Generation Sequencing

Preferred Specimen: Lavender top- EDTA

Collection Instruction: Fill lavender-top (EDTA) tube completely, invert 8-10 times. DO NOT SHAKE TUBE!

Storage Instruction: Refrigerate

Turn Around Time: 10-14 days

CPT Code: 81251 (1)

Scarlet Eligible: Yes

Solid Tumor Gene Fusion Assay

J355-9

Alternate Name: Gene Fusion

Methodology: Genotyping by Next Generation Sequencing

Preferred Specimen: Formalin-fixed, Paraffin-embedded Tissue

Collection Instruction: 10-15 unstained slides at 5 microns (tumor content>10%) with H&E, Shavings (if tumor content>40%) with H&E. If sending DNA- Please call Client Services.

Storage Instruction: Room Temp

Turn Around Time: 10 days

CPT Code: 81445 (1)

Scarlet Eligible: No

General Health Panel

 9149-6

Alternate Name: General Health Panel

Preferred Specimen: SST Tube, Lavender top- EDTA

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 1 day

CPT Code: 80053 (1), 84443 (1), 85025 (1)

Scarlet Eligible: Yes

Chlamydia Swab by PCR

T832-5

Alternate Name: Genital CT Swab PCR

Methodology: Real-Time Polymerase Chain Reaction

Preferred Specimen: Roche Collection Swab

Collection Instruction: CLEAN: Using the woven swab (Swab A), remove excess mucus from the cervical os and surrounding mucosa. Discard the swab after cleaning. NOTE: Cleaning excess mucus from the cervical os is required to ensure an adequate sample is obtained for processing. COLLECT: To collect the specimen, hold flocked swab (Swab B) with the scoreline above your hand and insert into the endocervical canal. Gently rotate the swab 5 times in one direction in the endocervical canal. Do not over-rotate. Carefully withdraw the swab, avoiding any contact with the vaginal mucosa. ALIGN: Remove the cap from the cobas[®] PCR Media Tube and lower the swab specimen into the tube until the visible scoreline on the swab shaft is aligned with the tube rim. The bud of the swab should not be submerged into the liquid prior to breaking the shaft.

Storage Instruction: Room Temp

Turn Around Time: 3 days

CPT Code: 87491 (1)

Scarlet Eligible: No

Genital Cult. R/O Yeast/Gard.

1295-5

Alternate Name: Genital Culture Rule Out Yeast/Gardnerella**Methodology:** Bacterial Culture**Preferred Specimen:** Swab-E**Collection Instruction:** Collect specimen with swab then place swab into transport carrier; Label with name and source**Turn Around Time:** 3 days**CPT Code:** 87070 (1)**Scarlet Eligible:** No

Gonorrhea Swab by PCR

T833-3

Alternate Name: Genital GC Swab PCR**Methodology:** Real-Time Polymerase Chain Reaction**Preferred Specimen:** Roche Collection Swab**Collection Instruction:** CLEAN: Using the woven swab (Swab A), remove excess mucus from the cervical os and surrounding mucosa. Discard the swab after cleaning. NOTE: Cleaning excess mucus from the cervical os is required to ensure an adequate sample is obtained for processing. COLLECT: To collect the specimen, hold flocked swab (Swab B) with the scoreline above your hand and insert into the endocervical canal. Gently rotate the swab 5 times in one direction in the endocervical canal. Do not over-rotate. Carefully withdraw the swab, avoiding any contact with the vaginal mucosa. ALIGN: Remove the cap from the cobas[®] PCR Media Tube and lower the swab specimen into the tube until the visible scoreline on the swab shaft is aligned with the tube rim. The bud of the swab should not be submerged into the liquid prior to breaking the shaft. BREAK: Carefully leverage the swab against the tube rim to break the swab shaft at the scoreline. CLOSE: Tightly re-cap the cobas[®] PCR Media Tube. The specimen is now ready for transport. Discard the top portion of the swab.**Storage Instruction:** Room Temp**Turn Around Time:** 3 days**CPT Code:** 87591 (1)**Scarlet Eligible:** No

Culture, Genital (Beta strep. Group B)

3400-9

Alternate Name: Genital, Beta Strep, Group B Culture**Methodology:** Bacterial Culture**Preferred Specimen:** Swab-E**Collection Instruction:** Collect specimen with swab then place swab into transport carrier; Label with name and source**Turn Around Time:** 4 days**CPT Code:** 87070 (1)**Scarlet Eligible:** No

Allergen Giant Ragweed (w3), IgE 1197-3**Alternate Name:** Giant Ragweed (W3)**Methodology:** Immunocap**Preferred Specimen:** 3 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 86003 (1)**Scarlet Eligible:** Yes

Giardia Antigen (EIA)

1396-1

Alternate Name: Giardia Antigen (EIA)**Methodology:** Enzyme Linked Immunoabsorbance**Preferred Specimen:** Ova & Parasite Mini**Collection Instruction:** With applicator stick, place 10 gms of stool into each vial, label with patient name**Storage Instruction:** Refrigerate**Turn Around Time:** 1 day**CPT Code:** 87329 (1)**Scarlet Eligible:** No

Allergen Ginger (rf270), IgE 2346-5**Alternate Name:** Ginger**Methodology:** Immunocap**Preferred Specimen:** 3 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 86003 (1)**Scarlet Eligible:** Yes**Glioma: IDH1/IDH2 by NGS**

J635-4

Alternate Name: Glioma: IDH1/IDH2 by NGS**Methodology:** Genotyping by Next Generation Sequencing**Preferred Specimen:** Formalin-fixed, Paraffin-embedded Tissue**Collection Instruction:** 10-15 unstained slides at 5 microns(tumor content>10%) with H&E, Shavings(if tumor content>40% with H&E, if sending DNA-Please call CS.**Storage Instruction:** Room Temp**Turn Around Time:** 5-10 days**CPT Code:** 81120 (1), 81121 (1)**Scarlet Eligible:** No**Glucose, 1hr, PP (Preg) w/Glucola**

0368-1

Alternate Name: Glu.1hr(glucola)preg.**Methodology:** Enzyme Immunoassay**Preferred Specimen:** Grey top- Sodium Fluoride**Collection Instruction:** Fill tube, invert gently 5-6 times, label with patient name**Storage Instruction:** Refrigerate**Turn Around Time:** 1 day**CPT Code:** 82950 (1)**Scarlet Eligible:** No

Glucose

 1976-0

Alternate Name: Glucose

Methodology: Enzymatic Reference method with Hexokinase

Preferred Specimen: 1 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 1 day

CPT Code: 82947 (1)

Scarlet Eligible: Yes

Glucose 2hr PP

0369-9

Alternate Name: Glucose 2hr PP

Methodology: Enzyme Immunoassay

Preferred Specimen: Grey top- Sodium Fluoride

Collection Instruction: Fill tube, invert gently 5-6 times, label with patient name

Storage Instruction: Refrigerate

Turn Around Time: 1 day

CPT Code: 82947 (1)

Scarlet Eligible: No

Glucose, 1hr PP

0171-9

Alternate Name: Glucose, 1hr PP

Methodology: Enzyme Immunoassay

Preferred Specimen: Grey top- Sodium Fluoride

Collection Instruction: Fill tube, invert gently 5-6 times, label with patient name

Storage Instruction: Refrigerate

Turn Around Time: 1 day

CPT Code: 82947 (1)

Scarlet Eligible: No

Glucose, Non-Fasting

 0223-8

Alternate Name: Glucose, Non-Fasting

Methodology: Enzyme Immunoassay

Preferred Specimen: Grey top- Sodium Fluoride

Collection Instruction: Fill tube, invert gently 5-6 times, label with patient name

Storage Instruction: Refrigerate

Turn Around Time: 1 day

CPT Code: 82947 (1)

Scarlet Eligible: Yes

Allergen Gluten (f79), IgE

 0935-7

Alternate Name: Gluten

Methodology: Immunocap

Preferred Specimen: 3 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 3 days

CPT Code: 86003 (1)

Scarlet Eligible: Yes

Fructosamine, Serum

 0485-3

Alternate Name: Glycated Albumin;Glycated Proteins; Ketoamines, Plasma Protein

Methodology: Colorimetry

Preferred Specimen: 1 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 1 day

CPT Code: 82985 (1)

Scarlet Eligible: Yes

Glycemic Control Profile

 H959-0

Alternate Name: Glycemic Control

Turn Around Time: 1 day

CPT Code: 82947 (1), 83036 (1), 84378 (1)

Scarlet Eligible: Yes

Hemoglobin A1c (GlycoHgb)

 0102-4

Alternate Name: GlycoHgb, Glycated Hemoglobin

Methodology: Turbidimetric Inhibition Immunoassay

Preferred Specimen: 0.5 mL Lavender top- EDTA

Collection Instruction: Fill lavender-top (EDTA) tube completely, invert 8-10 times. DO NOT SHAKE TUBE!

Storage Instruction: Refrigerate

Turn Around Time: 1 day

CPT Code: 83036 (1)

Scarlet Eligible: Yes

Allergen Glycyphagus Domesticus (d73), IgE

3813-3

Alternate Name: Glycyphagus Domest. IgE

Methodology: Enzyme Immunoassay

Preferred Specimen: 0.5 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 6 days

CPT Code: 86003 (1)

Scarlet Eligible: No

Allergen Goat Milk (rf300), IgE 2263-2**Alternate Name:** Goat Milk**Methodology:** Immunocap**Preferred Specimen:** 3 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 2 days**CPT Code:** 86003 (1)**Scarlet Eligible:** Yes

Allergen Golden Rod (w12), IgE 1364-9**Alternate Name:** Golden Rod**Methodology:** Immunocap**Preferred Specimen:** 3 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 86003 (1)**Scarlet Eligible:** Yes

Culture, Neisseria gonorrhoeae (GC), Anal

1353-2

Alternate Name: Gonorrhea , Anal, Culture**Methodology:** Bacterial Culture**Preferred Specimen:** Swab-Amies with Charcoal-Black**Collection Instruction:** Collect specimen with swab then place swab into transport carrier; Label with patient's name and source**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 87081 (1)**Scarlet Eligible:** No

Culture, Neisseria gonorrhoeae (GC), Throat

1352-4

Alternate Name: Gonorrhea , Throat, Culture**Methodology:** Bacterial Culture**Preferred Specimen:** Swab-E**Collection Instruction:** Collect specimen with swab then place swab into transport carrier; Label with patient's name and source**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 87081 (1)**Scarlet Eligible:** No**Culture, Neisseria gonorrhoeae (GC)**

0075-2

Alternate Name: Gonorrhea Culture**Methodology:** Bacterial Culture**Preferred Specimen:** Swab-E**Collection Instruction:** Collect sample with bacterial swab, smear on plate, place plate in plastic bag with the pill provided, label with patient's name;**Turn Around Time:** 4 days**CPT Code:** 87081 (1)**Scarlet Eligible:** No**GC Smear**

0094-3

Alternate Name: Gonorrhea smear**Methodology:** Microscopic Examination**Preferred Specimen:** Slides**Collection Instruction:** Label slides with patient name, place in slide holder for transport**Storage Instruction:** Refrigerate**Turn Around Time:** 2 days**CPT Code:** 87205 (1)**Scarlet Eligible:** No

Gonorrhea, Liquid-Based

3853-9

Alternate Name: Gonorrhea, Liquid-Based**Methodology:** Transcription Mediated Amplification**Preferred Specimen:** ThinPrep Vial**Collection Instruction:** Collect specimen, swish in Thin Prep or SurePath vial, label with patients name.**Turn Around Time:** 2 days**CPT Code:** 87591 (1)**Scarlet Eligible:** No**Allergen Goose Feathers (e70), IgE** 0847-4**Alternate Name:** Goose Feathers**Methodology:** Immunocap**Preferred Specimen:** 3 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 86003 (1)**Scarlet Eligible:** Yes**Allergen Grape (f259), IgE** 1225-2**Alternate Name:** Grape (F259)**Methodology:** Immunocap**Preferred Specimen:** 3 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 86003 (1)**Scarlet Eligible:** Yes

Allergen Grapefruit (f209), IgE 1349-0**Alternate Name:** Grapefruit**Methodology:** Immunocap**Preferred Specimen:** 3 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 86003 (1)**Scarlet Eligible:** Yes**Grass Mix (gx1), IgE** 1841-6**Alternate Name:** Grass Mix**Methodology:** Immunocap**Preferred Specimen:** 3 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 86005 (1)**Scarlet Eligible:** Yes**Grasses Screen (6)** 0741-9**Alternate Name:** Grasses Screen (6)**Preferred Specimen:** 5 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 82785 (1), 86003 (6)**Scarlet Eligible:** Yes

Allergen Green (Bell) Pepper (rf263), IgE 1243-5**Alternate Name:** Green (Bell) Pepper (RF263)**Methodology:** Immunocap**Preferred Specimen:** 3 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 86003 (1)**Scarlet Eligible:** Yes**Allergen String Bean (rf315), IgE** 1230-2**Alternate Name:** Green Bean**Methodology:** Immunocap**Preferred Specimen:** 3 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 86003 (1)**Scarlet Eligible:** Yes**Allergen Green Pea (f12), IgE** 1228-6**Alternate Name:** Green Pea**Methodology:** Immunocap**Preferred Specimen:** 3 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 86003 (1)**Scarlet Eligible:** Yes

Allergen Grey Alder (t2), IgE 0561-1**Alternate Name:** Grey Alder**Methodology:** Immunocap**Preferred Specimen:** 3 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 86003 (1)**Scarlet Eligible:** Yes**Culture, Genital - Beta strep. Group B (Penicillin Allergic)**

A265-1

Alternate Name: Group B Strep Culture (Penicillin Allergic)**Methodology:** Bacterial Culture**Preferred Specimen:** Swab-E**Collection Instruction:** Collect specimen with swab then place swab into transport carrier; Label with name and source**Turn Around Time:** 4 days**CPT Code:** 87070 (1)**Scarlet Eligible:** No**Growth Hormone Antibody** 3765-5**Alternate Name:** Growth Hormone Antibody**Methodology:** Radio Immuno Assay**Preferred Specimen:** 1 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 13 days**CPT Code:** 86277 (2)**Scarlet Eligible:** Yes

Allergen Guinea Pig (e6), IgE 3566-7

Alternate Name: Guinea Pig**Methodology:** Immunocap**Preferred Specimen:** 3 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 86003 (1)**Scarlet Eligible:** Yes

H. Pylori BY IHC Tech OnlyJ159-5

Alternate Name: H. PYLORI BY IHC - TC**Methodology:** Immunohistochemistry**Preferred Specimen:** Formalin-fixed, Paraffin-embedded Tissue**Storage Instruction:** Room Temp**Turn Around Time:** 1 day**CPT Code:** 88342 (1)**Scarlet Eligible:** No

H. Pylori Antibody Panel (G,A,M) 0953-0

Alternate Name: H. Pylori Antibody Profile, IgG, IgA, IgM**Preferred Specimen:** 2 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 86677 (3)**Scarlet Eligible:** Yes

H. Pylori Antigen, Stool

2441-4

Alternate Name: H. Pylori Antigen, Stool

Methodology: Chemiluminescence

Preferred Specimen: 10 mL Stool Cont.-Cup

Collection Instruction: Using applicator stick, place 20-30 gms of stool into cup, label with patient's name

Storage Instruction: Refrigerate

Turn Around Time: 1 day

CPT Code: 87338 (1)

Scarlet Eligible: No

H. PYLORI IgM

 7736-2

Alternate Name: H. pylori IgM

Methodology: Enzyme Linked Immunoabsorbance

Preferred Specimen: 1 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 3 days

CPT Code: 86677 (1)

Scarlet Eligible: Yes

H. Pylori, IGA (For Panel #0953)

 1766-5

Alternate Name: H. pylori, IgA

Methodology: Enzyme Linked Immunoabsorbance

Preferred Specimen: 1 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 3 days

CPT Code: 86677 (1)

Scarlet Eligible: Yes

H. Pylori, IGG (For Panel #0953) 1765-7**Alternate Name:** H. pylori, IgG**Methodology:** Enzyme Linked Immunoabsorbance**Preferred Specimen:** 1 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 86677 (1)**Scarlet Eligible:** Yes

H. Pylori (Stain Ident.)

5645-7

Alternate Name: H.PYLORI (STAIN IDENT.)**Methodology:** Histology**Preferred Specimen:** Biopsy In Formalin**Collection Instruction:** Collect specimen place in formalin jar write patient name and site on jar**CPT Code:** 88312 (1)**Scarlet Eligible:** No

H. Pylori BY IHC W/ Interp

J158-7

Alternate Name: H.PYLORI BY IHC W/INTER**Methodology:** Immunohistochemistry**Preferred Specimen:** Formalin-fixed, Paraffin-embedded Tissue**Collection Instruction:** This comes in block form from client with surgical number imprint.**Storage Instruction:** Room Temp**Turn Around Time:** 1 day**CPT Code:** 88342 (1)**Scarlet Eligible:** No

H.Pylori Detection by PCR (Non NY)

J884-8

Alternate Name: H.Pylori**Methodology:** Polymerase Chain Reaction**Preferred Specimen:** Formalin-fixed, Paraffin-embedded Tissue**Collection Instruction:** This comes in block form from client with surgical number imprint.**Storage Instruction:** Room Temp**Turn Around Time:** 5 days**CPT Code:** 87798 (1)**Scarlet Eligible:** No**H.Pylori Clarithromycin Resistance Detection by PCR (Non NY)**

J885-5

Alternate Name: H.Pylori Resistance**Methodology:** Polymerase Chain Reaction**Preferred Specimen:** Formalin-fixed, Paraffin-embedded Tissue**Collection Instruction:** This comes in block form from client with surgical number imprint.**Storage Instruction:** Room Temp**Turn Around Time:** 5 days**CPT Code:** 87910 (2)**Scarlet Eligible:** No**H. Pylori by IHC. If+ rfx to H. pylori PCR with rfx to H. pylori Clarithromycin resistance detecti**

L282-3

Alternate Name: H.pylori IHC+rfx Hp res**Turn Around Time:** 1 day**CPT Code:** 88342 (1)**Scarlet Eligible:** No

H. Pylori by PCR. If positive, reflex to H. Pylori Clarithromycin Resistance Detection (Non-NY) L205-4

Alternate Name: H.pyloriPCR+rfx Hp Res

Methodology: Polymerase Chain Reaction

Preferred Specimen: Formalin-fixed, Paraffin-embedded Tissue

Collection Instruction: This comes in block form from client with surgical number imprint.

Turn Around Time: 5 days

CPT Code: 87798 (1), 87910 (2)

Scarlet Eligible: No

Human Anti-Mouse ABS. 5323-1

Alternate Name: HAMA

Methodology: Enzyme Linked Immunoabsorbance

Preferred Specimen: 1 mL Aliquot Tube-Serum

Collection Instruction: Collect serum from Red top. Promptly centrifuge and separate serum into a sterile transport tube and freeze immediately.

Storage Instruction: STRICT Frozen

Turn Around Time: 16 days

CPT Code: 83520 (1)

Scarlet Eligible: No

Haptoglobin, Serum 0514-0

Alternate Name: HAPTOGLOBIN

Methodology: Immunoturbidimetric

Preferred Specimen: 1 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 2 days

CPT Code: 83010 (1)

Scarlet Eligible: Yes

Hepatitis B Core Antibody, IgG

 0108-1

Alternate Name: HBcAB

Methodology: Chemiluminescence

Preferred Specimen: 1 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 1 day

CPT Code: 86704 (1)

Scarlet Eligible: Yes

Hepatitis B Core Antibody, IgM

 0206-3

Alternate Name: HBcAB IgM

Methodology: Chemiluminescence

Preferred Specimen: 1 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 1 day

CPT Code: 86705 (1)

Scarlet Eligible: Yes

Hepatitis B Surface Antibody (Qual/Immunity)

 0107-3

Alternate Name: HBsAB;Hepatitis B Surface Antibody

Methodology: Chemiluminescence

Preferred Specimen: 1 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 1 day

CPT Code: 86706 (1)

Scarlet Eligible: Yes

Hepatitis B Surface Antigen

 0106-5

Alternate Name: HBsAG

Methodology: Chemiluminescence

Preferred Specimen: 1 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 1 day

CPT Code: 87340 (1)

Scarlet Eligible: Yes

HCG Quant.,Progesterone

 2379-6

Alternate Name: HCG QUANT.,PROGESTER

Preferred Specimen: SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 1 day

CPT Code: 84144 (1), 84702 (1)

Scarlet Eligible: Yes

Hematocrit

 0019-0

Alternate Name: HCT

Methodology: Cumulative Pulse Height Detection

Preferred Specimen: Lavender top- EDTA

Collection Instruction: Fill lavender-top (EDTA) tube completely, invert 8-10 times. DO NOT SHAKE TUBE!

Storage Instruction: Refrigerate

Turn Around Time: 1 day

CPT Code: 85014 (1)

Scarlet Eligible: Yes

HCV Viral Load reflex to NS3/NS5 (Non-NY)

 K943-1

Alternate Name: HCV VL rfx NS3/NS5

Methodology: Genotyping by Next Generation Sequencing

Preferred Specimen: 2 Aliquot Plasma-EDTA-Lavender Top

Collection Instruction: Centrifuge lavender-top at high speed for 15 minutes. Transfer plasma into plastic transfer tube. Label with date/time collected, PLASMA and patient's name.

Storage Instruction: Refrigerate

Turn Around Time: 3 days

CPT Code: 87522 (1)

Scarlet Eligible: Yes

Hepatitis C RNA, Quant., PCR

 3376-1

Alternate Name: HCV, HEP C VIRAL LOAD

Methodology: Polymerase Chain Reaction

Preferred Specimen: 3 mL Aliquot Plasma-EDTA-Lavender Top

Collection Instruction: Separate plasma within 4 hrs of collection. Centrifuge lavender-top at high speed for 15 minutes, transfer plasma into plastic transfer tube. Label with date/time collected, PLASMA and patient's name

Storage Instruction: Refrigerate

Turn Around Time: 3 days

CPT Code: 87522 (1)

Scarlet Eligible: Yes

HDL Cholesterol

 0059-6

Alternate Name: HDL Cholesterol

Methodology: Enzyme Immunoassay

Preferred Specimen: 1 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 1 day

CPT Code: 83718 (1)

Scarlet Eligible: Yes

HDL Subclasses

 6277-8

Alternate Name: HDL SUBCLASSES

Methodology: Enzymatic

Preferred Specimen: 2 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 9 days

CPT Code: 83701 (1)

Scarlet Eligible: Yes

Human Epididymal Protein 4

J032-4

Alternate Name: HE4 OVARIAN CANCER

Methodology: Electrochemiluminescence Immunoassay

Preferred Specimen: Aliquot Tube-Serum

Collection Instruction: Place 1-3 mL of serum in transport tube. Label as serum;refrigerate or freeze as required.

Storage Instruction: Refrigerate

Turn Around Time: 1 day

CPT Code: 86305 (1)

Scarlet Eligible: No

Heart Health Monitoring

 Q472-3

Alternate Name: HEART HEALTH MNTR(ACT)

Turn Around Time: 2 days

CPT Code: 82465 (1), 83036 (1), 83704 (1), 83718 (1), 83721 (1), 84478 (1), 86141 (1)

Scarlet Eligible: Yes

Heart Health Baseline Q471-5**Alternate Name:** HEARTHLTH BASELINE(ACT)**Collection Instruction:** Fill tube, allow to clot then centrifuge 8-10 min**Turn Around Time:** 2 days**CPT Code:** 82465 (1), 83036 (1), 83695 (1), 83704 (1), 83718 (1), 83721 (1), 84478 (1), 86141 (1)**Scarlet Eligible:** Yes

Heavy Metals (3), Urine 24hr.

2664-1

Alternate Name: HEAVY METALS (3),24h**Preferred Specimen:** 5 mL Urine Container - 24hr**Collection Instruction:** Discard first morning sample, then collect all urines after for 24 hrs, on completion label with collection time and patient's name; record total volume on Requisition**Storage Instruction:** Refrigerate**Turn Around Time:** 8 days**CPT Code:** 81050 (1), 82175 (1), 83655 (1), 83825 (1)**Scarlet Eligible:** No

Heavy Metals(6), Urine 24HR.

2689-8

Alternate Name: HEAVY METALS(6), URINE 24HR.**Preferred Specimen:** 5 mL Urine Container - 24hr**Collection Instruction:** Discard first morning sample, then collect all urines after for 24 hrs, on completion label with collection time and patient's name; record total volume on Requisition**Storage Instruction:** Refrigerate**Turn Around Time:** 8 days**CPT Code:** 81050 (1), 82108 (1), 82300 (1), 82525 (1), 83655 (1), 83735 (1), 83825 (1)**Scarlet Eligible:** No

Allergen Helminth H/S Rostrata IgG

 B772-5

Alternate Name: HELMINTHOSPORIUM H IGG

Methodology: Immunoassay

Preferred Specimen: 0.5 mL Aliquot Tube-Serum

Collection Instruction: Collect 1-2 mL whole blood in red top tube, centrifuge and transfer 0.5 mL serum into a transfer tube. (All serum acceptable)

Storage Instruction: Refrigerate

Turn Around Time: 7 days

CPT Code: 86001 (1)

Scarlet Eligible: Yes

Hemoglobin + Hematocrit

 0104-0

Alternate Name: HEMOGLOBIN + HEMATOCRIT

Preferred Specimen: Lavender top- EDTA

Collection Instruction: Fill lavender-top (EDTA) tube completely, invert 8-10 times. DO NOT SHAKE TUBE!

Storage Instruction: Refrigerate

Turn Around Time: 1 day

CPT Code: 85014 (1), 85018 (1)

Scarlet Eligible: Yes

Free Hemoglobin, Plasma

 0945-6

Alternate Name: HEMOGLOBIN,FR,PLA

Methodology: Colorimetry

Preferred Specimen: 2 mL Aliquot Plasma Heparinized-green top

Collection Instruction: Spin tube for 10 minutes, transfer plasma into a transfer tube, label with patient's name and that it is hep plasma

Storage Instruction: Refrigerate

Turn Around Time: 8 days

CPT Code: 83051 (1)

Scarlet Eligible: Yes

Hepatitis A Antibody, IgM

 0538-9

Alternate Name: HEP. A Ab., IgM

Methodology: Chemiluminescence

Preferred Specimen: 1 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 1 day

CPT Code: 86709 (1)

Scarlet Eligible: Yes

Hepatitis A Ab.(non-reflex)

 2126-1

Alternate Name: HEP. A Ab., NO REFLEX

Methodology: Chemiluminescence

Preferred Specimen: 1 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 1 day

CPT Code: 86708 (1)

Scarlet Eligible: Yes

Hepatitis A Ab.,Total W/Reflex

 0105-7

Alternate Name: HEP. A Ab., TOTAL

Methodology: Chemiluminescence

Preferred Specimen: 1 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 1 day

CPT Code: 86708 (1)

Scarlet Eligible: Yes

Hepatitis B Core W/Reflex To IgM

 3138-5

Alternate Name: HEP. B CORE Ab w/REFLEX

Methodology: Chemiluminescence

Preferred Specimen: 1 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 1 day

CPT Code: 86704 (1)

Scarlet Eligible: Yes

Hepatitis B Surface Antigen, Quant.

 1608-9

Alternate Name: HEP. B SURF Ag., QUANT.

Methodology: Chemiluminescence

Preferred Specimen: 1 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 1 day

CPT Code: 87340 (1)

Scarlet Eligible: Yes

Hepatitis B Surface Antibody, Quant.

 1606-3

Alternate Name: HEP. B SURF. Ab., QUANT

Methodology: Chemiluminescence

Preferred Specimen: 1 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 1 day

CPT Code: 86706 (1)

Scarlet Eligible: Yes

Hepatitis Be Antigen

 0539-7

Alternate Name: HEP. Be Ag.

Methodology: Chemiluminescence

Preferred Specimen: 1 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 1 day

CPT Code: 87350 (1)

Scarlet Eligible: Yes

Hepatitis C Genotype

 2161-8

Alternate Name: HEP. C GENOTYPE

Methodology: Line Probe Assay utilizing reverse-hybridization

Preferred Specimen: 2 mL Aliquot Plasma-EDTA-Lavender Top

Collection Instruction: Centrifuge lavender-top at high speed for 15 minutes. Transfer plasma into plastic transfer tube. Label with date/time collected, PLASMA and patient's name.

Storage Instruction: Refrigerate

Turn Around Time: 5-7 days

CPT Code: 87902 (1)

Scarlet Eligible: Yes

Heparin Level (ANTI-XA) - LMWH

5761-2

Alternate Name: HEPARIN LEVEL

Methodology: Chromogenic

Preferred Specimen: 5 mL Aliquot Plasma-Citrated-Blue Top

Collection Instruction: Collect full blue-top (citrated) tube. Centrifuge Blue-top at high speed for 15 minutes. Transfer plasma into plastic transfer tube. Label with date/time collected, PLASMA, patient's name and freeze.

Storage Instruction: STRICT Frozen

Turn Around Time: 4 days

CPT Code: 85130 (1)

Scarlet Eligible: No

Hepatitis/ Comprehensive 0992-8**Alternate Name:** HEPATITIS/COMPREHENS**Preferred Specimen:** SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 1 day**CPT Code:** 86704 (1), 86706 (1), 86707 (1), 86708 (1), 87340 (1), 87350 (1)**Scarlet Eligible:** Yes

Hepatocellular vs. Cholangiocarcinoma vs. Metastasis IHC Pnl

5193-8

Alternate Name: HEPATOCELVCHOLANGVMETAS/IHC**Methodology:** Immunohistochemistry**Preferred Specimen:** Formalin-fixed, Paraffin-embedded Tissue**Collection Instruction:** This comes in a block or slide form from client with surgical number imprint.**Turn Around Time:** 1 day**CPT Code:** 88341 (10), 88342 (1)**Scarlet Eligible:** No

HER2 by IHC (Tech Only)w/digital imaging

5405-6

Alternate Name: HER-2 NEU, IHC TC Only**Methodology:** Immunohistochemistry**Preferred Specimen:** Formalin-fixed, Paraffin-embedded Tissue**Collection Instruction:** This comes in block form from client with surgical number imprint.**Turn Around Time:** 1 day**CPT Code:** 88361 (1)**Scarlet Eligible:** No

HER2 by IHC - reflex +2 to HER2 by FISH

5428-8

Alternate Name: HER-2 NEU, IHC w/reflex to FISH**Methodology:** Immunohistochemistry**Preferred Specimen:** Formalin-fixed, Paraffin-embedded Tissue**Collection Instruction:** This comes in block form from client with surgical number imprint.**Turn Around Time:** 3-5 days**CPT Code:** 88361 (1)**Scarlet Eligible:** No

HER-2, IHC

A301-4

Alternate Name: HER-2, IHC MANUAL**Methodology:** Immunohistochemistry**Preferred Specimen:** Formalin-fixed, Paraffin-embedded Tissue**Collection Instruction:** This comes in block form from client with surgical number imprint.**Turn Around Time:** 1 day**CPT Code:** 88360 (1)**Scarlet Eligible:** No

HER2 by IHC w/digital imaging

5171-4

Alternate Name: HER-2/neu, IHC**Methodology:** Immunohistochemistry**Preferred Specimen:** Formalin-fixed, Paraffin-embedded Tissue**Collection Instruction:** This comes in a block or slide form from client with surgical number imprint.**Turn Around Time:** 1 day**CPT Code:** 88361 (1)**Scarlet Eligible:** No

HER-2/neu,FISH (Manual)

5247-2

Alternate Name: HER-2/neu,FISH (Manual)**Methodology:** FISH**Preferred Specimen:** Formalin-fixed, Paraffin-embedded Tissue**Collection Instruction:** Please write surgical number on block and on requisition. Provide fixation time on requisition as well.**Turn Around Time:** 3-5 days**CPT Code:** 88377 (1)**Scarlet Eligible:** No

HER2 by FISH with Interpretation

5262-1

Alternate Name: HER-2/neu,FISH interp.**Methodology:** FISH**Preferred Specimen:** Formalin-fixed, Paraffin-embedded Tissue**Collection Instruction:** Non-diluted bone marrow aspirate collected and transferred into sodium heparin (green top) tube. Also acceptable:Whole blood in green (sodium heparin) tube.**Storage Instruction:** Room Temp**Turn Around Time:** 3-5 days**CPT Code:** 88374 (1)**Scarlet Eligible:** No

HER2 FISH Global Gastric+GEJ

A427-7

Alternate Name: HER2 FISH-Gastric+GEJ**Methodology:** FISH**Preferred Specimen:** Formalin-fixed, Paraffin-embedded Tissue**Collection Instruction:** Please write surgical number on block and on requisition. Provide fixation time on requisition as well**Storage Instruction:** Room Temp**Turn Around Time:** 3-5 days**CPT Code:** 88374 (1)**Scarlet Eligible:** No

HER2 FISH-Reflex Equivocal to HER2 IHC

B812-9

Alternate Name: HER2 by FISH, if borderline reflex to HER2 by IHC**Methodology:** FISH**Preferred Specimen:** Formalin-fixed, Paraffin-embedded Tissue**Collection Instruction:** This comes in block form from client with surgical number imprint.**Storage Instruction:** Room Temp**Turn Around Time:** 3-5 days**CPT Code:** 88374 (1)**Scarlet Eligible:** No

Automated HER2 FISH TC Only

5259-7

Alternate Name: HER2 by FISH: TC**Methodology:** FISH**Preferred Specimen:** Formalin-fixed, Paraffin-embedded Tissue**Collection Instruction:** Please write surgical number on block and requisition. Provide fixation time on requisition as well. Please include specimen collection date on requisition.**Turn Around Time:** 3-5 days**CPT Code:** 88374 (1)**Scarlet Eligible:** No

HER2 BY IHC GI/ESO Carcinoma

A972-2

Alternate Name: HER2 by IHC in Gastric/Gastroesophageal Carcinoma**Methodology:** Immunohistochemistry**Preferred Specimen:** Formalin-fixed, Paraffin-embedded Tissue**Collection Instruction:** This comes in a block or slide form from client with surgical number imprint.**Turn Around Time:** 1 day**CPT Code:** 88342 (1)**Scarlet Eligible:** No

HER2 IHC Gastric/GEJ, TC Only w/digital imaging

B269-2

Alternate Name: HER2-IHC Gastric/GEJ,TC**Methodology:** Immunohistochemistry**Preferred Specimen:** Formalin-fixed, Paraffin-embedded Tissue**Collection Instruction:** This comes in a block or slide form from client with surgical number imprint.**Storage Instruction:** Room Temp**Turn Around Time:** 1 day**CPT Code:** 88361 (1)**Scarlet Eligible:** No

Hereditary Hemochromatosis (HFE): C282Y, H63D, S65C (Non-NY) 3420-7**Alternate Name:** HFE-C282Y-H63D-S65C**Methodology:** Pyrosequencing**Preferred Specimen:** 5 mL Peripheral Blood - Lavender Top**Collection Instruction:** Fill tube, invert gently 5-6 times, label with patient's name**Storage Instruction:** Refrigerate**Turn Around Time:** 3-4 days**CPT Code:** 81256 (1)**Scarlet Eligible:** Yes

Hemochromatosis DNA (NY ONLY)

2696-3

Alternate Name: HFE-C282Y-H63D-S65C**Methodology:** Pyrosequencing**Preferred Specimen:** 5 mL Lavender top- EDTA**Collection Instruction:** Fill lavender-top (EDTA) tube completely, invert 8-10 times. DO NOT SHAKE TUBE!**Storage Instruction:** Refrigerate**Turn Around Time:** 3-4 days**CPT Code:** 81256 (1)**Scarlet Eligible:** No

XomeDxFetal- Duo

TK89e-4

Alternate Name: HG19-EXOME-V6-FETAL**Methodology:** Xome**Preferred Specimen:** 30 mL Amniotic Fluid**Storage Instruction:** Room Temp**CPT Code:** 81415 (1), 81416 (1)**Scarlet Eligible:** No**XomeDxFetal- Proband**

TK89b-0

Alternate Name: HG19-EXOME-V6-FETAL**Methodology:** Xome**Preferred Specimen:** 30 mL Amniotic Fluid**Storage Instruction:** Room Temp**CPT Code:** 81415 (1)**Scarlet Eligible:** No**XomeDxFetal- Trio**

TK89a-2

Alternate Name: HG19-EXOME-V6-FETAL**Methodology:** Xome**Preferred Specimen:** 30 mL Amniotic Fluid**Storage Instruction:** Room Temp**CPT Code:** 81415 (1), 81416 (2)**Scarlet Eligible:** No**Slice - Single Gene (1 gene)** TG70-8**Alternate Name:** HG19-SLICE-V6**Methodology:** Genotyping by Next Generation Sequencing**Preferred Specimen:** 2-5 mL Lavender top- EDTA**Storage Instruction:** Room Temp**Turn Around Time:** 30 days**CPT Code:** 99999 (1)**Scarlet Eligible:** Yes

Cerebral Palsy Xpanded Panel

 T851-5

Alternate Name: HG19-SLICE-V6-CPALSYX

Methodology: Xome

Preferred Specimen: Lavender top- EDTA

Collection Instruction: Blood specimens of any type and buccal swab cannot be accepted if the patient has ever received an allogeneic bone marrow transplant. Blood specimens will be rejected if frozen, hemolyzed or clotted. Blood can be refrigerated up to 7 days before shipping. Blood specimens older than 7 days can still be shipped; they will be tested if the yield and quality of DNA permit.

Storage Instruction: Room Temp

CPT Code: 81302 (1), 81404 (1), 81405 (2), 81406 (2), 81408 (1), 81185 (1)

Scarlet Eligible: Yes

Leukodystrophy Xpanded Panel

 J853-3

Alternate Name: HG19-SLICE-V6-LEUKOX

Methodology: Xome

Preferred Specimen: 2 mL Lavender top- EDTA

Collection Instruction: Blood specimens of any type (in EDTA or dried blood spot) and oral rinse cannot be accepted if the patient has ever received an allogeneic bone marrow transplant. Blood specimens will be rejected if frozen, hemolyzed or clotted. Blood can be refrigerated up to 7 days before shipping. Blood specimens older than 7 days can still be shipped; they will be tested if the yield and quality of DNA permit. Oral Rinse - Stable at ambient temperature or refrigerated for 10 days after collection. DBS - The blood on the DBS cards should dry at room temperature for at least 3 hours after collection. Blood specimens will be rejected if frozen, hemolyzed or clotted. Blood can be refrigerated up to 7 days before shipping. Blood specimens older than 7 days can still be shipped; they will be tested if the yield and quality of DNA permit. Oral Rinse - Stable at ambient temperature or refrigerated for 10 days after collection. DBS - The blood on the DBS cards should dry at room temperature for at least 3 hours after collection.

Storage Instruction: Room Temp

Turn Around Time: 42 days

CPT Code: 81401 (1), 81404 (5), 81405 (6), 81406 (5)

Scarlet Eligible: Yes

HHV6 Plasma, PCR B899-6**Alternate Name:** HHV6 Plasma, PCR**Methodology:** Polymerase Chain Reaction**Preferred Specimen:** 0.5 mL Lavender top- EDTA**Collection Instruction:** Fill lavender-top (EDTA) tube completely, invert 8-10 times. DO NOT SHAKE TUBE!**Storage Instruction:** Refrigerate**Turn Around Time:** 7 days**CPT Code:** 87533 (1)**Scarlet Eligible:** Yes**Herpes Virus 6, Quant. PCR** 3418-1**Alternate Name:** HHV6 qPCR (serum)**Preferred Specimen:** 1 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 4 days**CPT Code:** 87533 (1)**Scarlet Eligible:** Yes**Histamine, Urine 24HR.**

3238-3

Alternate Name: HISTAMINE,24hr.URINE**Methodology:** Immunoassay**Preferred Specimen:** 4 mL Urine Container - 24hr**Collection Instruction:** Discard first morning sample, then collect all urines after for 24 hrs, on completion label with collection time and patient's name; record total volume on Requisition**Storage Instruction:** Refrigerate**Turn Around Time:** 12 days**CPT Code:** 83088 (1)**Scarlet Eligible:** No

Histo Chemical Micro Organism W/INTERP

B675-0

Alternate Name: HISTO CHEM MICRO ORGAN**Methodology:** Histology**Preferred Specimen:** Formalin-fixed, Paraffin-embedded Tissue**Collection Instruction:** This comes in block form from client with surgical number imprint.**Turn Around Time:** 1 day**CPT Code:** 88312 (1)**Scarlet Eligible:** No

Histo Chemical Micro Organism TC

B672-7

Alternate Name: HISTO CHEM MICRO ORGAN**Methodology:** Histology**Preferred Specimen:** Formalin-fixed, Paraffin-embedded Tissue**Collection Instruction:** This comes in block form from client with surgical number imprint.**Turn Around Time:** 1 day**CPT Code:** 88312 (1)**Scarlet Eligible:** No

Histo Chemical Micro Organism x3 W/IN

B673-5

Alternate Name: HISTO CHEM MICRO ORGAN**Methodology:** Histology**Preferred Specimen:** Formalin-fixed, Paraffin-embedded Tissue**Collection Instruction:** This comes in block form from client with surgical number imprint.**Turn Around Time:** 1 day**CPT Code:** 88312 (3)**Scarlet Eligible:** No

Histo Chemical Micro Organism x2 W/IN

B674-3

Alternate Name: HISTO CHEM MICRO ORGAN**Methodology:** Histology**Preferred Specimen:** Formalin-fixed, Paraffin-embedded Tissue**Collection Instruction:** This comes in block form from client with surgical number imprint.**Turn Around Time:** 1 day**CPT Code:** 88312 (2)**Scarlet Eligible:** No

Histo Chemical Micro Organism TCx2

B671-9

Alternate Name: HISTO CHEM MICRO ORGAN**Methodology:** Histology**Preferred Specimen:** Formalin-fixed, Paraffin-embedded Tissue**Collection Instruction:** This comes in block form from client with surgical number imprint.**Turn Around Time:** 1 day**CPT Code:** 88312 (2)**Scarlet Eligible:** No

Histo Chemical Micro Organism TCx3

B670-1

Alternate Name: HISTO CHEM MICRO ORGAN**Methodology:** Histology**Preferred Specimen:** Formalin-fixed, Paraffin-embedded Tissue**Collection Instruction:** This comes in block form from client with surgical number imprint.**Turn Around Time:** 1 day**CPT Code:** 88312 (3)**Scarlet Eligible:** No

Histology Processing

5416-3

Alternate Name: HISTOLOGY PROCESSING**Methodology:** Histology**Preferred Specimen:** Biopsy In Formalin**CPT Code:** 88305 (1)**Scarlet Eligible:** No

HIT Profile-Level 1 5871-9**Alternate Name:** HIT PROFILE-LEVEL 1**Preferred Specimen:** Lavender top- EDTA,Red Top**Turn Around Time:** 3 days**CPT Code:** 85025 (1), 86022 (1)**Scarlet Eligible:** Yes

Trofile

6276-0

Alternate Name: HIV CCR5**Preferred Specimen:** 10 mL Aliquot Plasma-EDTA-Lavender Top**Collection Instruction:** Centrifuge lavender-top at high speed for 15 minutes. Transfer plasma into plastic transfer tube. Label with date/time collected, PLASMA and patient's name. Must submit frozen.**Storage Instruction:** STRICT Frozen**Turn Around Time:** 14-21 day**CPT Code:** 87999 (1)**Scarlet Eligible:** No

HIV Genosure Prime

B347-6

Alternate Name: HIV GENOSURE PRIME**Preferred Specimen:** 3 mL Aliquot Plasma-EDTA-Lavender Top**Collection Instruction:** Centrifuge lavender-top at high speed for 15 minutes. Transfer plasma into plastic transfer tube. Label with date/time collected, PLASMA and patient's name. Must be submitted frozen**Storage Instruction:** STRICT Frozen**Turn Around Time:** 14-21 day**CPT Code:** 87900 (1), 87901 (1), 87906 (1)**Scarlet Eligible:** No

Phenosense Integrase

5923-8

Alternate Name: HIV INTERGRASE

Preferred Specimen: 4 mL Aliquot Plasma-EDTA-Lavender Top

Collection Instruction: Centrifuge lavender-top at high speed for 15 minutes. Transfer plasma into plastic transfer tube. Label with date/time collected, PLASMA and patient's name.

Storage Instruction: STRICT Frozen

Turn Around Time: 24 days

CPT Code: 87903 (1)

Scarlet Eligible: No

HIV AG/AB 4th Generation

 B688-3

Alternate Name: HIV P24

Methodology: Enzyme Linked Immunoabsorbance

Preferred Specimen: 1 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 1 day

CPT Code: 87389 (1)

Scarlet Eligible: Yes

HIV-1,RNA Viral Reflex Genotype

 6364-4

Alternate Name: HIV-1,RNA VIRAL RFLX GENOTYPE

Preferred Specimen: 2 mL Aliquot Plasma-EDTA-Lavender Top

Collection Instruction: Centrifuge lavender-top at high speed for 15 minutes. Transfer plasma into plastic transfer tube. Label with date/time collected, PLASMA and patient's name.

Storage Instruction: Refrigerate

Turn Around Time: 3 days

CPT Code: 87536 (1)

Scarlet Eligible: Yes

HIV-1, RNA, Ultra/PCR, Viral Load 1010-8

Alternate Name: HIV-1,RNA,PCR,ULTRA**Methodology:** Polymerase Chain Reaction**Preferred Specimen:** Aliquot Plasma-EDTA-Lavender Top**Collection Instruction:** Draw 2 lavender tubes, they must be centrifuged, poured off into transfer tube and label the pour off PLASMA EDTA with patient name. Can be submitted refrigerated or frozen.**Turn Around Time:** 2-3 days**CPT Code:** 87536 (1)**Scarlet Eligible:** Yes

HIV-2 DNA/RNA Qual. RT PCR 6207-5

Alternate Name: HIV-2 PROVIRAL DNA,QUAL. PCR**Methodology:** Polymerase Chain Reaction**Preferred Specimen:** 1 mL Lavender top- EDTA**Collection Instruction:** Fill lavender-top (EDTA) tube completely, invert 8-10 times. DO NOT SHAKE TUBE!**Turn Around Time:** 6 days**CPT Code:** 87538 (1)**Scarlet Eligible:** Yes

HLA B1502 Typing B807-9

Alternate Name: HLA B1502 TYPING**Methodology:** Polymerase Chain Reaction**Preferred Specimen:** 14 mL Yellow top- ACD**Collection Instruction:** Fill tube, invert gently 5-6 times, label with patient's name**Storage Instruction:** Room Temp**Turn Around Time:** 14 days**CPT Code:** 81374 (1)**Scarlet Eligible:** Yes

HLA-DR/DQ Low Resol.Typ

 A434-3

Alternate Name: HLA CLASS II DR,DQ DNA TYPING

Methodology: Polymerase Chain Reaction

Preferred Specimen: 14.0 Lavender top- EDTA

Collection Instruction: Fill lavender-top (EDTA) tube completely, invert 8-10 times. DO NOT SHAKE TUBE!

Storage Instruction: Room Temp

Turn Around Time: 11 day

CPT Code: 81375 (1)

Scarlet Eligible: Yes

HLA A,B,C,DR Typing,Complete

 3584-0

Alternate Name: HLA COMPLETE TYPING

Preferred Specimen: Yellow top- ACD

Collection Instruction: Fill tube, invert gently 5-6 times, label with patient's name

Storage Instruction: Refrigerate

Turn Around Time: 11 day

CPT Code: 81372 (1), 81375 (1)

Scarlet Eligible: Yes

HLA typing/Narcolepsy

 1743-4

Alternate Name: HLA DR2/DQ1

Methodology: Polymerase Chain Reaction

Preferred Specimen: 14.0 mL Lavender top- EDTA

Collection Instruction: Fill lavender-top (EDTA) tube completely, invert 8-10 times. DO NOT SHAKE TUBE!

Storage Instruction: Room Temp

Turn Around Time: 11 day

CPT Code: 81383 (1)

Scarlet Eligible: Yes

HLA-A,B,C Low Resol. Typ 0876-3

Alternate Name: HLA-A,B,C DETECTOR, HLA LIMITED TYPING**Methodology:** Polymerase Chain Reaction**Preferred Specimen:** 14 mL Yellow top- ACD**Collection Instruction:** Fill tube, invert gently 5-6 times, label with patient's name**Storage Instruction:** Room Temp**Turn Around Time:** 11 day**CPT Code:** 81372 (1)**Scarlet Eligible:** Yes

HLA-B51 Determination B524-0

Alternate Name: HLA-B51 DNA TYPING**Methodology:** Polymerase Chain Reaction**Preferred Specimen:** 14.0 mL Lavender top- EDTA**Collection Instruction:** Fill lavender-top (EDTA) tube completely, invert 8-10 times. DO NOT SHAKE TUBE!**Storage Instruction:** Room Temp**Turn Around Time:** 14 days**CPT Code:** 81374 (1)**Scarlet Eligible:** Yes

HMW Kininogen5754-7

Alternate Name: HMWK, Fitzgerald Factor; HMW Kininogen; Williams-Fitzgerald Flaujeac Factor**Methodology:** Photometric**Preferred Specimen:** 1 mL Aliquot Plasma-Citrated-Blue Top**Collection Instruction:** Collect full blue-top (citrated) tube. Centrifuge Blue-top at high speed for 15 minutes. Transfer plasma into plastic transfer tube. Label with date/time collected, PLASMA, patient's name and freeze.**Storage Instruction:** STRICT Frozen**Turn Around Time:** 25 days**CPT Code:** 85293 (1)**Scarlet Eligible:** No

HOLD BLOCK FOR ADDT'L TESTING

B700-6

Alternate Name: HOLD BLOCK**Preferred Specimen:** Formalin-fixed, Paraffin-embedded Tissue**Collection Instruction:** This comes in block form from client with surgical number imprint.**Storage Instruction:** Room Temp**Turn Around Time:** 8 days**CPT Code:** 99999 (1)**Scarlet Eligible:** No**Hold Cells For Further Testing**

B232-0

Alternate Name: HOLD CELLS FURTHER TEST**Preferred Specimen:** Green top- Sodium Heparin**CPT Code:** 99999 (1)**Scarlet Eligible:** No**Holoprosencephaly Panel+DEL/DUP**

B435-9

Alternate Name: HOLOPROSENCEPHALY PANEL**Preferred Specimen:** 20 mL Amniotic Fluid**Collection Instruction:** If not enough AMF or CVS is received, cultured cells will be submitted in 2(T-25 Flasks) in order to run the test.**Storage Instruction:** Refrigerate**Turn Around Time:** 21 day**CPT Code:** 81265 (1), 81479 (1)**Scarlet Eligible:** No

Allergen Horseradish, IgE 3780-4**Alternate Name:** HORSERADISH, IGE**Methodology:** Enzyme Immunoassay**Preferred Specimen:** 1 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 4 days**CPT Code:** 86003 (1)**Scarlet Eligible:** Yes**Allergen House Dust (Greer), IgG**

5077-3

Alternate Name: HOUSE DUST(GREER)IGG**Methodology:** Enzyme Immunoassay**Preferred Specimen:** 1 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 7 days**CPT Code:** 86001 (1)**Scarlet Eligible:** No**House Dust (H/S,BAYER)** 5079-9**Alternate Name:** HOUSE DUST, IgG**Methodology:** Enzyme Immunoassay**Preferred Specimen:** 1 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 7 days**CPT Code:** 86001 (1)**Scarlet Eligible:** Yes

HPV DNA 16, 18, NON 16/18

A531-6

Alternate Name: HPV DNA 16, 18, NON 16/18**Methodology:** Real-Time Polymerase Chain Reaction**Preferred Specimen:** ThinPrep Vial**Collection Instruction:** Collect specimen, swish in Thin prep vial, label with pt name.**Turn Around Time:** 3-5 days**CPT Code:** 87624 (1)**Scarlet Eligible:** No**HPV High Risk by ISH**

8714-8

Alternate Name: HPV HIGH by ISH**Methodology:** In Situ Hybridization**Preferred Specimen:** Formalin-fixed, Paraffin-embedded Tissue**Collection Instruction:** This comes in block form from client with surgical number imprint.**Turn Around Time:** 1 day**CPT Code:** 88365 (1)**Scarlet Eligible:** No**HPV High by ISH Stain ONLY**

8689-2

Alternate Name: HPV HIGH by ISH STAIN ONLY**Methodology:** In Situ Hybridization**Preferred Specimen:** Formalin-fixed, Paraffin-embedded Tissue**Collection Instruction:** This comes in block or slide form from client with surgical number imprint.**Turn Around Time:** 1 day**CPT Code:** 88365 (1)**Scarlet Eligible:** No

HPV High/Low Risk by ISH

3412-4

Alternate Name: HPV HIGH/LOW BY ISH**Methodology:** Histology**Preferred Specimen:** Formalin-fixed, Paraffin-embedded Tissue**Collection Instruction:** This comes in a block or slide form from client with surgical number imprint.**Turn Around Time:** 1 day**CPT Code:** 88364 (1), 88365 (1)**Scarlet Eligible:** No

HPV High/Low Risk by ISH (Stain Only)

8696-7

Alternate Name: HPV HIGH/LOW by ISH STAIN ONLY**Methodology:** In Situ Hybridization**Preferred Specimen:** Formalin-fixed, Paraffin-embedded Tissue**Collection Instruction:** This comes in block or slide form from client with surgical number imprint.**Turn Around Time:** 1 day**CPT Code:** 88364 (1), 88365 (1)**Scarlet Eligible:** No

HPV PRIMARY SCREENING >=25 YRS, WHEN + RFX TO PAP

H852-7

Alternate Name: HPV PRIMARY SCREENING >=25 YRS, WHEN + RFX TO PAP**Preferred Specimen:** ThinPrep Vial**Collection Instruction:** Collect specimen, swish in Thin prep vial, label with pt name.**Storage Instruction:** Room Temp**Turn Around Time:** 5 days**CPT Code:** 87624 (1)**Scarlet Eligible:** No

HPV mRNA screen, if pos, Reflex to 16, 18/45

B342-7

Alternate Name: HPV mRNA screen, if pos, Reflex to 16, 18/45**Methodology:** Transcription Mediated Amplification**Preferred Specimen:** ThinPrep Vial**Collection Instruction:** Collect specimen, swish in Thin prep vial, label with pt name.**Storage Instruction:** Room Temp**Turn Around Time:** 3-5 days**CPT Code:** 87624 (1)**Scarlet Eligible:** No

HPV DNA, High Risk Anal - TP

J025-8

Alternate Name: HPV, HIGH RISK ANAL**Methodology:** Hybrid Capture**Preferred Specimen:** Anal ThinPrep Vial**Collection Instruction:** Collect specimen, swish in Thin prep vial, label with pt name.**Storage Instruction:** Room Temp**Turn Around Time:** 3-5 days**CPT Code:** 87624 (1)**Scarlet Eligible:** No

Herpes Virus I/II DNA

H760-2

Alternate Name: HSV**Methodology:** Helicase Dependent Amplification**Preferred Specimen:** Swab-Viral Culturette**Collection Instruction:** Collect sample, place in holder, label with patient name. NOT TO BE USED FOR BACTERIAL TRANSPORT**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 87529 (2)**Scarlet Eligible:** No

HSV 1+2 Reflex to VZV

L009-0

Alternate Name: HSV**Methodology:** Helicase Dependent Amplification**Preferred Specimen:** Swab-Viral Culturette**Collection Instruction:** Collect sample, place in holder, label with patient name. NOT TO BE USED FOR BACTERIAL TRANSPORT**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 87529 (2)**Scarlet Eligible:** No

HSV 1 MultiPlex PCR

J847-5

Alternate Name: HSV 1 M. PCR**Methodology:** Multiplex PCR**Preferred Specimen:** Swab-Aptima Genprobe**Collection Instruction:** Collect specimen-break swab shaft into transport tube, then label with name and source**Storage Instruction:** Room Temp**Turn Around Time:** 5-7 days**CPT Code:** 87529 (1)**Scarlet Eligible:** No

HSV 1+ 2/ VZV Assay

L008-2

Alternate Name: HSV 1 + 2/ VZV Assay**Preferred Specimen:** Swab-Viral Culturette**Collection Instruction:** Collect sample, place in holder, label with patient name. NOT TO BE USED FOR BACTERIAL TRANSPORT**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 87529 (2), 87798 (1)**Scarlet Eligible:** No

HSV 2 MultiPlex PCR

J848-3

Alternate Name: HSV 2 M. PCR**Methodology:** Multiplex PCR**Preferred Specimen:** Swab-Aptima Genprobe**Collection Instruction:** Collect specimen-break swab shaft into transport tube, then label with name and source**Storage Instruction:** Room Temp**Turn Around Time:** 5-7 days**CPT Code:** 87529 (1)**Scarlet Eligible:** No**HSV Lesion Panel, SDA**

Q187-7

Alternate Name: HSV LESION PANEL, SDA**Preferred Specimen:** Swab-Viral Culturette**Collection Instruction:** Collect sample, place in holder, label with patient name. NOT TO BE USED FOR BACTERIAL TRANSPORT**Turn Around Time:** 3-5 days**CPT Code:** 87529 (2)**Scarlet Eligible:** No**HSV I/II DNA PCR, Qual**

B866-5

Alternate Name: HSV, TYPE 1+2 DNA RT PCR**Methodology:** Polymerase Chain Reaction**Preferred Specimen:** 1 mL Lavender top- EDTA**Collection Instruction:** Fill lavender-top (EDTA) tube completely, invert 8-10 times. DO NOT SHAKE TUBE!**Storage Instruction:** Refrigerate**Turn Around Time:** 6 days**CPT Code:** 87529 (2)**Scarlet Eligible:** No

HERPES SIMPLEX VIRUS I DNA

J164-5

Alternate Name: HSV-1**Preferred Specimen:** Swab-Viral Culturette**Collection Instruction:** Collect sample, place in holder, label with patient name. NOT TO BE USED FOR BACTERIAL TRANSPORT**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 87529 (1)**Scarlet Eligible:** No

HERPES SIMPLEX VIRUS II DNA

J165-2

Alternate Name: HSV-2**Preferred Specimen:** Swab-Viral Culturette**Collection Instruction:** Collect sample, place in holder, label with patient name. NOT TO BE USED FOR BACTERIAL TRANSPORT**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 87529 (1)**Scarlet Eligible:** No

Herpes I/II Ab. Screen, IgG 0109-9**Alternate Name:** HSV-I/II Ab. IgG**Methodology:** Chemiluminescence**Preferred Specimen:** 1 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 1 day**CPT Code:** 86695 (1), 86696 (1)**Scarlet Eligible:** Yes

HSV/LGV Lesion Profile (NON-NY)

P764-4

Alternate Name: HSV/LGV LESION PROFILE**Preferred Specimen:** ThinPrep Vial**Collection Instruction:** Collect specimen, swish in Thin prep vial, label with pt name.**Turn Around Time:** 7 days**CPT Code:** 87529 (2), 87798 (1)**Scarlet Eligible:** No

HSV 1+2 (NON NY)

L010-8

Alternate Name: HSV1+2**Methodology:** Multiplex PCR**Preferred Specimen:** Swab-Aptima Genprobe**Storage Instruction:** Room Temp**Turn Around Time:** 5-7 days**CPT Code:** 87529 (1)**Scarlet Eligible:** No

Hyperactive Coag. Panel

5993-1

Alternate Name: HYPERACTIVE COAG. PANEL**Preferred Specimen:** Aliquot Plasma-Citrated-Blue Top**Collection Instruction:** Collect full blue-top (citrated) tube. Centrifuge Blue-top at high speed for 15 minutes. Transfer plasma into plastic transfer tube. Label with date/time collected, PLASMA, patient's name and freeze.**Storage Instruction:** STRICT Frozen**Turn Around Time:** 10 days**CPT Code:** 83520 (2), 85379 (1)**Scarlet Eligible:** No

Hypersensitivity Pneumonitis

 1366-4

Alternate Name: HYPERSEN.PNEUMONITIS

Methodology: Immunodiffusion

Preferred Specimen: 1 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 8 days

CPT Code: 86331 (1), 86606 (1), 86609 (4)

Scarlet Eligible: Yes

Hypertension Profile

 0983-7

Alternate Name: HYPERTENSION PROFILE

Turn Around Time: 10 days

CPT Code: 82088 (1), 82384 (2), 84132 (1), 84295 (1), 84585 (1)

Scarlet Eligible: Yes

Hyperthyroid Panel

 0403-6

Alternate Name: HYPERTHYROID PANEL

Preferred Specimen: SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 1 day

CPT Code: 84436 (1), 84479 (1), 84480 (1)

Scarlet Eligible: Yes

Allergen Halibut (rf303), IgE

 1485-2

Alternate Name: Halibut

Methodology: Immunocap

Preferred Specimen: 3 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 3 days

CPT Code: 86003 (1)

Scarlet Eligible: Yes

Allergen Hazelnut (f17), IgE

 1404-3

Alternate Name: Hazelnut

Methodology: Immunocap

Preferred Specimen: 1 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 3 days

CPT Code: 86003 (1)

Scarlet Eligible: Yes

Hemoglobin

 1499-3

Alternate Name: Hb;Hgb

Methodology: Photometric

Preferred Specimen: Lavender top- EDTA

Collection Instruction: Fill lavender-top (EDTA) tube completely, invert 8-10 times. DO NOT SHAKE TUBE!

Storage Instruction: Refrigerate

Turn Around Time: 1 day

CPT Code: 85018 (1)

Scarlet Eligible: Yes

Reflex to Glycomark

 J218-9

Alternate Name: HbA1c Rfx To GlycoMark

Methodology: Turbidimetric Inhibition Immunoassay

Preferred Specimen: 0.5 mL Lavender top- EDTA

Collection Instruction: Fill lavender-top (EDTA) tube completely, invert 8-10 times. DO NOT SHAKE TUBE!

Storage Instruction: Refrigerate

Turn Around Time: 1 day

CPT Code: 83036 (1)

Scarlet Eligible: Yes

Hearing Loss Panel

 J806-1

Alternate Name: Hearing Loss Panel

Methodology: Genotyping by Next Generation Sequencing

Preferred Specimen: 5 mL Lavender top- EDTA

Collection Instruction: 2-5 mL whole sterile blood in EDTA (lavender top) tube shipped at ambient temperature.

Storage Instruction: Room Temp

Turn Around Time: 42 days

CPT Code: 81430 (1), 81431 (1)

Scarlet Eligible: Yes

Allergen Helminthosporium (m8), IgE

 1894-5

Alternate Name: Helminthosporium

Methodology: Immunocap

Preferred Specimen: 3 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 3 days

CPT Code: 86003 (1)

Scarlet Eligible: Yes

Hemiplegic Migraine Panel

 T400-1

Alternate Name: Hemiplegic Migraine Panel

Methodology: Genotyping by Next Generation Sequencing

Preferred Specimen: Lavender top- EDTA

Collection Instruction: Blood specimens of any type and buccal swab cannot be accepted if the patient has ever received an allogeneic bone marrow transplant. Blood specimens will be rejected if frozen, hemolyzed or clotted. Blood can be refrigerated up to 7 days before shipping. Blood specimens older than 7 days can still be shipped; they will be tested if the yield and quality of DNA permit.

Storage Instruction: Room Temp

CPT Code: 81406 (1), 81479 (1), 81185 (1)

Scarlet Eligible: Yes

Complement, Total (CH50), Serum

0534-8

Alternate Name: Hemolytic Complement

Methodology: Liposome

Preferred Specimen: 1 mL Aliquot Tube-Serum

Collection Instruction: Place 1-3 mL of serum in transport tube. Label as serum and freeze.

Storage Instruction: STRICT Frozen

Turn Around Time: 6 days

CPT Code: 86162 (1)

Scarlet Eligible: No

Hepatitis E Antibody, IgM

 6122-6

Alternate Name: Hep E Ab, IgM

Methodology: Enzyme Immunoassay

Preferred Specimen: 1 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 9 days

CPT Code: 86790 (1)

Scarlet Eligible: Yes

Heparin Level (ANTI-XA) - Xarelto/rivaroxaban

B755-0

Alternate Name: Heparin Level (ANTI-XA) - Xarelto/rivaroxaban**Preferred Specimen:** 1.0 mL Aliquot Plasma-Citrated-Blue Top**Collection Instruction:** Collect full blue-top (citrated) tube. Centrifuge Blue-top at high speed for 15 minutes. Transfer plasma into plastic transfer tube. Label with date/time collected, PLASMA and patient's name.**Storage Instruction:** STRICT Frozen**Turn Around Time:** 8 days**CPT Code:** 80299 (1)**Scarlet Eligible:** No

Heparin Level (ANTI-XA) -UFH

TH46-6

Alternate Name: Heparin Level (ANTI-XA) -UFH**Methodology:** Chromogenic**Preferred Specimen:** 2 mL Aliquot Plasma-Citrated-Blue Top**Storage Instruction:** STRICT Frozen**Turn Around Time:** 5 days**CPT Code:** 85520 (1)**Scarlet Eligible:** No

Hepatitis B Panel 0197-4**Alternate Name:** Hepatitis B Panel**Preferred Specimen:** 5 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 1 day**CPT Code:** 86704 (1), 86706 (1), 87340 (1)**Scarlet Eligible:** Yes

Hepatitis B Virus, DNA, Quantitative, RT-PCR

 3389-4

Alternate Name: Hepatitis B Virus,Dna, Ultraquant

Methodology: Polymerase Chain Reaction

Preferred Specimen: 3 mL Aliquot Plasma-EDTA-Lavender Top

Collection Instruction: Centrifuge lavender-top at high speed for 15 minutes. Transfer plasma into plastic transfer tube. Label with date/time collected, PLASMA and patient's name.

Storage Instruction: Refrigerate

Turn Around Time: 3 days

CPT Code: 87517 (1)

Scarlet Eligible: Yes

Hepatitis C Antibody, EIA

 0812-8

Alternate Name: Hepatitis C, HCV

Methodology: Chemiluminescence

Preferred Specimen: 1 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 1 day

CPT Code: 86803 (1)

Scarlet Eligible: Yes

Hepatitis C Antibody W/ Reflex RT PCR

 B125-6

Alternate Name: Hepatitis C, HCV

Methodology: Chemiluminescence

Preferred Specimen: 1.0 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 1 day

CPT Code: 86803 (1)

Scarlet Eligible: Yes

Hepatitis Screen

 0330-1

Alternate Name: Hepatitis Screen

Methodology: Chemiluminescence

Preferred Specimen: SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 1 day

CPT Code: 86704 (1), 86708 (1), 87340 (1)

Scarlet Eligible: Yes

Hepatitis Management Profile

 0984-5

Alternate Name: Hepatitis/Management

Preferred Specimen: SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 1 day

CPT Code: 86704 (1), 86706 (1), 86707 (1), 87340 (1), 87350 (1)

Scarlet Eligible: Yes

HER2 FISH TC-Gastric+GEJ

A428-5

Alternate Name: Herceptin for Gastric

Methodology: FISH

Preferred Specimen: Formalin-fixed, Paraffin-embedded Tissue

Collection Instruction: This comes in block from client with surgical number imprint.

Storage Instruction: Room Temp

Turn Around Time: 3-5 days

CPT Code: 88374 (1)

Scarlet Eligible: No

Hereditary MDS/Leukemia Panel

 T830-9

Alternate Name: Hereditary MDS/Leukemia Panel

Methodology: Full Gene Sequencing

Preferred Specimen: Lavender top- EDTA

Collection Instruction: 2 tubes (5-6mL each) Label with the patient name, date of birth, and/or ID.

Storage Instruction: Room Temp

Turn Around Time: 21 day

CPT Code: 81405 (1), 81218 (1), 81479 (1)

Scarlet Eligible: Yes

Hereditary Multiple Exostoses Panel

 T996-8

Alternate Name: Hereditary Multiple Exostoses Pa

Methodology: Genotyping by Next Generation Sequencing

Preferred Specimen: Lavender top- EDTA

Collection Instruction: Fill lavender-top (EDTA) tube completely, invert 8-10 times. DO NOT SHAKE TUBE!

Storage Instruction: Room Temp

CPT Code: 81406 (1), 81479 (1)

Scarlet Eligible: Yes

Hereditary Prostate Cancer Panel

 J665-1

Alternate Name: Hereditary Prostate Cancer Panel

Methodology: Full Gene Sequencing

Preferred Specimen: 5 mL Lavender top- EDTA

Collection Instruction: Lavender: 2 tubes (5-6 mL each) Label with the patient name, date of birth and/or ID. Ideal handling is to ship immediately at ambient temperature for overnight delivery. Alternate specimen type: DNA: Extract and submit DNA 50 ng/mL (total volume 400 mL) in sterile container. Ship DNA in sealed and protective packaging at ambient temperature, using a cool pack in hot weather. Labeling: Name of person or identifier, DNA concentration and volume MUST be provided on the specimen tube.

Storage Instruction: Room Temp

Turn Around Time: 14 days

CPT Code: 81162 (1), 81405 (1)

Scarlet Eligible: Yes

Hereditary Retinoblastoma (RB1 Seq & Del/Dup)

 TB50-0

Alternate Name: Hereditary Retinoblastoma (RB1 S

Methodology: Full Gene Sequencing

Preferred Specimen: 2-5 mL Lavender top- EDTA

Collection Instruction: 2 tubes (5-6mL each). Label with the patients name, date of birth, and/or ID.

Storage Instruction: Room Temp

Turn Around Time: 21 day

CPT Code: 81479 (1)

Scarlet Eligible: Yes

Hereditary Sensory and Autonomic Neuropathy Panel

 T399-5

Alternate Name: Hereditary Sensory and Autonomic

Methodology: Genotyping by Next Generation Sequencing

Preferred Specimen: Lavender top- EDTA

Collection Instruction: Blood specimens of any type and buccal swab cannot be accepted if the patient has ever received an allogeneic bone marrow transplant. Blood specimens will be rejected if frozen, hemolyzed or clotted. Blood can be refrigerated up to 7 days before shipping. Blood specimens older than 7 days can still be shipped; they will be tested if the yield and quality of DNA permit.

Storage Instruction: Room Temp

CPT Code: 81448 (1)

Scarlet Eligible: Yes

Hermansky-Pudlak Syndrome 3

 B150-4

Alternate Name: Hermansky-Pudlak

Methodology: Genotyping by Next Generation Sequencing

Preferred Specimen: Lavender top- EDTA

Collection Instruction: Fill lavender-top (EDTA) tube completely, invert 8-10 times. DO NOT SHAKE TUBE!

Storage Instruction: Refrigerate

Turn Around Time: 10-14 days

CPT Code: 81479 (1)

Scarlet Eligible: Yes

Opiates, Urine, Screen (300)

 0433-3

Alternate Name: Heroin; Narcotics; 6-O-Acetyl Morphine; Poppy Seeds

Methodology: Enzyme Immunoassay

Preferred Specimen: 5 mL Urine Cup

Collection Instruction: Collect urine in cup, label with patients name

Storage Instruction: Refrigerate

Turn Around Time: 1 day

CPT Code: 80307 (1)

Scarlet Eligible: Yes

Herpes I AB., IgG

 0110-7

Alternate Name: Herpes I Ab.(IgG)

Methodology: Chemiluminescence

Preferred Specimen: 1 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 1 day

CPT Code: 86695 (1)

Scarlet Eligible: Yes

Herpes II Ab., IgG

 0570-2

Alternate Name: Herpes II Ab.(IgG)

Methodology: Chemiluminescence

Preferred Specimen: 1 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 1 day

CPT Code: 86696 (1)

Scarlet Eligible: Yes

Herpes Simplex II by Multiplex (Non NY)

6352-9

Alternate Name: Herpes II by Multiplex

Methodology: Polymerase Chain Reaction

Preferred Specimen: ThinPrep Vial

Collection Instruction: Collect specimen, swish in Thin prep vial, label with pt name.

Turn Around Time: 5-7 days

CPT Code: 87529 (1)

Scarlet Eligible: No

Herpes Simplex I by Multiplex (Non NY)

6351-1

Alternate Name: Herpes Simplex I Multi.**Methodology:** Polymerase Chain Reaction**Preferred Specimen:** ThinPrep Vial**Collection Instruction:** Collect specimen, swish in Thin prep vial, label with pt name.**Turn Around Time:** 5-7 days**CPT Code:** 87529 (1)**Scarlet Eligible:** No

Herpes Virus-8, Ab. 3703-6**Alternate Name:** Herpes Virus-8**Methodology:** Immunoassay**Preferred Specimen:** 1 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 14 days**CPT Code:** 86790 (1)**Scarlet Eligible:** Yes

Varicella Zoster Ab., IgG 0597-5**Alternate Name:** Herpes Zoster Ab, IgG; Shingles**Methodology:** Chemiluminescence**Preferred Specimen:** 1 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 2 days**CPT Code:** 86787 (1)**Scarlet Eligible:** Yes

Common Cancer Management Panel B751-9

Alternate Name: High/Moderate Risk Panel**Preferred Specimen:** 2-5 mL Lavender top- EDTA**Collection Instruction:** Collect 2 tubes (5-6ml each). Label with the patient, date of birth and/or ID.**Storage Instruction:** Refrigerate**Turn Around Time:** 14 days**CPT Code:** 81162 (1), 81201 (1), 81203 (1), 81292 (1), 81294 (1), 81295 (1)**Scarlet Eligible:** Yes

Histology Processing 8 H+EJ858-2

Alternate Name: Histo Processing 8 H+E**Methodology:** Histology**Preferred Specimen:** Biopsy In Formalin**Collection Instruction:** Collect specimen place in formalin jar write patient name and site on jar**Storage Instruction:** Room Temp**Turn Around Time:** 1 day**CPT Code:** 88305 (8)**Scarlet Eligible:** No

Histology Processing (GI)J862-4

Alternate Name: Histology Processing (GI)**Methodology:** Histology**Preferred Specimen:** Biopsy In Formalin**Collection Instruction:** Collect specimen place in formalin jar write patient name and site on jar**Storage Instruction:** Room Temp**Turn Around Time:** 1 day**CPT Code:** 88305 (11)**Scarlet Eligible:** No

Histology Processing 10 H+E

J861-6

Alternate Name: Histology Processing 10 H+E**Methodology:** Histology**Preferred Specimen:** Biopsy In Formalin**Collection Instruction:** Collect specimen place in formalin jar write patient name and site on jar**Storage Instruction:** Room Temp**Turn Around Time:** 1 day**CPT Code:** 88305 (10)**Scarlet Eligible:** No

Histology Processing 6 H+E

J857-4

Alternate Name: Histology Processing 6 H+E**Methodology:** Histology**Preferred Specimen:** Biopsy In Formalin**Collection Instruction:** Collect specimen place in formalin jar write patient name and site on jar**Storage Instruction:** Room Temp**Turn Around Time:** 1 day**CPT Code:** 88305 (6)**Scarlet Eligible:** No

Histology Processing 7 H+E

J859-0

Alternate Name: Histology Processing 7 H+E**Methodology:** Histology**Preferred Specimen:** Biopsy In Formalin**Collection Instruction:** Collect specimen place in formalin jar write patient name and site on jar**Storage Instruction:** Room Temp**Turn Around Time:** 1 day**CPT Code:** 88305 (7)**Scarlet Eligible:** No


Histology Processing 9 H+E

J860-8

Alternate Name: Histology Processing 9 H+E**Methodology:** Histology**Preferred Specimen:** Biopsy In Formalin**Collection Instruction:** Collect specimen place in formalin jar write patient name and site on jar**Storage Instruction:** Room Temp**Turn Around Time:** 1 day**CPT Code:** 88305 (9)**Scarlet Eligible:** No

Histone Ab, IgG T841-6**Alternate Name:** Histone Ab., IgG**Methodology:** Enzyme Linked Immunoabsorbance**Preferred Specimen:** 2 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 83516 (1)**Scarlet Eligible:** Yes

Allergen Honey, IgE 3986-7**Alternate Name:** Honey (Rf247)**Methodology:** Enzyme Immunoassay**Preferred Specimen:** 1 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 6 days**CPT Code:** 86003 (1)**Scarlet Eligible:** Yes

Allergen Honey Bee (i1), IgE 0883-9**Alternate Name:** Honey Bee**Methodology:** Immunocap**Preferred Specimen:** 3 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 86003 (1)**Scarlet Eligible:** Yes**Allergen Hops (RF324), IgE** A333-7**Alternate Name:** Hops**Methodology:** Immunocap**Preferred Specimen:** 2.0 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 86003 (1)**Scarlet Eligible:** Yes**Allergen Horse Dander (e3), IgE** 0691-6**Alternate Name:** Horse Dander**Methodology:** Immunocap**Preferred Specimen:** 3 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 2 days**CPT Code:** 86003 (1)**Scarlet Eligible:** Yes

Allergen Horsefly (i204), IgE

 3556-8

Alternate Name: Horsefly (i204) IgE

Methodology: Enzyme Immunoassay

Preferred Specimen: 0.5 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 6 days

CPT Code: 86003 (1)

Scarlet Eligible: Yes

Allergen House Dust (Greer) (h1), IgE

 1631-1

Alternate Name: House Dust (Greer)

Methodology: Immunocap

Preferred Specimen: 3 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 3 days

CPT Code: 86003 (1)

Scarlet Eligible: Yes

Allergen House Dust H/S (h2), IgE

 0662-7

Alternate Name: House Dust H/S

Methodology: Immunocap

Preferred Specimen: 3 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 3 days

CPT Code: 86003 (1)

Scarlet Eligible: Yes

House Dust Screen (5)

 0910-0

Alternate Name: House Dust Screen

Preferred Specimen: 5 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 3 days

CPT Code: 82785 (1), 86003 (5)

Scarlet Eligible: Yes

Insulin Antibody

 0448-1

Alternate Name: Human Insulin Antibody

Methodology: Radio Immuno Assay

Preferred Specimen: 1 mL Red Top

Collection Instruction: Fill tube, invert gently 2-3 times, let stand for 20 minutes, spin for 10-15 minutes label with patient name.

Storage Instruction: Refrigerate

Turn Around Time: 10 days

CPT Code: 86337 (1)

Scarlet Eligible: Yes

HLA-B27

 0375-6

Alternate Name: Human Leukocyte Antigen B27

Methodology: Flow Cytometry

Preferred Specimen: 5 mL Green top- Sodium Heparin

Collection Instruction: Fill tube, invert gently 5-6 times, label with patient name

Storage Instruction: Refrigerate

Turn Around Time: 3 days

CPT Code: 86812 (1)

Scarlet Eligible: Yes

Hyper-IgM Panel

 T995-0

Alternate Name: Hyper-IgM Panel

Methodology: Genotyping by Next Generation Sequencing

Preferred Specimen: Lavender top- EDTA

Collection Instruction: Fill lavender-top (EDTA) tube completely, invert 8-10 times. DO NOT SHAKE TUBE!

Storage Instruction: Room Temp

CPT Code: 81404 (1), 81479 (1)

Scarlet Eligible: Yes

Prothrombin Fragment 1+2

5797-6

Alternate Name: Hypercoagulation Panel

Methodology: Enzyme Linked Immunoabsorbance

Preferred Specimen: 2 mL Aliquot Plasma-Citrated-Blue Top

Collection Instruction: Collect full blue-top (citrated) tube. Centrifuge Blue-top at high speed for 15 minutes. Transfer plasma into plastic transfer tube. Label with date/time collected, PLASMA, patient's name and freeze.

Storage Instruction: STRICT Frozen

Turn Around Time: 10 days

CPT Code: 83520 (1)

Scarlet Eligible: No

Hyperparathyroidism/Endocrine Tumor Panel

 T828-3

Alternate Name: Hyperparathyroidism/Endocrine Tu

Methodology: Full Gene Sequencing

Preferred Specimen: Lavender top- EDTA

Collection Instruction: 2 tubes (5-6mL each) Label with the patient name, date of birth, and/or ID.

Storage Instruction: Room Temp

Turn Around Time: 21 day

CPT Code: 81321 (1), 81404 (1), 81405 (1), 81406 (1)

Scarlet Eligible: Yes

Hypophosphatemic Rickets Panel

 T994-3

Alternate Name: Hypophosphatemic Rickets Panel

Methodology: Genotyping by Next Generation Sequencing

Preferred Specimen: Lavender top- EDTA

Collection Instruction: Fill lavender-top (EDTA) tube completely, invert 8-10 times. DO NOT SHAKE TUBE!

Storage Instruction: Room Temp

CPT Code: 81404 (1), 81406 (1), 81479 (1)

Scarlet Eligible: Yes

IBD Differentiation Panel

 H583-8

Alternate Name: IBD PANEL

Turn Around Time: 3 days

CPT Code: 86021 (2), 86255 (1), 86671 (2)

Scarlet Eligible: Yes

IDUA Gene Sequencing and Del/Dup

 T386-2

Alternate Name: IDUA Gene / Mucopolysaccharidosi

Methodology: Genotyping by Next Generation Sequencing

Preferred Specimen: Lavender top- EDTA

Collection Instruction: Blood specimens of any type and buccal swab cannot be accepted if the patient has ever received an allogeneic bone marrow transplant. Blood specimens will be rejected if frozen, hemolyzed or clotted. Blood can be refrigerated up to 7 days before shipping. Blood specimens older than 7 days can still be shipped; they will be tested if the yield and quality of DNA permit.

CPT Code: 81406 (1), 81479 (1)

Scarlet Eligible: Yes

Interferon Gamma

J231-2

Alternate Name: IFN- γ **Methodology:** Electrochemiluminescence Immunoassay**Preferred Specimen:** 1.0 mL Aliquot Tube-Serum**Collection Instruction:** Place 1-3 mL of serum in transport tube. Label as serum;refrigerate or freeze as required.**Storage Instruction:** STRICT Frozen**Turn Around Time:** 9 days**CPT Code:** 83520 (1)**Scarlet Eligible:** No

IGF Binding Protein-1

 2604-7**Alternate Name:** IGF Binding Protein, IGF-Binding Protein, IGFBP-1**Methodology:** Radio Immuno Assay**Preferred Specimen:** 1 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 11 day**CPT Code:** 83519 (1)**Scarlet Eligible:** Yes

IGF Binding Protein-3

 1316-9**Alternate Name:** IGF Binding Protein-3; IGFB-3; Somatomedins**Methodology:** Chemiluminescence**Preferred Specimen:** 1 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 2 days**CPT Code:** 82397 (1)**Scarlet Eligible:** Yes

Insulin-Like Growth Factor I

 1072-8

Alternate Name: IGF-1;IGF 1;IGF-I; Sm-C; Somatomedin-C; Sulfation Factor

Methodology: Chemiluminescence

Preferred Specimen: 1 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 2 days

CPT Code: 84305 (1)

Scarlet Eligible: Yes

IGF Binding Protein-2

 6209-1

Alternate Name: IGFBP-2

Methodology: Radio Immuno Assay

Preferred Specimen: 1 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 12 days

CPT Code: 83519 (1)

Scarlet Eligible: Yes

Lymphoma - B-Cell, IGH by FISH

5032-8

Alternate Name: IGH, B-cell

Methodology: FISH

Preferred Specimen: 2 mL Bone Marrow - Green Top

Collection Instruction: Non-diluted bone marrow aspirate collected and transferred into sodium heparin (green top) tube. Also acceptable:Whole blood in green (sodium heparin) tube.

Storage Instruction: Refrigerate

Turn Around Time: 3-5 days

CPT Code: 88377 (1)

Scarlet Eligible: No

FISH, IGH/MAF, t(14;16)- TC

B760-0

Alternate Name: IGH/MAF- TC**Methodology:** FISH**Preferred Specimen:** Bone Marrow - Green Top**Collection Instruction:** Place bone marrow into tube, label with patient's name**Storage Instruction:** Refrigerate**Turn Around Time:** 3-5 days**CPT Code:** 88374 (1)**Scarlet Eligible:** No**IGH/MAFB T(14;20) - TC ONLY**

TB61-7

Alternate Name: IGH/MAFB**Methodology:** FISH**Preferred Specimen:** 1 mL Bone Marrow - Green Top**Collection Instruction:** Place bone marrow into tube, label with patient's name**Storage Instruction:** Room Temp**Turn Around Time:** 5 days**CPT Code:** 88374 (1)**Scarlet Eligible:** No**FISH, IGH/MAFB, t(14;20)**

B545-5

Alternate Name: IGH/MAFB**Methodology:** FISH**Preferred Specimen:** 3 mL Bone Marrow - Green Top**Collection Instruction:** Place bone marrow into tube, label with patient's name**Storage Instruction:** Refrigerate**Turn Around Time:** 9 days**CPT Code:** 88374 (1)**Scarlet Eligible:** No

QFT - TB GOLD PLUS (QUANTIFERON) T814-3**Alternate Name:** IGRA**Methodology:** Enzyme Linked Immunoabsorbance**Preferred Specimen:** 6 mL Green Top-Lithium Heparin**Collection Instruction:** Please refer to special instruction sheet for instructions. Must be kept at Room temperature if not incubated. DO NOT SPIN. Must be received within 16 hrs of collection. If incubated stable for 3 days before centrifugation. After centrifugation stable for 7 days. Contact sales representative for account set-up. DO NOT REFRIGERATE OR FREEZE THE SAMPLE AT ANY TIME.**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 86480 (1), 99999 (1)**Scarlet Eligible:** Yes**IHC 1 Antibody Interp.**

B024-1

Alternate Name: IHC 1 ANTIBODY INTERP.**Methodology:** Immunohistochemistry**Preferred Specimen:** Stained Slides**Storage Instruction:** Room Temp**Turn Around Time:** 1 day**CPT Code:** 88342 (1)**Scarlet Eligible:** No**IHC 1 Antibody/Stain Only**

5144-1

Alternate Name: IHC 1 ANTIBODY/STAIN ONLY**Methodology:** Immunohistochemistry**Preferred Specimen:** Formalin-fixed, Paraffin-embedded Tissue**Collection Instruction:** This comes in a block or slide form from client with surgical number imprint.**Turn Around Time:** 1 day**CPT Code:** 88342 (1)**Scarlet Eligible:** No

IHC 2 Antibody/Stain Only

5145-8

Alternate Name: IHC 2 ANTIBODIES/STAIN ONLY**Methodology:** Immunohistochemistry**Preferred Specimen:** Formalin-fixed, Paraffin-embedded Tissue**Collection Instruction:** This comes in a block or slide form from client with surgical number imprint.**Turn Around Time:** 1 day**CPT Code:** 88341 (1), 88342 (1)**Scarlet Eligible:** No

IHC 3 Antibody/Stain Only

5146-6

Alternate Name: IHC 3 ANTIBODIES/STAIN ONLY**Methodology:** Immunohistochemistry**Preferred Specimen:** Formalin-fixed, Paraffin-embedded Tissue**Collection Instruction:** This comes in a block or slide form from client with surgical number imprint.**Turn Around Time:** 1 day**CPT Code:** 88341 (2), 88342 (1)**Scarlet Eligible:** No

IHC 4 Antibody/Stain Only

5147-4

Alternate Name: IHC 4 ANTIBODIES/STAIN ONLY**Methodology:** Immunohistochemistry**Preferred Specimen:** Formalin-fixed, Paraffin-embedded Tissue**Collection Instruction:** This comes in a block or slide form from client with surgical number imprint.**Turn Around Time:** 1 day**CPT Code:** 88341 (3), 88342 (1)**Scarlet Eligible:** No

IHC 5 Antibody/Stain Only

5148-2

Alternate Name: IHC 5 ANTIBODIES/STAIN ONLY**Methodology:** Immunohistochemistry**Preferred Specimen:** Formalin-fixed, Paraffin-embedded Tissue**Collection Instruction:** This comes in block or slide form from client with surgical number imprint.**Turn Around Time:** 1 day**CPT Code:** 88341 (4), 88342 (1)**Scarlet Eligible:** No

Two (2) Antibody

5137-5

Alternate Name: IHC ANTIBODY 2 W/INTERP.**Methodology:** Immunohistochemistry**Preferred Specimen:** Formalin-fixed, Paraffin-embedded Tissue**Collection Instruction:** This comes in a block or slide form from client with surgical number imprint.**Turn Around Time:** 1 day**CPT Code:** 88341 (1), 88342 (1)**Scarlet Eligible:** No

Three (3) Antibody

5138-3

Alternate Name: IHC ANTIBODY 3 W/INTERP**Methodology:** Immunohistochemistry**Preferred Specimen:** Formalin-fixed, Paraffin-embedded Tissue**Collection Instruction:** This comes in a block or slide form from client with surgical number imprint.**Turn Around Time:** 1 day**CPT Code:** 88341 (2), 88342 (1)**Scarlet Eligible:** No

Four (4) Antibody

5139-1

Alternate Name: IHC ANTIBODY 4 W/INTERP.**Methodology:** Immunohistochemistry**Preferred Specimen:** Formalin-fixed, Paraffin-embedded Tissue**Collection Instruction:** This comes in block or slide from client with surgical number imprint.**Turn Around Time:** 1 day**CPT Code:** 88341 (3), 88342 (1)**Scarlet Eligible:** No

One (1) Antibody

5136-7

Alternate Name: IHC SINGLE AB W/INTER.**Methodology:** Immunohistochemistry**Preferred Specimen:** Formalin-fixed, Paraffin-embedded Tissue**Collection Instruction:** This comes in a block or slide form from client with surgical number imprint.**Storage Instruction:** Room Temp**Turn Around Time:** 1 day**CPT Code:** 88342 (1)**Scarlet Eligible:** No

Interleukin 6

J785-7

Alternate Name: IL-6**Methodology:** Chemiluminescence**Preferred Specimen:** 1 mL Aliquot Tube-Serum**Collection Instruction:** Place 1-3 mL of serum in transport tube. Label as serum;refrigerate or freeze as required.**Storage Instruction:** STRICT Frozen**Turn Around Time:** 48 hours**CPT Code:** 83520 (1)**Scarlet Eligible:** No

Imaged IHC (1) W/Interp.

5308-2

Alternate Name: IMAGED IHC (1) W/INTERP.**Methodology:** Immunohistochemistry**Preferred Specimen:** Formalin-fixed, Paraffin-embedded Tissue**Collection Instruction:** This comes in block form from client with surgical number imprint.**Turn Around Time:** 1 day**CPT Code:** 88361 (1)**Scarlet Eligible:** No**Imaged IHC, 1 Slide TC Only**

5842-0

Alternate Name: IMAGED IHC, 1 SLIDE TC ONLY**Methodology:** Immunohistochemistry**Preferred Specimen:** Formalin-fixed, Paraffin-embedded Tissue**Collection Instruction:** This specimen comes in block or slide form from client with surgical number imprint.**Turn Around Time:** 2 days**CPT Code:** 88361 (1)**Scarlet Eligible:** No**Imaged IHC, 2 Slides TC Only**

5838-8

Alternate Name: IMAGED IHC, 2 SLIDES TC ONLY**Methodology:** Immunohistochemistry**Preferred Specimen:** Formalin-fixed, Paraffin-embedded Tissue**Collection Instruction:** This specimen comes in block or slide form from client with surgical number imprint.**Turn Around Time:** 2 days**CPT Code:** 88361 (2)**Scarlet Eligible:** No

Imaged IHC, 2 Slides W/Interp.

5845-3

Alternate Name: IMAGED IHC, 2 SLIDES W/INTERP.**Methodology:** Immunohistochemistry**Preferred Specimen:** Formalin-fixed, Paraffin-embedded Tissue**Collection Instruction:** This specimen comes in block or slide form from client with surgical number imprint.**Turn Around Time:** 1 day**CPT Code:** 88361 (2)**Scarlet Eligible:** No

Imaged IHC, 3 Slides TC Only

5837-0

Alternate Name: IMAGED IHC, 3 SLIDES TC ONLY**Methodology:** Immunohistochemistry**Preferred Specimen:** Formalin-fixed, Paraffin-embedded Tissue**Collection Instruction:** This specimen comes in block or slide form from client with surgical number imprint.**Turn Around Time:** 2 days**CPT Code:** 88361 (3)**Scarlet Eligible:** No

Imaged IHC, 3 Slides W/Interp.

5844-6

Alternate Name: IMAGED IHC, 3 SLIDES W/INTERP.**Methodology:** Immunohistochemistry**Preferred Specimen:** Formalin-fixed, Paraffin-embedded Tissue**Collection Instruction:** This specimen comes in block or slide form from client with surgical number imprint.**Turn Around Time:** 2 days**CPT Code:** 88361 (3)**Scarlet Eligible:** No

Imaged IHC, 4 Slides TC Only

5834-7

Alternate Name: IMAGED IHC, 4 SLIDES TC ONLY**Methodology:** Immunohistochemistry**Preferred Specimen:** Formalin-fixed, Paraffin-embedded Tissue**Collection Instruction:** This specimen comes in block or slide form from client with surgical number imprint.**Turn Around Time:** 2 days**CPT Code:** 88361 (4)**Scarlet Eligible:** No**Imaged IHC, 4 Slides W/Interp.**

5843-8

Alternate Name: IMAGED IHC, 4 SLIDES W/INTERP.**Methodology:** Immunohistochemistry**Preferred Specimen:** Formalin-fixed, Paraffin-embedded Tissue**Collection Instruction:** This specimen comes in block or slide form from client with surgical number imprint.**Turn Around Time:** 2 days**CPT Code:** 88361 (4)**Scarlet Eligible:** No**Immune Complex C1q**

1207-0

Alternate Name: IMMUNE COMPLEX C1q**Methodology:** Enzyme Linked Immunoabsorbance**Preferred Specimen:** 1 mL Aliquot Serum- Red Top**Collection Instruction:** Place 1-3 mL of serum in transport tube. Label as serum and freeze.**Storage Instruction:** STRICT Frozen**Turn Around Time:** 12 days**CPT Code:** 86332 (1)**Scarlet Eligible:** No

Immunoglobulins, Serum

 0520-7

Alternate Name: IMMUNOGLOBULINS, SER

Methodology: Immunospectrophotometric

Preferred Specimen: 1 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 1 day

CPT Code: 82784 (3)

Scarlet Eligible: Yes

Indoor Allergy Panel

 P268-6

Alternate Name: INDOOR ALLERGY PANEL

Preferred Specimen: SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Turn Around Time: 3 days

CPT Code: 86003 (19)

Scarlet Eligible: Yes

Inherigen®

 A662-9

Alternate Name: INHERIGEN

Methodology: Genotyping by Next Generation Sequencing

Preferred Specimen: Lavender top- EDTA

Collection Instruction: Fill lavender-top (EDTA) tube completely, invert 8-10 times. DO NOT SHAKE TUBE!

Storage Instruction: Refrigerate

Turn Around Time: 10-14 days

CPT Code: 81443 (1)

Scarlet Eligible: Yes

Inherigen®Plus

 A659-5

Alternate Name: INHERIGEN PLUS

Preferred Specimen: Lavender top- EDTA

Collection Instruction: Fill lavender-top (EDTA) tube completely, invert 8-10 times. DO NOT SHAKE TUBE!

Storage Instruction: Refrigerate

Turn Around Time: 10-14 days

CPT Code: 81443 (1), 81329 (1), 81243 (1)

Scarlet Eligible: Yes

Inhibin B

3606-1

Alternate Name: INHIBIN B

Methodology: Chemiluminescence

Preferred Specimen: 1 mL Aliquot Tube-Serum

Collection Instruction: Place 1-3 mL of serum in transport tube. Label as serum.

Storage Instruction: STRICT Frozen

Turn Around Time: 8 days

CPT Code: 82397 (1)

Scarlet Eligible: No

Inhibitor Titer

5757-0

Alternate Name: INHIBITOR TITER

Methodology: Clot Detection

Preferred Specimen: 2 mL Aliquot Plasma-Citrated-Blue Top

Collection Instruction: Collect full blue-top (citrated) tube. Centrifuge Blue-top at high speed for 15 minutes. Transfer plasma into plastic transfer tube. Label with date/time collected, PLASMA, patient's name and freeze.

Storage Instruction: STRICT Frozen

Turn Around Time: 3 days

CPT Code: 85335 (1)

Scarlet Eligible: No

Prenatal Rapid Aneuploidy FISH

3582-4

Alternate Name: INSIGHT BY FISH ANALYSIS; FLASH FISH**Methodology:** Aneuvyvision by FISH**Preferred Specimen:** 5 mL Amniotic Fluid**Collection Instruction:** 5-6 ml Amniotic Fluid for OR 5-6 mg of Villi for CVS; please submit in a sterile, leak-proof tube(s)**Storage Instruction:** Room Temp**Turn Around Time:** 1-2 days**CPT Code:** 88271 (5), 88274 (1), 88275 (1), 88291 (1)**Scarlet Eligible:** No

Insulin Tolerance (3 Hour)

0024-0

Alternate Name: INSULIN TOLERANCE (3 hr)**Methodology:** Electrochemiluminescence Immunoassay**Preferred Specimen:** SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 2 days**CPT Code:** 83525 (4)**Scarlet Eligible:** No

Insulin, 1st HR. Specimen 1649-3**Alternate Name:** INSULIN, 1 HR.**Methodology:** Chemiluminescence**Preferred Specimen:** 1 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 2 days**CPT Code:** 83525 (1)**Scarlet Eligible:** Yes

Insulin, Fasting

 1648-5

Alternate Name: INSULIN, FASTING

Methodology: Indirect Fluorescence Assay

Preferred Specimen: 1 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 2 days

CPT Code: 83525 (1)

Scarlet Eligible: Yes

Interferon-ALPHA, EIA

3997-4

Alternate Name: INTERFERON-ALPHA

Methodology: Enzyme Linked Immunoabsorbance

Preferred Specimen: 1 mL Aliquot Tube-Serum

Collection Instruction: Fill tube, invert gently 2-3 times, spin for 10-15 minutes label with patient name. Keep samples frozen. Freeze within 30 minutes of draw.

Storage Instruction: STRICT Frozen

Turn Around Time: 16 days

CPT Code: 83520 (1)

Scarlet Eligible: No

Interleukin 10

J228-8

Alternate Name: INTERLEUKIN 10

Methodology: Electrochemiluminescence Immunoassay

Preferred Specimen: 1 mL Aliquot Tube-Serum

Collection Instruction: Place 1-3 mL of serum in transport tube. Label as serum;refrigerate or freeze as required.

Storage Instruction: STRICT Frozen

Turn Around Time: 6 days

CPT Code: 83520 (1)

Scarlet Eligible: No

Interleukin 12

J229-6

Alternate Name: INTERLEUKIN 12**Methodology:** Electrochemiluminescence Immunoassay**Preferred Specimen:** 1 mL Aliquot Tube-Serum**Collection Instruction:** Place 1-3 mL of serum in transport tube. Label as serum;refrigerate or freeze as required.**Storage Instruction:** STRICT Frozen**Turn Around Time:** 6 days**CPT Code:** 83520 (1)**Scarlet Eligible:** No

Interleukin 1B

J227-0

Alternate Name: INTERLEUKIN 1B**Methodology:** Electrochemiluminescence Immunoassay**Preferred Specimen:** 1 mL Aliquot Tube-Serum**Collection Instruction:** Place 1-3 mL of serum in transport tube. Label as serum;refrigerate or freeze as required.**Storage Instruction:** STRICT Frozen**Turn Around Time:** 6 days**CPT Code:** 83520 (1)**Scarlet Eligible:** No

Interleukin 2

J224-7

Alternate Name: INTERLEUKIN 2**Methodology:** Electrochemiluminescence Immunoassay**Preferred Specimen:** 1 mL Aliquot Tube-Serum**Collection Instruction:** Place 1-3 mL of serum in transport tube. Label as serum;refrigerate or freeze as required.**Storage Instruction:** STRICT Frozen**Turn Around Time:** 6 days**CPT Code:** 83520 (1)**Scarlet Eligible:** No

Accu Type IL 28B (NY ONLY)

B661-0

Alternate Name: INTERLEUKIN 28B**Methodology:** Polymerase Chain Reaction**Preferred Specimen:** 5 mL Lavender top- EDTA**Collection Instruction:** Fill lavender-top (EDTA) tube completely, invert 8-10 times. DO NOT SHAKE TUBE!**Storage Instruction:** Refrigerate**Turn Around Time:** 8 days**CPT Code:** 81283 (1), 81400 (1)**Scarlet Eligible:** No**Interleukin 28B POLYMORPHISM (NON-NY)** A304-8**Alternate Name:** INTERLEUKIN 28B**Methodology:** Polymerase Chain Reaction**Preferred Specimen:** 5 mL Lavender top- EDTA**Collection Instruction:** Fill lavender-top (EDTA) tube completely, invert 8-10 times. DO NOT SHAKE TUBE!**Storage Instruction:** Refrigerate**Turn Around Time:** 8 days**CPT Code:** 81283 (1)**Scarlet Eligible:** Yes**Interleukin 4**

J225-4

Alternate Name: INTERLEUKIN 4**Methodology:** Electrochemiluminescence Immunoassay**Preferred Specimen:** 1 mL Aliquot Tube-Serum**Collection Instruction:** Place 1-3 mL of serum in transport tube. Label as serum;refrigerate or freeze as required.**Storage Instruction:** STRICT Frozen**Turn Around Time:** 6 days**CPT Code:** 83520 (1)**Scarlet Eligible:** No

Interleukin 5

J223-9

Alternate Name: INTERLEUKIN 5**Methodology:** Electrochemiluminescence Immunoassay**Preferred Specimen:** 1 mL Aliquot Tube-Serum**Collection Instruction:** Place 1-3 mL of serum in transport tube. Label as serum;refrigerate or freeze as required.**Storage Instruction:** STRICT Frozen**Turn Around Time:** 9 days**CPT Code:** 83520 (1)**Scarlet Eligible:** No

Interleukin 8

J222-1

Alternate Name: INTERLEUKIN 8**Methodology:** Electrochemiluminescence Immunoassay**Preferred Specimen:** 1 mL Aliquot Tube-Serum**Collection Instruction:** Place 1-3 mL of serum in transport tube. Label as serum;refrigerate or freeze as required.**Storage Instruction:** STRICT Frozen**Turn Around Time:** 6 days**CPT Code:** 83520 (1)**Scarlet Eligible:** No

Iodine, Serum/Plasma J076-1**Alternate Name:** IODINE S/P**Methodology:** Inductively Coupled Plasma Mass Spectrometry**Preferred Specimen:** Blue-Royal Blue Trace Element Serum (red line)**Collection Instruction:** Fill tube, label with patient name**Storage Instruction:** Refrigerate**Turn Around Time:** 2 days**CPT Code:** 83018 (1)**Scarlet Eligible:** Yes

Iodine, Urine Panel H474-0**Alternate Name:** IODINE, URINE PANEL**Preferred Specimen:** Urine Cup**Turn Around Time:** 2 days**CPT Code:** 82570 (1), 83789 (1)**Scarlet Eligible:** Yes**Iron + TIBC** 0250-1**Alternate Name:** IRON + TIBC**Preferred Specimen:** 2 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 1 day**CPT Code:** 83540 (1), 83550 (1)**Scarlet Eligible:** Yes**Iron, Liver Studies, Quant.**

5099-7

Alternate Name: IRON,LIVER QUANT.**Methodology:** Inductively Coupled Plasma Mass Spectrometry**Preferred Specimen:** Formalin-fixed, Paraffin-embedded Tissue**Collection Instruction:** Please write surgical number on block and on requisition. Provide fixation time on requisition as well**Storage Instruction:** Refrigerate**Turn Around Time:** 5 days**CPT Code:** 83540 (1)**Scarlet Eligible:** No

ISH Single Antibody -PC Only

B960-6

Alternate Name: ISH SINGLE ANTIBODY-PC**Methodology:** In Situ Hybridization**Preferred Specimen:** Stained Slides**Collection Instruction:** Client collect specimen, prepare smears, label with patient's name, and place in slide carrier.**Storage Instruction:** Room Temp**Turn Around Time:** 1-2 days**CPT Code:** 88365 (1)**Scarlet Eligible:** No

Isospora Belli ID, Modified Acid Fast

2670-8

Alternate Name: ISOSPORA BELLI ID, STOOL**Methodology:** Modified Acid-Fast Stain**Preferred Specimen:** Ova & Parasite Mini**Collection Instruction:** With applicator stick, place 10 gms of stool into each vial, label with patient name**Storage Instruction:** Refrigerate**Turn Around Time:** 2 days**CPT Code:** 87015 (1), 87207 (1)**Scarlet Eligible:** No

Accutype Ribavirin B832-7**Alternate Name:** ITPA**Methodology:** Polymerase Chain Reaction**Preferred Specimen:** 4.0 Lavender top- EDTA**Collection Instruction:** Fill lavender-top (EDTA) tube completely, invert 8-10 times. DO NOT SHAKE TUBE!**Storage Instruction:** Refrigerate**Turn Around Time:** 5 days**CPT Code:** 87902 (1)**Scarlet Eligible:** Yes

Immunoglobulin A, (IgA) Serum

 0211-3

Alternate Name: IgA, Quantitative

Methodology: Immunoturbidimetric

Preferred Specimen: 1 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 1 day

CPT Code: 82784 (1)

Scarlet Eligible: Yes

Immunoglobulin D, (Igd)Serum

 1655-0

Alternate Name: IgD

Methodology: Nephelometry

Preferred Specimen: 3 mL Red Top

Collection Instruction: Fill tube, label with patient name

Storage Instruction: Refrigerate

Turn Around Time: 10 days

CPT Code: 82784 (1)

Scarlet Eligible: Yes

Immunoglobulin G (IgG), Serum

 0541-3

Alternate Name: IgG, Quantitative

Methodology: Immunoturbidimetric

Preferred Specimen: 1 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 1 day

CPT Code: 82784 (1)

Scarlet Eligible: Yes

Lymphoma - B-Cell, IGH by PCR

5278-7

Alternate Name: IgH Gene Rearrangement**Methodology:** Fluorescence**Preferred Specimen:** 2 mL Bone Marrow - Lavender Top**Collection Instruction:** Place bone marrow into tube, label with patient's name. Send in bone marrow kit.**Storage Instruction:** Refrigerate**Turn Around Time:** 6 days**CPT Code:** 81261 (1)**Scarlet Eligible:** No**Immunoglobulin M, (IgM) Serum** 0549-6**Alternate Name:** IgM, Quantitative**Methodology:** Immunoturbidimetric**Preferred Specimen:** 1 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 1 day**CPT Code:** 82784 (1)**Scarlet Eligible:** Yes**CLL Prognosis: IgVH Mutation Analysis by PCR** 5223-3**Alternate Name:** IgVH**Methodology:** Fluorescence**Preferred Specimen:** 5 mL Peripheral Blood - Lavender Top**Collection Instruction:** Fill tube, invert gently 5-6 times, label with patient's name**Storage Instruction:** Refrigerate**Turn Around Time:** 7 days**CPT Code:** 81263 (1)**Scarlet Eligible:** Yes

Immunotyping,Serum

 0413-5

Alternate Name: Immunoelectrophoresis, Immunofixation, IPEP

Methodology: Electrophoresis

Preferred Specimen: 1 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 4 days

CPT Code: 86334 (1)

Scarlet Eligible: Yes

Insulin, Total/Random

 0113-1

Alternate Name: Immunoreactive Insulin

Methodology: Chemiluminescence

Preferred Specimen: 1 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 2 days

CPT Code: 83525 (1)

Scarlet Eligible: Yes

Influenza A+B AG

 5879-2

Alternate Name: Influenza Virus Culture, Influenza A&B Rapid Antigen

Methodology: Chromatography

Preferred Specimen: Swab-Star Swab

Collection Instruction: Collect: Respiratory specimen: Nasopharyngeal washes, aspirates and swab specimens in M4 Transport Media or UTM. Alternately, an ESwab can be used. Specimen Preparation: Transfer the collected respiratory sample in 1 mL of viral transport media (Min: 0.5 mL)

Storage Instruction: Refrigerate

Turn Around Time: 2 days

CPT Code: 87400 (2)

Scarlet Eligible: Yes

InheriGen® Plus w/o Fragile X

F021-1

Alternate Name: InheriGen Plus w/o Frag**Preferred Specimen:** Lavender top- EDTA**Collection Instruction:** Fill lavender-top (EDTA) tube completely, invert 8-10 times. DO NOT SHAKE TUBE!**Storage Instruction:** Refrigerate**Turn Around Time:** 10-14 days**CPT Code:** 81443 (1), 81329 (1)**Scarlet Eligible:** No**InheriGenTx** B735-2**Alternate Name:** InheriGenTx**Methodology:** Targeted Genotyping**Preferred Specimen:** Lavender top- EDTA**Collection Instruction:** Fill lavender-top (EDTA) tube completely, invert 8-10 times. DO NOT SHAKE TUBE!**Storage Instruction:** Refrigerate**Turn Around Time:** 10-14 days**CPT Code:** 81205 (1), 81242 (1), 81250 (1), 81251 (1), 81400 (1), 81401 (1), 81402 (1)**Scarlet Eligible:** Yes**Inhibin-A** TF79-1**Alternate Name:** Inhibin-A**Methodology:** Chemiluminescence**Preferred Specimen:** 2 mL SST Tube**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 86336 (1)**Scarlet Eligible:** Yes

Phosphorus, Inorganic

 0127-1

Alternate Name: Inorganic Phosphate, Blood

Methodology: Enzymatic Reference method with Hexokinase

Preferred Specimen: 1 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 1 day

CPT Code: 84100 (1)

Scarlet Eligible: Yes

Integrated Part 1 (NT, PAPP-A)

 6375-0

Alternate Name: Integrated Screen First Stage

Preferred Specimen: 2 mL SST Tube

Collection Instruction: MUST BE 11-13 WEEKS AND 6 DAYS. PROVIDE GESTATIONAL INFO.

Storage Instruction: Refrigerate

Turn Around Time: 4 days

CPT Code: 99999 (1)

Scarlet Eligible: Yes

Integrated Part 2 (AFP, UE3, HCG, INHIBIN-A)

 6376-8

Alternate Name: Integrated Screen Second Stage

Preferred Specimen: 3.0 mL SST Tube

Collection Instruction: MUST BE 15-22 WEEKS AND 6 DAYS. PROVIDE GESTATIONAL INFO.

Storage Instruction: Refrigerate

Turn Around Time: 4 days

CPT Code: 81511 (1), 84163 (1)

Scarlet Eligible: Yes

Intrinsic Factor AB

 T835-8

Alternate Name: Intrinsic Factor AB

Methodology: Chemiluminescence

Preferred Specimen: 1 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 5 days

CPT Code: 86340 (1)

Scarlet Eligible: Yes

UGT1A1 Mutation Analysis

 5183-9

Alternate Name: Irinotecan Toxicity, Colorectal Cancer (CRC), Gilbert's syndrome

Methodology: Polymerase Chain Reaction

Preferred Specimen: 5 mL Lavender top- EDTA

Collection Instruction: Collect 5 mL of whole blood in a lavender-top (EDTA) tube. Whole blood is shipped at room temperature. Do not freeze whole blood. Record the draw time and date on the tube. Ship immediately to maintain sample stability.

Storage Instruction: Refrigerate

Turn Around Time: 7-12 days

CPT Code: 81350 (1)

Scarlet Eligible: Yes

Iron, Serum

 0114-9

Alternate Name: Iron

Methodology: Colorimetry

Preferred Specimen: 2 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 1 day

CPT Code: 83540 (1)

Scarlet Eligible: Yes

Iron Reflex to TIBC

 M064-4

Alternate Name: Iron Reflex to TIBC

Turn Around Time: 1 day

CPT Code: 83540 (1)

Scarlet Eligible: Yes

Transferrin

 0192-5

Alternate Name: Iron and Total Iron Total Binding Capacity/Transferrin, Serum

Methodology: Immunoturbidimetric

Preferred Specimen: 1 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 1 day

CPT Code: 84466 (1)

Scarlet Eligible: Yes

Iron/Ferritin Panel

 1021-5

Alternate Name: Iron/Ferritin Panel

Turn Around Time: 1 day

CPT Code: 82728 (1), 83540 (1), 83550 (1)

Scarlet Eligible: Yes

Allergen Isocyanate MD1 (k76), IgE

 2104-8

Alternate Name: Isocyanate MD1

Methodology: Immunocap

Preferred Specimen: 3 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 3 days

CPT Code: 86003 (1)

Scarlet Eligible: Yes

Allergen Isocyanate TD1 (k75), IgE 2103-0**Alternate Name:** Isocyanate TD1**Methodology:** Immunocap**Preferred Specimen:** 3 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 86003 (1)**Scarlet Eligible:** Yes**Allergen Ispaghula (Psyllium) (k72), IgE** 3968-5**Alternate Name:** Ispaghula (K72)**Methodology:** Enzyme Immunoassay**Preferred Specimen:** 0.5 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 6 days**CPT Code:** 86003 (1)**Scarlet Eligible:** Yes**Allergen Italian Cypress (t23), IgE** 3834-9**Alternate Name:** Italian Cypress IgE**Methodology:** Enzyme Immunoassay**Preferred Specimen:** 0.5 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 6 days**CPT Code:** 86003 (1)**Scarlet Eligible:** Yes

JAK2 (including V617F and exon 12), MPL, and CALR if negative, reflex to MPN Panel J632-1

Alternate Name: JAK2/MPL/CALR by NGS rflx

Methodology: Genotyping by Next Generation Sequencing

Preferred Specimen: Bone Marrow - Lavender Top

Collection Instruction: Place bone marrow into tube, label with patient's name

Storage Instruction: Room Temp

Turn Around Time: 5-10 days

CPT Code: 81270 (1), 81219 (1), 81279 (1), 81338 (1)

Scarlet Eligible: No

JCV Ab w/ Index w/ RFX B542-2

Alternate Name: JCV Ab. W/ Index w/ RFX

Methodology: Immunoassay

Preferred Specimen: 1 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 16 days

CPT Code: 86711 (1)

Scarlet Eligible: Yes

Joubert Syndrome A645-4

Alternate Name: JOUBERT SYNDROME

Methodology: Genotyping by Next Generation Sequencing

Preferred Specimen: Lavender top- EDTA

Collection Instruction: Fill lavender-top (EDTA) tube completely, invert 8-10 times. DO NOT SHAKE TUBE!

Storage Instruction: Refrigerate

Turn Around Time: 10-14 days

CPT Code: 81479 (1)

Scarlet Eligible: Yes

Allergen Japanese Cedar (t17) IgE

 3831-5

Alternate Name: Japanese Cedar IgE

Methodology: Enzyme Immunoassay

Preferred Specimen: 0.5 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 6 days

CPT Code: 86003 (1)

Scarlet Eligible: Yes

Allergen Johnson Grass (g10), IgE

 1824-2

Alternate Name: Johnson Grass

Methodology: Immunocap

Preferred Specimen: 3 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 3 days

CPT Code: 86003 (1)

Scarlet Eligible: Yes

Allergen June/Ken.Blue Grass (g8), IgE

 0648-6

Alternate Name: June/Ken.Blue Grass

Methodology: Immunocap

Preferred Specimen: 3 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 3 days

CPT Code: 86003 (1)

Scarlet Eligible: Yes

Juvenile Amyotrophic Lateral Sclerosis Panel

 T815-0

Alternate Name: Juvenile Amyotrophic Lateral Scl

Methodology: Genotyping by Next Generation Sequencing

Preferred Specimen: Lavender top- EDTA

Collection Instruction: Blood specimens of any type (in EDTA or dried blood spot) and buccal swab cannot be accepted if the patient has ever received an allogeneic bone marrow transplant. Blood specimens will be rejected if frozen, hemolyzed or clotted. Blood can be refrigerated up to 7 days before shipping. Blood specimens older than 7 days can still be shipped; they will be tested if the yield and quality of DNA permit.

Storage Instruction: Room Temp

CPT Code: 81404 (1), 81405 (1), 81406 (2), 81407 (1)

Scarlet Eligible: Yes

Potassium, Serum

 0129-7

Alternate Name: K+, Serum

Methodology: Ion Selective Electrode

Preferred Specimen: 1 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 1 day

CPT Code: 84132 (1)

Scarlet Eligible: Yes

Potassium, Urine 24 Hr.

0301-2

Alternate Name: K+, Urine, 24 Hours

Preferred Specimen: 10 mL Urine Container - 24hr

Collection Instruction: Discard first morning sample, then collect all urines after for 24 hrs, on completion label with collection time and patient's name; record total volume on Requisition

Storage Instruction: Refrigerate

Turn Around Time: 1 day

CPT Code: 81050 (1), 84133 (1)

Scarlet Eligible: No

Cannabinoid, synthetic (K2,Spice), Urine, Screen, group 1, Qual.(20) A292-5

Alternate Name: K2**Methodology:** Enzyme Immunoassay**Preferred Specimen:** 5 mL Urine Cup**Collection Instruction:** Collect urine in cup, label with patients name**Storage Instruction:** Refrigerate**Turn Around Time:** 2 days**CPT Code:** 80307 (1)**Scarlet Eligible:** Yes

Cannabinoid, synthetic (K2,Spice), Urine, Screen, group 2, Qual.(10) J090-2

Alternate Name: K2 (SPICE)-GROUP2**Methodology:** Enzyme Immunoassay**Preferred Specimen:** 10 mL Urine Cup**Collection Instruction:** Collect urine in cup, label with patients name**Storage Instruction:** Refrigerate**Turn Around Time:** 2 days**CPT Code:** 80307 (1)**Scarlet Eligible:** Yes

Kappa + Lambda Chain, Urine (24hr)1126-2

Alternate Name: KAPPA + LAMBDA CHAIN**Methodology:** Nephelometry**Preferred Specimen:** 1 mL Urine Container - 24hr**Collection Instruction:** Discard first morning sample, then collect all urines after for 24 hrs, on completion label with collection time and patient's name; record total volume on Requisition**Storage Instruction:** Refrigerate**Turn Around Time:** 5 days**CPT Code:** 83883 (2)**Scarlet Eligible:** No

Kappa Free Light Chain Serum

 6241-4

Alternate Name: KAPPA FREE LIGHT CHAIN

Methodology: Immunoturbidimetric

Preferred Specimen: 1 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 2 days

CPT Code: 83883 (1)

Scarlet Eligible: Yes

Kappa/Lambda Light Chains, Serum

 3425-6

Alternate Name: KAPPA/LAMBDA CHN.SER

Methodology: Nephelometry

Preferred Specimen: 2 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 10 days

CPT Code: 83883 (2)

Scarlet Eligible: Yes

Free Kappa + Lambda Light Chain (serum)

 3893-5

Alternate Name: KAPPA/LAMBDA LIGHT C

Methodology: Immunoturbidimetric

Preferred Specimen: 1 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 2 days

CPT Code: 83520 (2)

Scarlet Eligible: Yes

Kappa + Lambda Light Chain (urine)

 3848-9

Alternate Name: KAPPA/LAMBDA LT.URN.

Methodology: Nephelometry

Preferred Specimen: 2 mL Urine Cup

Collection Instruction: Random urine collected in a plastic leak-proof container, no preservative.

Storage Instruction: Refrigerate

Turn Around Time: 5 days

CPT Code: 83883 (2)

Scarlet Eligible: Yes

Keppra Level (Levetiracetam)

 3465-2

Alternate Name: KEPPRA LEVEL

Methodology: Immunospectrometric

Preferred Specimen: Red Top

Collection Instruction: Fill tube, label with patient name

Storage Instruction: Refrigerate

Turn Around Time: 1 day

CPT Code: 80177 (1)

Scarlet Eligible: Yes

KI-67 Imaged By IHC-Tech Only

A346-9

Alternate Name: KI-67 IMAGED

Methodology: Immunohistochemistry

Preferred Specimen: Formalin-fixed, Paraffin-embedded Tissue

Collection Instruction: This comes in block or slide form from client with surgical number imprint.

Storage Instruction: Room Temp

Turn Around Time: 1 day

CPT Code: 88361 (1)

Scarlet Eligible: No

KIT Sequencing (Solid Tumors) Non NY

J020-9

Alternate Name: KIT BY NGS**Methodology:** Genotyping by Next Generation Sequencing**Preferred Specimen:** Formalin-fixed, Paraffin-embedded Tissue**Collection Instruction:** 10-15 unstained slides at 5 microns (tumor content>10%) with H&E, Shavings (if tumor content >40%) with H&E, if sending DNA - Please call CS.**Storage Instruction:** Room Temp**Turn Around Time:** 5-10 days**CPT Code:** 81272 (1)**Scarlet Eligible:** No**Onkosight NGS KIT Sequencing (Non-NY)**

J138-9

Alternate Name: KIT BY NGS**Preferred Specimen:** Bone Marrow - Lavender Top**Collection Instruction:** Place bone marrow into tube, label with patient's name**Storage Instruction:** Room Temp**Turn Around Time:** 5-10 days**CPT Code:** 81273 (1)**Scarlet Eligible:** No**KIT and PDGFRA Sequencing- Non Ny**

H578-8

Alternate Name: KIT and PDGFRA Sequ.**Methodology:** Genotyping by Next Generation Sequencing**Preferred Specimen:** Formalin-fixed, Paraffin-embedded Tissue**Collection Instruction:** This comes in block form from client with surgical number imprint.**Turn Around Time:** 5-10 days**CPT Code:** 81272 (1), 81314 (1)**Scarlet Eligible:** No

KIT and PDGFRA Sequencing NY Only

J464-9

Alternate Name: KIT and PDGFRA Sequ.**Methodology:** Genotyping by Next Generation Sequencing**Preferred Specimen:** Formalin-fixed, Paraffin-embedded Tissue**Collection Instruction:** 10-15 unstained slides at 5 microns (tumor content >10%) with H&E, Shavings (if tumor content >10%) with H&E, if sending DNA- Please call CS**Turn Around Time:** 5-10 days**CPT Code:** 81272 (1), 81314 (1)**Scarlet Eligible:** No

KIT Sequencing (Solid Tumors) NY Only

J453-2

Alternate Name: KIT by NGS**Methodology:** Genotyping by Next Generation Sequencing**Preferred Specimen:** Formalin-fixed, Paraffin-embedded Tissue**Collection Instruction:** 10-15 unstained slides at 5 microns (tumor content >10%) with H&E, Shavings (if tumor content >10%) with H&E, if sending DNA- Please call CS**Turn Around Time:** 5-10 days**CPT Code:** 81272 (1)**Scarlet Eligible:** No

Fungal Stain Derm

0231-1

Alternate Name: KOH, FUNGAL DIRECT EXAM**Methodology:** Calcofluor White Stain**Preferred Specimen:** Slides**Collection Instruction:** Label slides with patient name, place in slide holder for transport**Storage Instruction:** Refrigerate**Turn Around Time:** 6 days**CPT Code:** 87220 (1)**Scarlet Eligible:** No

KRAS Sequencing- Non NY

J024-1

Alternate Name: KRAS BY NGS**Methodology:** Genotyping by Next Generation Sequencing**Preferred Specimen:** Formalin-fixed, Paraffin-embedded Tissue**Collection Instruction:** 10-15 unstained slides at 5 microns (tumor content>10%) with H&E, Shavings (if tumor content >40%) with H&E, if sending DNA - Please call CS.**Storage Instruction:** Room Temp**Turn Around Time:** 5-10 days**CPT Code:** 81275 (1), 81276 (1)**Scarlet Eligible:** No**KRAS, if neg reflex to BRAF NY Only**

J462-3

Alternate Name: KRAS NEG, RFLX TO BRAF**Methodology:** Genotyping by Next Generation Sequencing**Preferred Specimen:** Formalin-fixed, Paraffin-embedded Tissue**Collection Instruction:** 10-15 unstained slides at 5 microns (tumor content >10%) with H&E, Shavings (if tumor content >10%) with H&E, if sending DNA- Please call CS**Turn Around Time:** 5-10 days**CPT Code:** 81275 (1), 81276 (1)**Scarlet Eligible:** No**KRAS, if neg reflex to BRAF- Non NY**

J104-1

Alternate Name: KRAS NEG. RFLX TO BRAF**Methodology:** Genotyping by Next Generation Sequencing**Preferred Specimen:** Formalin-fixed, Paraffin-embedded Tissue**Collection Instruction:** 10-15 unstained slides at 5 microns (tumor content>10%) with H&E, Shavings (if tumor content >40%) with H&E, if sending DNA - Please call CS.**Storage Instruction:** Room Temp**Turn Around Time:** 5-10 days**CPT Code:** 81275 (1), 81276 (1)**Scarlet Eligible:** No

KRAS Sequencing NY Only

J458-1

Alternate Name: KRAS by NGS**Methodology:** Genotyping by Next Generation Sequencing**Preferred Specimen:** Formalin-fixed, Paraffin-embedded Tissue**Collection Instruction:** 10-15 unstained slides at 5 microns (tumor content >10%) with H&E, Shavings (if tumor content >10%) with H&E, if sending DNA- Please call CS**Turn Around Time:** 5-10 days**CPT Code:** 81275 (1), 81276 (1)**Scarlet Eligible:** No**KRAS by NGS, if negative reflex to BRAF; + MSI by PCR, MSI-High, reflex to MLH1**

H580-4

Alternate Name: KRAS>BRAF + MSI-(H)>MLH1**Methodology:** Genotyping by Next Generation Sequencing**Preferred Specimen:** Formalin-fixed, Paraffin-embedded Tissue**Storage Instruction:** Room Temp**Turn Around Time:** 5-10 days**CPT Code:** 81275 (1), 81301 (1), 81276 (1)**Scarlet Eligible:** No**KRAS/NGS if neg rflx to BRAF/ MSI-PCR, if MSI-High, rflx MLH(NY)**

J452-4

Alternate Name: KRAS>BRAF + MSI-(H)>MLH1**Methodology:** Genotyping by Next Generation Sequencing**Preferred Specimen:** Formalin-fixed, Paraffin-embedded Tissue**Collection Instruction:** 10-15 unstained slides at 5 microns (tumor content >10%) with H&E, Shavings (if tumor content >10%) with H&E, if sending DNA- Please call CS**Turn Around Time:** 5-10 days**CPT Code:** 81301 (1)**Scarlet Eligible:** No

Peritoneal KT/V, Measured

6238-0

Alternate Name: KT/V, MEASURED**Preferred Specimen:** 10 mL Fluid-source required, 2 mL SST Tube**Collection Instruction:** Record total volume on requisition. Include patient's weight and height. FLUID and SERUM are required.**Storage Instruction:** Room Temp**Turn Around Time:** 4 days**CPT Code:** 84520 (2), 84540 (1)**Scarlet Eligible:** No**Cabbage (f216), IgE** 1244-3**Alternate Name:** Kale**Methodology:** Immunocap**Preferred Specimen:** 3 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 86003 (1)**Scarlet Eligible:** Yes**Ketones (Acetoacetic), Serum** 0028-1**Alternate Name:** Ketones**Methodology:** Manual**Preferred Specimen:** 1 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 6 days**CPT Code:** 82010 (1)**Scarlet Eligible:** Yes

Ki-67 by IHC

5152-4

Alternate Name: Ki-67, IHC MANUAL

Methodology: Immunohistochemistry

Preferred Specimen: Formalin-fixed, Paraffin-embedded Tissue

Collection Instruction: This comes in a block or slide form from client with surgical number imprint.

Turn Around Time: 1 day

CPT Code: 88360 (1)

Scarlet Eligible: No

Allergen Kidney Bean (rf287), IgE

 3122-9

Alternate Name: Kidney Bean

Methodology: Immunocap

Preferred Specimen: 3 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 3 days

CPT Code: 86003 (1)

Scarlet Eligible: Yes

Kidney Profile

 L325-0

Alternate Name: Kidney Profile

Turn Around Time: 1 day

CPT Code: 82570 (1), 82043 (1), 99999 (1), 82565 (1)

Scarlet Eligible: Yes

Allergen Kiwi (f84), IgE

 0842-5

Alternate Name: Kiwi

Methodology: Immunocap

Preferred Specimen: 3 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 3 days

CPT Code: 86003 (1)

Scarlet Eligible: Yes

Prenatal L1CAM Gene Seq and Del/Dups

B616-4

Alternate Name: L1CAM Gene Seq and Del/Dups

Methodology: Genotyping by Next Generation Sequencing

Preferred Specimen: 20 mL Amniotic Fluid

Collection Instruction: 20mL Amniotic Fluid submitted in a sterile, leak-proof container MATERNAL WHOLE BLOOD SHOULD BE SENT WITH ALL SAMPLE TYPES.

Storage Instruction: Refrigerate

Turn Around Time: 21 day

CPT Code: 81265 (1), 81407 (1)

Scarlet Eligible: No

Lupus-Hexagonal Phase

5749-7

Alternate Name: LA HEX DIFF

Methodology: Clot Detection

Preferred Specimen: 2 mL Aliquot Plasma-Citrated-Blue Top

Collection Instruction: Collect full blue-top (citrated) tube. Centrifuge Blue-top at high speed for 15 minutes. Transfer plasma into plastic transfer tube. Label with date/time collected, PLASMA, patient's name and freeze.

Storage Instruction: STRICT Frozen

Turn Around Time: 3 days

CPT Code: 85598 (1)

Scarlet Eligible: No

Lactobacillus (Species) by PCR

J213-0

Alternate Name: LACTOBACILLUS BY PCR**Methodology:** Polymerase Chain Reaction**Preferred Specimen:** ThinPrep Vial**Collection Instruction:** Collect specimen, swish in Thin prep vial, label with pt name.**Storage Instruction:** Room Temp**Turn Around Time:** 5-7 days**CPT Code:** 87799 (1)**Scarlet Eligible:** No

Lactose Tolerance Test

1178-3

Alternate Name: LACTOSE TOLERANCE TEST**Methodology:** Enzyme Immunoassay**Preferred Specimen:** Grey top- Sodium Fluoride**Collection Instruction:** Submit one grey top (Sodium Fluoride) tube for EACH specimen, Label tubes with time of collection. Observe same rules as glucose tolerance. Collect all spec. (except fasting) after administration of 50gms of lactose in 8 ounce cup of water.**CPT Code:** 82951 (1), 82952 (3)**Scarlet Eligible:** No

LAL (Limulus Amebocyte Lysate)

2475-2

Alternate Name: LAL**Methodology:** Chromogenic**Preferred Specimen:** 10 mL Other (forced comment) ?**Collection Instruction:** Collect water in special LAL tube. Order from Sendout Department.**Storage Instruction:** Refrigerate**Turn Around Time:** 5 days**CPT Code:** 87999 (1)**Scarlet Eligible:** No

Lambda Free Light Chain Serum

 6240-6

Alternate Name: LAMBDA FREE LIGHT CHAIN

Methodology: Immunoturbidimetric

Preferred Specimen: 1 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 2 days

CPT Code: 83883 (1)

Scarlet Eligible: Yes

Liver Cytosol (LC-1) AutoAbs

 B608-1

Alternate Name: LC-1 AUTOANTIBODIES

Methodology: Enzyme Immunoassay

Preferred Specimen: 1 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 11 day

CPT Code: 86376 (1)

Scarlet Eligible: Yes

LDL Direct

 2194-9

Alternate Name: LDL Direct

Methodology: Enzyme Immunoassay

Preferred Specimen: 1 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 1 day

CPT Code: 83721 (1)

Scarlet Eligible: Yes

Lead, Blood + E.P. 0588-4**Alternate Name:** LEAD, BLOOD + E.P.**Preferred Specimen:** Tan Top**Collection Instruction:** Fill tube, invert gently 5-6 times, label with patient name**Storage Instruction:** Refrigerate**Turn Around Time:** 2 days**CPT Code:** 83655 (1), 84202 (1)**Scarlet Eligible:** Yes**Legionella Culture**

3874-5

Alternate Name: LEGIONELLA CULTURE**Methodology:** Bacterial Culture**Preferred Specimen:** Cup-Sputum**Collection Instruction:** Submit sputum in sterile container, label with patient name**Storage Instruction:** Refrigerate**Turn Around Time:** 12 days**CPT Code:** 87081 (1)**Scarlet Eligible:** No**Leptin (ELISA)** J220-5**Alternate Name:** LEPTIN**Methodology:** Enzyme Linked Immunoabsorbance**Preferred Specimen:** 2 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 83520 (1)**Scarlet Eligible:** Yes

Leukemia/Lymphoma Panel

5100-3

Alternate Name: LEUKEMIA/LYMPHOMA PNL**Methodology:** Flow Cytometry**Preferred Specimen:** Formalin-fixed, Paraffin-embedded Tissue**Collection Instruction:** This comes in a block or slide form from client with surgical number imprint.**Turn Around Time:** 1 day**CPT Code:** 88341 (7), 88342 (1)**Scarlet Eligible:** No

Level 3 Surgical Pathology

5695-2

Alternate Name: LEVEL 3 SURGICAL PATHOLOGY**Methodology:** Histology**Preferred Specimen:** Formalin-fixed, Paraffin-embedded Tissue**Collection Instruction:** Submit in 10% Neutral Buffered Formalin, varied jar sizes.**Turn Around Time:** 2 days**CPT Code:** 88304 (1)**Scarlet Eligible:** No

Level 4 Surgical Pathology

5696-0

Alternate Name: LEVEL 4 SURGICAL PATHOLOGY**Methodology:** Histology**Preferred Specimen:** Biopsy In Formalin**Collection Instruction:** Submit in 10% Neutral Buffered Formalin, varied jar sizes.**Turn Around Time:** 2 days**CPT Code:** 88305 (1)**Scarlet Eligible:** No

Level 5 Surgical Pathology

5697-8

Alternate Name: LEVEL 5 SURGICAL PATHOLOGY**Methodology:** Histology**Preferred Specimen:** Formalin-fixed, Paraffin-embedded Tissue**Collection Instruction:** Submit in 10% Neutral Buffered Formalin, varied jar sizes.**Turn Around Time:** 2 days**CPT Code:** 88307 (1)**Scarlet Eligible:** No

Level II Histo,TC

A229-7

Alternate Name: LEVEL II HISTO,TC**Methodology:** Histology**Preferred Specimen:** Biopsy In Formalin**Collection Instruction:** Collect specimen place in formalin jar write patient name and site on jar**Turn Around Time:** 1 day**CPT Code:** 88302 (1)**Scarlet Eligible:** No

LEVEL II-PC SURGICAL PATHOLOGY

B012-6

Alternate Name: LEVEL II-PC SURGICAL PATHOLOGY**Methodology:** Histology**Preferred Specimen:** Slides**Collection Instruction:** Label slides with patient name, place in slide holder for transport**Turn Around Time:** 1 day**CPT Code:** 88302 (1)**Scarlet Eligible:** No

Level III Histo. (3 Slides)

5164-9

Alternate Name: LEVEL III HISTO TC**Methodology:** Histology**Preferred Specimen:** Biopsy In Formalin**Collection Instruction:** Submit in 10% Neutral Buffered Formalin, varied jar sizes.**Turn Around Time:** 1 day**CPT Code:** 88304 (3)**Scarlet Eligible:** No**Level III Histo. (4 Slides)**

5172-2

Alternate Name: LEVEL III HISTO. TC**Methodology:** Histology**Preferred Specimen:** Biopsy In Formalin**Collection Instruction:** Submit in 10% Neutral Buffered Formalin, varied jar sizes.**Turn Around Time:** 1 day**CPT Code:** 88304 (4)**Scarlet Eligible:** No**Level III Histo.(5 Slides)**

5173-0

Alternate Name: LEVEL III HISTO.(5 SLIDES)**Methodology:** Histology**Preferred Specimen:** Biopsy In Formalin**Collection Instruction:** Submit in 10% Neutral Buffered Formalin, varied jar sizes.**Turn Around Time:** 1 day**CPT Code:** 88304 (5)**Scarlet Eligible:** No

LEVEL III-PC SURGICAL PATH.

B013-4

Alternate Name: LEVEL III-PC SURGICAL PATH.**Methodology:** Histology**Preferred Specimen:** Slides**Collection Instruction:** Label slides with patient name, place in slide holder for transport**Turn Around Time:** 1 day**CPT Code:** 88304 (1)**Scarlet Eligible:** No

Level IV Histo, TC

A231-3

Alternate Name: LEVEL IV HISTO, TC**Methodology:** Histology**Preferred Specimen:** Biopsy In Formalin**Collection Instruction:** Collect specimen place in formalin jar write patient name and site on jar**Turn Around Time:** 1 day**CPT Code:** 88305 (1)**Scarlet Eligible:** No

LEVEL IV-PC SURGICAL PATHOLOGY

B014-2

Alternate Name: LEVEL IV-PC SURGICAL PATHOLOGY**Methodology:** Histology**Preferred Specimen:** Slides**Collection Instruction:** Label slides with patient name, place in slide holder for transport**Turn Around Time:** 1 day**CPT Code:** 88305 (1)**Scarlet Eligible:** No

Level V Histo,TC

A228-9

Alternate Name: LEVEL V HISTO,TC**Methodology:** Histology**Preferred Specimen:** Biopsy In Formalin**Collection Instruction:** Collect specimen place in formalin jar write patient name and site on jar**Turn Around Time:** 1 day**CPT Code:** 88307 (1)**Scarlet Eligible:** No

LEVEL V-PC SURGICAL PATHOLOGY

B015-9

Alternate Name: LEVEL V-PC SURGICAL PATHOLOGY**Methodology:** Histology**Preferred Specimen:** Slides**Collection Instruction:** Label slides with patient name, place in slide holder for transport**Turn Around Time:** 1 day**CPT Code:** 88307 (1)**Scarlet Eligible:** No

Level VI Histo,TC

A230-5

Alternate Name: LEVEL VI HISTO,TC**Methodology:** Histology**Preferred Specimen:** Biopsy In Formalin**Collection Instruction:** Collect specimen place in formalin jar write patient name and site on jar**Turn Around Time:** 1 day**CPT Code:** 88309 (1)**Scarlet Eligible:** No

LEVEL VI-PC SURGICAL PATHOLOGY

B016-7

Alternate Name: LEVEL VI-PC SURGICAL PATHOLOGY**Methodology:** Histology**Preferred Specimen:** Slides**Collection Instruction:** Label slides with patient name, place in slide holder for transport**Turn Around Time:** 1 day**CPT Code:** 88309 (1)**Scarlet Eligible:** No**Lymphogranuloma Venereum (LGV) (Non-NY)**

6356-0

Alternate Name: LGV, Non-NY patients, Chlamydia lesion**Methodology:** Polymerase Chain Reaction**Preferred Specimen:** ThinPrep Vial**Collection Instruction:** Collect specimen, swish in Thin prep vial, label with pt name.**Turn Around Time:** 5-7 days**CPT Code:** 87798 (1)**Scarlet Eligible:** No**LH, FSH, Estradiol** 0982-9**Alternate Name:** LH, FSH, Estradiol**Preferred Specimen:** 3 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 1 day**CPT Code:** 82670 (1), 83001 (1), 83002 (1)**Scarlet Eligible:** Yes

Luteinizing Hormone (LH)

 0342-6

Alternate Name: LH; Follitropin; ICSH; Interstitial Cell Stimulating Hormone

Methodology: Electrochemiluminescence Immunoassay

Preferred Specimen: 1 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 1 day

CPT Code: 83002 (1)

Scarlet Eligible: Yes

Lipase, Peritoneal Fluid

6167-1

Alternate Name: LIPASE PERITONEAL,FLD

Methodology: Colorimetry

Preferred Specimen: 1 mL Fluid-source required

Collection Instruction: Submit fluid in sterile cup

Storage Instruction: Refrigerate

Turn Around Time: 4 days

CPT Code: 83690 (1)

Scarlet Eligible: No

Lipoprotein Electrophoresis w/Lipids

 0551-2

Alternate Name: LIPOPROTEIN ELECTRO

Methodology: Electrophoresis

Preferred Specimen: 1 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 1 day

CPT Code: 80061 (1), 83700 (1)

Scarlet Eligible: Yes

Listeria Monocytogenes Antibody IgG

 1752-5

Alternate Name: LISTERIA AB.,IgG

Methodology: Complement Fixation

Preferred Specimen: 1 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 9 days

CPT Code: 86609 (1)

Scarlet Eligible: Yes

Liver Panel

 1074-4

Alternate Name: LIVER PANEL

Preferred Specimen: 2 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 1 day

CPT Code: 82040 (1), 82247 (1), 82248 (1), 82465 (1), 82977 (1), 83615 (1), 84075 (1), 84155 (1), 84450 (1), 84460 (1)

Scarlet Eligible: Yes

Lupus Antibody Panel (SLE)

 4291-1

Alternate Name: LUPUS PANEL, SLE

Preferred Specimen: 1 mL SST Tube

Storage Instruction: Refrigerate

Turn Around Time: 3 days

CPT Code: 83516 (1), 86038 (2), 86147 (3), 86160 (2), 86225 (1), 86235 (2)

Scarlet Eligible: Yes

Lyme AB West-Blot IgG/IgM

 4033-7

Alternate Name: LYME AB WEST-BLOT IG

Methodology: Western Blot

Preferred Specimen: 2 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 2 days

CPT Code: 86617 (2)

Scarlet Eligible: Yes

Lyme Disease AB RFLX IGM TO WB G/M

 2297-0

Alternate Name: LYME AB. RFLX WB G/M

Methodology: Enzyme Linked Immunoabsorbance

Preferred Specimen: 1 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 2 days

CPT Code: 86618 (1)

Scarlet Eligible: Yes

Lyme Ab.,Total (No Reflex)

 2382-0

Alternate Name: LYME Ab.(no reflex)

Methodology: Enzyme Linked Immunoabsorbance

Preferred Specimen: 1 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 2 days

CPT Code: 86618 (1)

Scarlet Eligible: Yes

Lyme Disease Antibody, Serum

 0568-6

Alternate Name: LYME DISEASE Ab.

Methodology: Enzyme Linked Immunoabsorbance

Preferred Specimen: 1 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 2 days

CPT Code: 86618 (1)

Scarlet Eligible: Yes

Lyme Disease(Borrelia)DNA,FLD.

1855-6

Alternate Name: LYME DISEASE DNA, FLD.

Methodology: Polymerase Chain Reaction

Preferred Specimen: 1 mL Fluid-source required

Collection Instruction: Submit Synovial Fluid or CSF in sterile container.

Storage Instruction: Refrigerate

Turn Around Time: 7 days

CPT Code: 87801 (1)

Scarlet Eligible: No

Lyme Blot, IgG W/Bands

 6272-9

Alternate Name: LYME WB, IGG W/BANDS

Methodology: Line Blot

Preferred Specimen: SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 2 days

CPT Code: 86617 (1)

Scarlet Eligible: Yes

Lyme Blot, IgM W/Bands

 6273-7

Alternate Name: LYME WB, IGM W/BANDS

Methodology: Line Blot

Preferred Specimen: SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 2 days

CPT Code: 86617 (1)

Scarlet Eligible: Yes

Sjogren's Abs (SS-A, SS-B)

 0668-4

Alternate Name: La Antibodies; Ro Antibodies; SS-A Antibodies;SS-B Antibodies

Preferred Specimen: 1 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 1 day

CPT Code: 86235 (2)

Scarlet Eligible: Yes

LabFinder Report

T420-9

Alternate Name: LabFinder Report

Collection Instruction: This code should not be reproted. It should auto complete in reporting.

CPT Code: 99999 (1)

Scarlet Eligible: No

Lactate Dehydrogenase (LDH) 0117-2**Alternate Name:** Lactic Acid Dehydrogenase; LD; LDH**Methodology:** Enzymatic Reference method with Hexokinase**Preferred Specimen:** 2 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 1 day**CPT Code:** 83615 (1)**Scarlet Eligible:** Yes**Lactobacillus reuteri/rhamnosus (Non NY)**

J964-8

Alternate Name: Lactobacillus reuteri/rhamnosus**Methodology:** Real-Time Polymerase Chain Reaction**Preferred Specimen:** ThinPrep Vial**Collection Instruction:** Collect specimen, swish in Thin prep vial, label with pt name.**Storage Instruction:** Room Temp**Turn Around Time:** 5 days**CPT Code:** 87798 (1)**Scarlet Eligible:** No**Lamb/Mutton (f88) , IgE** 0862-3**Alternate Name:** Lamb/Mutton**Methodology:** Immunocap**Preferred Specimen:** 3 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 86003 (1)**Scarlet Eligible:** Yes

Allergen Lamb/Mutton IgG Non-NY B423-5**Alternate Name:** Lamb/Mutton IgG**Methodology:** Enzyme Immunoassay**Preferred Specimen:** 0.5 mL Aliquot Tube-Serum**Collection Instruction:** Collect 1-2 mL whole blood in red top tube, centrifuge and transfer 0.5 mL serum into a transfer tube. (All serum acceptable)**Storage Instruction:** Refrigerate**Turn Around Time:** 7 days**CPT Code:** 83520 (1)**Scarlet Eligible:** Yes**Allergen Latex (k82), IgE** 1371-4**Alternate Name:** Latex**Methodology:** Immunocap**Preferred Specimen:** 3 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 86003 (1)**Scarlet Eligible:** Yes**Allergen Lemon (f208), IgE** 1224-5**Alternate Name:** Lemon (F208)**Methodology:** Immunocap**Preferred Specimen:** 3 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 86003 (1)**Scarlet Eligible:** Yes

Allergen Lentil (f235), IgE

 3521-2

Alternate Name: Lentil (F235)

Methodology: Immunocap

Preferred Specimen: 2 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 3 days

CPT Code: 86003 (1)

Scarlet Eligible: Yes

Allergen Lentil IgG (Non-NY)

 B463-1

Alternate Name: Lentil IgG (Non-NY)

Methodology: Enzyme Immunoassay

Preferred Specimen: 0.5 mL Aliquot Tube-Serum

Collection Instruction: Collect 1-2 mL whole blood in red top tube, centrifuge and transfer 0.5 mL serum into a transfer tube. (All serum acceptable)

Storage Instruction: Refrigerate

Turn Around Time: 7 days

CPT Code: 86001 (1)

Scarlet Eligible: Yes

Allergen Lettuce (f215), IgE

 1409-2

Alternate Name: Lettuce

Methodology: Immunocap

Preferred Specimen: 3 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 3 days

CPT Code: 86003 (1)

Scarlet Eligible: Yes

Lipid Screen W/Reflex to Direct LDL

 M063-6

Alternate Name: Lipid Screen W/Reflex to Direct LDL

Turn Around Time: 1 day

Scarlet Eligible: Yes

Liver Profile

 0012-5

Alternate Name: Liver Profile

Preferred Specimen: 3 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 1 day

CPT Code: 80007 (1)

Scarlet Eligible: Yes

Allergen Lobster (f80), IgE

 0841-7

Alternate Name: Lobster

Methodology: Immunocap

Preferred Specimen: 3 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 3 days

CPT Code: 86003 (1)

Scarlet Eligible: Yes

Lipoprotein-a (Lp-a)

 1639-4

Alternate Name: Lp-A

Methodology: Immunospectrophotometric

Preferred Specimen: 1 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 1 day

CPT Code: 83695 (1)

Scarlet Eligible: Yes

Lp-Pla2 (PLAC)

 6155-6

Alternate Name: Lp-Pla2 , PLAC

Methodology: Enzyme Immunoassay

Preferred Specimen: 1 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 2 days

CPT Code: 83698 (1)

Scarlet Eligible: Yes

Lupus Anticoagulant Screen

5817-2

Alternate Name: Lupus Inhibitor Screen

Preferred Specimen: 3 mL Aliquot Plasma-Citrated-Blue Top

Collection Instruction: Collect 3 full blue-top (citrated) tubes. Centrifuge Blue-tops at high speed for 15 minutes. Transfer plasma into 5 plastic transfer tubes. Label with date/time collected, PLASMA, patient's name and FREEZE.

Storage Instruction: STRICT Frozen

Turn Around Time: 4 days

CPT Code: 85597 (1), 85598 (1), 85610 (1), 85613 (2), 85730 (2), 85732 (8)

Scarlet Eligible: No

Lyme Ab., IgM

 1615-4

Alternate Name: Lyme Antibody, IgM; Lyme Disease Antibody Detection

Methodology: Enzyme Linked Immunoabsorbance

Preferred Specimen: 1 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 2 days

CPT Code: 86618 (1)

Scarlet Eligible: Yes

Lynch Syndrome Custom Panel

 B890-5

Alternate Name: Lynch Syndrome Custom Panel

Preferred Specimen: 5 mL Peripheral Blood - Lavender Top

Collection Instruction: Collect 2 tubes (5-6ml each). Label with the patient name, date of birth, and/or ID..

Storage Instruction: Refrigerate

Turn Around Time: 7-10 days

CPT Code: 99999 (1)

Scarlet Eligible: Yes

Lynch Syndrome Panel

 B985-3

Alternate Name: Lynch Syndrome Panel

Preferred Specimen: Peripheral Blood - Lavender Top

Collection Instruction: 2 tubes (5-6 mL each). Label with the patient name, date of birth and/or ID.

Storage Instruction: Refrigerate

Turn Around Time: 14 days

CPT Code: 99999 (1), 81292 (1), 81294 (1), 81295 (1), 81297 (1), 81317 (1), 81298 (1), 81300 (1)

Scarlet Eligible: Yes

Mycoplasma Genitalium by MultiPlex PCR- swab

J837-6

Alternate Name: M. Genitalium PCR Swab**Methodology:** Multiplex PCR**Preferred Specimen:** Swab-Aptima Genprobe**Collection Instruction:** Collect specimen-break swab shaft into transport tube, then label with name and source**Storage Instruction:** Room Temp**Turn Around Time:** 5 days**CPT Code:** 87563 (1)**Scarlet Eligible:** No

Multiple Myeloma FISH Panel - TC Only

P961-6

Alternate Name: M. MYELOMA FISH PANEL-TC ONLY**Methodology:** FISH**Preferred Specimen:** 2 mL Bone Marrow - Green Top**Collection Instruction:** Non-diluted bone marrow aspirate collected and transferred into sodium heparin (green top) tube.**Storage Instruction:** Refrigerate**Turn Around Time:** 3-5 days**CPT Code:** 88367 (1), 88373 (1), 88374 (4)**Scarlet Eligible:** No

Magnesium, Urine, Random 3135-1**Alternate Name:** MAGNESIUM, URINE, RANDOM**Methodology:** Colorimetry**Preferred Specimen:** 10 mL Urine Cup**Collection Instruction:** Collect urine in cup, label with patients name**Storage Instruction:** Refrigerate**Turn Around Time:** 1 day**CPT Code:** 83735 (1)**Scarlet Eligible:** Yes

Male STI Urine Profile (GP) P310-6**Alternate Name:** MALE STI URINE PROF(GP)**Preferred Specimen:** 2 Urine Tube BD**Collection Instruction:** Collect Specimen- then label with name and source. Recommended first morning urine.**Turn Around Time:** 5 days**CPT Code:** 87491 (1), 87591 (1), 87661 (1), 87798 (2)**Scarlet Eligible:** Yes**Mucosa-Associated Lymphoid Tissue Lymphoma Translocation Protein (Non-NY)** J875-6**Alternate Name:** MALT1**Methodology:** Real-Time Polymerase Chain Reaction**Preferred Specimen:** Formalin-fixed, Paraffin-embedded Tissue**Collection Instruction:** This comes in block form from client with surgical number imprint.**Storage Instruction:** Room Temp**Turn Around Time:** 6 days**CPT Code:** 81401 (1)**Scarlet Eligible:** No**Maple Syrup Urine Disease(Type 1A & 1B)** A650-4**Alternate Name:** MAPLE SYRUP URN**Methodology:** Genotyping by Next Generation Sequencing**Preferred Specimen:** Lavender top- EDTA**Collection Instruction:** Fill lavender-top (EDTA) tube completely, invert 8-10 times. DO NOT SHAKE TUBE!**Storage Instruction:** Refrigerate**Turn Around Time:** 10-14 days**CPT Code:** 81205 (1)**Scarlet Eligible:** Yes

MDM2 Gene Amplification by FISH

B544-8

Alternate Name: MDM2 Fish**Methodology:** FISH**Preferred Specimen:** Formalin-fixed, Paraffin-embedded Tissue**Collection Instruction:** This comes in block form from client with surgical number imprint.**Storage Instruction:** Room Temp**Turn Around Time:** 3 days**CPT Code:** 88377 (1)**Scarlet Eligible:** No

Ecstasy (MDMA), Urine, Screen, Qual. (300) 3174-0**Alternate Name:** MDMA**Methodology:** Enzyme Immunoassay**Preferred Specimen:** 1 mL Urine Cup**Collection Instruction:** Collect urine in cup, label with patients name**Storage Instruction:** Refrigerate**Turn Around Time:** 1 day**CPT Code:** 80307 (1)**Scarlet Eligible:** Yes

Megasphaera Type 1 by RT PCR

J214-8

Alternate Name: MEGASPHAERA TYPE 1 PCR**Preferred Specimen:** ThinPrep Vial**Collection Instruction:** Collect specimen, swish in Thin prep vial, label with pt name.**Storage Instruction:** Room Temp**Turn Around Time:** 5-7 days**CPT Code:** 87798 (1)**Scarlet Eligible:** No

Melano. Stim. Hormone (Alpha) (NON-NY)

0632-0

Alternate Name: MELANO,MSH,MELA,MELANOCYTE,MELANO. STIM. HORMON**Preferred Specimen:** 3 mL Aliquot Plasma-EDTA-Lavender Top**Collection Instruction:** Centrifuge lavender-top at high speed for 15 minutes. Transfer plasma into plastic transfer tube. Label with date/time collected, PLASMA and patient's name.**Storage Instruction:** STRICT Frozen**Turn Around Time:** 10 days**CPT Code:** 83520 (1)**Scarlet Eligible:** No**Metastatic Melanoma - Lymph Node**

5126-8

Alternate Name: MELANOMA/LYMPH NODES**Methodology:** Immunohistochemistry**Preferred Specimen:** Formalin-fixed, Paraffin-embedded Tissue**Collection Instruction:** This comes in a block or slide form from client with surgical number imprint.**Turn Around Time:** 1 day**CPT Code:** 88341 (2), 88342 (1)**Scarlet Eligible:** No**Menopause/Perimenopause Risk Management Profile** P244-7**Alternate Name:** MENOPAUSE/PERIMENOPAUSE**Preferred Specimen:** SST Tube,Lavender top- EDTA**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 2 days**CPT Code:** 83718 (1), 83721 (1), 84439 (1), 84443 (1), 85025 (1), 86141 (1), G0059 (1)**Scarlet Eligible:** Yes

Male High Risk Sexual Health Panel

F239-9

Alternate Name: MENS H/R SEXUAL PANEL**Collection Instruction:** Submit 1 SST, 1 Viral Media, 1 Urine Aptima**Turn Around Time:** 10 days**CPT Code:** 86706 (1), 86803 (1), 87109 (2), 87389 (1), 87491 (1), 87591 (1), 87661 (1)**Scarlet Eligible:** No

MET BY FISH-Global

B335-1

Alternate Name: MET BY FISH GLOBAL**Methodology:** FISH**Preferred Specimen:** Formalin-fixed, Paraffin-embedded Tissue**Collection Instruction:** This comes in block from client with surgical number imprint.**Storage Instruction:** Room Temp**Turn Around Time:** 3-5 days**CPT Code:** 88377 (1)**Scarlet Eligible:** No

MET BY FISH-Tech Only

B336-9

Alternate Name: MET BY FISH-TECH ONLY**Methodology:** FISH**Preferred Specimen:** Formalin-fixed, Paraffin-embedded Tissue**Collection Instruction:** This comes in block form from client with surgical number imprint.**Storage Instruction:** Room Temp**Turn Around Time:** 3-5 days**CPT Code:** 88374 (1)**Scarlet Eligible:** No

MET by IHC

A612-4

Alternate Name: MET amplification**Methodology:** Immunohistochemistry**Preferred Specimen:** Formalin-fixed, Paraffin-embedded Tissue**Collection Instruction:** This comes in block or slide form from client with surgical number imprint.**Turn Around Time:** 1 day**CPT Code:** 88342 (1)**Scarlet Eligible:** No**Metanephrine/Normet., Plasma (Free)** 0758-3**Alternate Name:** METANEPHRINES**Methodology:** Liquid Chromatography Tandem Mass Spectrometry**Preferred Specimen:** 2.5 mL Aliquot Plasma-EDTA-Lavender Top**Collection Instruction:** Centrifuge lavender-top at high speed for 15 minutes. Transfer plasma into plastic transfer tube. Label with date/time collected, PLASMA and patient's name.**Storage Instruction:** Refrigerate**Turn Around Time:** 6 days**CPT Code:** 83835 (1)**Scarlet Eligible:** Yes**Metformin Quantitative, S/P** 5018-7**Alternate Name:** METFORMIN**Methodology:** Liquid Chromatography Tandem Mass Spectrometry**Preferred Specimen:** 1 mL Red Top**Collection Instruction:** Transfer serum or plasma to a standard transport tube.**Storage Instruction:** Refrigerate**Turn Around Time:** 13 days**CPT Code:** 80375 (1)**Scarlet Eligible:** Yes

Methadone, Urine, Screen (300) 0925-8**Alternate Name:** METHADONE, URINE SCREEN**Methodology:** Enzyme Immunoassay**Preferred Specimen:** 5 mL Urine Cup**Collection Instruction:** Collect urine in cup, label with patients name**Storage Instruction:** Refrigerate**Turn Around Time:** 1 day**CPT Code:** 80307 (1)**Scarlet Eligible:** Yes**Methylmalonic Acid Urine** 3653-3**Alternate Name:** METHYLMALONIC ACID,URN.**Methodology:** Gas Chromat. Mass Spectrometry**Preferred Specimen:** 3 mL Urine Cup**Collection Instruction:** Collect urine in cup, label with patients name**Storage Instruction:** Refrigerate**Turn Around Time:** 13 days**CPT Code:** 82570 (1), 83921 (1)**Scarlet Eligible:** Yes**MGMT Promoter Region Methylation**

J876-4

Alternate Name: MGMT Promoter Methyla.**Methodology:** Pyrosequencing**Preferred Specimen:** Formalin-fixed, Paraffin-embedded Tissue**Collection Instruction:** This comes in block form from client with surgical number imprint.**Storage Instruction:** Room Temp**Turn Around Time:** 7 days**CPT Code:** 81287 (1)**Scarlet Eligible:** No

MI-2 Autoantibodies 6328-9**Alternate Name:** MI-2 AUTOABS**Methodology:** Radio Immuno Assay**Preferred Specimen:** 2 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 17 days**CPT Code:** 86235 (1)**Scarlet Eligible:** Yes

Microalbumin, Urine, 24Hr.

3171-6

Alternate Name: MICROALBUMIN,URN. 24 HR**Methodology:** Immunoturbidimetric**Preferred Specimen:** 10 mL Urine Container - 24hr**Collection Instruction:** Discard first morning sample, then collect all urines after for 24 hrs, on completion label with collection time and patient's name; record total volume on Requisition**Storage Instruction:** Refrigerate**Turn Around Time:** 1 day**CPT Code:** 81050 (1), 82043 (1)**Scarlet Eligible:** No

Microsporidium ID, Stool

2673-2

Alternate Name: MICROSPORIDIUM ID, STOOL**Methodology:** Microscopic Examination**Preferred Specimen:** Ova & Parasite Mini**Collection Instruction:** With applicator stick, place 10 gms of stool into each vial, label with patient name**Storage Instruction:** Refrigerate**Turn Around Time:** 2 days**CPT Code:** 87207 (1)**Scarlet Eligible:** No

Milk Component Panel IgE

 H191-0

Alternate Name: MILK COMPONENT PNL IGE

Preferred Specimen: 3 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 3 days

CPT Code: 82785 (1), 86003 (3)

Scarlet Eligible: Yes

Mixing Studies-APTT

5830-5

Alternate Name: MIXING STUDIES-APTT

Methodology: Clot Detection

Preferred Specimen: 3 mL Aliquot Plasma-Citrated-Blue Top

Collection Instruction: Collect full blue-top (citrated) tube. Centrifuge Blue-top at high speed for 15 minutes. Transfer plasma into plastic transfer tube. Label with date/time collected, PLASMA, patient's name and freeze.

Storage Instruction: STRICT Frozen

Turn Around Time: 3 days

CPT Code: 85732 (8)

Scarlet Eligible: No

Mixing Studies-PT

5840-4

Alternate Name: MIXING STUDIES-PT

Methodology: Clot Detection

Preferred Specimen: 3 mL Aliquot Plasma-Citrated-Blue Top

Collection Instruction: Collect full blue-top (citrated) tube. Centrifuge Blue-top at high speed for 15 minutes. Transfer plasma into plastic transfer tube. Label with date/time collected, PLASMA, patient's name and freeze.

Storage Instruction: STRICT Frozen

Turn Around Time: 3 days

CPT Code: 85611 (8)

Scarlet Eligible: No

MLH-1 Promo. Methylation

A313-9

Alternate Name: MLH-1 PROMO.METHYLATION**Methodology:** Pyrosequencing**Preferred Specimen:** Formalin-fixed, Paraffin-embedded Tissue**Collection Instruction:** This comes in block form from client with surgical number imprint.**Turn Around Time:** 7 days**CPT Code:** 81288 (1)**Scarlet Eligible:** No**AML-M4 and M5 by Fish- TC ONLY**

B889-7

Alternate Name: MLL, 11q23**Methodology:** FISH**Preferred Specimen:** 5 mL Bone Marrow - Green Top**Collection Instruction:** Place bone marrow into tube, label with patient's name**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 88374 (1)**Scarlet Eligible:** No**AML - M4 + M5 by FISH**

5427-0

Alternate Name: MLL, 11q23**Methodology:** FISH**Preferred Specimen:** 2 mL Bone Marrow - Green Top**Collection Instruction:** Non-diluted bone marrow aspirate collected and transferred into sodium heparin (green top) tube. Also acceptable: Whole blood in green (sodium heparin) tube.**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 88374 (1)**Scarlet Eligible:** No

OnkoSight Advanced NGS Multiple Myeloma Panel

TL68-1

Alternate Name: MM FFPE NGS Panel**Methodology:** Genotyping by Next Generation Sequencing**Preferred Specimen:** Formalin-fixed, Paraffin-embedded Tissue**Storage Instruction:** Room Temp**Turn Around Time:** 10 days**CPT Code:** 81450 (1)**Scarlet Eligible:** No

OnkoSight Advanced Plasma Cell Myeloma NGS Panel

TL67-3

Alternate Name: MM NGS Panel**Methodology:** Genotyping by Next Generation Sequencing**Preferred Specimen:** Bone Marrow - Lavender Top**Storage Instruction:** Room Temp**Turn Around Time:** 10 days**CPT Code:** 81450 (1)**Scarlet Eligible:** No

Matrix Metalloproteinase-9

B792-3

Alternate Name: MMP-9**Methodology:** Immunoassay**Preferred Specimen:** 1 mL Aliquot Tube-Serum**Collection Instruction:** Place 1-3 mL of serum in transport tube. Label as serum;refrigerate or freeze as required.**Storage Instruction:** Freeze**Turn Around Time:** 10 days**CPT Code:** 83520 (1)**Scarlet Eligible:** No

Measles, Mumps, Rubella

 2565-0

Alternate Name: MMR

Preferred Specimen: SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 2 days

CPT Code: 86735 (1), 86762 (1), 86765 (1)

Scarlet Eligible: Yes

Mobiluncus (Species) by RT PCR

J217-1

Alternate Name: MOBILUNCUS BY PCR

Methodology: Polymerase Chain Reaction

Preferred Specimen: ThinPrep Vial

Collection Instruction: Collect specimen, swish in Thin prep vial, label with pt name.

Storage Instruction: Room Temp

Turn Around Time: 5-7 days

CPT Code: 87798 (1)

Scarlet Eligible: No

6-Monoacetyl Morphine (6-MAM), Urine, Screen (10)

 3911-5

Alternate Name: MONOACETYLMORPHINE,6-QUANT

Methodology: Enzyme Immunoassay

Preferred Specimen: 3 mL Urine Cup

Collection Instruction: Collect urine in cup, label with patients name

Storage Instruction: Refrigerate

Turn Around Time: 1 day

CPT Code: 80307 (1)

Scarlet Eligible: Yes

Rule Out Mosaicism Chromosome Analysis, Blood T982-8**Alternate Name:** MOSAIC-CHROM-ANALYSIS-BLOOD-SEND**Methodology:** Chromosome Analysis**Preferred Specimen:** 5 mL Green top- Sodium Heparin**Collection Instruction:** Fill tube, invert 8-10 times (DO NOT SHAKE!)**Storage Instruction:** Room Temp**Turn Around Time:** 7-14 days**CPT Code:** 88263 (1), 88230 (1)**Scarlet Eligible:** Yes

Hereditary Cancer Mosaic Variant Test

TB54-2

Alternate Name: MOSAIC-HEREDICV7**Methodology:** Full Gene Sequencing**Preferred Specimen:** Fibroblasts**Collection Instruction:** Collect 1-2 4mm punch biopsies in 1 RPMI tube (15mL). Label with patient name, date of birth, and/or ID. Ship immediately at ambient temperature for overnight delivery.**Storage Instruction:** Room Temp**Turn Around Time:** 21 day**CPT Code:** 81479 (1)**Scarlet Eligible:** No

MPN: JAK2/MPL/CALR by NGS

J633-9

Alternate Name: MPN: JAK2/MPL/CALR by NGS**Methodology:** Genotyping by Next Generation Sequencing**Preferred Specimen:** Bone Marrow - Lavender Top**Collection Instruction:** Place bone marrow into tube, label with patient's name**Storage Instruction:** Room Temp**Turn Around Time:** 5-10 days**CPT Code:** 81270 (1), 81219 (1), 81279 (1), 81338 (1)**Scarlet Eligible:** No

Myeloperoxidase Ab.

 2192-3

Alternate Name: MPO

Methodology: Enzyme Linked Immunoabsorbance

Preferred Specimen: 1 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 3 days

CPT Code: 86021 (1)

Scarlet Eligible: Yes

Minimal Residual Disease for CLL/SLL- Tech Only

J496-1

Alternate Name: MRD for CLL/SLL-TC Only

Methodology: Flow Cytometry

Preferred Specimen: 2 mL Peripheral Blood - Green Top

Collection Instruction: Fill tube, invert 8-10 times (DO NOT SHAKE!)

Storage Instruction: Refrigerate

Turn Around Time: 1 day

CPT Code: 88184 (1), 88185 (8)

Scarlet Eligible: No

MRSA Screen

6119-2

Alternate Name: MRSA SCREEN

Methodology: Bacterial Culture

Preferred Specimen: Swab-E

Collection Instruction: Collect specimen with swab then place swab into transport carrier; Label with name and source

Turn Around Time: 3 days

CPT Code: 87070 (1)

Scarlet Eligible: No

Mismatch Repair(MMR) by IHC w/Interp

A943-3

Alternate Name: MSI BY IHC**Methodology:** Immunohistochemistry**Preferred Specimen:** Formalin-fixed, Paraffin-embedded Tissue**Collection Instruction:** This comes in block or slide form from client with surgical number imprint.**Turn Around Time:** 1 day**CPT Code:** 88341 (3), 88342 (1)**Scarlet Eligible:** No

Mismatch Repair(MMR) by IHC, Tech Only

A944-1

Alternate Name: MSI BY IHC, TC**Methodology:** Immunohistochemistry**Preferred Specimen:** Formalin-fixed, Paraffin-embedded Tissue**Collection Instruction:** This comes in block or slide form from client with surgical number imprint.**Turn Around Time:** 1 day**CPT Code:** 88341 (3), 88342 (1)**Scarlet Eligible:** No

MSI: if MSI-H reflex to BRAF, if BRAF neg. reflex to MLH1

J761-8

Alternate Name: MSI(H)>BRAF(neg)>MLH1**Methodology:** Polymerase Chain Reaction**Preferred Specimen:** Formalin-fixed, Paraffin-embedded Tissue**Collection Instruction:** This comes in block form from client with surgical number imprint.**Storage Instruction:** Room Temp**Turn Around Time:** 10 days**CPT Code:** 81301 (1)**Scarlet Eligible:** No

Microsatellite Instability (MSI) by PCR

3371-2

Alternate Name: MSI, Mismatch Repair Protein Deficiency**Methodology:** Polymerase Chain Reaction**Preferred Specimen:** Formalin-fixed, Paraffin-embedded Tissue**Collection Instruction:** This comes in block from client with surgical number imprint.**Storage Instruction:** Refrigerate**Turn Around Time:** 7 days**CPT Code:** 81301 (1)**Scarlet Eligible:** No

MUC4 by IHC

TF93-2

Alternate Name: MUC4 by IHC**Methodology:** Immunohistochemistry**Preferred Specimen:** Formalin-fixed, Paraffin-embedded Tissue**Storage Instruction:** Room Temp**Turn Around Time:** 24-48 hours**CPT Code:** 88342 (1)**Scarlet Eligible:** No

MUC4 by IHC Tech Only

TF92-4

Alternate Name: MUC4 by IHC TC**Methodology:** Immunohistochemistry**Preferred Specimen:** Formalin-fixed, Paraffin-embedded Tissue**Storage Instruction:** Room Temp**Turn Around Time:** 24-48 hours**CPT Code:** 88342 (1)**Scarlet Eligible:** No

Mucopolidosis Type IV

 A654-6

Alternate Name: MUCOLIPIDOSIS TYPE IV

Methodology: Genotyping by Next Generation Sequencing

Preferred Specimen: Lavender top- EDTA

Collection Instruction: Fill lavender-top (EDTA) tube completely, invert 8-10 times. DO NOT SHAKE TUBE!

Storage Instruction: Refrigerate

Turn Around Time: 10-14 days

CPT Code: 81290 (1)

Scarlet Eligible: Yes

Allergen Mucor Racemosus IgG

 B770-9

Alternate Name: MUCOR RACEMOSUS IGG

Methodology: Immunoassay

Preferred Specimen: 0.5 mL Aliquot Tube-Serum

Collection Instruction: Collect 1-2 mL whole blood in red top tube, centrifuge and transfer 0.5 mL serum into a transfer tube. (All serum acceptable)

Storage Instruction: Refrigerate

Turn Around Time: 7 days

CPT Code: 86001 (1)

Scarlet Eligible: Yes

Mumps Virus Antibody, IgG

 0316-0

Alternate Name: MUMPS VIRUS Ab.(IgG)

Methodology: Chemiluminescence

Preferred Specimen: 2 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 2 days

CPT Code: 86735 (1)

Scarlet Eligible: Yes

MYC-BA, 8q24 Rearrangement FISH- TECH ONLY

J144-7

Alternate Name: MYC-BA 8q24 BY FISH-TC**Methodology:** FISH**Preferred Specimen:** Bone Marrow - Green Top**Collection Instruction:** Place bone marrow into tube, label with patient's name**Storage Instruction:** Refrigerate**Turn Around Time:** 3-5 days**CPT Code:** 88374 (1)**Scarlet Eligible:** No**MYC-BA, 8q24 Rearrangement FISH**

J141-3

Alternate Name: MYC-MA 8q24 BY FISH**Methodology:** FISH**Preferred Specimen:** Bone Marrow - Green Top**Collection Instruction:** Place bone marrow into tube, label with patient's name**Turn Around Time:** 3-5 days**CPT Code:** 88374 (1)**Scarlet Eligible:** No**Lymphoma - Burkitt, MYC/IGH by FISH**

5027-8

Alternate Name: MYC/IGH, t(8;14) for Burkitt Lymphoma, c-MYC**Methodology:** FISH**Preferred Specimen:** 2 mL Bone Marrow - Green Top**Collection Instruction:** Non-diluted bone marrow aspirate collected and transferred into sodium heparin (green top) tube. Also acceptable: Whole blood in green (sodium heparin) tube.**Storage Instruction:** Refrigerate**Turn Around Time:** 2 days**CPT Code:** 88377 (1)**Scarlet Eligible:** No

Mycobacterium Tuberculosis Complex

B865-7

Alternate Name: MYCOBACT. TB COMPLEX**Methodology:** Polymerase Chain Reaction**Preferred Specimen:** 7.0 mL Cup-Sputum**Collection Instruction:** Submit sputum in sterile container, label with patient name**Storage Instruction:** Refrigerate**Turn Around Time:** 7 days**CPT Code:** 87556 (1)**Scarlet Eligible:** No

Mycoplasma Culture, Blood

3247-4

Alternate Name: MYCOPLASMA CULTURE,**Methodology:** Bacterial Culture**Preferred Specimen:** Lavender top- EDTA**Collection Instruction:** Fill lavender-top (EDTA) tube completely, invert 8-10 times. DO NOT SHAKE TUBE!**Storage Instruction:** Refrigerate**Turn Around Time:** 10 days**CPT Code:** 87109 (1)**Scarlet Eligible:** No

Mycoplasma Genitalium By Multiplex PCR

6340-4

Alternate Name: MYCOPLASMA GENITALIUM MULTIPLEX**Methodology:** Polymerase Chain Reaction**Preferred Specimen:** ThinPrep Vial**Collection Instruction:** Collect specimen, swish in Thin prep vial, label with pt name.**Storage Instruction:** Room Temp**Turn Around Time:** 5 days**CPT Code:** 87563 (1)**Scarlet Eligible:** No

Mycoplasma Hominis By Multiplex PCR (NON-NY)

6341-2

Alternate Name: MYCOPLASMA HOMINIS BY MULTIPLEX**Methodology:** Polymerase Chain Reaction**Preferred Specimen:** ThinPrep Vial**Collection Instruction:** Collect specimen, swish in Thin prep vial, label with pt name.**Storage Instruction:** Refrigerate**Turn Around Time:** 5 days**CPT Code:** 87798 (1)**Scarlet Eligible:** No

Mycoplasma pneumoniae IgG/IgM Antibody, IFA (CSF) (NON-NY)

3442-1

Alternate Name: MYCOPLASMA PNEUMONIA**Methodology:** Indirect Fluorescence Assay**Preferred Specimen:** 1 mL Fluid-source required**Collection Instruction:** Submit fluid in sterile cup**Storage Instruction:** Refrigerate**Turn Around Time:** 7 days**CPT Code:** 86738 (2)**Scarlet Eligible:** No

Mycoplasma/Ureaplasma

2523-9

Alternate Name: MYCOPLASMA/UREAPLASMA**Preferred Specimen:** Swab-Viral Culturette**Collection Instruction:** Collect sample, place in holder, label with patient name. NOT TO BE USED FOR BACTERIAL TRANSPORT**Storage Instruction:** Refrigerate**Turn Around Time:** 10 days**CPT Code:** 87109 (1)**Scarlet Eligible:** No

Myelin AB., (IgG), IFA

 3912-3

Alternate Name: MYELIN AB., (IgG), IFA

Methodology: Indirect Fluorescence Assay

Preferred Specimen: 1 mL Red Top

Collection Instruction: Fill tube, invert gently 2-3 times, let stand for 20 minutes, spin for 10-15 minutes label with patient name.

Storage Instruction: Refrigerate

Turn Around Time: 15 days

CPT Code: 86255 (1)

Scarlet Eligible: Yes

Myoglobin, Serum

 0789-8

Alternate Name: MYOGLOBIN, SERUM

Methodology: Chemiluminescence

Preferred Specimen: 1 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 1 day

CPT Code: 83874 (1)

Scarlet Eligible: Yes

Allergen Macadamia Nuts (RF345), IgE

 3644-2

Alternate Name: Macadamia Nut

Methodology: Immunocap

Preferred Specimen: 2 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 3 days

CPT Code: 86003 (1)

Scarlet Eligible: Yes

Allergen Mackerel (f206), IgE 3838-0**Alternate Name:** Mackerel (f206) IgE**Methodology:** Enzyme Immunoassay**Preferred Specimen:** 0.5 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 6 days**CPT Code:** 86003 (1)**Scarlet Eligible:** Yes**Allergen Malt (f90), IgE** 1630-3**Alternate Name:** Malt**Methodology:** Immunocap**Preferred Specimen:** 3 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 86003 (1)**Scarlet Eligible:** Yes**Allergen Mandarin (rf302), IgE** 3520-4**Alternate Name:** Mandarin, Ige (Rf302)**Methodology:** Immunocap**Preferred Specimen:** 2 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 86003 (1)**Scarlet Eligible:** Yes

Allergen Mango (f91), IgE

 3456-1

Alternate Name: Mango (F91)

Methodology: Immunocap

Preferred Specimen: 3 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 3 days

CPT Code: 86003 (1)

Scarlet Eligible: Yes

Manual Diff/Platelet only

 1340-9

Alternate Name: Manual Diff/PLT only

Methodology: Microscopic Examination

Preferred Specimen: Lavender top- EDTA

Collection Instruction: Fill lavender-top (EDTA) tube completely, invert 8-10 times. DO NOT SHAKE TUBE!

Storage Instruction: Refrigerate

Turn Around Time: 1 day

CPT Code: 85007 (1), 85049 (1)

Scarlet Eligible: Yes

Citrated Platelet Count

 J661-0

Alternate Name: Manual Platelet Count

Methodology: Automated Hematology

Preferred Specimen: 2.7 mL Light blue top

Collection Instruction: Fill tube to line at top of tube, invert 8-10 times (DO NOT SHAKE!)

Storage Instruction: Refrigerate

Turn Around Time: 1 day

CPT Code: 85049 (1)

Scarlet Eligible: Yes

Allergen Maple (Box Elder) (t1), IgE 0684-1**Alternate Name:** Maple (Box Elder)**Methodology:** Immunocap**Preferred Specimen:** 3 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 2 days**CPT Code:** 86003 (1)**Scarlet Eligible:** Yes**Allergen Marguerite/Ox-eye Daisy (w7), IgE** 3879-4**Alternate Name:** Marguerite/Ox-eye Daisy**Methodology:** Enzyme Immunoassay**Preferred Specimen:** 0.5 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 4 days**CPT Code:** 86003 (1)**Scarlet Eligible:** Yes**Cannabinoids (Marijuana), Urine, Screen (100)** 0922-5**Alternate Name:** Marijuana(THC)**Methodology:** Enzyme Immunoassay**Preferred Specimen:** 5 mL Urine Cup**Collection Instruction:** Collect urine in cup, label with patients name**Storage Instruction:** Refrigerate**Turn Around Time:** 1 day**CPT Code:** 80307 (1)**Scarlet Eligible:** Yes

Allergen Marjoram (f274), IgE

6206-7

Alternate Name: Marjoram (f274) IgE**Methodology:** Enzyme Immunoassay**Preferred Specimen:** 0.5 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 6 days**CPT Code:** 86003 (1)**Scarlet Eligible:** No**Allergen Marsh Elder (w16), IgE** 1481-1**Alternate Name:** Marsh Elder**Methodology:** Immunocap**Preferred Specimen:** 3 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 86003 (1)**Scarlet Eligible:** Yes**Allergen Meadow Fescue (g4), IgE** 0681-7**Alternate Name:** Meadow Fescue**Methodology:** Immunocap**Preferred Specimen:** 3 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 86003 (1)**Scarlet Eligible:** Yes

Rubeola/Measles IgG W/Reflex

 T007-4

Alternate Name: Measles

Methodology: Chemiluminescence

Preferred Specimen: 1 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 2 days

CPT Code: 86765 (1)

Scarlet Eligible: Yes

Rubeola/Measles IgG Antibody

 0567-8

Alternate Name: Measles Serology

Methodology: Chemiluminescence

Preferred Specimen: 1 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 2 days

CPT Code: 86765 (1)

Scarlet Eligible: Yes

Allergen Melaleuca Tree (t212), IgE

 2642-7

Alternate Name: Melaleuca

Methodology: Immunocap

Preferred Specimen: 3 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 3 days

CPT Code: 86003 (1)

Scarlet Eligible: Yes

Melanoma Panel

 B399-7

Alternate Name: Melanoma Panel

Preferred Specimen: 2-5 mL Lavender top- EDTA

Collection Instruction: Lavender: 2 tubes (5-6ml each) Label with the patient name, date of birth and/or ID. Ideal handling is to ship immediately at ambient temperature for overnight delivery. Alternate sample type: DNA: Extract and submit DNA 50 ng/mL (total volume 400 mL) in sterile container. Ship DNA in sealed and protective packaging at ambient temperature, using a cool pack in hot weather. Labeling: Name of person or identifier, DNA concentration and volume MUST be provided on the specimen tube.

Storage Instruction: Room Temp

Turn Around Time: 21 day

CPT Code: 81404 (1), 81479 (1)

Scarlet Eligible: Yes

Allergen Melon (Cantaloupe) (f87), IgE

 1227-8

Alternate Name: Melon (Cantaloupe)

Methodology: Immunocap

Preferred Specimen: 3 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 3 days

CPT Code: 86003 (1)

Scarlet Eligible: Yes

Anti-68 KD (HSP-70)ABS. 3647-5**Alternate Name:** Meniere's Disease, Sensorineural Hearing Loss**Methodology:** Western Blot**Preferred Specimen:** 1 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 14 days**CPT Code:** 84181 (1)**Scarlet Eligible:** Yes**Meprobamate** 1936-4**Alternate Name:** Meprobamate**Methodology:** Gas Chromatography/Flame Ionization**Preferred Specimen:** 1 mL Red Top**Collection Instruction:** Fill tube, label with patient name**Storage Instruction:** Refrigerate**Turn Around Time:** 12 days**CPT Code:** 80369 (1)**Scarlet Eligible:** Yes**Thiopurine S-MethylTransferase Genotype**

3928-9

Alternate Name: Mercaptopurine Toxicity , Azathioprine Toxicity , TPMT Deficienc**Methodology:** Polymerase Chain Reaction**Preferred Specimen:** 5 mL Lavender top- EDTA**Collection Instruction:** Whole blood: Normal phlebotomy procedure. Specimen stability is crucial. Store and ship ambient immediately. Do not freeze.**Storage Instruction:** Refrigerate**Turn Around Time:** 13 days**CPT Code:** 81335 (1)**Scarlet Eligible:** No

Mesoridazine

 3709-3

Alternate Name: Mesoridazine

Methodology: Liquid Chromatography Tandem Mass Spectrometry

Preferred Specimen: 1 mL Red Top

Collection Instruction: Fill tube, label with patient name

Storage Instruction: Refrigerate

Turn Around Time: 7 days

CPT Code: 80342 (1)

Scarlet Eligible: Yes

Allergen Mesquite Tree (t20) IgE

 3833-1

Alternate Name: Mesquite Tree (t20) IgE

Methodology: Enzyme Immunoassay

Preferred Specimen: 0.5 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 6 days

CPT Code: 86003 (1)

Scarlet Eligible: Yes

Vitamin B12

 0160-2

Alternate Name: Methylcobalamin

Methodology: Chemiluminescence

Preferred Specimen: 1 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 1 day

CPT Code: 82607 (1)

Scarlet Eligible: Yes

Methylmalonic Acid, Serum

 0349-1

Alternate Name: Methylmalonic Acid, Serum

Methodology: Liquid Chromatography Mass Spectrometry

Preferred Specimen: 2 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 2 days

CPT Code: 83921 (1)

Scarlet Eligible: Yes

Magnesium, Serum

 0120-6

Alternate Name: Mg, Serum

Methodology: Colorimetry

Preferred Specimen: 1 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 1 day

CPT Code: 83735 (1)

Scarlet Eligible: Yes

Magnesium, Urine, 24Hr.

1171-8

Alternate Name: Mg, Urine, 24 Hours

Preferred Specimen: 10 mL Urine Cup 24 hour

Storage Instruction: Refrigerate

CPT Code: 81050 (1), 83735 (1)

Scarlet Eligible: No

Magnesium, RBC

1383-9

Alternate Name: Mg, Whole Blood**Methodology:** Inductively Coupled Plasma Mass Spectrometry**Preferred Specimen:** Blue-Royal Blue Top: K2 EDTA Plasma(lavender line)**Collection Instruction:** Fill tube, invert gently 5-6 times, label with patient name**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 83735 (1)**Scarlet Eligible:** No**Microalbumin, Urine, Random** 0228-7**Alternate Name:** Microalbumin/Creatinine Ratio**Methodology:** Immunoturbidimetric**Preferred Specimen:** 5 mL Urine Cup**Collection Instruction:** Collect urine in cup, label with patients name**Storage Instruction:** Refrigerate**Turn Around Time:** 1 day**CPT Code:** 82043 (1), 82570 (1)**Scarlet Eligible:** Yes**MSI by PCR if MSI-H Reflex to MLH1**

P264-5

Alternate Name: Microsatellite Instability, High Rflx to MLH1 Hypermethylation**Methodology:** Immunohistochemistry**Preferred Specimen:** Formalin-fixed, Paraffin-embedded Tissue**Collection Instruction:** This comes in block or slide form from client with surgical number imprint.**Turn Around Time:** 3 days**CPT Code:** 81301 (1)**Scarlet Eligible:** No

Microti Babesia By PCR

 3589-9

Alternate Name: Microti Babesia By PCR

Methodology: Polymerase Chain Reaction

Preferred Specimen: 1 mL Lavender top- EDTA

Collection Instruction: Fill lavender-top (EDTA) tube completely, invert 8-10 times. DO NOT SHAKE TUBE!

Storage Instruction: Refrigerate

Turn Around Time: 5 days

CPT Code: 87798 (1)

Scarlet Eligible: Yes

Mitochondrial Complex I Deficiency

 J305-4

Alternate Name: Mitochondrial complex I deficiency

Methodology: Genotyping by Next Generation Sequencing

Preferred Specimen: Lavender top- EDTA

Collection Instruction: Fill lavender-top (EDTA) tube completely, invert 8-10 times. DO NOT SHAKE TUBE!

Storage Instruction: Refrigerate

Turn Around Time: 10-14 days

CPT Code: 81479 (1)

Scarlet Eligible: Yes

Mold Mix (mx1), IgE

 2181-6

Alternate Name: Mold Mix

Methodology: Immunocap

Preferred Specimen: 5 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 3 days

CPT Code: 86005 (1)

Scarlet Eligible: Yes

Molds Screen (6)

 0901-9

Alternate Name: Molds Screen (6)

Preferred Specimen: 5 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 3 days

CPT Code: 82785 (1), 86003 (6)

Scarlet Eligible: Yes

Skin Biopsy, (1 Jar)

5602-8

Alternate Name: Molluscum contagiosum

Methodology: Histology

Preferred Specimen: Biopsy In Formalin

Collection Instruction: Submit in 10% Neutral Buffered Formalin, varied jar sizes

Turn Around Time: 2-3 days

CPT Code: 88305 (1)

Scarlet Eligible: No

Mono Screen

 0121-4

Alternate Name: Mono Screen

Methodology: Agglutination

Preferred Specimen: 1 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 1 day

CPT Code: 86308 (1)

Scarlet Eligible: Yes

Allergen Mosquito (i71), IgE

 2179-0

Alternate Name: Mosquito

Methodology: Immunocap

Preferred Specimen: 3 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 3 days

CPT Code: 86003 (1)

Scarlet Eligible: Yes

Allergen Mountain Juniper (T6), IgE

 6334-7

Alternate Name: Mountain Cedar

Methodology: Immunocap

Preferred Specimen: SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 3 days

CPT Code: 86003 (1)

Scarlet Eligible: Yes

Allergen Mouse Epithelium (e71), IgE

 1359-9

Alternate Name: Mouse Epithelium

Methodology: Immunocap

Preferred Specimen: 3 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 3 days

CPT Code: 86003 (1)

Scarlet Eligible: Yes

Allergen Mouse U. Protein (e72), IgE

 1360-7

Alternate Name: Mouse U Protein

Methodology: Immunocap

Preferred Specimen: 2 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 3 days

CPT Code: 86003 (1)

Scarlet Eligible: Yes

Allergen Mucor Racemosus (m4), IgE

 1315-1

Alternate Name: Mucor Racemosus

Methodology: Immunocap

Preferred Specimen: 3 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 3 days

CPT Code: 86003 (1)

Scarlet Eligible: Yes

Allergen Mugwort (w6), IgE

 0718-7

Alternate Name: Mugwort

Methodology: Immunocap

Preferred Specimen: 3 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 3 days

CPT Code: 86003 (1)

Scarlet Eligible: Yes

Multiple Sulfatase Deficiency

 J296-5

Alternate Name: Multiple sulfatase deficiency

Methodology: Genotyping by Next Generation Sequencing

Preferred Specimen: Lavender top- EDTA

Collection Instruction: Fill lavender-top (EDTA) tube completely, invert 8-10 times. DO NOT SHAKE TUBE!

Storage Instruction: Refrigerate

Turn Around Time: 10-14 days

CPT Code: 81479 (1)

Scarlet Eligible: Yes

Mumps Virus Ab IgG W/Reflex

 T009-0

Alternate Name: Mumps Virus Ab(IgG)Rfx

Methodology: Chemiluminescence

Preferred Specimen: 1 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 2 days

CPT Code: 86735 (1)

Scarlet Eligible: Yes

Allergen Mushroom (rf212), IgE

 1462-1

Alternate Name: Mushroom (Rf212)

Methodology: Immunocap

Preferred Specimen: 1 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 3 days

CPT Code: 86003 (1)

Scarlet Eligible: Yes

Allergen Mustard (f89), IgE 1823-4

Alternate Name: Mustard**Methodology:** Immunocap**Preferred Specimen:** 3 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 86003 (1)**Scarlet Eligible:** Yes

Mycophenolic Acid3805-9

Alternate Name: Mycophenolate Mofetil (MMF), CellCept**Methodology:** Liquid Chromatography Mass Spectrometry**Preferred Specimen:** 1.0 mL Red Top**Collection Instruction:** Fill tube, label with patient name**Storage Instruction:** Refrigerate**Turn Around Time:** 6 days**CPT Code:** 80180 (1)**Scarlet Eligible:** No

MDS FISH Panel5281-1

Alternate Name: Myelodysplastic Syndrome FISH Panel: +8, -5q, -7q, 20q-**Methodology:** FISH**Preferred Specimen:** 2 mL Bone Marrow - Green Top**Collection Instruction:** Non-diluted bone marrow aspirate collected and transferred into sodium heparin (green top) tube. Also acceptable: Whole blood in green (sodium heparin) tube.**Storage Instruction:** Refrigerate**Turn Around Time:** 2 days**CPT Code:** 88367 (1), 88373 (1), 88374 (2)**Scarlet Eligible:** No

MDS FISH Panel- TC Only

P960-8

Alternate Name: Myelodysplastic Syndrome FISH Panel: +8, -5q, -7q, 20q-**Methodology:** FISH**Preferred Specimen:** 2 mL Bone Marrow - Green Top**Collection Instruction:** Non-diluted bone marrow aspirate collected and transferred into sodium heparin (green top) tube. Also acceptable: Whole blood in green (sodium heparin) tube.**Storage Instruction:** Refrigerate**Turn Around Time:** 3-5 days**CPT Code:** 88367 (1), 88373 (1), 88374 (2)**Scarlet Eligible:** No**Myoglobin, Urine, Random**

0799-7

Alternate Name: Myoglobin, Urine, Random**Methodology:** Nephelometry**Preferred Specimen:** 4 mL Urine Myoglobulin Transport Tube**Collection Instruction:** Collect urine in cup, Add exactly 4 mL random urine to a Myoglobin transport tube within one hour of collection. Contact Supplies Dept. for special tube required.**Storage Instruction:** Refrigerate**Turn Around Time:** 5 days**CPT Code:** 83874 (1)**Scarlet Eligible:** No**Primidone (incl. Phenobarb)** 0464-8**Alternate Name:** Mysoline**Preferred Specimen:** Red Top**Collection Instruction:** Fill tube, label with patient name**Storage Instruction:** Refrigerate**Turn Around Time:** 1 day**CPT Code:** 80184 (1), 80188 (1)**Scarlet Eligible:** Yes

N-Telopeptide, Serum

3717-6

Alternate Name: N-TELOPEPTIDE (NTx),SERUM

Methodology: Enzyme Immunoassay

Preferred Specimen: 1 mL Aliquot Tube-Serum

Collection Instruction: Place 1-3 mL of serum in transport tube. Label as serum. Submit FROZEN ONLY.

Storage Instruction: STRICT Frozen

Turn Around Time: 10 days

CPT Code: 82523 (1)

Scarlet Eligible: No

N. Gonorrhea, Urine, rRNA

 6369-3

Alternate Name: N.GONORRHEA,URINE, rRNA

Methodology: Transcription Mediated Amplification

Preferred Specimen: Urine Container-Genprobe-Aptima

Collection Instruction: First morning sample, collect in sterile cup, transfer 2 ml into aptima holder. Correct level is between the black fill lines(window) on the holder.

Storage Instruction: Refrigerate

Turn Around Time: 3 days

CPT Code: 87591 (1)

Scarlet Eligible: Yes

Infant Dir.Bili (tot/dir=#0046)

1901-8

Alternate Name: N/A

Methodology: Colorimetry

Preferred Specimen: 1.0 mL Amber Serum

Collection Instruction: Draw SST or RED, let clot for 8-10 minutes. Centrifuge and pour into either an aliquot tube (must be covered in foil) or poured into an amber tube and label with patient name and specimen type (serum).

Storage Instruction: Refrigerate

Turn Around Time: 1 day

CPT Code: 82248 (1)

Scarlet Eligible: No

Chlamydia Direct Antigen

0782-3

Alternate Name: N/A**Methodology:** Direct Immunofluorescence Staining**Preferred Specimen:** Slides**Collection Instruction:** Label slides with patient name, place in slide holder for transport**Storage Instruction:** Refrigerate**Turn Around Time:** 6 days**CPT Code:** 87270 (1)**Scarlet Eligible:** No

Infant Tot.Bili (tot/dir=#0046)

1900-0

Alternate Name: N/A**Methodology:** Colorimetry**Preferred Specimen:** 1.0 mL Amber Serum**Collection Instruction:** Draw SST or RED, let clot for 8-10 minutes. Centrifuge and pour into either an aliquot tube (must be covered in foil) or poured into an amber tube and label with patient name and specimen type (serum).**Storage Instruction:** Refrigerate**Turn Around Time:** 1 day**CPT Code:** 82247 (1)**Scarlet Eligible:** No

Nefazodone Level

 3147-6**Alternate Name:** NEFAZODONE LEVEL**Methodology:** High Pressure Liquid Chromatography**Preferred Specimen:** 1 mL Red Top**Collection Instruction:** Fill tube, label with patient name**Storage Instruction:** Refrigerate**Turn Around Time:** 12 days**CPT Code:** 80338 (1)**Scarlet Eligible:** Yes

Allergen Nettle (w20), IgE

 6308-1

Alternate Name: NETTLE, IGE

Methodology: Immunocap

Preferred Specimen: 2 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 3 days

CPT Code: 86003 (1)

Scarlet Eligible: Yes

Neuroendocrine Neoplasm IHC Panel

5195-3

Alternate Name: NEUROENDOCRINE NEOPLASM, IHC

Methodology: Immunohistochemistry

Preferred Specimen: Formalin-fixed, Paraffin-embedded Tissue

Collection Instruction: This comes in a block or slide form from client with surgical number imprint.

Turn Around Time: 1 day

CPT Code: 88341 (5), 88342 (1)

Scarlet Eligible: No

Neutrophil Function Panel

B124-9

Alternate Name: NEUTROPHIL FUNCTION PANEL

Methodology: Flow Cytometry

Preferred Specimen: 7 mL Green top- Sodium Heparin

Collection Instruction: Fill tube, invert gently 5-6 times, label with patient name

Storage Instruction: Room Temp

Turn Around Time: 7 days

CPT Code: 82657 (1)

Scarlet Eligible: No

N. Gonorrhea/NG (GC) PCR Urine T408-4**Alternate Name:** NG Urine PCR**Methodology:** Polymerase Chain Reaction**Preferred Specimen:** 10 mL Urine Cobas Vial**Collection Instruction:** Patients should not urinate 1 hour prior to specimen collection.

Approximately 10-15 mL of urine should be collected from the beginning of the stream. Once collected the urine should be transferred to the cobas PCR media tube within 24 hrs. Use transfer pipette to add urine to the cobas PCR tube. Final volume of the tube should be between fill lines. Replace and tighten the cap and invert the tube 5 times to mix.

Storage Instruction: Refrigerate**Turn Around Time:** 3 days**CPT Code:** 87591 (1)**Scarlet Eligible:** Yes**OnkoSight NGS JAK2 V617F Reflex to MPL & CALR Sequencing**

TJ45-4

Alternate Name: NGS JAK2 RFX MPL & CALR**Methodology:** Genotyping by Next Generation Sequencing**Preferred Specimen:** 2 mL Bone Marrow - Lavender Top**Storage Instruction:** Refrigerate**Turn Around Time:** 5-10 days**CPT Code:** 81270 (1)**Scarlet Eligible:** No**ONKOSIGHT NGS MPN CASCADE SEQUENCING REPORT**

TJ91-8

Alternate Name: NGS MPN Cascade**Methodology:** Genotyping by Next Generation Sequencing**Preferred Specimen:** 2 mL Bone Marrow - Lavender Top**Storage Instruction:** Refrigerate**Turn Around Time:** 5-10 days**CPT Code:** 99999 (1)**Scarlet Eligible:** No

NGS MPN Cascade Sequencing Report

TH39-1

Alternate Name: NGS MPN Cascade Sequencing Report**Methodology:** Genotyping by Next Generation Sequencing**Preferred Specimen:** 2 mL Bone Marrow - Lavender Top**Storage Instruction:** Room Temp**Turn Around Time:** 5-10 days**CPT Code:** 81270 (1), 81219 (1), 81279 (1), 81338 (1)**Scarlet Eligible:** No

Ammonia, Plasma (As Nitrogen)

0035-6

Alternate Name: NH₃, Plasma**Methodology:** Enzyme Immunoassay**Preferred Specimen:** 2 mL White Top (PPT)**Collection Instruction:** After collection centrifuge at high speed for 8-10 min. Remove plasma and submit in aliquot tube. Label it plasma and freeze. If submitting a PPT, spin and freeze the entire tube immediately.**Storage Instruction:** STRICT Frozen**Turn Around Time:** 1 day**CPT Code:** 82140 (1)**Scarlet Eligible:** No

Niemann-Pick Type A+B Carrier Test A653-8**Alternate Name:** NIEMANN-PICK TYPE A+B**Methodology:** Genotyping by Next Generation Sequencing**Preferred Specimen:** Lavender top- EDTA**Collection Instruction:** Fill lavender-top (EDTA) tube completely, invert 8-10 times. DO NOT SHAKE TUBE!**Storage Instruction:** Refrigerate**Turn Around Time:** 10-14 days**CPT Code:** 81330 (1)**Scarlet Eligible:** Yes

Nipple Discharge Smear

1303-7

Alternate Name: NIPPLE DISCHARGE SMR**Preferred Specimen:** Slides**Collection Instruction:** Label slides with patient name, place in slide holder for transport**Turn Around Time:** 4 days**CPT Code:** 88161 (1)**Scarlet Eligible:** No

Hodgkin Lymphoma IHC Panel

5101-1

Alternate Name: NON-HODGKINS V. HODGKINS**Methodology:** Immunohistochemistry**Preferred Specimen:** Formalin-fixed, Paraffin-embedded Tissue**Collection Instruction:** This comes in a block or slide form from client with surgical number imprint.**Storage Instruction:** Refrigerate**Turn Around Time:** 1 day**CPT Code:** 88341 (8), 88342 (1)**Scarlet Eligible:** No

Noonan Panel

A590-2

Alternate Name: NOONAN PANEL**Preferred Specimen:** 20 mL Chorionic Villi**Collection Instruction:** MATERNAL WHOLE BLOOD SHOULD BE SENT WITH ALL SAMPLE TYPES.**Storage Instruction:** Room Temp**Turn Around Time:** 21 day**CPT Code:** 81400 (1), 81405 (2), 81406 (3)**Scarlet Eligible:** No

Northern Allerpanel (3 mix) 2187-3**Alternate Name:** NORTHERN ALLERPANEL**Methodology:** Immunocap**Preferred Specimen:** 5 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 82785 (1), 86005 (3)**Scarlet Eligible:** Yes

Onkosight NGS NPM1 Sequencing

J137-1

Alternate Name: NPM1 BY NGS**Methodology:** Genotyping by Next Generation Sequencing**Preferred Specimen:** Bone Marrow - Lavender Top**Collection Instruction:** Place bone marrow into tube, label with patient's name**Turn Around Time:** 7-14 days**CPT Code:** 81310 (1)**Scarlet Eligible:** No

NRAS Sequencing- Non NY

J023-3

Alternate Name: NRAS BY NGS**Methodology:** Genotyping by Next Generation Sequencing**Preferred Specimen:** Formalin-fixed, Paraffin-embedded Tissue**Collection Instruction:** 10-15 unstained slides at 5 microns (tumor content>10%) with H&E, Shavings (if tumor content >40%) with H&E, if sending DNA - Please call CS.**Storage Instruction:** Room Temp**Turn Around Time:** 5-10 days**CPT Code:** 81311 (1)**Scarlet Eligible:** No

NRAS Sequencing NY Only

J455-7

Alternate Name: NRAS by NGS**Methodology:** Genotyping by Next Generation Sequencing**Preferred Specimen:** Formalin-fixed, Paraffin-embedded Tissue**Collection Instruction:** 10-15 unstained slides at 5 microns (tumor content >10%) with H&E, Shavings (if tumor content >10%) with H&E, if sending DNA- Please call CS**Turn Around Time:** 5-10 days**CPT Code:** 81311 (1)**Scarlet Eligible:** No

Neuron Specific Enolase

 5355-3**Alternate Name:** NSE; Phosphopyruvate Hydratase**Methodology:** Enzyme Immunoassay**Preferred Specimen:** 2 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 10 days**CPT Code:** 86316 (1)**Scarlet Eligible:** Yes

Sodium, Serum

 0148-7**Alternate Name:** Na, Serum**Methodology:** Ion Selective Electrode**Preferred Specimen:** 1 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 1 day**CPT Code:** 84295 (1)**Scarlet Eligible:** Yes

Sodium, Urine, 24 Hr.

0308-7

Alternate Name: Na, Urine, 24 Hours**Methodology:** Ion Selective Electrode**Preferred Specimen:** 10 mL Urine Container - 24hr**Collection Instruction:** Discard first morning sample, then collect all urines after for 24 hrs, on completion label with collection time and patient's name; record total volume on Requisition**Storage Instruction:** Refrigerate**Turn Around Time:** 1 day**CPT Code:** 81050 (1), 84300 (1)**Scarlet Eligible:** No**Sodium, Urine, Random** 1793-9**Alternate Name:** Na, Urine, Random**Methodology:** Ion Selective Electrode**Preferred Specimen:** 5 mL Urine Cup**Collection Instruction:** Collect urine in cup, label with patients name**Storage Instruction:** Refrigerate**Turn Around Time:** 1 day**CPT Code:** 84300 (1)**Scarlet Eligible:** Yes**Naproxen (Aleve,Anaprox,Naprosyn)** 6223-2**Alternate Name:** Naproxen**Methodology:** High Pressure Liquid Chromatography**Preferred Specimen:** 1 mL Red Top**Collection Instruction:** Fill tube, label with patient name**Storage Instruction:** Refrigerate**Turn Around Time:** 12 days**CPT Code:** 80329 (1)**Scarlet Eligible:** Yes

Culture, Nasopharyngeal/Nasal

0074-5

Alternate Name: Nasal Culture**Methodology:** Bacterial Culture**Preferred Specimen:** Swab-E**Collection Instruction:** Collect specimen with swab then place swab into transport carrier; Label with name and source**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 87070 (1)**Scarlet Eligible:** No**Nasal Smear: Complete WBC w/ Diff**

4009-7

Alternate Name: Nasal Smear**Methodology:** Microscopic Examination**Preferred Specimen:** Slides**Collection Instruction:** Label slides with patient name, place in slide holder for transport**Turn Around Time:** 2 days**CPT Code:** 89190 (1)**Scarlet Eligible:** No**GC By Multiplex PCR**

6338-8

Alternate Name: Neisseria Gonorrhoeae**Methodology:** Polymerase Chain Reaction**Preferred Specimen:** ThinPrep Vial**Collection Instruction:** Collect specimen, swish in Thin prep vial, label with pt name.**Storage Instruction:** Refrigerate**Turn Around Time:** 5 days**CPT Code:** 87591 (1)**Scarlet Eligible:** No

Nemaline Myopathy 2

 A646-2

Alternate Name: Nemaline Myopathy 2

Methodology: Polymerase Chain Reaction

Preferred Specimen: Lavender top- EDTA

Collection Instruction: Fill lavender-top (EDTA) tube completely, invert 8-10 times. DO NOT SHAKE TUBE!

Storage Instruction: Refrigerate

Turn Around Time: 10-14 days

CPT Code: 81479 (1)

Scarlet Eligible: Yes

Neonatal 46,XY Disorders of Sex Development Panel

 T991-9

Alternate Name: Neonatal 46,XY Disorders of Sex

Methodology: Genotyping by Next Generation Sequencing

Preferred Specimen: Lavender top- EDTA

Collection Instruction: Fill lavender-top (EDTA) tube completely, invert 8-10 times. DO NOT SHAKE TUBE!

Storage Instruction: Room Temp

Turn Around Time: 21 day

CPT Code: 81400 (1), 81404 (1), 81407 (1), 81173 (1), 81405 (1)

Scarlet Eligible: Yes

Anti-Yo Antibodies, Serum

 1707-9

Alternate Name: Neuronal Nuclear (Yo) Antibody, Purkinje Cell

Methodology: Immunofluorescence Assay

Preferred Specimen: 1 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 6 days

CPT Code: 86255 (1)

Scarlet Eligible: Yes

Cytology, Thinprep Fluids

5244-9

Alternate Name: Nipple Discharge, Bronchial Wash, Paracentesis, Pleural Fl, Sputum**Preferred Specimen:** ThinPrep Cytolyt Solution**Collection Instruction:** Collect specimen swish in Cytolyte vial, label with pt name.**Turn Around Time:** 4 days**CPT Code:** 88112 (1)**Scarlet Eligible:** No

Cytology, Alcohol-Based Fluids

5245-6

Alternate Name: Nipple Discharge, Bronchial Washings, Paracentesis, Pleural Fluid**Preferred Specimen:** 50% Alcohol Jar**Collection Instruction:** Body fluid for cytology in 50% alcohol (ex...urine, sputum, nipple discharge).
Add directly to an equal volume of 50% Alcohol Solution.**Turn Around Time:** 4 days**CPT Code:** 88108 (1)**Scarlet Eligible:** No

Non-Gyn Other (Slides) - Interp Only

J949-9

Alternate Name: Non-Gyn (Slides) -PC**Methodology:** Microscopic Examination**Preferred Specimen:** Slides**Collection Instruction:** Label slides with patient name, place in slide holder for transport**Storage Instruction:** Room Temp**Turn Around Time:** 3 days**CPT Code:** 88160 (1)**Scarlet Eligible:** No

Noonan and Comprehensive RASopathies Panel

 TA06-4

Alternate Name: Noonan and Comprehensive RASopat

Methodology: Genotyping by Next Generation Sequencing

Preferred Specimen: Lavender top- EDTA

Collection Instruction: Blood specimens of any type (in EDTA or dried blood spot) and buccal swab cannot be accepted if the patient has ever received an allogenic bone marrow transplant. Blood specimens will be rejected if frozen, hemolyzed or clotted. Blood can be refrigerated up to 7 days before shipping. Blood specimens older than 7 days can still be shipped; they will be tested if the yield and quantity of DNA permit.

Storage Instruction: Room Temp

Turn Around Time: 21 day

CPT Code: 81442 (1)

Scarlet Eligible: Yes

Norovirus RNA, Qual RT-PCR

6146-5

Alternate Name: Norovirus RNA, RT-PCR

Methodology: Polymerase Chain Reaction

Preferred Specimen: 1 mL Stool Cont.-Cup

Collection Instruction: Using applicator stick, place 20-30 gms of stool into cup, label with patient's name

Storage Instruction: Refrigerate

Turn Around Time: 6 days

CPT Code: 87798 (1)

Scarlet Eligible: No

Propoxyphene and Metabolite, S/P

 5017-9

Alternate Name: Norpropoxyphene; Propoxyphene, Darvon[®]

Methodology: Gas Chromat. Mass Spectrometry

Preferred Specimen: 2.0 mL Aliquot Tube-Serum

Collection Instruction: Place 1-3 mL of serum in transport tube. Label as serum;refrigerate or freeze as required.

Storage Instruction: Refrigerate

Turn Around Time: 11 day

CPT Code: 80367 (1)

Scarlet Eligible: Yes

Allergen Profile, Northeast

 0740-1

Alternate Name: Northeast Allergen Profile

Preferred Specimen: 5 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 3 days

CPT Code: 82785 (1), 86003 (10)

Scarlet Eligible: Yes

Allergen Nut Mix (fx1), IgE

 2183-2

Alternate Name: Nut Mix

Methodology: Immunocap

Preferred Specimen: 5 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 3 days

CPT Code: 86005 (1)

Scarlet Eligible: Yes

Allergen Nutmeg (rf282), IgE 2352-3**Alternate Name:** Nutmeg**Methodology:** Immunocap**Preferred Specimen:** 3 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 86003 (1)**Scarlet Eligible:** Yes**O + P Panel (3 Specimens)**

2326-7

Alternate Name: O + P Panel (3 Specimens), Ova and Parasites,**Methodology:** Microscopic Examination**Preferred Specimen:** Ova & Parasite Mini,O&P Kit (Total Fix)**Collection Instruction:** With applicator stick, place 10 gms of stool into each vial, label with patient name**Storage Instruction:** Room Temp**Turn Around Time:** 2 days**CPT Code:** 87177 (3), 87209 (3)**Scarlet Eligible:** No**O+P, Sputum**

J002-7

Alternate Name: O&P Sputum, Ova and Parasites**Methodology:** Microscopic Examination**Preferred Specimen:** Cup-Sputum**Collection Instruction:** Submit sputum in sterile container, label with patient name**Storage Instruction:** Refrigerate**Turn Around Time:** 48 hours**CPT Code:** 87177 (1)**Scarlet Eligible:** No

O + P, Urine 2534-6**Alternate Name:** O&P, Urine Ova and Parasites,**Methodology:** Microscopic Examination**Preferred Specimen:** Urine Cup**Collection Instruction:** Collect urine in cup, label with patients name**Turn Around Time:** 48 hours**CPT Code:** 87177 (1)**Scarlet Eligible:** Yes**Obstetric/Prenatal I** 0008-3**Alternate Name:** OBSTETRIC/PRENATAL I**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Turn Around Time:** 1 day**CPT Code:** 85025 (1), 86592 (1), 86762 (1), 86850 (1), 86900 (1), 86901 (1)**Scarlet Eligible:** Yes**Obstetric/Prenatal II** 0981-1**Alternate Name:** OBSTETRIC/PRENATAL II**Preferred Specimen:** SST Tube,Lavender top- EDTA,Pink Tube-EDTA**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate, Room Temp**Turn Around Time:** 1 day**CPT Code:** 85025 (1), 86592 (1), 86762 (1), 86850 (1), 86900 (1), 86901 (1), 87340 (1), G0059 (1)**Scarlet Eligible:** Yes

OneCheck Plus Genomics

A500-1

Alternate Name: ONE CHECK PLUS**Preferred Specimen:** 2 mL Bone Marrow - Lavender Top**Collection Instruction:** Place bone marrow into tube, label with patient's name. Send in bone marrow kit.**Storage Instruction:** Refrigerate**Turn Around Time:** 10 days**CPT Code:** 99999 (1)**Scarlet Eligible:** No

OnkoSight Lung Cancer Panel, ALK and ROS1 by FISH

H125-8

Alternate Name: ONK LNG CA+ALK+ROS1**Methodology:** Genotyping by Next Generation Sequencing**Collection Instruction:** This comes in block form from client with surgical imprint. 10-15 unstained slides at 5 microns (tumor content>10%) with H&E, Shavings (if tumor content>40%) with H&E. If sending DNA- Please call Client Services.**Turn Around Time:** 14 days**CPT Code:** 81210 (1), 81235 (1), 81275 (1), 81276 (1), 81404 (1), 81405 (1), 81479 (1), 88377 (2)**Scarlet Eligible:** No

Drug Confirmation, Opiates, Urine (GC/MS) 2596-5**Alternate Name:** OPIATE CONFIRM. (GC/MS) 4 METAB.**Methodology:** Gas Chromat. Mass Spectrometry**Preferred Specimen:** 5 mL Urine Cup**Collection Instruction:** Collect urine in cup, label with patients name**Storage Instruction:** Refrigerate**Turn Around Time:** 2 days**CPT Code:** 80363 (1)**Scarlet Eligible:** Yes

Opiates, Urine, Screen (200)

 6258-8

Alternate Name: OPIATES URINE SCREEN (200)

Methodology: Enzyme Immunoassay

Preferred Specimen: 4 mL Urine Cup

Collection Instruction: Collect urine in cup, label with patients name

Storage Instruction: Refrigerate

Turn Around Time: 1 day

CPT Code: 80307 (1)

Scarlet Eligible: Yes

Oxidized LDL

 3873-7

Alternate Name: OXIDIZED LDL

Methodology: Enzyme Linked Immunoabsorbance

Preferred Specimen: 3 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 2 days

CPT Code: 83520 (1)

Scarlet Eligible: Yes

Allergen Oak Tree (t7), IgE

 0652-8

Alternate Name: Oak Tree

Methodology: Immunocap

Preferred Specimen: 3 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 3 days

CPT Code: 86003 (1)

Scarlet Eligible: Yes

Oat (f7), IgE

 0814-4

Alternate Name: Oat

Methodology: Immunocap

Preferred Specimen: 3 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 3 days

CPT Code: 86003 (1)

Scarlet Eligible: Yes

Allergen Oat, IgG (Non-NY)

 1800-2

Alternate Name: Oat(Rast)IgG

Methodology: Enzyme Immunoassay

Preferred Specimen: 1 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 7 days

CPT Code: 86001 (1)

Scarlet Eligible: Yes

Culture, Eye

0076-0

Alternate Name: Ocular/Eye Culture

Methodology: Bacterial Culture

Preferred Specimen: Swab-E

Collection Instruction: Collect specimen with swab then place swab into transport carrier; Label with name and source

Storage Instruction: Room Temp

Turn Around Time: 5 days

CPT Code: 87070 (1)

Scarlet Eligible: No

Culture, Eye (Left)

0565-2

Alternate Name: Ocular/Eye Culture, Left**Methodology:** Bacterial Culture**Preferred Specimen:** Swab-E**Collection Instruction:** Collect specimen with swab then place swab into transport carrier; Label with name and source**Storage Instruction:** Room Temp**Turn Around Time:** 5 days**CPT Code:** 87070 (1)**Scarlet Eligible:** No**Culture, Eye (Right)**

0633-8

Alternate Name: Ocular/Eye Culture, Right**Methodology:** Bacterial Culture**Preferred Specimen:** Swab-E**Collection Instruction:** Collect specimen with swab then place swab into transport carrier; Label with name and source**Storage Instruction:** Room Temp**Turn Around Time:** 5 days**CPT Code:** 87070 (1)**Scarlet Eligible:** No**Olive Tree (t9), IgE** 1251-8**Alternate Name:** Olive Tree**Methodology:** Immunocap**Preferred Specimen:** 3 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 86003 (1)**Scarlet Eligible:** Yes

OneCheck Hematopathology

5500-4

Alternate Name: OneCheck**Preferred Specimen:** Bone Marrow Core in Formalin**Storage Instruction:** Refrigerate**Turn Around Time:** 7 days**CPT Code:** 99999 (1)**Scarlet Eligible:** No

Allergen Onion (f48), IgE 0864-9**Alternate Name:** Onion**Methodology:** Immunocap**Preferred Specimen:** 3 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 86003 (1)**Scarlet Eligible:** Yes

OnkoSight AML Panel Sequencing

B894-7

Alternate Name: OnkoSight AML Panel**Methodology:** Genotyping by Next Generation Sequencing**Preferred Specimen:** 2 mL Bone Marrow - Lavender Top**Collection Instruction:** Place blood/bone marrow into tube, label with patient's name. Send in provided kit. If sending DNA - Please call C/S.**Storage Instruction:** Refrigerate**Turn Around Time:** 3-5 days**CPT Code:** 81450 (1)**Scarlet Eligible:** No

OnkoSight Colorectal Cancer Panel

B822-8

Alternate Name: OnkoSight Colorectal Ca Pnl

Methodology: Genotyping by Next Generation Sequencing

Preferred Specimen: Formalin-fixed, Paraffin-embedded Tissue

Collection Instruction: This comes in block form from client with surgical imprint. 10-15 unstained slides at 5 microns (tumor content>10%) with H&E, Shavings (if tumor content>40%) with H&E. If sending DNA- Please call Client Services.

Turn Around Time: 5-10 days

CPT Code: 81445 (1)

Scarlet Eligible: No

OnkoSight Glioma Panel

J634-7

Alternate Name: OnkoSight Glioma Panel

Methodology: Genotyping by Next Generation Sequencing

Preferred Specimen: Formalin-fixed, Paraffin-embedded Tissue

Collection Instruction: 10-15 unstained slides at 5 microns(tumor content>10%) with H&E, Shavings(if tumor content>40% with H&E, if sending DNA-Please call CS.

Storage Instruction: Room Temp

Turn Around Time: 5-10 days

CPT Code: 81445 (1)

Scarlet Eligible: No

OnkoSight Lung Cancer Panel

B819-4

Alternate Name: OnkoSight Lung Ca Panel

Methodology: Genotyping by Next Generation Sequencing

Preferred Specimen: Formalin-fixed, Paraffin-embedded Tissue

Collection Instruction: This comes in block form from client with surgical imprint. 10-15 unstained slides at 5 microns (tumor content>10%) with H&E, Shavings (if tumor content>40%) with H&E. If sending DNA- Please call Client Services.

Turn Around Time: 7-14 days

CPT Code: 81445 (1)

Scarlet Eligible: No

OnkoSight Lung Comprehensive

K924-1

Alternate Name: OnkoSight Lung Comprehensive**Turn Around Time:** 14 days**CPT Code:** 81210 (1), 81235 (1), 81275 (1), 81276 (1), 81404 (1), 81405 (1), 81479 (2), 88377 (1), 88342 (1)**Scarlet Eligible:** No

OnkoSight Lung Panel, if EGFR- neg. rflx to (J015) ALK by FISH, if neg. rflx to ROS1 by FISH

L113-0

Alternate Name: OnkoSight Lung Panel**Turn Around Time:** 14 days**CPT Code:** 81210 (1), 81235 (1), 81275 (1), 81276 (1), 81404 (1), 81405 (1), 81479 (2)**Scarlet Eligible:** No

OnkoSight MDS Panel Sequencing

B893-9

Alternate Name: OnkoSight MDS Panel**Methodology:** Genotyping by Next Generation Sequencing**Preferred Specimen:** 2 mL Bone Marrow - Lavender Top**Collection Instruction:** Place bone/blood marrow into tube, label with patient's name. Send in provided kit. If sending DNA - Please call CS.**Storage Instruction:** Refrigerate**Turn Around Time:** 5-10 days**CPT Code:** 81450 (1)**Scarlet Eligible:** No

OnkoSight MPN Panel Sequencing

 B818-6

Alternate Name: OnkoSight MPN Panel

Methodology: Genotyping by Next Generation Sequencing

Preferred Specimen: 2 mL Peripheral Blood - Lavender Top

Collection Instruction: Place bone marrow into tube, label with patients name. Send in provided kit. If sending DNA-Please call Client Service.

Turn Around Time: 5-10 days

CPT Code: 81450 (1)

Scarlet Eligible: Yes

OnkoSight MYD88 Sequencing (Non-NY)

J130-6

Alternate Name: OnkoSight MYD88

Methodology: Genotyping by Next Generation Sequencing

Preferred Specimen: Bone Marrow - Lavender Top

Collection Instruction: Place bone marrow into tube, label with patient's name

Storage Instruction: Room Temp

Turn Around Time: 5-10 days

CPT Code: 81305 (1)

Scarlet Eligible: No

OnkoSight Melanoma Panel

B820-2

Alternate Name: OnkoSight Melanoma Pnl

Methodology: Genotyping by Next Generation Sequencing

Preferred Specimen: Formalin-fixed, Paraffin-embedded Tissue

Collection Instruction: This comes in block form from client with surgical imprint. 10-15 unstained slides at 5 microns (tumor content>10%) with H&E, Shavings (if tumor content>40%) with H&E. If sending DNA- Please call Client Services.

Turn Around Time: 5-10 days

CPT Code: 81445 (1)

Scarlet Eligible: No

OnkoSight Myeloid Disorder Panel

B823-6

Alternate Name: OnkoSight Myeloid Disorder Panel**Methodology:** Genotyping by Next Generation Sequencing**Preferred Specimen:** 2 mL Bone Marrow - Lavender Top**Collection Instruction:** Place bone marrow into tube, label with patients name. Send in provided kit. If sending DNA-Please call Client Service.**Turn Around Time:** 5-10 days**CPT Code:** 81450 (1)**Scarlet Eligible:** No

OnkoSight Solid Tumor Panel

B821-0

Alternate Name: OnkoSight Solid Tumor Pnl**Methodology:** Genotyping by Next Generation Sequencing**Preferred Specimen:** Formalin-fixed, Paraffin-embedded Tissue**Collection Instruction:** This comes in block form from client with surgical imprint. 10-15 unstained slides at 5 microns (tumor content>10%) with H&E, Shavings (if tumor content>40%) with H&E. If sending DNA- Please call Client Services.**Turn Around Time:** 5-10 days**CPT Code:** 81445 (1)**Scarlet Eligible:** No

Opiates, Serum Screen J865-7**Alternate Name:** Opiates**Methodology:** Enzyme Linked Immunoabsorbance**Preferred Specimen:** 6 mL Red Top**Collection Instruction:** Fill tube, label with patient name**Turn Around Time:** 3 days**CPT Code:** 80307 (1)**Scarlet Eligible:** Yes

Allergen Orange (f33), IgE

 0835-9

Alternate Name: Orange

Methodology: Immunocap

Preferred Specimen: 3 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 3 days

CPT Code: 86003 (1)

Scarlet Eligible: Yes

Allergen Orchard Grass (g3), IgE

 0649-4

Alternate Name: Orchard Grass

Methodology: Immunocap

Preferred Specimen: 3 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 3 days

CPT Code: 86003 (1)

Scarlet Eligible: Yes

Allergen Oregano (rf283), IgE

 2351-5

Alternate Name: Oregano

Methodology: Immunocap

Preferred Specimen: 3 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 3 days

CPT Code: 86003 (1)

Scarlet Eligible: Yes

O + P, Stool w/Trichrome (2nd Specimen)

0355-8

Alternate Name: Ova and Parasites**Methodology:** Microscopic Examination**Preferred Specimen:** Ova & Parasite Mini**Collection Instruction:** With applicator stick, place 10 gms of stool into each vial, label with patient name**Storage Instruction:** Room Temp**Turn Around Time:** 2 days**CPT Code:** 87177 (1), 87209 (1)**Scarlet Eligible:** No**O + P, Stool (3rd Specimen)**

0227-9

Alternate Name: Ova and Parasites,**Methodology:** Microscopic Examination**Preferred Specimen:** Ova & Parasite Mini**Storage Instruction:** Room Temp**Turn Around Time:** 2 days**CPT Code:** 87177 (1), 87209 (1)**Scarlet Eligible:** No**Allergen, Ovalbumin (F232), IgE** J281-7**Alternate Name:** Ovalbumin IgE**Methodology:** Immunocap**Preferred Specimen:** 1.0 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 86008 (1)**Scarlet Eligible:** Yes

Allergen Ovomuroid (f233), IgE J280-9**Alternate Name:** Ovomuroid IgE**Methodology:** Immunocap**Preferred Specimen:** 1.0 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 86008 (1)**Scarlet Eligible:** Yes**Oxycodone, Urine, Screen (300)** A595-1**Alternate Name:** Oxycontin**Methodology:** Enzyme Immunoassay**Preferred Specimen:** 5 mL Urine Cup**Collection Instruction:** Collect urine in cup, label with patients name**Turn Around Time:** 1 day**CPT Code:** 80307 (1)**Scarlet Eligible:** Yes**Allergen Oyster (f290), IgE** 3121-1**Alternate Name:** Oyster**Methodology:** Immunocap**Preferred Specimen:** 3 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 86003 (1)**Scarlet Eligible:** Yes

Vitamin B6

 0296-4

Alternate Name: P-5'-Pyridoxal-5-Phosphate;Pyriodixine

Methodology: High Pressure Liquid Chromatography

Preferred Specimen: 2 mL Amber Serum

Collection Instruction: Draw SST or RED, let clot for 8-10 minutes. Centrifuge and pour into either an aliquot tube (must be covered in foil) or poured into an amber tube and label with patient name and specimen type (serum).

Storage Instruction: Refrigerate

Turn Around Time: 3 days

CPT Code: 84207 (1)

Scarlet Eligible: Yes

Neutrophil Cytoplasmic AB/ANCA

 0636-1

Alternate Name: P-ANCA/C-ANCA

Methodology: Indirect Fluorescence Assay

Preferred Specimen: 1 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 3 days

CPT Code: 86255 (1)

Scarlet Eligible: Yes

Prostate Specific Acid Phos (P.A.P.)

 0030-7

Alternate Name: P.A.P.

Methodology: Chemiluminescence

Preferred Specimen: 1 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 2 days

CPT Code: 84066 (1)

Scarlet Eligible: Yes

PTT (Partial Thromboplastin Time) 0139-6**Alternate Name:** P.T.T.**Methodology:** Photometric**Preferred Specimen:** Light blue top**Collection Instruction:** Fill tube to line at top of tube, invert 8-10 times (DO NOT SHAKE!)**Storage Instruction:** Refrigerate**Turn Around Time:** 1 day**CPT Code:** 85730 (1)**Scarlet Eligible:** Yes**PAI 4G/5G Polymorphism** A269-3**Alternate Name:** P4G/5G**Methodology:** Polymerase Chain Reaction**Preferred Specimen:** 2.0 mL Lavender top- EDTA**Collection Instruction:** Fill lavender-top (EDTA) tube completely, invert 8-10 times. DO NOT SHAKE TUBE!**Storage Instruction:** Refrigerate**Turn Around Time:** 7 days**CPT Code:** 81479 (1)**Scarlet Eligible:** Yes**Chronic Lymphocytic Leuk.(CLL): FISH Pnl(+12, 13q, 17p, 11q)** 5280-3**Alternate Name:** P53/D13S319/ATM/+12**Methodology:** FISH**Preferred Specimen:** 5 mL Peripheral Blood - Green Top**Collection Instruction:** Fill tube, invert 8-10 times (DO NOT SHAKE!)**Storage Instruction:** Refrigerate**Turn Around Time:** 3-5 days**CPT Code:** 88367 (1), 88373 (3)**Scarlet Eligible:** Yes

PANEL L202**Alternate Name:** PANEL L202**Turn Around Time:** 4 days**CPT Code:** 87086 (1), 83718 (1), 84443 (1), 85651 (1), 85025 (1)**Scarlet Eligible:** Yes**PAP (RFLX HPV HIGH ASC-US or >)**

6630-8

Alternate Name: PAP (RFLX HPV HIGH ASC-US or >)**Preferred Specimen:** ThinPrep Vial**Collection Instruction:** Collect specimen, swish in Thin prep vial, label with pt name.**Storage Instruction:** Refrigerate**Turn Around Time:** 5 days**CPT Code:** 88175 (1)**Scarlet Eligible:** No**PAP (RFLX HPV HIGH ASC-US)**

6629-0

Alternate Name: PAP (Rflx HPV Hi/Lo ASC-US)**Preferred Specimen:** ThinPrep Vial**Collection Instruction:** Collect specimen, swish in Thin prep vial, label with pt name.**Storage Instruction:** Refrigerate**Turn Around Time:** 5 days**CPT Code:** 88175 (1)**Scarlet Eligible:** No**PAP + CT/GC**

9241-1

Alternate Name: PAP + CT/GC**Preferred Specimen:** ThinPrep Vial**Collection Instruction:** Collect specimen, swish in Thin prep vial, label with pt name.**Turn Around Time:** 5 days**CPT Code:** 87491 (1), 87591 (1), 88175 (1)**Scarlet Eligible:** No

PAP + HPV HI

9102-5

Alternate Name: PAP + HPV HI**Preferred Specimen:** ThinPrep Vial**Collection Instruction:** Collect specimen, swish in Thin prep vial, label with pt name.**Storage Instruction:** Room Temp**Turn Around Time:** 5 days**CPT Code:** 87624 (1), 88175 (1)**Scarlet Eligible:** No**PAP + HPV HI + CT/GC**

9235-3

Alternate Name: PAP + HPV HI/LO + CT/GC**Preferred Specimen:** ThinPrep Vial**Collection Instruction:** Collect specimen, swish in Thin prep vial, label with pt name.**Storage Instruction:** Refrigerate**Turn Around Time:** 5 days**CPT Code:** 87491 (1), 87591 (1), 87624 (1), 88175 (1)**Scarlet Eligible:** No**PAP RFLX HPV mRNA ASCUS,RFX 16/18/45 w/CT/GC**

A253-7

Alternate Name: PAP CT/GC RFX HPVmRNA**Methodology:** Transcription Mediated Amplification**Preferred Specimen:** ThinPrep Vial**Collection Instruction:** Collect specimen, swish in Thin prep vial, label with pt name.**Storage Instruction:** Room Temp**Turn Around Time:** 5 days**CPT Code:** 87491 (1), 87591 (1), 88175 (1)**Scarlet Eligible:** No

PAP Reflex to HPV mRNA when ASCUS or greater,RFX 16,18/45

A254-5

Alternate Name: PAP RLX HPVmRNA, ASCUS>**Preferred Specimen:** ThinPrep Vial**Collection Instruction:** Collect specimen, swish in Thin prep vial, label with pt name.**Storage Instruction:** Room Temp**Turn Around Time:** 5 days**CPT Code:** 88175 (1)**Scarlet Eligible:** No**PAP W/O Image Reflex HR HPV**

5240-7

Alternate Name: PAP W/O IMAGE RFLX HPV**Preferred Specimen:** ThinPrep Vial**Collection Instruction:** Collect specimen, swish in Thin prep vial, label with pt name.**Turn Around Time:** 5-7 days**CPT Code:** 88142 (1)**Scarlet Eligible:** No**PAP(RFX HPV Plus)**

A489-7

Alternate Name: PAP(RFX HPV PLUS)**Preferred Specimen:** ThinPrep Vial**Turn Around Time:** 5 days**CPT Code:** 88175 (1)**Scarlet Eligible:** No**PAP+CT+GC(RF HPV+ LO ASC OR >)**

P383-3

Alternate Name: PAP+CT+GC(RF HPV+ LO ASC OR >)**Preferred Specimen:** ThinPrep Vial**Collection Instruction:** Collect specimen, swish in Thin prep vial, label with pt name.**Turn Around Time:** 5 days**CPT Code:** 87491 (1), 87591 (1), 88175 (1)**Scarlet Eligible:** No

PAP+CT+GC(RFX HPV PLUS)

P374-2

Alternate Name: PAP+CT+GC(RFX HPV PLUS)**Collection Instruction:** Collect specimen, swish in Thin prep vial, label with pt name.**Turn Around Time:** 5 days**CPT Code:** 87491 (1), 87591 (1), 88175 (1)**Scarlet Eligible:** No**PAP + HPV Plus + CT + GC**

P372-6

Alternate Name: PAP+HPV PLUS +CT +GC**Preferred Specimen:** ThinPrep Vial**Collection Instruction:** Collect specimen, swish in Thin prep vial, label with pt name.**Turn Around Time:** 5 days**CPT Code:** 87491 (1), 87591 (1), 87624 (1), 88175 (1)**Scarlet Eligible:** No**PAP, Liquid-Based**

1962-0

Alternate Name: PAP, LIQUID-BASED**Preferred Specimen:** ThinPrep Vial**Collection Instruction:** Collect specimen, swish in Thin prep vial, label with pt name.**Turn Around Time:** 5 days**CPT Code:** 88175 (1)**Scarlet Eligible:** No**StormPath PAP, Liquid based**

B352-6

Alternate Name: PAP-STORMPATH**Preferred Specimen:** ThinPrep Vial**Collection Instruction:** Collect specimen, swish in Thin prep vial, label with pt name.**Storage Instruction:** Room Temp**Turn Around Time:** 4 days**CPT Code:** 88175 (1)**Scarlet Eligible:** No

PAP/CT/GC (Reflex HPV PLUS when ASC-US)

6431-1

Alternate Name: PAP/CT/GC (RFLX HPV)**Preferred Specimen:** ThinPrep Vial**Collection Instruction:** Collect specimen, swish in Thin prep vial, label with pt name.**Storage Instruction:** Refrigerate**Turn Around Time:** 5 days**CPT Code:** 87491 (1), 87591 (1), 88175 (1)**Scarlet Eligible:** No**PAP/CT/GC (Reflex HPV PLUS when ASC-US or UNSAT)**

L327-6

Alternate Name: PAP/CT/GC (Reflex HPV PLUS)**Turn Around Time:** 5 days**CPT Code:** 88175 (1), 87624 (1), 87491 (1), 87591 (1)**Scarlet Eligible:** No**PAP RFX HPV Plus mRNA ASCUS>,RFX 16/18/45 w/CT/GC**

A255-2

Alternate Name: PAP/CT/GC RFLXmRNA,ASC>**Preferred Specimen:** ThinPrep Vial**Storage Instruction:** Room Temp**Turn Around Time:** 5 days**CPT Code:** 87491 (1), 87591 (1), 88175 (1)**Scarlet Eligible:** No**PAP/CT/GC/ HPV mRNA,RFX 16/18/45 GENOTYPE**

A252-9

Alternate Name: PAP/CT/GC/HPV mRNA**Methodology:** Transcription Mediated Amplification**Preferred Specimen:** ThinPrep Vial**Collection Instruction:** Collect specimen, swish in Thin prep vial, label with pt name.**Storage Instruction:** Room Temp**Turn Around Time:** 5 days**CPT Code:** 87491 (1), 87591 (1), 87624 (1), 88175 (1)**Scarlet Eligible:** No

PAP/HPVHI/GC RFX>GENCERV-P+HPV

P699-2

Alternate Name: PAP/HPVHI/GC RFX>GC-P+H**Preferred Specimen:** ThinPrep Vial**Collection Instruction:** Collect specimen, swish in Thin prep vial, label with pt name.**Turn Around Time:** 5 days**CPT Code:** 87491 (1), 87591 (1), 87624 (1), 88175 (1), 88184 (1), 88185 (1), 88365 (1)**Scarlet Eligible:** No**PAP/PSA** 0956-3**Alternate Name:** PAP/PSA**Preferred Specimen:** SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 2 days**CPT Code:** 84066 (1), 84153 (1)**Scarlet Eligible:** Yes**PAP/HPV+/GC RFX>GENCERV-PAP+HP (NON-NY)**

P701-6

Alternate Name: PAPHPV+GC RFX>GC-PAP+HP**Preferred Specimen:** ThinPrep Vial**Collection Instruction:** Collect specimen, swish in Thin prep vial, label with pt name.**Turn Around Time:** 5 days**CPT Code:** 87491 (1), 87591 (1), 87624 (1), 88175 (1), 88184 (1), 88185 (1), 88365 (1)**Scarlet Eligible:** No

Parainfluenza Antibody

 0946-4

Alternate Name: PARAINFLUENZA 1-3

Methodology: Complement Fixation

Preferred Specimen: 2 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 9 days

CPT Code: 86790 (3)

Scarlet Eligible: Yes

HU, YO + RI Abs. W/ Rfx TO Titters+ WB

 1837-4

Alternate Name: PARANEOPLASTIC

Methodology: Immunofluorescence Assay

Preferred Specimen: 2 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 8 days

CPT Code: 86255 (3)

Scarlet Eligible: Yes

Inherigen®Partner Gene Seq.. (NON-NY)

 A827-8

Alternate Name: PARTNER GENE SEQ.

Preferred Specimen: Lavender top- EDTA

Collection Instruction: Fill lavender-top (EDTA) tube completely, invert 8-10 times. DO NOT SHAKE TUBE!

Storage Instruction: Room Temp

Turn Around Time: 14-42 days

CPT Code: 99999 (1)

Scarlet Eligible: Yes

Path Cons On Ref.BLK/SLD GLOB.

5283-7

Alternate Name: PATH CONS ON REF.BLK/SLD GLOB.**Methodology:** Morphology**CPT Code:** 88323 (1)**Scarlet Eligible:** No**Pathology Slide Consultation**

5111-0

Alternate Name: PATHOLOGY CONSULT**Methodology:** Histology**Preferred Specimen:** Stained Slides**Collection Instruction:** Client to collect specimen, prepare smears, label with patient's name, place in slide carrier.**Storage Instruction:** Room Temp**Turn Around Time:** 1-2 days**CPT Code:** 88321 (1)**Scarlet Eligible:** No**PBG Deaminase, WB** 3245-8**Alternate Name:** PBG Deaminase, WB**Methodology:** Quantitative Spectrophotometry**Preferred Specimen:** Green top- Sodium Heparin**Collection Instruction:** Fill tube, invert gently 5-6 times, label with patient name**Storage Instruction:** Refrigerate**Turn Around Time:** 10 days**CPT Code:** 82657 (1)**Scarlet Eligible:** Yes

Procalcitonin

T969-5

Alternate Name: PCT**Methodology:** Chemiluminescence**Preferred Specimen:** 1 mL Aliquot Tube-Serum**Collection Instruction:** Place 1-3 mL of serum in transport tube, Label as serum and freeze as required.**Storage Instruction:** STRICT Frozen**Turn Around Time:** 4 days**CPT Code:** 84145 (1)**Scarlet Eligible:** No

PD-1 BY IHC

B994-5

Alternate Name: PD-1 BY IHC**Methodology:** Immunohistochemistry**Preferred Specimen:** Formalin-fixed, Paraffin-embedded Tissue**Collection Instruction:** This comes in block form from client with surgical number imprint.**Storage Instruction:** Room Temp**Turn Around Time:** 1 day**CPT Code:** 88342 (1)**Scarlet Eligible:** No

PD-L1 (SP142) , TECENTRIQ.

T413-4

Alternate Name: PD-L1 (SP142)**Methodology:** Immunohistochemistry**Preferred Specimen:** Formalin-fixed, Paraffin-embedded Tissue**Collection Instruction:** This comes in block form from client with surgical number imprint.**Storage Instruction:** Room Temp**Turn Around Time:** 1-2 days**CPT Code:** 88360 (1)**Scarlet Eligible:** No

PD-L1 22C3 (GI/GEJ) W/Interp.

J915-0

Alternate Name: PD-L1 22C3 (GI/GE)**Methodology:** Immunohistochemistry**Preferred Specimen:** Formalin-fixed, Paraffin-embedded Tissue**Collection Instruction:** This comes in block form from client with surgical number imprint.**Storage Instruction:** Room Temp**Turn Around Time:** 4 days**CPT Code:** 88360 (1)**Scarlet Eligible:** No**PD-L1 22C3 for Keytruda (Triple-Neg Breast Cancer)**

TL02-0

Alternate Name: PD-L1 22C3 Breast**Methodology:** Immunohistochemistry**Preferred Specimen:** Formalin-fixed, Paraffin-embedded Tissue**Storage Instruction:** Room Temp**Turn Around Time:** 1 day**CPT Code:** 88360 (1)**Scarlet Eligible:** No**PD-L1 IHC, Keytruda for Cervical Cancer W/INTERP.**

T988-5

Alternate Name: PD-L1 Cervical Cancer**Methodology:** Immunohistochemistry**Preferred Specimen:** Formalin-fixed, Paraffin-embedded Tissue**Collection Instruction:** This comes in block form from client with surgical number imprint.**Storage Instruction:** Room Temp**Turn Around Time:** 4 days**CPT Code:** 88360 (1)**Scarlet Eligible:** No

PD-L1 (Clone E1L3N) IHC w/Interp.

J257-7

Alternate Name: PD-L1 Generic**Methodology:** Immunohistochemistry**Preferred Specimen:** Formalin-fixed, Paraffin-embedded Tissue**Collection Instruction:** This comes in block form from client with surgical number imprint.

Alternate specimen is 5 unstained slides cut @ 3 to 5 microns.

Turn Around Time: 4 days**CPT Code:** 88360 (1)**Scarlet Eligible:** No**Keytruda PD-L1 Head & Neck Squamous Carcinoma (HNSCC)**

TH63-1

Alternate Name: PD-L1 HNSCC Keytruda**Methodology:** Immunohistochemistry**Preferred Specimen:** Formalin-fixed, Paraffin-embedded Tissue**Storage Instruction:** Room Temp**Turn Around Time:** 2 days**CPT Code:** 88360 (1)**Scarlet Eligible:** No**PD-L1 IHC 22C3 pharmDx, Keytruda W/INTERP.**

B993-7

Alternate Name: PD-L1 Keytruda**Methodology:** Immunohistochemistry**Preferred Specimen:** Formalin-fixed, Paraffin-embedded Tissue**Collection Instruction:** This comes in block form from client with surgical number imprint.**Storage Instruction:** Room Temp**Turn Around Time:** 4 days**CPT Code:** 88360 (1)**Scarlet Eligible:** No

PD-L1 IHC 28-8 pharmDx (OPDIVO) W/INTERP.

J221-3

Alternate Name: PD-L1 Opdivo**Methodology:** Immunohistochemistry**Preferred Specimen:** Formalin-fixed, Paraffin-embedded Tissue**Collection Instruction:** This comes in block form from client with surgical number imprint.**Turn Around Time:** 4 days**CPT Code:** 88360 (1)**Scarlet Eligible:** No**PD-L1 22C3 for Keytruda Other Tumor Types**

TK85-7

Alternate Name: PD-L1 Other Tumor Types**Methodology:** Immunohistochemistry**Preferred Specimen:** Formalin-fixed, Paraffin-embedded Tissue**Storage Instruction:** Room Temp**Turn Around Time:** 4 days**CPT Code:** 88360 (1)**Scarlet Eligible:** No**PD-L1 (Clone E1L3N) IHC Tech Only**

TB35-1

Alternate Name: PD-L1(E1L3N)-Tech Only**Methodology:** Immunohistochemistry**Preferred Specimen:** Formalin-fixed, Paraffin-embedded Tissue**Collection Instruction:** This comes in block form from client with surgical number imprint.**Storage Instruction:** Room Temp**Turn Around Time:** 2 days**CPT Code:** 88360 (1)**Scarlet Eligible:** No

PD-L1 IHC , Keytruda for Urothelial Carcinoma W/INTERP.

TA31-2

Alternate Name: PD-L1-Urothelial Carcin**Methodology:** Immunohistochemistry**Preferred Specimen:** Formalin-fixed, Paraffin-embedded Tissue**Collection Instruction:** This comes in block form from client with surgical number imprint.**Storage Instruction:** Room Temp**Turn Around Time:** 4 days**CPT Code:** 88360 (1)**Scarlet Eligible:** No

PDGFRA Sequencing

J459-9

Alternate Name: PDGFRA Sequencing**Methodology:** Genotyping by Next Generation Sequencing**Preferred Specimen:** Formalin-fixed, Paraffin-embedded Tissue**Collection Instruction:** 10-15 unstained slides at 5 microns (tumor content >10%) with H&E, Shavings (if tumor content >10%) with H&E, if sending DNA- Please call CS**Turn Around Time:** 5-10 days**CPT Code:** 81314 (1)**Scarlet Eligible:** No

PDGFRA Sequencing- Non NY

J045-6

Alternate Name: PDGFRA Sequencing**Methodology:** Genotyping by Next Generation Sequencing**Preferred Specimen:** Formalin-fixed, Paraffin-embedded Tissue**Collection Instruction:** 10-15 unstained slides at 5 microns (tumor content >10%) with H&E, Shavings (if tumor content >40%) with H&E, if sending DNA - Please call CS.**Storage Instruction:** Room Temp**Turn Around Time:** 5-10 days**CPT Code:** 81314 (1)**Scarlet Eligible:** No

PDGFRB by FISH (Global)- Non NY

T781-4

Alternate Name: PDGFRB by FISH**Methodology:** FISH**Preferred Specimen:** 2 mL Bone Marrow - Green Top**Collection Instruction:** Place bone marrow into tube, label with patient's name**Storage Instruction:** Room Temp**Turn Around Time:** 3 days**CPT Code:** 88374 (1)**Scarlet Eligible:** No**PDGFRB by FISH (Tech Only) Non NY**

T782-2

Alternate Name: PDGFRB by FISH- TC**Methodology:** FISH**Preferred Specimen:** 2 mL Bone Marrow - Green Top**Collection Instruction:** Place bone marrow into tube, label with patient's name**Storage Instruction:** Room Temp**Turn Around Time:** 3 days**CPT Code:** 88374 (1)**Scarlet Eligible:** No**Keytruda PD-L1 Esophageal Squamous Cell Carcinoma by IHC**

TH62-3

Alternate Name: PDL1 Esoph-SCC Keytruda**Methodology:** Immunohistochemistry**Preferred Specimen:** Formalin-fixed, Paraffin-embedded Tissue**Storage Instruction:** Room Temp**Turn Around Time:** 2 days**CPT Code:** 88360 (1)**Scarlet Eligible:** No

PDL1 (22C3 Keytruda) IHC + EGFR NGS + ALK FISH + ROS1 FISH

L393-8

Alternate Name: PDL1+EGFR- NGS+ALK+ROS1**Turn Around Time:** 10 days**CPT Code:** 88360 (1), 81235 (1), 88377 (1)**Scarlet Eligible:** No**Pediatric Arthritis Profile**

0596-7

Alternate Name: PEDIATRIC ARTHRITIS**Preferred Specimen:** SST Tube,Lavender top- EDTA**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 2 days**CPT Code:** 82784 (3), 85651 (1), 86038 (1), 86431 (1), 86618 (1)**Scarlet Eligible:** No**Pediatric Blood Culture #1**

B331-0

Alternate Name: PEDIATRIC BL CULT #1**Methodology:** Bacterial Culture**Preferred Specimen:** Pediatric Blood Culture Bottle**Collection Instruction:** Collect 1-3 mL of blood in bottle, label with patient's name.**Storage Instruction:** Room Temp**Turn Around Time:** 5 days**CPT Code:** 87040 (1)**Scarlet Eligible:** No

Pediatric Blood Culture #2

B332-8

Alternate Name: PEDIATRIC BL CULT #2**Methodology:** Bacterial Culture**Preferred Specimen:** Pediatric Blood Culture Bottle**Collection Instruction:** Collect 1-3 mL of blood in bottle, label with patient's name.**Storage Instruction:** Room Temp**Turn Around Time:** 5 days**CPT Code:** 87040 (1)**Scarlet Eligible:** No

Pediatric Blood Culture #3

B333-6

Alternate Name: PEDIATRIC BL CULT #3**Methodology:** Bacterial Culture**Preferred Specimen:** Pediatric Blood Culture Bottle**Collection Instruction:** Collect 1-3 mL of blood in bottle, label with patient's name.**Storage Instruction:** Room Temp**Turn Around Time:** 5 days**CPT Code:** 87040 (1)**Scarlet Eligible:** No

Pediatric Profile I

0980-3

Alternate Name: PEDIATRIC PROFILE I**Preferred Specimen:** Lavender top- EDTA,Tan Top**Storage Instruction:** Refrigerate**Turn Around Time:** 2 days**CPT Code:** 83655 (1), 84202 (1), 85025 (1), 85660 (1)**Scarlet Eligible:** No

Pediatric Profile II

0979-5

Alternate Name: PEDIATRIC PROFILE II**Preferred Specimen:** SST Tube,Lavender top- EDTA,Tan Top**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 2 days**CPT Code:** 83655 (1), 84202 (1), 85025 (1), 85660 (1), G0059 (1)**Scarlet Eligible:** No

Perennial Allerpanel (3 mix) 2188-1**Alternate Name:** PERENNIAL ALLERPANEL**Methodology:** Immunocap**Preferred Specimen:** 5 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 82785 (1), 86005 (3)**Scarlet Eligible:** Yes

PET II (Dialysis Fluid)

4447-9

Alternate Name: PET II (DIALYSIS FLU**Preferred Specimen:** Fluid-source required**Collection Instruction:** Submit 1 SST (master tube) and 3 separate containers of peritoneal fluid (timed 0hr, 2hr, 4hr) Refrigerate**Turn Around Time:** 4 days**CPT Code:** 82565 (1), 82570 (3), 82945 (3), 82947 (1), 84520 (4)**Scarlet Eligible:** No

Phenosense Entry (incl.Fuzeon)

6235-6

Alternate Name: PHENOSENSE ENTRY**Preferred Specimen:** 10 mL Aliquot Plasma-EDTA-Lavender Top**Collection Instruction:** Centrifuge lavender-top at high speed for 15 minutes. Transfer plasma into plastic transfer tube. Label with date/time collected, PLASMA and patient's name. Must submit frozen.**Storage Instruction:** STRICT Frozen**Turn Around Time:** 24 days**CPT Code:** 87903 (1)**Scarlet Eligible:** No**Phenosense GT W/ Replication**

3932-1

Alternate Name: PHENOSENSE GT**Preferred Specimen:** 3 mL Aliquot Plasma-EDTA-Lavender Top**Collection Instruction:** Centrifuge lavender-top at high speed for 15 minutes. Transfer plasma into plastic transfer tube. Label with date/time collected, PLASMA and patient's name. Must submit frozen.**Storage Instruction:** STRICT Frozen**Turn Around Time:** 14-21 day**CPT Code:** 87900 (1), 87901 (1), 87903 (1), 87904 (11)**Scarlet Eligible:** No**Phenosense(HIV Phenotype)**

3888-5

Alternate Name: PHENOSENSE HIV PHENOTYP**Preferred Specimen:** 2 mL Aliquot Plasma-EDTA-Lavender Top**Collection Instruction:** Draw 2 lavender tops. Centrifuge lavender-top at high speed for 15 minutes. Transfer plasma into plastic transfer tube. Label with date/time collected, PLASMA and patient's name. Must submit frozen.**Storage Instruction:** STRICT Frozen**Turn Around Time:** 21 day**CPT Code:** 87903 (1), 87904 (11)**Scarlet Eligible:** No

Phlebotomy Charge 0305-3**Alternate Name:** PHLEBOTOMY CHARGE**CPT Code:** 36415 (1)**Scarlet Eligible:** Yes

Phosphatidyl Ethanolamine 5722-4**Alternate Name:** PHOSPHATIDYL ETHANOL**Methodology:** Enzyme Linked Immunoabsorbance**Preferred Specimen:** Red Top**Collection Instruction:** Fill tube, label with patient name**Storage Instruction:** Refrigerate**Turn Around Time:** 8 days**CPT Code:** 83520 (2)**Scarlet Eligible:** Yes

Phosphatidylcholine, (G,A,M) Non-NY 3114-6**Alternate Name:** PHOSPHATIDYLCHOLINE**Methodology:** Immunoassay**Preferred Specimen:** 1 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 12 days**CPT Code:** 83520 (3)**Scarlet Eligible:** Yes

Phosphorus, Urine, Random 3134-4**Alternate Name:** PHOSPHORUS, URINE, RANDOM**Methodology:** Enzymatic Reference method with Hexokinase**Preferred Specimen:** 10 mL Urine Cup**Collection Instruction:** Collect urine in cup, label with patients name**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 84105 (1)**Scarlet Eligible:** Yes

Phosphates, Urine 24 Hr.

0411-9

Alternate Name: PHOSPHORUS, URINE 24 HR**Preferred Specimen:** 10 mL Urine Container - 24hr**Collection Instruction:** Discard first morning sample, then collect all urines after for 24 hrs, on completion label with collection time and patient's name; record total volume on Requisition**Storage Instruction:** Refrigerate**CPT Code:** 81050 (1), 84105 (1)**Scarlet Eligible:** No

PID/Infertility W/O PAP Expanded

F368-6

Alternate Name: PID/INFRT NO PAP EXPAND**Preferred Specimen:** ThinPrep Vial**Collection Instruction:** Collect specimen, swish in Thin prep vial, label with pt name.**Turn Around Time:** 7 days**CPT Code:** 87491 (1), 87512 (1), 87591 (1), 87661 (1), 87798 (4), 87799 (2)**Scarlet Eligible:** No

Pinworm Tape Test

0204-8

Alternate Name: PINWORM TAPE TEST

Methodology: Microscopic Examination

Preferred Specimen: Pinworm slide w/tape, paddle

Collection Instruction: Press paddle or sticky side of tape without smearing on to the fold of the perianal area (press the sticky side of the paddle against the skin around the rectum 3-4 times). Collect specimen first thing in the morning before bathing or bowel movement.

Turn Around Time: 1 day

CPT Code: 87172 (1)

Scarlet Eligible: No

Pituitary I

 2319-2

Alternate Name: PITUITARY I

Preferred Specimen: 4 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 1 day

CPT Code: 83001 (1), 83002 (1), 84146 (1), 84443 (1)

Scarlet Eligible: Yes

Phenylalanine

1857-2

Alternate Name: PKU

Methodology: Liquid Chromatography Tandem Mass Spectrometry

Preferred Specimen: 2 mL Aliquot Plasma Heparinized-green top

Collection Instruction: Spin tube for 10 minutes, transfer plasma into a transfer tube, label with patient's name and that it is hep plasma

Storage Instruction: STRICT Frozen

Turn Around Time: 13 days

CPT Code: 82131 (1)

Scarlet Eligible: No

Plasma Cell Dyscrasia/Multiple Myeloma IHC Panel

5579-8

Alternate Name: PLASMA CELL DYSCRASIA/MM**Methodology:** Immunohistochemistry**Preferred Specimen:** Formalin-fixed, Paraffin-embedded Tissue**Collection Instruction:** This comes in a block or slide form from client with surgical number imprint.**Turn Around Time:** 1 day**CPT Code:** 88341 (10), 88342 (1)**Scarlet Eligible:** No

Plasma Cell Analysis by Flow Cytometry (Tech Only) and StormPath BMM Report Template

R736-0

Alternate Name: PLASMA CELL FlowTC and BMM**Turn Around Time:** 1 day**CPT Code:** 99999 (1), 88184 (1), 88185 (11)**Scarlet Eligible:** No

Plasminogen Quant.

5775-2

Alternate Name: PLASMINOGEN, QUANT.**Methodology:** Chromogenic**Preferred Specimen:** 2 mL Aliquot Plasma-Citrated-Blue Top**Collection Instruction:** Collect full blue-top (citrated) tube. Centrifuge Blue-top at high speed for 15 minutes. Transfer plasma into plastic transfer tube. Label with date/time collected, PLASMA, patient's name and freeze.**Storage Instruction:** STRICT Frozen**Turn Around Time:** 3 days**CPT Code:** 85420 (1)**Scarlet Eligible:** No

Platelet Antibody Identification

5776-0

Alternate Name: PLATELET AB. IDENT.

Methodology: Enzyme Linked Immunoabsorbance

Preferred Specimen: 5 mL Aliquot Tube-Serum

Collection Instruction: Fill tube, invert gently 2-3 times, let stand for 20 minutes, spin for 10-15 minutes label with patient name.

Storage Instruction: STRICT Frozen

Turn Around Time: 15 days

CPT Code: 86022 (7)

Scarlet Eligible: No

Platelet AB.,Direct Flow Cyto

 3675-6

Alternate Name: PLATELET AB.,DIRECT

Methodology: Flow Cytometry

Preferred Specimen: Lavender top- EDTA

Collection Instruction: Fill lavender-top (EDTA) tube completely, invert 8-10 times. DO NOT SHAKE TUBE!

Storage Instruction: Room Temp

Turn Around Time: 8 days

CPT Code: 86023 (1)

Scarlet Eligible: Yes

PMS2 Del/Dup Analysis

 J663-6

Alternate Name: PMS2-MLPANJ

Methodology: Full Gene Sequencing

Preferred Specimen: 5 mL Peripheral Blood - Lavender Top

Collection Instruction: Lavender: 2 tubes (5-6 mL each) Label with the patient name, date of birth and/or ID. Ideal handling is to ship immediately at ambient temperature for overnight delivery.

Alternate specimen type: DNA: Extract and submit DNA 50 ng/mL (total volume 400 mL) in sterile container. Ship DNA in sealed and protective packaging at ambient temperature, using a cool pack in hot weather. Labeling: Name of person or identifier, DNA concentration and volume MUST be provided on the specimen tube.

Storage Instruction: Room Temp

Turn Around Time: 21 day

CPT Code: 81319 (1)

Scarlet Eligible: Yes

PNH by Flow Cytometry

 5564-0

Alternate Name: PNH Test

Methodology: Flow Cytometry

Preferred Specimen: 5 mL Peripheral Blood - Green Top

Collection Instruction: Fill tube, invert gently 5-6 times, label with patient's name

Storage Instruction: Room Temp

Turn Around Time: 1 day

CPT Code: 88184 (1), 88185 (7), 88187 (1)

Scarlet Eligible: Yes

Platelet Neutralizing Procedure

5784-4

Alternate Name: PNP

Methodology: Clot Detection

Preferred Specimen: 2 mL Aliquot Plasma-Citrated-Blue Top

Collection Instruction: Collect full blue-top (citrated) tube. Centrifuge Blue-top at high speed for 15 minutes. Transfer plasma into plastic transfer tube. Label with date/time collected, PLASMA, patient's name and freeze.

Storage Instruction: STRICT Frozen

Turn Around Time: 4 days

CPT Code: 85597 (1)

Scarlet Eligible: No

Polycyst.Ovary Synd. Treat. Panel

 P259-5

Alternate Name: POLYCYST.OVARY SYND.

Preferred Specimen: SST Tube,Lavender top- EDTA

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 1 day

CPT Code: 83036 (1), 83718 (1), G0059 (1)

Scarlet Eligible: Yes

Polycyst.Ovary Synd. Conf.Panel

 P258-7

Alternate Name: POLYCYST.OVARY SYND.CON

Preferred Specimen: SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 2 days

CPT Code: 82040 (1), 82627 (1), 83001 (1), 83002 (1), 84146 (1), 84270 (1), 84305 (1), 84403 (1), 84439 (1), 84443 (1)

Scarlet Eligible: Yes

Porphobilinogen Urine 24Hr, Quant

3551-9

Alternate Name: PORPHOBILINOGEN**Methodology:** Chromatography**Preferred Specimen:** 10 mL Urine Container - 24hr**Collection Instruction:** Discard first morning sample, then collect all urines after for 24 hrs, on completion label with collection time and patient's name; record total volume on Requisition**Storage Instruction:** Refrigerate**Turn Around Time:** 11 day**CPT Code:** 84110 (1)**Scarlet Eligible:** No

Porphobilinogen, Urine

 1116-3**Alternate Name:** PORPHOBILINOGEN**Methodology:** Colorimetry**Preferred Specimen:** 10 mL Urine Cup**Collection Instruction:** Collect urine in cup, label with patients name**Storage Instruction:** Refrigerate**Turn Around Time:** 10 days**CPT Code:** 84110 (1)**Scarlet Eligible:** Yes

Porphyrins, Total, Plasma

3655-8

Alternate Name: PORPHYRINS, TOTAL**Methodology:** High Pressure Liquid Chromatography**Preferred Specimen:** 2 mL Aliquot Plasma Heparinized-green top**Collection Instruction:** Spin tube for 10 minutes, transfer plasma into a transfer tube, label with patient's name and that it is hep plasma**Storage Instruction:** STRICT Frozen**Turn Around Time:** 15 days**CPT Code:** 82542 (1)**Scarlet Eligible:** No

Post Dialysis Potassium

1688-1

Alternate Name: POTASSIUM POST DIALYSIS

Methodology: Ion Selective Electrode

Preferred Specimen: Microtainer - Pediatric SST

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 1 day

CPT Code: 84132 (1)

Scarlet Eligible: No

Potassium, Urine, Timed Specimen

 1659-2

Alternate Name: POTASSIUM, URINE TIMED

Methodology: Ion Selective Electrode

Preferred Specimen: 3 mL Urine Cup

Collection Instruction: Collect urine in cup, label with patients name

Storage Instruction: Refrigerate

Turn Around Time: 1 day

CPT Code: 84133 (1)

Scarlet Eligible: Yes

Proteinase-3 AutoAbs

 2663-3

Alternate Name: PR3

Methodology: Enzyme Linked Immunoabsorbance

Preferred Specimen: 1 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 3 days

CPT Code: 86021 (1)

Scarlet Eligible: Yes

Prader-Willi/Angelman Syn. AMF

B795-6

Alternate Name: PRADER-WILLI SYND AMF**Methodology:** Methylation-Sensitive Multiple Ligation-Dependent Probe Amplification**Preferred Specimen:** 20 mL Amniotic Fluid**Collection Instruction:** 20mL Amniotic Fluid submitted in a sterile, leak-proof container**Turn Around Time:** 23 days**CPT Code:** 81331 (1)**Scarlet Eligible:** No**15q Del Characterization, FISH**

B796-4

Alternate Name: PRADER-WILLI SYND CVS**Methodology:** In Situ Hybridization**Preferred Specimen:** 20-25 mL Chorionic Villi**Collection Instruction:** CVS specimen should be collected in a sterile, screw-top container with tissue culture transport medium (available upon Request). If transport medium is not available, plain RPMI, Hanks solution or saline can be used**Storage Instruction:** Room Temp**Turn Around Time:** 12 days**CPT Code:** 88271 (2), 88291 (1)**Scarlet Eligible:** No**Preg.+Throm.Assessment**

6801-5

Alternate Name: PREG.+THROM.ASSESSMENT**Preferred Specimen:** Aliquot Plasma-Citrated-Blue Top, Aliquot Serum- Red Top, Lavender top-EDTA**Collection Instruction:** Lavender must be sent separately at room temp. Aliquot samples must be frozen.**Turn Around Time:** 5 days**CPT Code:** 81240 (1), 81241 (1), 83090 (1), 85025 (1), 85305 (1), 85306 (2), 85598 (1), 85610 (1), 85613 (2), 85730 (2), 86146 (3), 86147 (3)**Scarlet Eligible:** No

Pregnenolone, Serum

J150-4

Alternate Name: PREGNENOLONE, SERUM**Methodology:** Liquid Chromatography Tandem Mass Spectrometry**Preferred Specimen:** 1.0 Aliquot Tube-Serum**Collection Instruction:** Place 1-3 mL of serum/plasma in transport tube. Label as serum or plasma and freeze as required.**Storage Instruction:** STRICT Frozen**Turn Around Time:** 3 days**CPT Code:** 84140 (1)**Scarlet Eligible:** No

PRENATAL SKELETAL DYSPLASIA PANEL

J372-4

Alternate Name: PREN.SKELETAL DYSPLASIA**Methodology:** Genotyping by Next Generation Sequencing**Preferred Specimen:** 20 mL Amniotic Fluid**Collection Instruction:** 20mL Amniotic Fluid submitted in a sterile, leak-proof container or 3T-25 Cultured Cell flasks.**Storage Instruction:** Room Temp**Turn Around Time:** 21 day**CPT Code:** 81265 (1), 81404 (2), 81408 (2), 81479 (2)**Scarlet Eligible:** No

Prenatal + HIV 2765-6**Alternate Name:** PRENATAL + HIV**Preferred Specimen:** SST Tube,Lavender top- EDTA,Pink Tube-EDTA**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 1 day**CPT Code:** 85025 (1), 86592 (1), 86762 (1), 86850 (1), 86900 (1), 86901 (1), 87340 (1), 87389 (1), G0059 (1)**Scarlet Eligible:** Yes

Prenatal For Known Mutation (Non-NY) B118-1**Alternate Name:** PRENATAL FOR KNOWN MUT.**Preferred Specimen:** 20 mL Amniotic Fluid**Collection Instruction:** If not enough AMF or CVS is received , cultured cells will be submitted in 2 (T-25 flasks)in order to run the test.**Storage Instruction:** Room Temp**Turn Around Time:** 14 days**CPT Code:** 81479 (1)**Scarlet Eligible:** Yes**Prenatal SRY Gene Sequencing (Non-NY)**

8612-4

Alternate Name: PRENATAL SRY GENE SEQ**Preferred Specimen:** 20 mL Amniotic Fluid**Storage Instruction:** Refrigerate**Turn Around Time:** 14 days**CPT Code:** 81265 (1), 81400 (1)**Scarlet Eligible:** No**Procainamide/NAPA** 0525-6**Alternate Name:** PROCAINAMIDE/NAPA**Preferred Specimen:** Red Top**Collection Instruction:** Fill tube, label with patient name**Storage Instruction:** Refrigerate**Turn Around Time:** 1 day**CPT Code:** 80192 (1)**Scarlet Eligible:** Yes

PROCESS AND HOLD FOR FISH

B664-4

Alternate Name: PROCESS/HOLD FOR FISH**Methodology:** FISH**Preferred Specimen:** 2 mL Bone Marrow - Green Top**Collection Instruction:** Test code is used when physician is waiting for DX on other testing. We will prep the sample and hold it until the client calls to proceed or cancel. If no request receives within 7 days of holding, we will call to confirm if FISH testing is needed.**Turn Around Time:** 3 days**CPT Code:** 88237 (1)**Scarlet Eligible:** No

Progesterone, Serum 0335-0**Alternate Name:** PROGESTERONE**Methodology:** Electrochemiluminescence Immunoassay**Preferred Specimen:** 1 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 1 day**CPT Code:** 84144 (1)**Scarlet Eligible:** Yes

Prolactin, Serum 0134-7**Alternate Name:** PROLACTIN, SERUM**Methodology:** Electrochemiluminescence Immunoassay**Preferred Specimen:** 1 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 1 day**CPT Code:** 84146 (1)**Scarlet Eligible:** Yes

Propoxyphene, Urine, Screen (300) 0963-9**Alternate Name:** PROPOXYPHENE, URINE, QUAL.**Methodology:** Enzyme Immunoassay**Preferred Specimen:** 5 mL Urine Cup**Collection Instruction:** Collect urine in cup, label with patients name**Storage Instruction:** Refrigerate**Turn Around Time:** 1 day**CPT Code:** 80307 (1)**Scarlet Eligible:** Yes**Prostate Cancer Triple Stain By IHC (PC)**

B964-8

Alternate Name: PROSTATE CANCER PC ONLY**Methodology:** Immunohistochemistry**Preferred Specimen:** Stained Slides**Collection Instruction:** Client to collect specimen, prepare smears, label with patient's name, and place in slide carrier.**Storage Instruction:** Room Temp**Turn Around Time:** 1-2 days**CPT Code:** 88344 (1)**Scarlet Eligible:** No**Prostate Cancer/ Lymph Nodes**

5122-7

Alternate Name: PROSTATE CANCER/LYMPH NODES**Methodology:** Immunohistochemistry**Preferred Specimen:** Formalin-fixed, Paraffin-embedded Tissue**Collection Instruction:** This comes in a block or slide form from client with surgical number imprint.**Turn Around Time:** 1 day**CPT Code:** 88341 (2), 88342 (1)**Scarlet Eligible:** No

Prostate Core Biopsy (8 Spec.)

5618-4

Alternate Name: PROSTATE CORE BIOPSY**Methodology:** Histology**Preferred Specimen:** Biopsy In Formalin**Collection Instruction:** Submit in 10% Neutral Buffered Formalin, varied jar sizes.**Turn Around Time:** 1 day**CPT Code:** 88305 (8)**Scarlet Eligible:** No**Prostate Core Biopsy (7 Spec.)**

5617-6

Alternate Name: PROSTATE CORE BIOPSY**Methodology:** Histology**Preferred Specimen:** Biopsy In Formalin**Collection Instruction:** Submit in 10% Neutral Buffered Formalin, varied jar sizes.**Turn Around Time:** 1 day**CPT Code:** 88305 (7)**Scarlet Eligible:** No**Prostate Core Biopsy (1 Spec.)**

5611-9

Alternate Name: PROSTATE CORE BIOPSY**Methodology:** Histology**Preferred Specimen:** Biopsy In Formalin**Collection Instruction:** Submit in 10% Neutral Buffered Formalin, varied jar sizes**Turn Around Time:** 1 day**CPT Code:** 88305 (1)**Scarlet Eligible:** No

Prostate Core Biopsy (4 Spec.)

5614-3

Alternate Name: PROSTATE CORE BIOPSY**Methodology:** Histology**Preferred Specimen:** Biopsy In Formalin**Collection Instruction:** Submit in 10% Neutral Buffered Formalin, varied jar sizes.**Turn Around Time:** 1 day**CPT Code:** 88305 (4)**Scarlet Eligible:** No**Prostate Core Biopsy (2 Spec.)**

5612-7

Alternate Name: PROSTATE CORE BIOPSY**Methodology:** Histology**Preferred Specimen:** Biopsy In Formalin**Collection Instruction:** Submit in 10% Neutral Buffered Formalin, varied jar sizes.**Turn Around Time:** 1 day**CPT Code:** 88305 (2)**Scarlet Eligible:** No**Prostate Core Biopsy (3 Spec.)**

5613-5

Alternate Name: PROSTATE CORE BIOPSY**Methodology:** Histology**Preferred Specimen:** Biopsy In Formalin**Collection Instruction:** Submit in 10% Neutral Buffered Formalin, varied jar sizes.**Turn Around Time:** 1 day**CPT Code:** 88305 (3)**Scarlet Eligible:** No

Prostate Core Biopsy (5 Spec.)

5615-0

Alternate Name: PROSTATE CORE BIOPSY**Methodology:** Histology**Preferred Specimen:** Biopsy In Formalin**Collection Instruction:** Submit in 10% Neutral Buffered Formalin, varied jar sizes.**Turn Around Time:** 1 day**CPT Code:** 88305 (5)**Scarlet Eligible:** No**Prostate Core Biopsy (6 Spec.)**

5616-8

Alternate Name: PROSTATE CORE BIOPSY**Methodology:** Histology**Preferred Specimen:** Biopsy In Formalin**Collection Instruction:** Submit in 10% Neutral Buffered Formalin, varied jar sizes.**Turn Around Time:** 1 day**CPT Code:** 88305 (6)**Scarlet Eligible:** No**Prostate Core Biopsy (20 Spec.)**

5174-8

Alternate Name: PROSTATE CORE BIOPSY**Methodology:** Immunohistochemistry**Preferred Specimen:** Biopsy In Formalin**Collection Instruction:** Submit in 10% Neutral Buffered Formalin, varied jar sizes.**Turn Around Time:** 1 day**CPT Code:** 88305 (20)**Scarlet Eligible:** No

Prostate Core Biopsy (12 Spec.)

5622-6

Alternate Name: PROSTATE CORE BIOPSY 12**Methodology:** Histology**Preferred Specimen:** Biopsy In Formalin**Collection Instruction:** Submit in 10% Neutral Buffered Formalin, varied jar sizes.**CPT Code:** 88305 (12)**Scarlet Eligible:** No

Activated Protein C Resistance Modified

5705-9

Alternate Name: PROT.C RES.MODIFIED**Methodology:** Clot Detection**Preferred Specimen:** 2 mL Aliquot Plasma-Citrated-Blue Top**Collection Instruction:** Collect full blue-top (citrated) tube. Centrifuge Blue-top at high speed for 15 minutes. Transfer plasma into plastic transfer tube. Label with date/time collected, PLASMA, patient's name and freeze.**Storage Instruction:** STRICT Frozen**Turn Around Time:** 4 days**CPT Code:** 85307 (1)**Scarlet Eligible:** No

Protein C Antigen

5786-9

Alternate Name: PROTEIN C AG.**Methodology:** Enzyme Linked Immunoabsorbance**Preferred Specimen:** 1 mL Aliquot Plasma-Citrated-Blue Top**Collection Instruction:** Collect full blue-top (citrated) tube. Centrifuge Blue-top at high speed for 15 minutes. Transfer plasma into plastic transfer tube. Label with date/time collected, PLASMA, patient's name and freeze.**Storage Instruction:** STRICT Frozen**Turn Around Time:** 5 days**CPT Code:** 85302 (1)**Scarlet Eligible:** No

Activated Protein C Resistance

5704-2

Alternate Name: PROTEIN C RESIS.**Methodology:** Clot Detection**Preferred Specimen:** 2 mL Aliquot Plasma-Citrated-Blue Top**Collection Instruction:** Collect full blue-top (citrated) tube. Centrifuge Blue-top at high speed for 15 minutes. Transfer plasma into plastic transfer tube. Label with date/time collected, PLASMA and patient's name and freeze.**Storage Instruction:** STRICT Frozen**Turn Around Time:** 4 days**CPT Code:** 85307 (1)**Scarlet Eligible:** No

Protein S Activity

5787-7

Alternate Name: PROTEIN S ACT.**Methodology:** Colorimetry**Preferred Specimen:** 2 mL Aliquot Plasma-Citrated-Blue Top**Collection Instruction:** Collect full blue-top (citrated) tube. Centrifuge Blue-top at high speed for 15 minutes. Transfer plasma into plastic transfer tube. Label with date/time collected, PLASMA, patient's name and freeze.**Storage Instruction:** STRICT Frozen**Turn Around Time:** 4 days**CPT Code:** 85306 (1)**Scarlet Eligible:** No

Protein S Antigen Total

5789-3

Alternate Name: PROTEIN S AG.,TOTAL**Methodology:** Colorimetry**Preferred Specimen:** 1 mL Aliquot Plasma-Citrated-Blue Top**Collection Instruction:** Collect full blue-top (citrated) tube. Centrifuge Blue-top at high speed for 15 minutes. Transfer plasma into plastic transfer tube. Label with date/time collected, PLASMA, patient's name and freeze.**Storage Instruction:** STRICT Frozen**Turn Around Time:** 5 days**CPT Code:** 85305 (1)**Scarlet Eligible:** No**Protein S Antigen, Free**

5788-5

Alternate Name: PROTEIN S AG.FREE**Methodology:** Immunoturbidimetric**Preferred Specimen:** 1 mL Aliquot Plasma-Citrated-Blue Top**Collection Instruction:** Collect full blue-top (citrated) tube. Centrifuge Blue-top at high speed for 15 minutes. Transfer plasma into plastic transfer tube. Label with date/time collected, PLASMA, patient's name and freeze.**Storage Instruction:** STRICT Frozen**Turn Around Time:** 5 days**CPT Code:** 85306 (1)**Scarlet Eligible:** No**Protein, Urine, 24 Hr.**

0136-2

Alternate Name: PROTEIN, 24HR. URINE**Preferred Specimen:** 10 mL Urine Container - 24hr**Collection Instruction:** Discard first morning sample, then collect all urines after for 24 hrs, on completion label with collection time and patient's name; record total volume on Requisition**Storage Instruction:** Refrigerate**Turn Around Time:** 1 day**CPT Code:** 81050 (1), 84156 (1)**Scarlet Eligible:** No

Protein, Total, Synovial

0827-6

Alternate Name: PROTEIN, TOTAL, SYNOVIAL**Methodology:** Spectrophotometry**Preferred Specimen:** 2 mL Fluid-source required**Collection Instruction:** Submit fluid in sterile cup**Storage Instruction:** Refrigerate**Turn Around Time:** 9 days**CPT Code:** 84157 (1)**Scarlet Eligible:** No

Protein/Creatinine w/Ratio 3329-0**Alternate Name:** PROTEIN/CREAT. w/RATIO**Preferred Specimen:** Urine Cup**Collection Instruction:** Collect urine in cup, label with patients name**Turn Around Time:** 2 days**CPT Code:** 82570 (1), 84156 (1)**Scarlet Eligible:** Yes

Prothrombin ABS IGG 5820-6**Alternate Name:** PROTHROMBIN ABS.IGG**Methodology:** Enzyme Linked Immunoabsorbance**Preferred Specimen:** Aliquot Tube-Serum**Collection Instruction:** Fill tube, label with patient name**Storage Instruction:** Refrigerate**Turn Around Time:** 5 days**CPT Code:** 86849 (1)**Scarlet Eligible:** Yes

COAG/Prothrombin Time

5798-4

Alternate Name: PROTHROMBIN TIME (PT)**Methodology:** Clot Detection**Preferred Specimen:** Aliquot Plasma-Citrated-Blue Top**Collection Instruction:** Collect full blue-top (citrated) tube. Centrifuge Blue-top at high speed for 15 minutes. Transfer plasma into plastic transfer tube. Label with date/time collected, PLASMA, patient's name and freeze.**Storage Instruction:** STRICT Frozen**Turn Around Time:** 4 days**CPT Code:** 85610 (1)**Scarlet Eligible:** No**PSA Free + Total** 2088-3**Alternate Name:** PSA FREE/TOTAL**Methodology:** Chemiluminescence**Preferred Specimen:** 1 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 1 day**CPT Code:** 84153 (1), 84154 (1)**Scarlet Eligible:** Yes**PSA Reflex to Free PSA** M067-7**Alternate Name:** PSA Reflex to Free PSA**Turn Around Time:** 1 day**Scarlet Eligible:** Yes

Allergen Psyllium Seed (K72),IgE (RAST) 5048-4**Alternate Name:** PSYLLIUM SEED IGE**Methodology:** Immunoassay**Preferred Specimen:** 1 mL Red Top**Collection Instruction:** Fill tube, label with patient name**Storage Instruction:** Refrigerate**Turn Around Time:** 7 days**CPT Code:** 86003 (1)**Scarlet Eligible:** Yes**PT + PTT** 2237-6**Alternate Name:** PT + PTT**Preferred Specimen:** Light blue top**Collection Instruction:** Fill tube to line at top of tube, invert 8-10 times (DO NOT SHAKE!)**Storage Instruction:** Refrigerate**Turn Around Time:** 1 day**CPT Code:** 85610 (1), 85730 (1)**Scarlet Eligible:** Yes**Prothrombin G20210A Mutation** 5795-0**Alternate Name:** PT G20210A MUTATION**Methodology:** Polymerase Chain Reaction**Preferred Specimen:** 5 mL Lavender top- EDTA**Collection Instruction:** Fill lavender-top (EDTA) tube completely, invert 8-10 times. DO NOT SHAKE TUBE!**Storage Instruction:** Room Temp**Turn Around Time:** 5 days**CPT Code:** 81240 (1)**Scarlet Eligible:** Yes

Prothrombin Time/INR (PT) 0137-0**Alternate Name:** PT/INR**Methodology:** Photometric**Preferred Specimen:** Light blue top**Collection Instruction:** Fill tube to line at top of tube, invert 8-10 times (DO NOT SHAKE!)**Storage Instruction:** Refrigerate**Turn Around Time:** 8 hours**CPT Code:** 85610 (1)**Scarlet Eligible:** Yes**PTEN BY FISH**

B854-1

Alternate Name: PTEN BY FISH**Methodology:** FISH**Preferred Specimen:** Unstained Slide**Collection Instruction:** Collect specimen and place on charged slide, label with pt name, place in slide holder for transport.**Storage Instruction:** Room Temp**Turn Around Time:** 3-4 days**CPT Code:** 88377 (1)**Scarlet Eligible:** No**PTEN BY IHC With Interpretation**

A985-4

Alternate Name: PTEN BY IHC- W/INTERP**Methodology:** Immunohistochemistry**Preferred Specimen:** Formalin-fixed, Paraffin-embedded Tissue**Collection Instruction:** This comes in a block or slide form from client with surgical number imprint.**Turn Around Time:** 1 day**CPT Code:** 88342 (1)**Scarlet Eligible:** No

PTH, Intact w/ Calcium 1689-9**Alternate Name:** PTH, INTACT**Preferred Specimen:** Lavender top- EDTA,SST Tube**Storage Instruction:** Refrigerate**Turn Around Time:** 1 day**CPT Code:** 82310 (1), 83970 (1)**Scarlet Eligible:** Yes

PTH, Intact (use 1689 if with Calcium) 0598-3**Alternate Name:** PTH, INTACT (use 1689), iPTH**Methodology:** Chemiluminescence**Preferred Specimen:** 1 mL Lavender top- EDTA**Collection Instruction:** Centrifuge lavender-top at high speed for 15 minutes. Transfer plasma into plastic transfer tube. Label with date/time collected, PLASMA and patient's name.**Storage Instruction:** Refrigerate**Turn Around Time:** 1 day**CPT Code:** 83970 (1)**Scarlet Eligible:** Yes

PTH, Intact, FNA

J047-2

Alternate Name: PTH, INTACT, FNA**Methodology:** Chemiluminescence**Preferred Specimen:** 1 mL Fluid-source required**Collection Instruction:** Collect sample in sterile container.**Storage Instruction:** STRICT Frozen**Turn Around Time:** 9 days**CPT Code:** 83970 (1)**Scarlet Eligible:** No

PTH Related Protein 1324-3**Alternate Name:** PTH-related peptide**Methodology:** Immunoassay**Preferred Specimen:** 1 mL Aliquot Plasma Heparinized-green top**Collection Instruction:** Spin tube for 10 minutes, transfer plasma into a transfer tube, label with patient's name and that it is hep plasma**Storage Instruction:** Refrigerate**Turn Around Time:** 13 days**CPT Code:** 83519 (1)**Scarlet Eligible:** Yes**Part.Thromb.Time(PTT)-LA**

5771-1

Alternate Name: PTT-LA sens.**Methodology:** Clot Detection**Preferred Specimen:** 2 mL Aliquot Plasma-Citrated-Blue Top**Collection Instruction:** Collect full blue-top (citrated) tube. Centrifuge Blue-top at high speed for 15 minutes. Transfer plasma into plastic transfer tube. Label with date/time collected, PLASMA, patient's name and freeze.**Storage Instruction:** STRICT Frozen**Turn Around Time:** 3 days**CPT Code:** 85730 (1)**Scarlet Eligible:** No**Prader-Willi/Angelman Syndrome Methylation, Blood**

3497-5

Alternate Name: PWS/AS Methylation, Bld**Preferred Specimen:** 5 mL Lavender top- EDTA**Collection Instruction:** Fill tube, invert gently 5-6 times, label with patient name**Turn Around Time:** 21 day**CPT Code:** 81331 (1)**Scarlet Eligible:** No

Allergen Pyrethrum, IgE

 3145-0

Alternate Name: PYRETHRUM

Methodology: Enzyme Immunoassay

Preferred Specimen: 0.5 mL Aliquot Tube-Serum

Collection Instruction: Collect 1-2 mL whole blood in red top tube, centrifuge and transfer 0.5 mL serum into a transfer tube. (All serum acceptable)

Storage Instruction: Refrigerate

Turn Around Time: 7 days

CPT Code: 86003 (1)

Scarlet Eligible: Yes

Pyruvate

3767-1

Alternate Name: PYRUVATE

Methodology: Enzymatic

Preferred Specimen: 5 mL PYR- Pyruvate tube

Collection Instruction: Collect 4 mL random whole blood in an EDTA (lavender-top), sodium or lithium heparin (green-top), or fluoride oxalate (gray-top) tube and immediately mix with 4 mL ice cold 7% or 8% Perchloric Acid. Let mixture stand for 10 minutes; then, centrifuge. Separate and submit 4.5 mL supernatant fluid for assay, refrigerated 2-8 degrees C. Transport refrigerated (cold packs). Please specify on the request form the volumes of blood and Perchloric Acid used.

Storage Instruction: Refrigerate

Turn Around Time: 10 days

CPT Code: 84210 (1)

Scarlet Eligible: No

Pancreatic Cancer Panel

 B343-5

Alternate Name: Pancreatic Cancer Panel

Preferred Specimen: 2-5 mL Lavender top- EDTA

Collection Instruction: Lavender: 2 tubes (5-6ml each) Label with the patient name, date of birth and/or ID. Ideal handling is to ship immediately at ambient temperature for overnight delivery. Alternate sample type: DNA: Extract and submit DNA 50 ng/mL (total volume 400 mL) in sterile container. Ship DNA in sealed and protective packaging at ambient temperature, using a cool pack in hot weather. Labeling: Name of person or identifier, DNA concentration and volume MUST be provided on the specimen tube.

Storage Instruction: Room Temp

Turn Around Time: 14 days

CPT Code: 81162 (1), 81201 (1), 81404 (1)

Scarlet Eligible: Yes

OnkoSight Advanced Pancreatic and Biliary Tract Tumor Panel

TK84-0

Alternate Name: Pancreaticobiliary NGS

Methodology: Genotyping by Next Generation Sequencing

Preferred Specimen: Formalin-fixed, Paraffin-embedded Tissue

Storage Instruction: Room Temp

Turn Around Time: 7-10 days

CPT Code: 81445 (1)

Scarlet Eligible: No

Panel A (Inhalants)

 1632-9

Alternate Name: Panel A (Inhalants)

Preferred Specimen: SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 3 days

CPT Code: 82784 (1), 82785 (1), 86003 (15)

Scarlet Eligible: Yes

Pap + Pap Dependent HPV

B975-4

Alternate Name: Pap Dep HPV**Preferred Specimen:** ThinPrep Vial**Collection Instruction:** Collect specimen, swish in Thin prep vial, label with pt name.**Storage Instruction:** Room Temp**Turn Around Time:** 5 days**CPT Code:** 87624 (1), 88175 (1)**Scarlet Eligible:** No**Pap + Pap Dependent HPV + CT/GC**

P734-7

Alternate Name: Pap Dep HPV+CT/GC**Preferred Specimen:** ThinPrep Vial**Collection Instruction:** Collect specimen, swish in Thin prep vial, label with pt name.**Turn Around Time:** 5 days**CPT Code:** 87491 (1), 87591 (1), 87624 (1), 88175 (1)**Scarlet Eligible:** No**Pap (Reflex to HPV DNA Genotyping 16,18 when ASC-US or UNSAT)**

L326-8

Alternate Name: Pap Reflex to HPV DNA Gen**Preferred Specimen:** ThinPrep Vial**Collection Instruction:** Collect specimen, swish in Thin prep vial, label with pt name.**Storage Instruction:** Room Temp**Turn Around Time:** 5 days**CPT Code:** 88175 (1)**Scarlet Eligible:** No

Pap (Reflex to HPV DNA Genotyping 16,18 when ASC-US)

6195-2

Alternate Name: Pap(rfl HPV DNA ASCUS)**Preferred Specimen:** ThinPrep Vial**Collection Instruction:** Collect specimen, swish in Thin prep vial, label with pt name.**Storage Instruction:** Refrigerate**Turn Around Time:** 5 days**CPT Code:** 88175 (1)**Scarlet Eligible:** No**Pap (Reflex to HPV mRNA Genotyping 16, 18/45 when ASC-US)**

A251-1

Alternate Name: Pap(rfl HPV mRNA ASCUS)**Methodology:** Transcription Mediated Amplification**Preferred Specimen:** ThinPrep Vial**Collection Instruction:** Collect specimen, swish in Thin prep vial, label with pt name.**Storage Instruction:** Room Temp**Turn Around Time:** 5 days**CPT Code:** 88175 (1)**Scarlet Eligible:** No**Pap and HPV DNA Genotyping 16,18**

P079-7

Alternate Name: Pap+HPV DNA**Preferred Specimen:** ThinPrep Vial**Turn Around Time:** 5 days**CPT Code:** 87624 (1), 88175 (1)**Scarlet Eligible:** No

Pap and HPV mRNA Genotyping 16, 18/45

A250-3

Alternate Name: Pap+HPV mRNA**Methodology:** Transcription Mediated Amplification**Preferred Specimen:** ThinPrep Vial**Collection Instruction:** Collect specimen, swish in Thin prep vial, label with pt name.**Storage Instruction:** Room Temp**Turn Around Time:** 5 days**CPT Code:** 87624 (1), 88175 (1)**Scarlet Eligible:** No

PAP/CT/GC(RFLX HPV PLUS ASC-US or >)

9985-3

Alternate Name: Pap/Ct/Gc(Rflx Hpv Hi Asc-U_s Or >)**Methodology:** Polymerase Chain Reaction**Preferred Specimen:** ThinPrep Vial**Collection Instruction:** Collect specimen, swish in Thin prep vial, label with pt name.**Turn Around Time:** 5 days**CPT Code:** 87491 (1), 87591 (1), 88175 (1)**Scarlet Eligible:** No

Allergen Papaya (f293), IgE 1942-2**Alternate Name:** Papaya**Methodology:** Immunocap**Preferred Specimen:** 2 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 86003 (1)**Scarlet Eligible:** Yes

Allergen Paper Wasp (i4), IgE 0886-2**Alternate Name:** Paper Wasp**Methodology:** Immunocap**Preferred Specimen:** 3 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 86003 (1)**Scarlet Eligible:** Yes**Allergen Paprika (f218),IgE** 1424-1**Alternate Name:** Paprika**Methodology:** Immunocap**Preferred Specimen:** SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 86003 (1)**Scarlet Eligible:** Yes**O + P, Stool W/Trichrome (1st specimen)**

0377-2

Alternate Name: Parasites, Stool; Parasitology Examination, Stool; Stool Exam for Ova and Parasites**Methodology:** Microscopic Examination**Preferred Specimen:** Ova & Parasite Mini**Collection Instruction:** With applicator stick, place 10 gms of stool into each vial, label with patient name**Storage Instruction:** Room Temp**Turn Around Time:** 2 days**CPT Code:** 87177 (1), 87209 (1)**Scarlet Eligible:** No

Parkinson Panel

 T401-9

Alternate Name: Parkinson Disease Panel / Sequen

Methodology: Genotyping by Next Generation Sequencing

Preferred Specimen: Lavender top- EDTA

Collection Instruction: Blood specimens of any type (in EDTA or dried blood spot) and buccal swab cannot be accepted if the patient has ever received an allogeneic bone marrow transplant. Blood specimens will be rejected if frozen, hemolyzed or clotted. Blood can be refrigerated up to 7 days before shipping. Blood specimens older than 7 days can still be shipped; they will be tested if the yield and quality of DNA permit.

Storage Instruction: Room Temp

CPT Code: 81404 (2), 81405 (2), 81406 (2), 81408 (1)

Scarlet Eligible: Yes

Allergen Parrot Aust.Droppings IgG

 A867-4

Alternate Name: Parrot Droppings IgG

Methodology: Enzyme Immunoassay

Preferred Specimen: 0.5 mL Red Top

Collection Instruction: Collect 1-2 mL whole blood in red top tube, centrifuge and transfer 0.5 mL serum into a transfer tube. (All serum acceptable)

Storage Instruction: Refrigerate

Turn Around Time: 7 days

CPT Code: 86001 (1)

Scarlet Eligible: Yes

Allergen Parsley (f86), IgE 1355-7**Alternate Name:** Parsley**Methodology:** Immunocap**Preferred Specimen:** 3 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 86003 (1)**Scarlet Eligible:** Yes**Parvovirus B19 Ab, IgG** T790-5**Alternate Name:** Parvovirus B19 Ab, IgG**Methodology:** Enzyme Linked Immunoabsorbance**Preferred Specimen:** 1 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 2 days**CPT Code:** 86747 (1)**Scarlet Eligible:** Yes**Parvovirus B19 Ab, IgM** T791-3**Alternate Name:** Parvovirus B19 Ab, IgM**Methodology:** Enzyme Linked Immunoabsorbance**Preferred Specimen:** 1 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 2 days**CPT Code:** 86747 (1)**Scarlet Eligible:** Yes

Parvovirus B19 Ab (IgG/IgM) L399-5**Alternate Name:** Parvovirus B19 G/M**Preferred Specimen:** SST Tube**Storage Instruction:** Refrigerate**Turn Around Time:** 2 days**CPT Code:** 86747 (1)**Scarlet Eligible:** Yes**Allergen Passion Fruit (rf294), IgE** 3480-1**Alternate Name:** Passion Fruit (Rf294)**Methodology:** Immunocap**Preferred Specimen:** 2 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 86003 (1)**Scarlet Eligible:** Yes**Lead, Blood (Adult)** 1438-1**Alternate Name:** Pb, Blood (Adult)**Methodology:** Inductively Coupled Plasma Mass Spectrometry**Preferred Specimen:** Tan Top**Collection Instruction:** Fill tube, invert gently 5-6 times, label with patient name**Storage Instruction:** Refrigerate**Turn Around Time:** 2 days**CPT Code:** 83655 (1)**Scarlet Eligible:** Yes

Lead, Blood (Child)

0398-8

Alternate Name: Pb, Blood (Child)**Methodology:** Inductively Coupled Plasma Mass Spectrometry**Preferred Specimen:** Tan Top**Collection Instruction:** Fill tube, invert gently 5-6 times, label with patient name**Storage Instruction:** Refrigerate**Turn Around Time:** 2 days**CPT Code:** 83655 (1)**Scarlet Eligible:** No**Allergen Peach (f95), IgE** 1226-0**Alternate Name:** Peach (F95)**Methodology:** Immunocap**Preferred Specimen:** 3 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 86003 (1)**Scarlet Eligible:** Yes**Allergen Peanut (f13), IgE** 0674-2**Alternate Name:** Peanut**Methodology:** Immunocap**Preferred Specimen:** 1 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 86003 (1)**Scarlet Eligible:** Yes

Allergen Peanut Component Ara (h1), IgE

 J284-1

Alternate Name: Peanut Ara (h1)

Methodology: Immunocap

Preferred Specimen: 1.0 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 3 days

CPT Code: 86008 (1)

Scarlet Eligible: Yes

Peanut Component Ara (h2), IgE

 J283-3

Alternate Name: Peanut Ara (h2)

Methodology: Immunocap

Preferred Specimen: 1.0 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 3 days

CPT Code: 86008 (1)

Scarlet Eligible: Yes

Peanut Component Ara (h3), IgE

 J285-8

Alternate Name: Peanut Ara (h3)

Methodology: Immunocap

Preferred Specimen: 1 SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 3 days

CPT Code: 86008 (1)

Scarlet Eligible: Yes

Peanut Component Ara (h6), IgE TG35-1**Alternate Name:** Peanut Ara (h6)**Methodology:** Immunocap**Preferred Specimen:** 1 mL SST Tube**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 86008 (1)**Scarlet Eligible:** Yes**Peanut Component Ara (h8), IgE** J287-4**Alternate Name:** Peanut Ara (h8)**Methodology:** Immunocap**Preferred Specimen:** 1 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 86008 (1)**Scarlet Eligible:** Yes**Peanut Component Ara (h9), IgE** J286-6**Alternate Name:** Peanut Ara (h9)**Methodology:** Immunocap**Preferred Specimen:** 1 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 86008 (1)**Scarlet Eligible:** Yes

Peanut Components IgE H993-9**Alternate Name:** Peanut Components IgE**Preferred Specimen:** 1 mL SST Tube**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 82785 (1), 86003 (5)**Scarlet Eligible:** Yes

Peanut w/Reflex to Component Panel M065-1**Alternate Name:** Peanut w/Reflex to Component Panel**Turn Around Time:** 3 days**CPT Code:** 86003 (1)**Scarlet Eligible:** Yes

Allergen Pear (f94), IgE 0930-8**Alternate Name:** Pear (F94)**Methodology:** Immunocap**Preferred Specimen:** 3 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 86003 (1)**Scarlet Eligible:** Yes

Allergen Pecan Nuts (f201), IgE 1592-5**Alternate Name:** Pecan**Methodology:** Immunocap**Preferred Specimen:** 3 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 86003 (1)**Scarlet Eligible:** Yes**Allergen Pecan/Hickory Tree (t22), IgE** 1938-0**Alternate Name:** Pecan/Hickory**Methodology:** Immunocap**Preferred Specimen:** 3.0 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 86003 (1)**Scarlet Eligible:** Yes**Pediatric Mix (fx5), IgE** 2186-5**Alternate Name:** Pediatric Mix**Methodology:** Immunocap**Preferred Specimen:** 5 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 86005 (1)**Scarlet Eligible:** Yes

Allergen Penicillium Notatum Mold (m1), IgE 2167-5**Alternate Name:** Penicillium Mold**Methodology:** Immunocap**Preferred Specimen:** 3 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 86003 (1)**Scarlet Eligible:** Yes**Allergen Pepper Cayenne IgE** 3988-3**Alternate Name:** Pepper Cayenne IgE**Methodology:** Enzyme Immunoassay**Preferred Specimen:** 0.5 mL Aliquot Tube-Serum**Collection Instruction:** Collect 1-2 mL whole blood in red top tube, centrifuge and transfer 0.5 mL serum into a transfer tube. (All serum acceptable)**Storage Instruction:** Refrigerate**Turn Around Time:** 7 days**CPT Code:** 86003 (1)**Scarlet Eligible:** Yes**Allergen Perennial Rye Grass (g5),IgE** 0682-5**Alternate Name:** Perennial Rye Grass**Methodology:** Immunocap**Preferred Specimen:** 3 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 86003 (1)**Scarlet Eligible:** Yes

Perimenopausal Hormonal Profile

 8431-9

Alternate Name: Perimenopausal Hormonal

Preferred Specimen: SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 1 day

CPT Code: 82670 (1), 83001 (1)

Scarlet Eligible: Yes

Peroxisome Biogenesis Disorder 5A (Zellweger)

J303-9

Alternate Name: Peroxisome Biogenesis Disorder 5A (Zellweger)

Methodology: Genotyping by Next Generation Sequencing

Preferred Specimen: Lavender top- EDTA

Collection Instruction: Fill lavender-top (EDTA) tube completely, invert 8-10 times. DO NOT SHAKE TUBE!

Storage Instruction: Refrigerate

Turn Around Time: 10-14 days

CPT Code: 81479 (1)

Scarlet Eligible: No

Allergen Persimmon, IGE,IgE

 3957-8

Alternate Name: Persimmon, IGE

Methodology: Immunoassay

Preferred Specimen: 0.3 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 17 days

CPT Code: 86003 (1)

Scarlet Eligible: Yes

Culture, Throat, Routine

0078-6

Alternate Name: Pharyngeal Culture**Methodology:** Bacterial Culture**Preferred Specimen:** Swab-E**Collection Instruction:** Collect specimen with swab then place swab into transport carrier; Label with name and source**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 87070 (1)**Scarlet Eligible:** No

Desmoglein ABS (1 + 3) 5351-2**Alternate Name:** Phemphgoid**Methodology:** Enzyme Linked Immunoabsorbance**Preferred Specimen:** 1 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 10 days**CPT Code:** 83520 (2)**Scarlet Eligible:** Yes

Phenylketonuria (PKU) Carrier Screening

J304-7

Alternate Name: Phenylketonuria (PKU) Carrier Screening**Methodology:** Genotyping by Next Generation Sequencing**Preferred Specimen:** Lavender top- EDTA**Collection Instruction:** Fill lavender-top (EDTA) tube completely, invert 8-10 times. DO NOT SHAKE TUBE!**Storage Instruction:** Refrigerate**Turn Around Time:** 10-14 days**CPT Code:** 81406 (1)**Scarlet Eligible:** No

Dilantin 0084-4**Alternate Name:** Phenytoin, Serum**Methodology:** Enzyme Immunoassay**Preferred Specimen:** Red Top**Collection Instruction:** Fill tube, label with patient name**Storage Instruction:** Refrigerate**Turn Around Time:** 1 day**CPT Code:** 80185 (1)**Scarlet Eligible:** Yes**BCR/ABL: t(9;22) by FISH**

5265-4

Alternate Name: Philadelphia Chromosome Analysis**Methodology:** FISH**Preferred Specimen:** 5 mL Bone Marrow - Green Top**Collection Instruction:** Place bone marrow (2 ml req.) into tube, label with patient's name. Send in bone marrow kit**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 88374 (1)**Scarlet Eligible:** No**Allergen Phoma Betae (m13), IgE** 2477-8**Alternate Name:** Phoma Betae**Methodology:** Immunocap**Preferred Specimen:** 3 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 86003 (1)**Scarlet Eligible:** Yes

Phosphoglycerate dehydrogenase deficiency

 J302-1

Alternate Name: Phosphoglycerate dehydrogenase deficiency

Methodology: Genotyping by Next Generation Sequencing

Preferred Specimen: Lavender top- EDTA

Collection Instruction: Fill lavender-top (EDTA) tube completely, invert 8-10 times. DO NOT SHAKE TUBE!

Storage Instruction: Refrigerate

Turn Around Time: 10-14 days

CPT Code: 81479 (1)

Scarlet Eligible: Yes

Allergen Pignolia (Pine) Nuts (t213), IgE

 3638-4

Alternate Name: Pignolia Nuts

Methodology: Immunocap

Preferred Specimen: 2 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 3 days

CPT Code: 86003 (1)

Scarlet Eligible: Yes

Allergens Pineapple (f210), IgE

 1389-6

Alternate Name: Pineapple

Methodology: Immunocap

Preferred Specimen: 3 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 3 days

CPT Code: 86003 (1)

Scarlet Eligible: Yes

Allergen Pistachio (rf203), IgE 1195-7**Alternate Name:** Pistachio (Rf203)**Methodology:** Immunocap**Preferred Specimen:** 3 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 86003 (1)**Scarlet Eligible:** Yes**Plasma 10-Color Flow Cytometry Myeloma/Monoclonal Gammopathy Panel (Global) TK97-2****Alternate Name:** Plasma 10 color**Methodology:** Flow Cytometry**Preferred Specimen:** 1 Bone Marrow - Green Top**Storage Instruction:** Room Temp**Turn Around Time:** 1 day**CPT Code:** 88184 (1), 88189 (1), 88185 (18)**Scarlet Eligible:** No**Plasma 10-Color Flow Cytometry Myeloma/Monoclonal Gammopathy Panel (Tech Only) TK96-4****Alternate Name:** Plasma 10 color-TC**Methodology:** Flow Cytometry**Preferred Specimen:** Bone Marrow - Green Top**Storage Instruction:** Room Temp**Turn Around Time:** 1 day**CPT Code:** 88184 (1), 88185 (18)**Scarlet Eligible:** No

Heparin Platelet Antibody

 5746-3

Alternate Name: Platelet factor IV, PF4

Methodology: Enzyme Linked Immunoabsorbance

Preferred Specimen: Aliquot Serum- Red Top

Collection Instruction: Fill tube, label with patient name

Turn Around Time: 3 days

CPT Code: 86022 (1)

Scarlet Eligible: Yes

Allergen Plum (f255), IgE

 1584-2

Alternate Name: Plum

Methodology: Immunocap

Preferred Specimen: 3 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 3 days

CPT Code: 86003 (1)

Scarlet Eligible: Yes

Pneumococcal Antibody Panel (14 Serotypes)

 1250-0

Alternate Name: Pneumococcal Abs. IGG (14);Strep pneumoniae

Methodology: Immunoassay

Preferred Specimen: 2 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 7 days

CPT Code: 86317 (14)

Scarlet Eligible: Yes

Polycystic Kidney Disease, Autosomal Recessive (ARPKD)

 J301-3

Alternate Name: Polycystic Kidney Disease Autosomal Recessive (ARPKD)

Methodology: Genotyping by Next Generation Sequencing

Preferred Specimen: Lavender top- EDTA

Collection Instruction: Fill lavender-top (EDTA) tube completely, invert 8-10 times. DO NOT SHAKE TUBE!

Storage Instruction: Refrigerate

Turn Around Time: 10-14 days

CPT Code: 81408 (1)

Scarlet Eligible: Yes

Allergen Poplar White IgE

 3704-4

Alternate Name: Poplar White IgE

Methodology: Enzyme Immunoassay

Preferred Specimen: 0.5 mL Aliquot Tube-Serum

Collection Instruction: Collect 1-2 mL whole blood in red top tube, centrifuge and transfer 0.5 mL serum into a transfer tube. (All serum acceptable)

Storage Instruction: Refrigerate

Turn Around Time: 7 days

CPT Code: 86003 (1)

Scarlet Eligible: Yes

Allergen Poppy Seed (rf224), IgE

 1031-4

Alternate Name: Poppy Seed (Rf224)

Methodology: Immunocap

Preferred Specimen: 3 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 3 days

CPT Code: 86003 (1)

Scarlet Eligible: Yes

Allergen Pork (f26), IgE 0836-7**Alternate Name:** Pork**Methodology:** Immunocap**Preferred Specimen:** 3 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 86003 (1)**Scarlet Eligible:** Yes**Potassium, RBC** J571-1**Alternate Name:** Potassium, RBC**Methodology:** Inductively Coupled Plasma Mass Spectrometry**Preferred Specimen:** 2 mL Green top- Sodium Heparin**Collection Instruction:** Fill tube, invert gently 5-6 times, label with patient name**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 84132 (1)**Scarlet Eligible:** Yes**Allergen Potato (f35), IgE** 0844-1**Alternate Name:** Potato**Methodology:** Immunocap**Preferred Specimen:** 3 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 86003 (1)**Scarlet Eligible:** Yes

Prenatal Dosage Analysis of SMN1 and SMN2

TF33-8

Alternate Name: Prenatal Dosage Analysis of SMN1

Methodology: Methylation-Sensitive Multiple Ligation-Dependent Probe Amplification

Preferred Specimen: 20 mL Amniotic Fluid

Collection Instruction: Blood specimens of any type and buccal swab cannot be accepted if the patient has ever received an allogeneic bone marrow transplant. Blood specimens will be rejected if frozen, hemolyzed or clotted. Blood can be refrigerated up to 7 days before shipping. Blood specimens older than 7 days can still be shipped; they will be tested if the yield and quality of DNA permit.

Storage Instruction: Room Temp

CPT Code: 81337 (1)

Scarlet Eligible: No

Obstetric (AMA) Panel

 0010-9

Alternate Name: Prenatal Panel

Preferred Specimen: SST Tube, Lavender top- EDTA, Pink Tube-EDTA

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 1 day

CPT Code: 85025 (1), 86592 (1), 86762 (1), 86850 (1), 86900 (1), 86901 (1), 87340 (1)

Scarlet Eligible: Yes

Ciliary Dyskinesia, Primary 1

J311-2

Alternate Name: Primary Ciliary Dyskinesia DNAH5-associated

Methodology: Genotyping by Next Generation Sequencing

Preferred Specimen: Lavender top- EDTA

Collection Instruction: Fill lavender-top (EDTA) tube completely, invert 8-10 times. DO NOT SHAKE TUBE!

Storage Instruction: Refrigerate

Turn Around Time: 10-14 days

CPT Code: 81479 (1)

Scarlet Eligible: No

Allergen Privet Tree (T210), IgE A321-2**Alternate Name:** Privet Tree (T210)**Methodology:** Immunocap**Preferred Specimen:** 2.0 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 86003 (1)**Scarlet Eligible:** Yes**Process and Hold for Cytogenetics**

J655-2

Alternate Name: Process/Hold >Cytog**CPT Code:** 99999 (1)**Scarlet Eligible:** No**Tacrolimus (FK506)** 1871-3**Alternate Name:** Prograf**Methodology:** Enzyme Immunoassay**Preferred Specimen:** Lavender top- EDTA**Collection Instruction:** Submit 2 lavenders when Tacrolimus is ordered in conjunction with any other test requiring lavender.**Storage Instruction:** Refrigerate**Turn Around Time:** 1 day**CPT Code:** 80197 (1)**Scarlet Eligible:** Yes

Prostate Cancer (Stain Only)

5104-5

Alternate Name: Prostate Cancer (Stain Only)**Methodology:** Immunohistochemistry**Preferred Specimen:** Formalin-fixed, Paraffin-embedded Tissue**Collection Instruction:** This comes in a block or slide form from client with surgical number imprint.**Turn Around Time:** 1 day**CPT Code:** 88344 (1)**Scarlet Eligible:** No**Prostate Carcinoma IHC Panel (CK903, p63, P504S)**

5097-1

Alternate Name: Prostate Cancer Profile**Methodology:** Immunohistochemistry**Preferred Specimen:** Formalin-fixed, Paraffin-embedded Tissue**Collection Instruction:** This comes in block or slide form with surgical number imprint.**Storage Instruction:** Refrigerate**Turn Around Time:** 1 day**CPT Code:** 88344 (1)**Scarlet Eligible:** No**PSA Total** 0190-9**Alternate Name:** Prostate Specific Antigen (PSA)**Methodology:** Electrochemiluminescence Immunoassay**Preferred Specimen:** 1 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 1 day**CPT Code:** 84153 (1)**Scarlet Eligible:** Yes

Protein C Activity

5785-1

Alternate Name: Protein C functional

Methodology: Chromogenic

Preferred Specimen: 3 mL Aliquot Plasma-Citrated-Blue Top

Collection Instruction: Collect full blue-top (citrated) tube. Centrifuge Blue-top at high speed for 15 minutes. Transfer plasma into plastic transfer tube. Label with date/time collected, PLASMA, patient's name and freeze.

Storage Instruction: STRICT Frozen

Turn Around Time: 4 days

CPT Code: 85303 (1)

Scarlet Eligible: No

Protein Electrophoresis, Urine, Random

 0404-4

Alternate Name: Protein Electrophoresis, Urine

Methodology: Electrophoresis

Preferred Specimen: 15 mL Urine Cup

Collection Instruction: Collect urine in cup, label with patients name

Storage Instruction: Refrigerate

Turn Around Time: 3 days

CPT Code: 84156 (1), 84166 (1)

Scarlet Eligible: Yes

Protein,Urine,Timed or Random

 1662-6

Alternate Name: Protein,Urn.Timed/Rand

Methodology: Colorimetry

Preferred Specimen: 10 mL Urine Cup

Collection Instruction: Collect urine in cup, label with patients name

Storage Instruction: Refrigerate

Turn Around Time: 2 days

CPT Code: 84156 (1)

Scarlet Eligible: Yes

Allergen Pumpkin (f225), IgE

 1488-6

Alternate Name: Pumpkin

Methodology: Immunocap

Preferred Specimen: 3 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 3 days

CPT Code: 86003 (1)

Scarlet Eligible: Yes

Allergen Pumpkin Seed (rf226), IgE

 1484-5

Alternate Name: Pumpkin Seed

Methodology: Immunocap

Preferred Specimen: 3 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 3 days

CPT Code: 86003 (1)

Scarlet Eligible: Yes

Q Fever (Coxiella burnetii) AB IgG/IgM with Reflex to Titers

 1323-5

Alternate Name: Q-Fever Antibodies, IgG, IgM, Q FEVER G/A/M ABS.

Methodology: Indirect Fluorescence Assay

Preferred Specimen: 1 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 8 days

CPT Code: 86638 (4)

Scarlet Eligible: Yes

HEP C RNA (NS3) Genotype 1 (NY Only)

B610-7

Alternate Name: Q80K Polymorphism, Q 80K, HCV, HEPATITIS C VIRUS NS3 PROTEASE**Methodology:** Polymerase Chain Reaction**Preferred Specimen:** 5 mL Aliquot Plasma-EDTA-Lavender Top**Collection Instruction:** Collect 4-5 mL whole blood in EDTA, ACD, PPT, SST, or Red-top tube, centrifuge and transfer 2 mL of plasma to a sterile screw top tube.**Storage Instruction:** Refrigerate**Turn Around Time:** 15 days**CPT Code:** 87902 (1)**Scarlet Eligible:** No**Methaqualone, Urine, Screen (300)** 3239-1**Alternate Name:** Quaalude**Methodology:** Enzyme Multiplied Immunoassay**Preferred Specimen:** 5 mL Urine Cup**Collection Instruction:** Collect urine in cup, label with patients name**Storage Instruction:** Refrigerate**Turn Around Time:** 1 day**CPT Code:** 80307 (1)**Scarlet Eligible:** Yes**Alpha-Fetoprotein (AFP 4) includes HCG, UE3, Inhibin-A** 3158-3**Alternate Name:** Quad Screen (AFP 4)**Preferred Specimen:** 3 mL SST Tube**Collection Instruction:** MUST BE 15-22 WEEKS AND 6 DAYS. PROVIDE GESTATIONAL INFO.**Storage Instruction:** Refrigerate**Turn Around Time:** 4 days**CPT Code:** 81511 (1)**Scarlet Eligible:** Yes

Pregnancy, Serum (Qualitative) T824-2**Alternate Name:** Qualitative HCG**Methodology:** Immunoassay**Preferred Specimen:** 2 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 1 day**CPT Code:** 84703 (1)**Scarlet Eligible:** Yes**Reflex to GenCerv when NILM/HPV 16,18 negative, non-16/18 positive**

A780-9

Alternate Name: QuantaSure**Methodology:** Flow Cytometry**Preferred Specimen:** ThinPrep Vial**Collection Instruction:** Collect specimen, swish in Thin prep vial, label with pt name.**Turn Around Time:** 5 days**CPT Code:** 88184 (1), 88365 (1)**Scarlet Eligible:** No**Allergen Queen Palm (t72), IgE** 3836-4**Alternate Name:** Queen Palm (t72) IgE**Methodology:** Enzyme Immunoassay**Preferred Specimen:** 0.5 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 6 days**CPT Code:** 86003 (1)**Scarlet Eligible:** Yes

Allergen R. Nigricans (m11), IgE 1373-0**Alternate Name:** R. Nigricans**Methodology:** Immunocap**Preferred Specimen:** 3 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 86003 (1)**Scarlet Eligible:** Yes**Rf (Rheumatoid Arthritis) Titer** 0796-3**Alternate Name:** RA Latex; RA Latex, Turbidimetry; RF Titer; Rheumatoid Factor (RF)**Methodology:** Immunoturbidimetric**Preferred Specimen:** 1 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 1 day**CPT Code:** 86431 (1)**Scarlet Eligible:** Yes**Rabies Titer (Vaccine Resp)** 1869-7**Alternate Name:** RABIES AB.TITER**Preferred Specimen:** 2 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 32 days**CPT Code:** 86382 (1)**Scarlet Eligible:** Yes

Allergen Red Raspberry (rf343), IgE

 3508-9

Alternate Name: RASPBERRY RED

Methodology: Immunocap

Preferred Specimen: 2 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 3 days

CPT Code: 86003 (1)

Scarlet Eligible: Yes

Allergen Cheese Swiss IgE

 3854-7

Alternate Name: RAST-Cheese Swiss IgE

Preferred Specimen: 1 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 7 days

CPT Code: 86003 (1)

Scarlet Eligible: Yes

RBC

 1498-5

Alternate Name: RBC

Methodology: Flow Cytometry

Preferred Specimen: Lavender top- EDTA

Collection Instruction: Fill lavender-top (EDTA) tube completely, invert 8-10 times. DO NOT SHAKE TUBE!

Storage Instruction: Refrigerate

Turn Around Time: 1 day

CPT Code: 85041 (1)

Scarlet Eligible: Yes

Reactive Hyperplasia vs. Lymphoma (NHL) IHC Panel

5103-7

Alternate Name: REACT.HYPERPLASIAV.LYMPHOMA**Methodology:** Immunohistochemistry**Preferred Specimen:** Formalin-fixed, Paraffin-embedded Tissue**Collection Instruction:** This comes in a block or slide form from client with surgical number imprint.**Turn Around Time:** 1 day**CPT Code:** 88341 (12), 88342 (1)**Scarlet Eligible:** No

Reducing Substances, Stool

0187-5

Alternate Name: REDUCING SUB.,STOOL**Methodology:** Benedicts Copper Reduction**Preferred Specimen:** 10 mL Stool Cont.-Cup**Collection Instruction:** Using applicator stick, place 20-30 gms of stool into cup, label with patient's name**Storage Instruction:** Refrigerate**Turn Around Time:** 7 days**CPT Code:** 84376 (1)**Scarlet Eligible:** No

Renal Function (Medicare) 3284-7**Alternate Name:** RENAL FUNCTION (MEDICARE)**Preferred Specimen:** SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 1 day**CPT Code:** 80069 (1)**Scarlet Eligible:** Yes

Reptilase Time

5799-2

Alternate Name: REPTILASE TIME

Methodology: Clot Detection

Preferred Specimen: 1 mL Aliquot Plasma-Citrated-Blue Top

Collection Instruction: Collect full blue-top (citrated) tube. Centrifuge Blue-top at high speed for 15 minutes. Transfer plasma into plastic transfer tube. Label with date/time collected, PLASMA, patient's name and freeze.

Storage Instruction: STRICT Frozen

Turn Around Time: 4 days

CPT Code: 85635 (1)

Scarlet Eligible: No

Reticulin IgA, w/RFLX ToTiter

 A332-9

Alternate Name: RETICULIN IGA,SCRN

Methodology: Immunoassay

Preferred Specimen: 0.3 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 9 days

CPT Code: 86255 (1)

Scarlet Eligible: Yes

Reticulin IgG SCR N W/RFLX To Titer

 5849-5

Alternate Name: RETICULIN IGG,SCRN

Methodology: Immunoassay

Preferred Specimen: 1 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 8 days

CPT Code: 86255 (1)

Scarlet Eligible: Yes

Retinol Binding Protein

 A115-8

Alternate Name: RETINOL BINDING PROTEIN

Methodology: Nephelometry

Preferred Specimen: 1 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 12 days

CPT Code: 83883 (1)

Scarlet Eligible: Yes

Rheumatoid Factor IgA

 TA08-0

Alternate Name: RF IgA

Methodology: Enzyme Linked Immunoabsorbance

Preferred Specimen: 1 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 3 days

CPT Code: 83516 (1)

Scarlet Eligible: Yes

Rheumatoid Factor IgM

 TA09-8

Alternate Name: RF IgM

Methodology: Enzyme Linked Immunoabsorbance

Preferred Specimen: 1 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 3 days

CPT Code: 83516 (1)

Scarlet Eligible: Yes

Allergen Rhizopus Nigricans IgG

 B773-3

Alternate Name: RHIZOPUS NIGRICANS IGG

Methodology: Immunoassay

Preferred Specimen: 0.5 mL Aliquot Tube-Serum

Collection Instruction: Collect 1-2 mL whole blood in red top tube, centrifuge and transfer 0.5 mL serum into a transfer tube. (All serum acceptable)

Storage Instruction: Refrigerate

Turn Around Time: 7 days

CPT Code: 86001 (1)

Scarlet Eligible: Yes

Ribosomal P Antibodies

 1811-9

Alternate Name: RIBOSOMAL P ANTIBODIES

Methodology: Immunoassay

Preferred Specimen: 1 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 5 days

CPT Code: 83516 (1)

Scarlet Eligible: Yes

Rickettsial Disease Panel

 1616-2

Alternate Name: RICKETTSIAL DISEASE

Methodology: Immunofluorescence Assay

Preferred Specimen: 2 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 9 days

CPT Code: 86638 (4), 86757 (4)

Scarlet Eligible: Yes

RNA Polymerase III Ab. 3365-4**Alternate Name:** RNA POLYMERASE III Ab.**Methodology:** Enzyme Linked Immunoabsorbance**Preferred Specimen:** 1 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 12 days**CPT Code:** 83520 (1)**Scarlet Eligible:** Yes**ROMA** L012-4**Alternate Name:** ROMA**Methodology:** Electrochemiluminescence Immunoassay**Preferred Specimen:** 2 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 1 day**CPT Code:** 81500 (1)**Scarlet Eligible:** Yes**ROS-1 BY FISH-TECH Only**

B337-7

Alternate Name: ROS-1 BY FISH-TECH ONLY**Methodology:** FISH**Preferred Specimen:** Formalin-fixed, Paraffin-embedded Tissue**Collection Instruction:** Please write surgical number on block and on requisition. Provide fixation time on requisition as well**Storage Instruction:** Room Temp**Turn Around Time:** 3-5 days**CPT Code:** 88374 (1)**Scarlet Eligible:** No

ROS1 BY FISH Global

B334-4

Alternate Name: ROS1 BY FISH GLOBAL**Methodology:** FISH**Preferred Specimen:** Formalin-fixed, Paraffin-embedded Tissue**Collection Instruction:** This comes in block from client with surgical number imprint.**Storage Instruction:** Room Temp**Turn Around Time:** 3-5 days**CPT Code:** 88377 (1)**Scarlet Eligible:** No**POST TREATMENT SYPHILIS (RPR)**

R733-7

Alternate Name: RPR**Turn Around Time:** 1 day**CPT Code:** 86592 (1)**Scarlet Eligible:** No**RPR Serology** 0142-0**Alternate Name:** RPR Serology, Syphilis, Rapid Plasma Reagin Test for Syphilis**Methodology:** Flocculation**Preferred Specimen:** 1 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 1 day**CPT Code:** 86592 (1)**Scarlet Eligible:** Yes

Resp. Syncytial Virus

1397-9

Alternate Name: RSV**Methodology:** Polymerase Chain Reaction**Preferred Specimen:** Swab-Viral Culturette**Collection Instruction:** Collect: Respiratory specimen: Nasopharyngeal washes, aspirates and swab specimens in M4 Transport Media or UTM. Alternately, an ESwab can be used. Specimen Preparation: Transfer the collected respiratory sample in 1 mL of viral transport media (Min: 0.5 mL)**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 87634 (1)**Scarlet Eligible:** No

RSV Ab., Serum

 B855-8**Alternate Name:** RSV Ab., SERUM**Methodology:** Complement Fixation**Preferred Specimen:** 1.0 mL Red Top**Collection Instruction:** Fill tube, label with patient name**Turn Around Time:** 8 days**CPT Code:** 86756 (1)**Scarlet Eligible:** Yes

Respiratory Syncytial Virus (RSV) AG

 6321-4**Alternate Name:** RSV DIRECT ANTIGEN**Methodology:** Chromatography**Preferred Specimen:** Swab-Star Swab**Collection Instruction:** Collect: Respiratory specimen: Nasopharyngeal washes, aspirates and swab specimens in M4 Transport Media or UTM. Alternately, an ESwab can be used. Specimen Preparation: Transfer the collected respiratory sample in 1 mL**Storage Instruction:** Refrigerate**Turn Around Time:** 2 days**CPT Code:** 87807 (1)**Scarlet Eligible:** Yes

Rubella IgG Ab (Immune Status)

 3151-8

Alternate Name: RUBELLA IgG Ab(IMMUNITY)

Methodology: Chemiluminescence

Preferred Specimen: 1 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 1 day

CPT Code: 86762 (1)

Scarlet Eligible: Yes

Osmolality, Urine, Random

 3737-4

Alternate Name: Random Urine Osmality

Methodology: Freeze Point Depression

Preferred Specimen: 1 mL Urine Cup

Collection Instruction: Collect urine in cup, label with patients name

Storage Instruction: Refrigerate

Turn Around Time: 5 days

CPT Code: 83935 (1)

Scarlet Eligible: Yes

Sirolimus, Blood

 3481-9

Alternate Name: Rapamycin

Methodology: Enzyme Immunoassay

Preferred Specimen: Lavender top- EDTA

Collection Instruction: Submit 2 lavenders when Sirolimus is ordered in conjunction with any other test requiring lavender.

Storage Instruction: Refrigerate

Turn Around Time: 1 day

CPT Code: 80195 (1)

Scarlet Eligible: Yes

Allergen Redtop (Bent) Grass (g9), IgE 1199-9

Alternate Name: Redtop (Bent) Grass**Methodology:** Immunocap**Preferred Specimen:** 3 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 86003 (1)**Scarlet Eligible:** Yes

Rest of common cancer panel after Lynch Syndrome Panel B985 B984-6

Alternate Name: Reflex To Remainder of Cancer Panel (After B985)**Preferred Specimen:** Peripheral Blood - Lavender Top**Collection Instruction:** 2 tubes (5-6mL) Label with the patient name, date of birth and/or ID.**Storage Instruction:** Refrigerate**Turn Around Time:** 14 days**CPT Code:** 81405 (1), 81307 (1)**Scarlet Eligible:** Yes

Rest of Comprehensive Cancer Panel (after Prostate Panel) J664-4**Alternate Name:** Reflex to Remainder of Cancer Panel (after J665))**Methodology:** Full Gene Sequencing**Preferred Specimen:** 5 mL Peripheral Blood - Lavender Top**Collection Instruction:** Lavender: 2 tubes (5-6 mL each) Label with the patient name, date of birth and/or ID. Ideal handling is to ship immediately at ambient temperature for overnight delivery. Alternate specimen type: DNA: Extract and submit DNA 50 ng/mL (total volume 400 mL) in sterile container. Ship DNA in sealed and protective packaging at ambient temperature, using a cool pack in hot weather. Labeling: Name of person or identifier, DNA concentration and volume MUST be provided on the specimen tube.**Storage Instruction:** Room Temp**Turn Around Time:** 14 days**CPT Code:** 81408 (1)**Scarlet Eligible:** Yes

Rest of Comprehensive Common Cancer Panel (after Breast Cancer Management Panel) J054-8**Alternate Name:** Reflex to Remainder of Cancer Panel(after J055),Rest of Cancer P**Preferred Specimen:** Lavender top- EDTA**Collection Instruction:** 2 tubes (5-6mL each) Label with the patient name, date of birth, and/or ID.**Storage Instruction:** Refrigerate**Turn Around Time:** 14 days**CPT Code:** 81404 (1), 81406 (2)**Scarlet Eligible:** Yes

Region 1 Allergy Profile (North East) 6823-9**Alternate Name:** Region 1 Allergy Prof.**Preferred Specimen:** 2 mL SST Tube**Storage Instruction:** Refrigerate**Turn Around Time:** 5 days**CPT Code:** 82785 (1), 86003 (26)**Scarlet Eligible:** Yes

Region 10 Allergy Profile (TX,OK) 6827-0**Alternate Name:** Region 10 Allergy Prof.**Turn Around Time:** 5 days**CPT Code:** 82785 (1), 86003 (26)**Scarlet Eligible:** Yes**Region 11 Allergy Profile (AZ, ID, NM, WY, CO, UT)** K908-4**Alternate Name:** Region 11 Allergy Prof.**Turn Around Time:** 5 days**CPT Code:** 86003 (25), 82785 (1)**Scarlet Eligible:** Yes**Region 12 Allergy Profile (S. CA, AZ Desert)** 6828-8**Alternate Name:** Region 12 Allergy Prof.**Turn Around Time:** 6 days**CPT Code:** 82785 (1), 86003 (23)**Scarlet Eligible:** Yes**Region 13 Allergy Profile (S. CA Coast)** 6820-5**Alternate Name:** Region 13 Allergy Prof.**Turn Around Time:** 5 days**CPT Code:** 82785 (1), 86003 (25)**Scarlet Eligible:** Yes**Region 14 Allergy Profile (Central CA)** 6821-3**Alternate Name:** Region 14 Allergy Prof.**Turn Around Time:** 5 days**CPT Code:** 82785 (1), 86003 (24)**Scarlet Eligible:** Yes

Region 17 Allergy Profile (North West) 6822-1**Alternate Name:** Region 17 Allergy Prof.**Turn Around Time:** 3 days**CPT Code:** 82785 (1), 86003 (24)**Scarlet Eligible:** Yes**Region 2 Allergy Profile (Mid Atlantic)** 6824-7**Alternate Name:** Region 2 Allergy Prof.**Turn Around Time:** 5 days**CPT Code:** 82785 (1), 86003 (24)**Scarlet Eligible:** Yes**Region 3 Allergy Profile (South East)** 6825-4**Alternate Name:** Region 3 Allergy Prof.**Preferred Specimen:** SST Tube**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 82785 (1), 86003 (23)**Scarlet Eligible:** Yes**Region 4 Allergy Profile (S.Florida)** 6826-2**Alternate Name:** Region 4 Allergy Prof.**Turn Around Time:** 3 days**CPT Code:** 82785 (1), 86003 (23)**Scarlet Eligible:** Yes**Region 5 Allergy Profile (IN, OH, TN, WV, KY)** 6829-6**Alternate Name:** Region 5 Allergy Profile**Turn Around Time:** 5 days**CPT Code:** 82785 (1), 86003 (27)**Scarlet Eligible:** Yes

Region 7 ImmunoCap Respiratory Allergy Profile

M176-6

Alternate Name: Region 7 ImmunoCap Prof.**Turn Around Time:** 5 days**CPT Code:** 86003 (1), 82785 (1)**Scarlet Eligible:** No

Region 8 ImmunoCap Respiratory Allergy Profile

M175-8

Alternate Name: Region 8 ImmunoCap Prof.**Turn Around Time:** 5 days**CPT Code:** 86003 (1), 82785 (1)**Scarlet Eligible:** No

Rest of Arrhythmia after SCA Panel

J552RE-4

Alternate Name: Rest of Arrhythmia after SCA Pan**Methodology:** Genotyping by Next Generation Sequencing**Preferred Specimen:** Other (forced comment) ?**Collection Instruction:** This test does not involve a newly submitted biological sample; rather it involves additional analysis of previously generated Next Generation Sequencing data.**Storage Instruction:** Room Temp**CPT Code:** 81403 (1), 81406 (2)**Scarlet Eligible:** No

Rest of Cardiomyopathy after DCM Panel

J554RE-0

Alternate Name: Rest of Cardiomyopathy after DCM**Methodology:** Genotyping by Next Generation Sequencing**Preferred Specimen:** Other (forced comment) ?**Collection Instruction:** This test does not involve a newly submitted biological sample; rather it involves additional analysis of previously generated Next Generation Sequencing data.**Storage Instruction:** Room Temp**CPT Code:** 81404 (2), 81405 (2), 81406 (2)**Scarlet Eligible:** No

Rest of Cardiomyopathy after HCM Panel

J553RE-2

Alternate Name: Rest of Cardiomyopathy after HCM

Methodology: Genotyping by Next Generation Sequencing

Preferred Specimen: Other (forced comment) ?

Collection Instruction: This test does not involve a newly submitted biological sample; rather it involves additional analysis of previously generated Next Generation Sequencing data.

Storage Instruction: Room Temp

CPT Code: 81404 (2), 81405 (1), 84106 (2), 81407 (1), 81406 (2)

Scarlet Eligible: No

Rest of Comprehensive Cancer Panel

 B363-3

Alternate Name: Rest of Comprehensive Cancer Pan

Preferred Specimen: Lavender top- EDTA

Collection Instruction: Lavender: 2 tubes (5-6ml each) Label with the patient name, date of birth and/or ID. Ideal handling is to ship immediately at ambient temperature for overnight delivery. Alternate sample type: DNA: Extract and submit DNA 50 ng/mL (total volume 400 mL) in sterile container. Ship DNA in sealed and protective packaging at ambient temperature, using a cool pack in hot weather. Labeling: Name of person or identifier, DNA concentration and volume MUST be provided on the specimen tube.

Storage Instruction: Room Temp

Turn Around Time: 14-21 day

Scarlet Eligible: Yes

Rest of Demyelinating CMT Panel (after PMP22 Del/Dup)

 J795-6

Alternate Name: Rest of Demyelinating CMT Panel

Methodology: Genotyping by Next Generation Sequencing

Preferred Specimen: Lavender top- EDTA

Collection Instruction: Fill lavender-top (EDTA) tube completely, invert 8-10 times. DO NOT SHAKE TUBE!

Storage Instruction: Refrigerate

Turn Around Time: 28 days

CPT Code: 81404 (1), 81405 (2), 81406 (1)

Scarlet Eligible: Yes

Reticulocyte Count

 0141-2

Alternate Name: Retic Count

Methodology: Fluorescence

Preferred Specimen: 4 mL Lavender top- EDTA

Collection Instruction: Fill lavender-top (EDTA) tube completely, invert 8-10 times. DO NOT SHAKE TUBE!

Storage Instruction: Refrigerate

Turn Around Time: 1 day

CPT Code: 85045 (1)

Scarlet Eligible: Yes

RET-HE

 5848-7

Alternate Name: Reticulocyte Hemoglobin Equivalent

Methodology: Calculated

Preferred Specimen: Lavender top- EDTA

Collection Instruction: Fill lavender-top (EDTA) tube completely, invert 8-10 times. DO NOT SHAKE TUBE!

Storage Instruction: Refrigerate

Turn Around Time: 1 day

CPT Code: 85046 (1)

Scarlet Eligible: Yes

Retinisis Pigmentosa 59

 J313-8

Alternate Name: Retinitis pigmentosa 59

Methodology: Genotyping by Next Generation Sequencing

Preferred Specimen: Lavender top- EDTA

Collection Instruction: Fill lavender-top (EDTA) tube completely, invert 8-10 times. DO NOT SHAKE TUBE!

Storage Instruction: Refrigerate

Turn Around Time: 10-14 days

CPT Code: 81479 (1)

Scarlet Eligible: Yes

Vitamin A (Retinol), Serum

 0337-6

Alternate Name: Retinol

Methodology: High Pressure Liquid Chromatography

Preferred Specimen: 2 mL Amber Serum

Collection Instruction: Draw SST or RED, let clot for 8-10 minutes. Centrifuge and pour into either an aliquot tube (must be covered in foil) or poured into an amber tube and label with patient name and specimen type (serum).

Storage Instruction: Refrigerate

Turn Around Time: 3 days

CPT Code: 84590 (1)

Scarlet Eligible: Yes

Rheumatoid Factor IgG, IgA, IgM

 L626-1

Alternate Name: Rheumatoid Factor

Turn Around Time: 3 days

CPT Code: 83516 (1), 86431 (1)

Scarlet Eligible: Yes

Vitamin B2

 3325-8

Alternate Name: Riboflavin

Methodology: High Pressure Liquid Chromatography

Preferred Specimen: 2 mL Amber Serum

Collection Instruction: Preferred sample type plasma or serum , In either an aliquot tube (must be covered in foil) or poured into an amber tube and label with patient name and specimen type (plasma from Lavender), serum can be from a Red or SST.

Storage Instruction: Refrigerate

Turn Around Time: 3 days

CPT Code: 84252 (1)

Scarlet Eligible: Yes

Allergen Rice (f9), IgE 0843-3**Alternate Name:** Rice**Methodology:** Immunocap**Preferred Specimen:** 3 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 86003 (1)**Scarlet Eligible:** Yes**Rickettsia Rickettsii DNA,PCR (Non-NY)** A517-5**Alternate Name:** Rocky Mountain Spotted Fever**Methodology:** Polymerase Chain Reaction**Preferred Specimen:** Lavender top- EDTA**Collection Instruction:** Fill lavender-top (EDTA) tube completely, invert 8-10 times. DO NOT SHAKE TUBE!**Storage Instruction:** Refrigerate**Turn Around Time:** 5 days**CPT Code:** 87798 (1)**Scarlet Eligible:** Yes**Allergen Rough Careless Pigweed (w14), IgE** 1627-9**Alternate Name:** Rough Careless Pigweed**Methodology:** Immunocap**Preferred Specimen:** 3 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 86003 (1)**Scarlet Eligible:** Yes

Rubella Ab IgG W/Reflex

 T385-4

Alternate Name: Rubella Ab (IgG) Rfx

Methodology: Chemiluminescence

Preferred Specimen: 1 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 1 day

CPT Code: 86762 (1)

Scarlet Eligible: Yes

RUBELLA IGM

 J900-2

Alternate Name: Rubella IgM

Methodology: Chemiluminescence

Preferred Specimen: 1.0 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 24 hours

CPT Code: 86762 (1)

Scarlet Eligible: Yes

Rubella Titer (IgG)

 0973-8

Alternate Name: Rubella Serology

Methodology: Chemiluminescence

Preferred Specimen: 1 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 1 day

CPT Code: 86762 (1)

Scarlet Eligible: Yes

Rubeola AB (Measles), (IgM) 0961-3**Alternate Name:** Rubeola Ab., (IgM)**Methodology:** Immunofluorescence Assay**Preferred Specimen:** 1 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 8 days**CPT Code:** 86765 (1)**Scarlet Eligible:** Yes**Allergen Russian Thistle (w11), IgE** 0732-8**Alternate Name:** Russian Thistle**Methodology:** Immunocap**Preferred Specimen:** 3 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 86003 (1)**Scarlet Eligible:** Yes**Allergen Rye (food) (f5), IgE** 0822-7**Alternate Name:** Rye (Food) (F5)**Methodology:** Immunocap**Preferred Specimen:** 3 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 86003 (1)**Scarlet Eligible:** Yes

Hemoglobin Fractionation, Capillary Electrophoresis

 0216-2

Alternate Name: S Solubility;Sickle Cell Conf.,Hemoglobin Electrophoresis

Methodology: Electrophoresis

Preferred Specimen: 2 mL Lavender top- EDTA

Collection Instruction: Fill lavender-top (EDTA) tube completely, invert 8-10 times. DO NOT SHAKE TUBE!

Storage Instruction: Refrigerate

Turn Around Time: 2 days

CPT Code: 83021 (1)

Scarlet Eligible: Yes

Staphylococcus aureus (Non NY)

J970-5

Alternate Name: S. AUREUS

Methodology: Real-Time Polymerase Chain Reaction

Preferred Specimen: ThinPrep Vial

Collection Instruction: Collect specimen, swish in Thin prep vial, label with pt name.

Storage Instruction: Room Temp

Turn Around Time: 5 days

CPT Code: 87640 (1)

Scarlet Eligible: No

S. Cerevisiae Antibodies (IGG/IGA)

 H940-0

Alternate Name: SACCHAROMYCES, ASCA

Methodology: Enzyme Linked Immunoabsorbance

Preferred Specimen: 1 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 3 days

CPT Code: 86671 (2)

Scarlet Eligible: Yes

Salicylates, Serum

 0526-4

Alternate Name: SALICYLATE

Methodology: Enzyme Immunoassay

Preferred Specimen: Red Top

Collection Instruction: Fill tube, label with patient name

Storage Instruction: Refrigerate

Turn Around Time: 1 day

CPT Code: 80179 (1)

Scarlet Eligible: Yes

Allergen Sardine, IgG (NON-NY)

 B424-3

Alternate Name: SARDINE IGG

Methodology: Enzyme Immunoassay

Preferred Specimen: 1 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 7 days

CPT Code: 86001 (1), 83520

Scarlet Eligible: Yes

Squamous Cell Carcinoma, Serum

 5360-3

Alternate Name: SCC, SCC Antigen, SCCA

Methodology: Immunofluorescence Assay

Preferred Specimen: 2 mL SST Tube

Collection Instruction: Allow specimen to clot completely at room temperature. Separate serum from cells ASAP or within 2 hours of collection. Transfer serum to a standard transport tube. Allow specimen to clot completely at room temperature. Separate serum from cells ASAP or within 2 hours of collection. Transfer serum to a standard transport tube.

Storage Instruction: Refrigerate

Turn Around Time: 10 days

CPT Code: 86316 (1)

Scarlet Eligible: Yes

Schistosoma Antibody, IgG

 1369-8

Alternate Name: SCHISTOSOMA AB.,IGG

Methodology: Immunoassay

Preferred Specimen: 1 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 16 days

CPT Code: 86682 (1)

Scarlet Eligible: Yes

Scleroderma Profile

 0593-4

Alternate Name: SCLERODERMA PROFILE

Preferred Specimen: SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 2 days

CPT Code: 86038 (2), 86235 (1)

Scarlet Eligible: Yes

Selenium Serum/Plasma

 0232-9

Alternate Name: SELENIUM,SER/PLASMA

Methodology: Inductively Coupled Plasma Mass Spectrometry

Preferred Specimen: 2 mL Blue-Royal Blue Trace Element Serum (red line)

Collection Instruction: Fill tube, label with patient name

Storage Instruction: Refrigerate

Turn Around Time: 1-2 days

CPT Code: 84255 (1)

Scarlet Eligible: Yes

Send Copy Of Results To: 9991-1**Alternate Name:** SEND COPY OF RESULTS TO:**CPT Code:** 99999 (1)**Scarlet Eligible:** Yes**Send Results To Patient** 9997-8**Alternate Name:** SEND RESULTS TO PATIENT**CPT Code:** 99999 (1)**Scarlet Eligible:** Yes**Sequential Screen Part 1 (NT, Total BHCG, PAPP-A)** 8602-5**Alternate Name:** SEQ. SCREEN PART 1**Preferred Specimen:** 2 mL SST Tube**Collection Instruction:** MUST BE 11-13 WEEKS AND 6 DAYS. PROVIDE GESTATIONAL INFO.**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 81508 (1)**Scarlet Eligible:** Yes**Sequential Screen Part 2 (AFP, UE3, HCG, Inhibin-A)** 8601-7**Alternate Name:** SEQ. SCREEN PART 2**Preferred Specimen:** 3 mL SST Tube**Collection Instruction:** MUST BE 15-22 WEEKS AND 6 DAYS. PROVIDE GESTATIONAL INFO.**Storage Instruction:** Refrigerate**Turn Around Time:** 4 days**CPT Code:** 81511 (1)**Scarlet Eligible:** Yes

Serotonin Release Assay

A108-3

Alternate Name: SEROTONIN RELEASE

Preferred Specimen: 5 mL Aliquot Tube-Serum

Collection Instruction: Place 1-3 mL of serum in transport tube. Label as serum and freeze.

Storage Instruction: STRICT Frozen

Turn Around Time: 6 days

CPT Code: 86022 (1)

Scarlet Eligible: No

Serum Integrated Part 1 (PAPP-A)

 A335-2

Alternate Name: SERUM INTEGRATED PART 1

Preferred Specimen: 2 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 4 days

CPT Code: 99999 (1)

Scarlet Eligible: Yes

Serum Integrated Part 2 (AFP, UE3, HCG, Inhibin-A)

 A334-5

Alternate Name: SERUM INTEGRATED PART 2

Preferred Specimen: 3.0 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 4 days

CPT Code: 81511 (1), 84163 (1)

Scarlet Eligible: Yes

Aspartate Aminotransferase (AST/SGOT)

 0146-1

Alternate Name: SGOT (AST)

Methodology: Colorimetry

Preferred Specimen: 1 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 1 day

CPT Code: 84450 (1)

Scarlet Eligible: Yes

SGPT (ALT)

 0147-9

Alternate Name: SGPT (ALT)

Methodology: Colorimetry

Preferred Specimen: 1 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 1 day

CPT Code: 84460 (1)

Scarlet Eligible: Yes

Sex-Hormone Binding Globulin

 0658-5

Alternate Name: SHBG

Methodology: Chemiluminescence

Preferred Specimen: 1 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 2 days

CPT Code: 84270 (1)

Scarlet Eligible: Yes

Shiga Toxin (EIA) W/ Reflex To E. Coli (Stool)

3620-2

Alternate Name: SHIGA TOXIN RFLX E.COLI**Preferred Specimen:** Stool Cont. C/S (Cairy Blair)**Collection Instruction:** Using applicator stick, place 10 gms of stool in container, label with patient's name**Storage Instruction:** Refrigerate**Turn Around Time:** 9 days**CPT Code:** 87427 (1)**Scarlet Eligible:** No**Silicate, Water**

6219-0

Alternate Name: SILICATE, WATER**Preferred Specimen:** 25 mL Cup Plain**Collection Instruction:** Place sample in sterile cup label with patient's name and source**Storage Instruction:** Refrigerate**Turn Around Time:** 10 days**CPT Code:** 99999 (1)**Scarlet Eligible:** No**Sinus Culture W/ Gram Stain**

F245-6

Alternate Name: SINUS**Methodology:** Bacterial Culture**Preferred Specimen:** Swab-E**Collection Instruction:** Submit sinus drainage in sterile cup.**Turn Around Time:** 5 days**CPT Code:** 87070 (1), 87075 (1), 87205 (1)**Scarlet Eligible:** No

Skin Biopsy, (2 Jars)

5603-6

Alternate Name: SKIN BIOPSY, 2 JARS**Methodology:** Histology**Preferred Specimen:** Biopsy In Formalin**Collection Instruction:** Submit in 10% Neutral Buffered Formalin, varied jar sizes**Turn Around Time:** 2-3 days**CPT Code:** 88305 (2)**Scarlet Eligible:** No

Skin Biopsy, (3 Jars)

5604-4

Alternate Name: SKIN BIOPSY, 3 JARS**Methodology:** Histology**Preferred Specimen:** Biopsy In Formalin**Collection Instruction:** Submit in 10% Neutral Buffered Formalin, varied jar sizes**Turn Around Time:** 2-3 days**CPT Code:** 88305 (3)**Scarlet Eligible:** No

Skin Biopsy, (4 Jars)

5605-1

Alternate Name: SKIN BIOPSY, 4 JARS**Methodology:** Histology**Preferred Specimen:** Biopsy In Formalin**Collection Instruction:** Submit in 10% Neutral Buffered Formalin, varied jar sizes**Turn Around Time:** 2-3 days**CPT Code:** 88305 (4)**Scarlet Eligible:** No

Skin Biopsy, (5 Jars)

5606-9

Alternate Name: SKIN BIOPSY, 5 JARS**Methodology:** Histology**Preferred Specimen:** Biopsy In Formalin**Collection Instruction:** Submit in 10% Neutral Buffered Formalin, varied jar sizes**Turn Around Time:** 2-3 days**CPT Code:** 88305 (5)**Scarlet Eligible:** No**Skin Biopsy, (6 Jars)**

5607-7

Alternate Name: SKIN BIOPSY, 6 JARS**Methodology:** Histology**Preferred Specimen:** Biopsy In Formalin**Collection Instruction:** Submit in 10% Neutral Buffered Formalin, varied jar sizes**Turn Around Time:** 2-3 days**CPT Code:** 88305 (6)**Scarlet Eligible:** No**Fungal Culture + Stain, Derm**

0751-8

Alternate Name: SKIN, HAIR, NAIL FUNGAL CULT./STAIN,DERM**Preferred Specimen:** 1 mL Skin, Hair, Nails**Collection Instruction:** Place sample in sterile cup label with patient's name and source**Storage Instruction:** Room Temp**Turn Around Time:** 45 days**CPT Code:** 87101 (1), 87220 (1)**Scarlet Eligible:** No

Spinal Muscular Atrophy (SMA) Carrier (SMN1 Dosage) 6380-0**Alternate Name:** SMA**Methodology:** Reverse transcription polymerase chain reaction**Preferred Specimen:** Lavender top- EDTA**Collection Instruction:** Fill lavender-top (EDTA) tube completely, invert 8-10 times. DO NOT SHAKE TUBE!**Storage Instruction:** Refrigerate**Turn Around Time:** 5-7 days**CPT Code:** 81329 (1)**Scarlet Eligible:** Yes

Chem 24 (SMAC) 0005-9**Alternate Name:** SMAC**Preferred Specimen:** 2 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 1 day**CPT Code:** G0059 (1)**Scarlet Eligible:** Yes

Small Round Cell Tumor IHC Panel

5177-1

Alternate Name: SMALL BLUE ROUND TUMORS, IHC**Methodology:** Immunohistochemistry**Preferred Specimen:** Formalin-fixed, Paraffin-embedded Tissue**Collection Instruction:** This comes in a block or slide form from client with surgical number imprint.**Turn Around Time:** 1 day**CPT Code:** 88341 (12), 88342 (1)**Scarlet Eligible:** No

Smith-Lemli-Opitz Synd.Prenat (Non-NY)

B139-7

Alternate Name: SMITH-LEMLI-OPTIZ SYND.**Preferred Specimen:** 5 mL Amniotic Fluid**Collection Instruction:** 3mL Amniotic Fluid submitted in a sterile, leak-proof container**Storage Instruction:** Refrigerate**Turn Around Time:** 5 days**CPT Code:** 82542 (1)**Scarlet Eligible:** No**Somatostatin Level**

0955-5

Alternate Name: SOMATOSTATIN LEVEL**Methodology:** Immunoassay**Preferred Specimen:** 4 mL Aliquot Plasma-EDTA-Lavender Top**Collection Instruction:** Centrifuge lavender-top at high speed for 15 minutes. Transfer plasma into plastic transfer tube. Label with date/time collected, PLASMA and patient's name.**Storage Instruction:** STRICT Frozen**Turn Around Time:** 15 days**CPT Code:** 84307 (1)**Scarlet Eligible:** No**SOX-10 BY IHC W/Interp**

J147-0

Alternate Name: SOX-10 BY IHC W/INTERP**Methodology:** Immunohistochemistry**Preferred Specimen:** Formalin-fixed, Paraffin-embedded Tissue**Collection Instruction:** This comes in block or slide form with surgical number imprint.**Turn Around Time:** 1 day**CPT Code:** 88342 (1)**Scarlet Eligible:** No

SOX-10 BY IHC TECH Only

J146-2

Alternate Name: SOX-10 BY IHC-TC**Methodology:** Immunohistochemistry**Preferred Specimen:** Formalin-fixed, Paraffin-embedded Tissue**Collection Instruction:** This comes in block or slide form with surgical number print.**Storage Instruction:** Room Temp**Turn Around Time:** 1 day**CPT Code:** 88342 (1)**Scarlet Eligible:** No**SOX-11, Stain Only**

TL69-9

Alternate Name: SOX-11 IHC Tech Only**Methodology:** Immunohistochemistry**Preferred Specimen:** Formalin-fixed, Paraffin-embedded Tissue**Storage Instruction:** Room Temp**Turn Around Time:** 4 days**CPT Code:** 88342 (1)**Scarlet Eligible:** No**SOX-11, IHC, Global**

TL70-7

Alternate Name: SOX-11, IHC**Methodology:** Immunohistochemistry**Preferred Specimen:** Formalin-fixed, Paraffin-embedded Tissue**Storage Instruction:** Room Temp**Turn Around Time:** 4 days**CPT Code:** 88342 (1)**Scarlet Eligible:** No

Prenatal SOX9 Seq +Del/Dup

B969-7

Alternate Name: SOX9 SEQ +DEL/DUP**Preferred Specimen:** 20 mL Amniotic Fluid**Collection Instruction:** Submit 20mL Amniotic Fluid or 20mg of CVS along with lavender tube(maternal blood) for MCC. If not enough direct sample, 2 T-25 flasks of cultured cells will be sent along with maternal blood- Please allow an additional 10 days to TAT.**Turn Around Time:** 21 day**CPT Code:** 81265 (1), 81479 (1)**Scarlet Eligible:** No

Special Stain Enzyme Constituents - PC

B756-8

Alternate Name: SPEC STAIN ENZY CON-PC**Methodology:** Histology**Preferred Specimen:** Formalin-fixed, Paraffin-embedded Tissue**Collection Instruction:** This comes in block form from client with surgical number imprint.**Storage Instruction:** Room Temp**Turn Around Time:** 1 day**CPT Code:** 88319 (1)**Scarlet Eligible:** No

Special Stain Enzyme Constituents -TC

B758-4

Alternate Name: SPEC STAIN ENZY CON-TC**Methodology:** Histology**Preferred Specimen:** Formalin-fixed, Paraffin-embedded Tissue**Collection Instruction:** This comes in block form from client with surgical number imprint.**Storage Instruction:** Room Temp**Turn Around Time:** 1 day**CPT Code:** 88319 (1)**Scarlet Eligible:** No

Special Stain Enzyme Constituents - Global

B757-6

Alternate Name: SPEC STN ENZ CON-GLOBAL**Methodology:** Histology**Preferred Specimen:** Formalin-fixed, Paraffin-embedded Tissue**Collection Instruction:** This comes in block form from client with surgical number imprint.**Storage Instruction:** Room Temp**Turn Around Time:** 1 day**CPT Code:** 88319 (1)**Scarlet Eligible:** No

Specific Factor Inhibitor

5818-0

Alternate Name: SPECIFIC FACTOR INHIBITOR**Preferred Specimen:** Aliquot Plasma-Citrated-Blue Top**Collection Instruction:** Collect full blue-top (citrated) tube. Centrifuge Blue-top at high speed for 15 minutes. Transfer plasma into plastic transfer tube. Label with date/time collected, PLASMA, patient's name and freeze.**Storage Instruction:** STRICT Frozen**Turn Around Time:** 4 days**CPT Code:** 85240 (1), 85335 (1), 85610 (1), 85611 (8), 85730 (2), 85732 (8)**Scarlet Eligible:** No

Sperm Count (Post Vasectomy)

0145-3

Alternate Name: SPERM CT.POST VASECTOMY**Methodology:** Microscopic Examination**Preferred Specimen:** Semen Cup**Collection Instruction:** For FERTILITY must be scheduled. For POST VASECTOMY, sample can be dropped off at any PSC for testing, label with patient name**Storage Instruction:** Refrigerate**Turn Around Time:** 1 day**CPT Code:** 89310 (1)**Scarlet Eligible:** No

Spindle Cell Neoplasm IHC Panel

5191-2

Alternate Name: SPINDLE CELL NEOPLASM, IHC**Methodology:** Immunohistochemistry**Preferred Specimen:** Formalin-fixed, Paraffin-embedded Tissue**Collection Instruction:** This comes in a block or slide form from client with surgical number imprint.**Turn Around Time:** 1 day**CPT Code:** 88341 (10), 88342 (1)**Scarlet Eligible:** No

Spore Strips

0402-8

Alternate Name: SPORE STRIPS**Methodology:** Bacterial Culture**Preferred Specimen:** Duo Spore Test Kit**Collection Instruction:** Submit control and sample spore at the same time, label each with source**Turn Around Time:** 8 days**CPT Code:** 87081 (1)**Scarlet Eligible:** No

Lung - Adenocarcinoma vs. Squamous cell carcinoma

A130-7

Alternate Name: SQUAMOS V. ADENOCARCINOMA**Methodology:** Immunohistochemistry**Preferred Specimen:** Formalin-fixed, Paraffin-embedded Tissue**Collection Instruction:** This comes in block or slide form from client with surgical number imprint.**Turn Around Time:** 1 day**CPT Code:** 88341 (3), 88342 (1)**Scarlet Eligible:** No

Synovial Sarcoma 18q11.2 FISH

J331-0

Alternate Name: SS18 or SYT**Methodology:** FISH**Preferred Specimen:** Formalin-fixed, Paraffin-embedded Tissue**Collection Instruction:** This comes in block form from client with surgical number imprint. Or submit 5 consecutively cut unstained slides cut @ 5microns**Storage Instruction:** Refrigerate**Turn Around Time:** 3-5 days**CPT Code:** 88377 (1)**Scarlet Eligible:** No

Allergen S. Chartarum/Atra IgE (NON-NY) 3871-1**Alternate Name:** STACHYBOTRYS,IGE**Methodology:** Enzyme Immunoassay**Preferred Specimen:** 0.5 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 8 days**CPT Code:** 86003 (1)**Scarlet Eligible:** Yes

Stemphylium Herbarum/Botryosum IgG B777-4**Alternate Name:** STEMPHYLIUM BOTRY. IGG**Methodology:** Immunoassay**Preferred Specimen:** 0.5 mL Aliquot Tube-Serum**Collection Instruction:** Collect 1-2 mL whole blood in red top tube, centrifuge and transfer 0.5 mL serum into a transfer tube. (All serum acceptable)**Storage Instruction:** Refrigerate**Turn Around Time:** 7 days**CPT Code:** 86001 (1)**Scarlet Eligible:** Yes

Allergen StemphyliumBotryosum(m10),IgE 3828-1**Alternate Name:** STEMPHYLIUM BOTRY. IgE**Methodology:** Enzyme Immunoassay**Preferred Specimen:** 0.5 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 6 days**CPT Code:** 86003 (1)**Scarlet Eligible:** Yes**STI Lesion (NON-NY)**

Q301-4

Alternate Name: STI LESION (NON-NY)**Preferred Specimen:** ThinPrep Vial**Collection Instruction:** Collect specimen, swish in Thin prep vial, label with pt name.**Turn Around Time:** 7 days**CPT Code:** 87529 (2), 87798 (1)**Scarlet Eligible:** No**STI Serology** P216-5**Alternate Name:** STI SEROLOGY**Preferred Specimen:** SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 1 day**CPT Code:** 86592 (1), 86695 (1), 86696 (1), 86704 (1), 86803 (1), 87340 (1), 87389 (1)**Scarlet Eligible:** Yes

STK11 Del/Dup Analysis B364-1**Alternate Name:** STK11-MLPANJ**Preferred Specimen:** Lavender top- EDTA**Collection Instruction:** Lavender: 2 tubes (5-6ml each) Label with the patient name, date of birth and/or ID. Ideal handling is to ship immediately at ambient temperature for overnight delivery. Alternate sample type: DNA: Extract and submit DNA 50 ng/mL (total volume 400 mL) in sterile container. Ship DNA in sealed and protective packaging at ambient temperature, using a cool pack in hot weather. Labeling: Name of person or identifier, DNA concentration and volume MUST be provided on the specimen tube.**Turn Around Time:** 14-21 day**CPT Code:** 81404 (1)**Scarlet Eligible:** Yes

Stormpath PAP + HPV HR W/Rfx to HPV 16 and 18/45

Q723-9

Alternate Name: STORMPATH PAP W/HPV PLUS**Preferred Specimen:** ThinPrep Vial**Storage Instruction:** Refrigerate**Turn Around Time:** 3-5 days**CPT Code:** 87624 (1), 88175 (1)**Scarlet Eligible:** No

Stormpath PAP+CT/GC+HPV HR w/RFX to HPV 16 and 18/45.

Q724-7

Alternate Name: STORMPATH PAP W/HPV+GC/CT**Preferred Specimen:** ThinPrep Vial**Storage Instruction:** Refrigerate**Turn Around Time:** 5 days**CPT Code:** 87591 (1), 87491 (1), 87624 (1), 88175 (1)**Scarlet Eligible:** No

Strep Group B (Amplified Probe)

0202-2

Alternate Name: STREP GRP.B (AMPLIFIED PROBE)**Methodology:** Amplified Probe**Preferred Specimen:** Swab-E**Collection Instruction:** Vaginal/rectal specimens for this nucleic acid amplification assay should be collected at 35-37 weeks gest. using standard E-swab.**Turn Around Time:** 2 days**CPT Code:** 87653 (1)**Scarlet Eligible:** No

Pneumococcal Antibody Panel (23 Serotype) J048-0**Alternate Name:** STREP PNEUMONIAE IGG ABS**Methodology:** Quantitative Multiplex Bead Assay**Preferred Specimen:** 1 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 7 days**CPT Code:** 86317 (23)**Scarlet Eligible:** Yes

Surgical Pathology, Level IV

5619-2

Alternate Name: SURG.PATH.IV**Methodology:** Histology**Preferred Specimen:** Biopsy In Formalin**Collection Instruction:** Submit in 10% Neutral Buffered Formalin, varied jar sizes.**Turn Around Time:** 2-3 days**CPT Code:** 88305 (1)**Scarlet Eligible:** No

SURGICAL PATHOLOGY LEVEL 2

5224-1

Alternate Name: SURGICAL PATHOLOGY LEVEL 2**Methodology:** Histology**Preferred Specimen:** Formalin-fixed, Paraffin-embedded Tissue**Storage Instruction:** Room Temp**Turn Around Time:** 2 days**CPT Code:** 88302 (1)**Scarlet Eligible:** No**Storage Sample Clinical Trials**

T850-7

Alternate Name: SYN-BU1**Preferred Specimen:** 1.5 mL Aliquot Serum 13**Storage Instruction:** STRICT Frozen**CPT Code:** 99999 (1)**Scarlet Eligible:** No**Allergen Salmon (f41), IgE** 0714-6**Alternate Name:** Salmon**Methodology:** Immunocap**Preferred Specimen:** 1 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 86003 (1)**Scarlet Eligible:** Yes

Beta-Hexosaminidase B Enzyme Analysis (Sandhoff Disease) B761-8**Alternate Name:** Sandhoff Enzyme Testing**Preferred Specimen:** Yellow top- ACD**Collection Instruction:** Must fill 2 ACD tubes. Invert gently 5-6 times. Label with patients name.**Storage Instruction:** Room Temp**Turn Around Time:** 14 days**CPT Code:** 82657 (1), 83080 (1), 84155 (1)**Scarlet Eligible:** Yes**Allergen Sardine (Pilchard) (f308), IgE** 6266-1**Alternate Name:** Sardine (Pilchard)**Methodology:** Immunocap**Preferred Specimen:** 2 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 86003 (1)**Scarlet Eligible:** Yes**Allergen Scallop (f338), IgE** 2543-7**Alternate Name:** Scallop**Methodology:** Immunocap**Preferred Specimen:** 1 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 86003 (1)**Scarlet Eligible:** Yes

Scarlet Eligible Order

TH31-8

Alternate Name: Scarlet Eligible Order**Turn Around Time:** 7 days**CPT Code:** 99999 (1)**Scarlet Eligible:** No

Hypercoagulation

2321-8

Alternate Name: Screen for Hypercoagulation; Thrombophilia Panel; Thrombotic Disease Screen**Preferred Specimen:** 3 mL Aliquot Plasma-Citrated-Blue Top**Collection Instruction:** Draw 4 light blue tops. Centrifuge blue-tops at high speed for 15 minutes. Transfer plasma into 4 plastic transfer tubes. Label with date/time collected, PLASMA, patient's name and DOB. SPECIMEN MUST BE SUBMITTED FROZEN.**Storage Instruction:** STRICT Frozen**Turn Around Time:** 4 days**CPT Code:** 85300 (1), 81405 (1), 85303 (1), 85306 (1), 85384 (1), 85420 (1), 85613 (2)**Scarlet Eligible:** No

10-Color Screening Flow Cytometry (Short) Panel (Global)

TK69-1

Alternate Name: Screening (Short) Flow Cytometry Panel/Flow Cytometry**Methodology:** Flow Cytometry**Preferred Specimen:** 2 Bone Marrow - Green Top**Storage Instruction:** Room Temp**Turn Around Time:** 1 day**CPT Code:** 88184 (1), 88185 (14), 88188 (1)**Scarlet Eligible:** No

Rast/Seafood Mix(fx2) IgE + 1843-2**Alternate Name:** Seafood Mix**Methodology:** Immunocap**Preferred Specimen:** 2 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 86005 (1)**Scarlet Eligible:** Yes**Culture, Seminal Fluid**

1827-5

Alternate Name: Seminal Fluid Culture, semen, sperm**Preferred Specimen:** Semen Cup**Collection Instruction:** For FERTILITY must be scheduled. For POST VASECTOMY, sample can be dropped off at any PSC for testing, label with patient name**Turn Around Time:** 5 days**CPT Code:** 87070 (1), 87205 (1)**Scarlet Eligible:** No**Serotonin, Serum**

0729-4

Alternate Name: Serotonin, Serum**Methodology:** High Pressure Liquid Chromatography**Preferred Specimen:** 2 mL Aliquot Serum- Red Top**Collection Instruction:** Place 1-3 mL of serum in transport tube. Label as serum and freeze.**Storage Instruction:** STRICT Frozen**Turn Around Time:** 10 days**CPT Code:** 84260 (1)**Scarlet Eligible:** No

Serotonin, Whole Blood

2488-5

Alternate Name: Serotonin, Whole Blood**Methodology:** High Pressure Liquid Chromatography**Preferred Specimen:** 4 mL Red top W/Asorbic Acid**Collection Instruction:** Draw Lavender tube (EDTA) mix well then transfer to Red Serotonin Transport Tube containing ascorbic acid WHOLE BLOOD MUST BE SENT FROZEN**Storage Instruction:** STRICT Frozen**Turn Around Time:** 8 days**CPT Code:** 84260 (1)**Scarlet Eligible:** No

Serum Drug Screen L063-7**Alternate Name:** Serum Drug Screen**Preferred Specimen:** 6 mL Red Top**Collection Instruction:** Fill tube, label with patient name and ID**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 80324 (1), 80346 (1), 80361 (1), 80353 (1), 80365 (1), 80345 (1), 80358 (1), 83992 (1)**Scarlet Eligible:** Yes

Osmolality, Serum 0191-7**Alternate Name:** Serum Osmolality**Methodology:** Freeze Point Depression**Preferred Specimen:** 1 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 5 days**CPT Code:** 83930 (1)**Scarlet Eligible:** Yes

Allergen Sesame Seed (f10), IgE 0936-5**Alternate Name:** Sesame Seed**Methodology:** Immunocap**Preferred Specimen:** 1 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 86003 (1)**Scarlet Eligible:** Yes**Allergen Sheep Epithelium (e81), IgE** 1948-9**Alternate Name:** Sheep Epithelium**Methodology:** Immunocap**Preferred Specimen:** 3 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 86003 (1)**Scarlet Eligible:** Yes**Allergen Sheep Sorrel (w18), IgE** 0894-6**Alternate Name:** Sheep Sorrel (W18)**Methodology:** Immunocap**Preferred Specimen:** 3 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 2 days**CPT Code:** 86003 (1)**Scarlet Eligible:** Yes

SHOX-DNA-DXTM

6283-6

Alternate Name: Short Stature Homeobox**Methodology:** Polymerase Chain Reaction**Preferred Specimen:** Lavender top- EDTA**Collection Instruction:** Fill lavender-top (EDTA) tube completely, invert 8-10 times. DO NOT SHAKE TUBE!**Storage Instruction:** Refrigerate**Turn Around Time:** 28 days**CPT Code:** 81479 (1)**Scarlet Eligible:** No**Allergen Shrimp (f24),IgE** 0696-5**Alternate Name:** Shrimp**Methodology:** Immunocap**Preferred Specimen:** 1 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 2 days**CPT Code:** 86003 (1)**Scarlet Eligible:** Yes**Allergen Silk (k74), IgE** 1253-4**Alternate Name:** Silk**Methodology:** Immunocap**Preferred Specimen:** 3 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 86003 (1)**Scarlet Eligible:** Yes

Anti-ENA Antibodies (Sm/RnP)

 0318-6

Alternate Name: Sm/RnP, Anti U1RNP, Anti Ribonuclear Protein, U1 RNP

Methodology: Multiplex Flow Immunoassay

Preferred Specimen: 1 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 1 day

CPT Code: 86235 (2)

Scarlet Eligible: Yes

Smith-Lemli-Opitz Syndrome

 J314-6

Alternate Name: Smith-Lemli-Opitz Syndrome

Methodology: Genotyping by Next Generation Sequencing

Preferred Specimen: Lavender top- EDTA

Collection Instruction: Fill lavender-top (EDTA) tube completely, invert 8-10 times. DO NOT SHAKE TUBE!

Storage Instruction: Refrigerate

Turn Around Time: 10-14 days

CPT Code: 81405 (1)

Scarlet Eligible: Yes

Anti-Smooth Muscle Antibody (ASM)

 0419-2

Alternate Name: Smooth Muscle Antibody, Anti SMA

Methodology: Indirect Fluorescence Assay

Preferred Specimen: 1 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 4 days

CPT Code: 86256 (1)

Scarlet Eligible: Yes

Allergen Snail (f314), IgE B541-4**Alternate Name:** Snail IgE**Preferred Specimen:** 0.5 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 6 days**CPT Code:** 86003 (1)**Scarlet Eligible:** Yes**Allergen Soybean (f14), IgE** 0680-9**Alternate Name:** Soy Bean**Methodology:** Immunocap**Preferred Specimen:** 1 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 2 days**CPT Code:** 86003 (1)**Scarlet Eligible:** Yes**Spastic Tetraplegia, Thin Corpus Callosum and Progressive Microcephaly** J298-1**Alternate Name:** Spastic Tetraplegia, Thin Corpus Callosum and Progressive Mic**Methodology:** Genotyping by Next Generation Sequencing**Preferred Specimen:** Lavender top- EDTA**Collection Instruction:** Fill lavender-top (EDTA) tube completely, invert 8-10 times. DO NOT SHAKE TUBE!**Storage Instruction:** Refrigerate**Turn Around Time:** 10-14 days**CPT Code:** 81479 (1)**Scarlet Eligible:** Yes

Allergen *Trichoderma Viride* (m15), IgE

3829-9

Alternate Name: Specimen is accepted ambient, refrigerated or frozen.

Methodology: Immunoassay

Preferred Specimen: 0.5 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 6 days

CPT Code: 86003 (1)

Scarlet Eligible: No

Spinal Muscular Atrophy and Related Disorders Panel

 T406-8

Alternate Name: Spinal Muscular Atrophy and Rela

Methodology: Genotyping by Next Generation Sequencing

Preferred Specimen: Lavender top- EDTA

Collection Instruction: Blood specimens of any type (in EDTA or dried blood spot) and buccal swab cannot be accepted if the patient has ever received an allogeneic bone marrow transplant. Blood specimens will be rejected if frozen, hemolyzed or clotted. Blood can be refrigerated up to 7 days before shipping. Blood specimens older than 7 days can still be shipped; they will be tested if the yield and quality of DNA permit.

Storage Instruction: Room Temp

CPT Code: 81406 (2), 81404 (2), 81405 (1), 81329 (1)

Scarlet Eligible: Yes

Spinocerebellar Ataxia Repeat Expansion Analysis

TH83-9

Alternate Name: Spinocerebellar Ataxia Repeat Di

Methodology: Polymerase Chain Reaction

Preferred Specimen: Lavender top- EDTA

Storage Instruction: Room Temp

CPT Code: 81178 (1), 81179 (1), 81180 (1), 81184 (1), 81181 (1), 81182 (1)

Scarlet Eligible: No

Spinocerebellar Ataxia and Related Disorders Panel

TL12-9

Alternate Name: Spinocerebellar Ataxia and Relat**Methodology:** Genotyping by Next Generation Sequencing**Preferred Specimen:** 2-5 mL Lavender top- EDTA**Storage Instruction:** Room Temp**Turn Around Time:** 28 days**CPT Code:** 81185 (1), 81404 (2), 81405 (2), 81406 (2), 81407 (1), 81408 (2)**Scarlet Eligible:** No

Culture, Sputum W/ Gram Stain

0382-2

Alternate Name: Sputum Culture**Methodology:** Bacterial Culture**Preferred Specimen:** Cup-Sputum**Collection Instruction:** Submit sputum in sterile container, label with patient name**Storage Instruction:** Refrigerate**Turn Around Time:** 5 days**CPT Code:** 87070 (1), 87205 (1)**Scarlet Eligible:** No

Allergen Squid (f258), IgE 3809-1**Alternate Name:** Squid (f258) IgE**Methodology:** Enzyme Immunoassay**Preferred Specimen:** 0.5 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 6 days**CPT Code:** 86003 (1)**Scarlet Eligible:** Yes

Stargardt Panel

 TG49-2

Alternate Name: Stargardt Panel

Methodology: Genotyping by Next Generation Sequencing

Preferred Specimen: Lavender top- EDTA

Storage Instruction: Room Temp

Turn Around Time: 28 days

CPT Code: 81404 (1), 81408 (1)

Scarlet Eligible: Yes

StoneRisk Diagnostic Profile

2566-8

Alternate Name: Stone Risk Profile,STONE RISK PROF.

Methodology: Inductively Coupled Plasma/Optical Emission Spectrometry

Preferred Specimen: Stone Risk Kit

Collection Instruction: Collect urine in special kit, submit entire 24 hr collection to the lab, label with patient's name

Storage Instruction: Refrigerate

Turn Around Time: 7 days

CPT Code: 82140 (1), 82340 (1), 82507 (1), 82570 (1), 83735 (1), 83945 (1), 83986 (1), 84105 (1), 84133 (1), 84300 (1), 84392 (1), 84560 (1)

Scarlet Eligible: No

Culture, Stool (1st Specimen)

0077-8

Alternate Name: Stool Culture incl. Salmonella,Shigella, Campy, Yersinia, E Coli

Methodology: Bacterial Culture

Preferred Specimen: Fecal Swab

Collection Instruction: Using applicator stick, place 10 gms of stool in container, label with patient's name

Storage Instruction: Refrigerate

Turn Around Time: 4 days

CPT Code: 87045 (1), 87046 (2)

Scarlet Eligible: No

Allergen Storage Mite (Acarus) (d70), IgE 1605-5**Alternate Name:** Storage Mite (Acarus)**Methodology:** Immunocap**Preferred Specimen:** 3 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 86003 (1)**Scarlet Eligible:** Yes**StormPath PAP(RFLX to HPV mRNA GENOTYPING 16,18/45 w/ASC-US)**

TB33-6


Alternate Name: StormPap>rflx HPV mRNA**Methodology:** Microscopic Examination**Preferred Specimen:** ThinPrep Vial**Collection Instruction:** Collect specimen, swish in Thin prep vial, label with pt name.**Storage Instruction:** Room Temp**Turn Around Time:** 3 days**CPT Code:** 88175 (1)**Scarlet Eligible:** No**StormPath PAP, liquid based + HPV DNA Genotyping 16/18**

L079-3

Alternate Name: StormPath PAP+ PD HPV**Preferred Specimen:** ThinPrep Vial**Collection Instruction:** Collect specimen, swish in Thin prep vial, label with pt name.**Turn Around Time:** 3-5 days**CPT Code:** 88175 (1), 87624 (1)**Scarlet Eligible:** No

StormPath PAP, liquid based + HPV DNA + CT/GC

L080-1

Alternate Name: StormPath PAP, PD HPV + CT/GC**Preferred Specimen:** ThinPrep Vial**Collection Instruction:** Collect specimen, swish in Thin prep vial, label with pt name.**Storage Instruction:** Room Temp**Turn Around Time:** 3-5 days**CPT Code:** 88175 (1), 87491 (1), 87624 (1), 87591 (1)**Scarlet Eligible:** No**Allergen Strawberry (f44), IgE** 0931-6**Alternate Name:** Strawberry**Methodology:** Immunocap**Preferred Specimen:** 3 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 86003 (1)**Scarlet Eligible:** Yes**Strep. Group A Screen DNA**

0079-4

Alternate Name: Strep Screen, Group A, Beta-Hemolytic Molecular**Methodology:** LAMP DNA Amplification**Preferred Specimen:** Swab-E**Collection Instruction:** Collect specimen with swab then place swab into transport carrier; Label with name and source**Turn Around Time:** 1 day**CPT Code:** 87651 (1)**Scarlet Eligible:** No

Allergen Sugar Cane IgE

 3475-1

Alternate Name: Sugarcane (F131)

Methodology: Enzyme Immunoassay

Preferred Specimen: 1 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 7 days

CPT Code: 86003 (1)

Scarlet Eligible: Yes

Allergen Sunflower Seed (k84), IgE

 1414-2

Alternate Name: Sunflower Seed

Methodology: Immunocap

Preferred Specimen: 3 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 3 days

CPT Code: 86003 (1)

Scarlet Eligible: Yes

Allergen Sunflower Seed IgG Non-NY

 B458-1

Alternate Name: Sunflower Seed IgG

Methodology: Enzyme Immunoassay

Preferred Specimen: 0.5 mL Aliquot Tube-Serum

Collection Instruction: Collect 1-2 mL whole blood in red top tube, centrifuge and transfer 0.5 mL serum into a transfer tube. (All serum acceptable)

Storage Instruction: Refrigerate

Turn Around Time: 7 days

CPT Code: 86001 (1)

Scarlet Eligible: Yes

Aptima Swab High Risk STI CT/GC

L062-9

Alternate Name: Swab CT/GC**Methodology:** Multiplex PCR**Preferred Specimen:** Swab-Aptima Genprobe**Collection Instruction:** Collect specimen-break swab shaft into transport tube, then label with name and source**Storage Instruction:** Room Temp**Turn Around Time:** 5 days**CPT Code:** 87491 (1), 87591 (1)**Scarlet Eligible:** No**Aptima Swab High Risk STI CT/GC/Trich**

L047-0

Alternate Name: Swab CT/GC/Trich**Preferred Specimen:** Swab-Aptima Genprobe**Collection Instruction:** Collect specimen-break swab shaft into transport tube, then label with name and source**Storage Instruction:** Room Temp**Turn Around Time:** 5 days**CPT Code:** 87661 (1), 87491 (1), 87591 (1)**Scarlet Eligible:** No**Aptima Swab High Risk STI CT/GC/Trich/M.Gen.**

L048-8

Alternate Name: Swab CT/GC/Trich/MGen**Preferred Specimen:** Swab-Aptima Genprobe**Collection Instruction:** Collect specimen-break swab shaft into transport tube, then label with name and source**Storage Instruction:** Room Temp**Turn Around Time:** 5 days**CPT Code:** 87661 (1), 87491 (1), 87591 (1), 87798 (1)**Scarlet Eligible:** No

Aptima Swab Cervicitis (NON-NY)

L049-6

Alternate Name: Swab Cervicitis**Preferred Specimen:** Swab-Aptima Genprobe**Collection Instruction:** Collect specimen-break swab shaft into transport tube, then label with name and source**Turn Around Time:** 5-7 days**CPT Code:** 87661 (1), 87491 (1), 87591 (1), 87529 (2), 87798 (1)**Scarlet Eligible:** No**Allergen Sweet Gum (t211) ,IgE** 3397-7**Alternate Name:** Sweet Gum (Rt211)**Methodology:** Enzyme Immunoassay**Preferred Specimen:** 0.5 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 6 days**CPT Code:** 86003 (1)**Scarlet Eligible:** Yes**Allergen Sweet Potato (f54), IgE** 1231-0**Alternate Name:** Sweet Potato (F54)**Methodology:** Immunocap**Preferred Specimen:** 3 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 86003 (1)**Scarlet Eligible:** Yes

Allergen Sweet Vernal (g1), IgE 1196-5**Alternate Name:** Sweet Vernal Grass (g1) IgE**Methodology:** Immunocap**Preferred Specimen:** 3 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 86003 (1)**Scarlet Eligible:** Yes**Allergen Swordfish (f312), IgE** 3735-8**Alternate Name:** Swordfish (f312) IgE**Preferred Specimen:** 0.5 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 6 days**CPT Code:** 86003 (1)**Scarlet Eligible:** Yes**Allergen Sycamore (t11), IgE** 1305-2**Alternate Name:** Sycamore**Methodology:** Immunocap**Preferred Specimen:** 3 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 86003 (1)**Scarlet Eligible:** Yes

C-KIT (D816V)

5179-7

Alternate Name: Systemic Mastocytosis**Methodology:** Pyrosequencing**Preferred Specimen:** 2 mL Bone Marrow - Lavender Top**Collection Instruction:** Place bone marrow into tube, label with patient's name. Send in bone marrow kit.**Storage Instruction:** Refrigerate**Turn Around Time:** 3-4 days**CPT Code:** 81273 (1)**Scarlet Eligible:** No**Immune Deficiency Panel CD4/CD8 w/CBC** 1763-2**Alternate Name:** T & B Cell, T cell subset, T-cell subset**Methodology:** Flow Cytometry**Preferred Specimen:** Lavender top- EDTA**Collection Instruction:** Fill lavender-top (EDTA) tube completely, invert 8-10 times. DO NOT SHAKE TUBE!**Turn Around Time:** 2 days**CPT Code:** 86355 (1), 86357 (1), 86359 (1), 86360 (1)**Scarlet Eligible:** Yes**T(11;14)+11 BY FISH-TC Only**

A873-2

Alternate Name: T(11;14)+11 BY FISH-TC**Methodology:** FISH**Preferred Specimen:** 2 mL Bone Marrow - Green Top**Collection Instruction:** Non-diluted bone marrow aspirate collected and transferred into sodium heparin (green top) tube. Also acceptable: Whole blood in green (sodium heparin) tube.**Storage Instruction:** Refrigerate**Turn Around Time:** 3-5 days**CPT Code:** 88374 (1)**Scarlet Eligible:** No

T(4;14) BY FISH-TC Only

A875-7

Alternate Name: T(4;14) BY FISH-TC ONLY**Methodology:** FISH**Preferred Specimen:** 2 mL Bone Marrow - Green Top**Collection Instruction:** Non-diluted bone marrow aspirate collected and transferred into sodium heparin (green top) tube. Also acceptable: Whole blood in green (sodium heparin) tube.**Storage Instruction:** Refrigerate**Turn Around Time:** 3-5 days**CPT Code:** 88374 (1)**Scarlet Eligible:** No**Syphilis Reverse Algorithm** J275-9**Alternate Name:** T. Pallidum Ab. (CIA)**Methodology:** Chemiluminescence**Preferred Specimen:** SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 1 day**CPT Code:** 86780 (1)**Scarlet Eligible:** Yes**T.Pallidum By Multiplex PCR (NON-NY)**

6354-5

Alternate Name: T.PALLIDUM BY MULTIPLEX PCR**Methodology:** Polymerase Chain Reaction**Preferred Specimen:** ThinPrep Vial**Collection Instruction:** Collect specimen, swish in Thin prep vial, label with pt name.**Turn Around Time:** 5-7 days**CPT Code:** 87798 (1)**Scarlet Eligible:** No

T3, Total

 0150-3

Alternate Name: T3 (THYRONINE), TOTAL

Methodology: Electrochemiluminescence Immunoassay

Preferred Specimen: 1 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 1 day

CPT Code: 84480 (1)

Scarlet Eligible: Yes

T3 Uptake

 0152-9

Alternate Name: T3 Uptake (T3U)

Methodology: Electrochemiluminescence Immunoassay

Preferred Specimen: 1 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 1 day

CPT Code: 84479 (1)

Scarlet Eligible: Yes

T3 Free, Serum

 0271-7

Alternate Name: T3, FREE (FT3)

Methodology: Electrochemiluminescence Immunoassay

Preferred Specimen: 2 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 1 day

CPT Code: 84481 (1)

Scarlet Eligible: Yes

T4 (Thyroxine) Total 0151-1**Alternate Name:** T4;Tetraiodothyronine;**Methodology:** Electrochemiluminescence Immunoassay**Preferred Specimen:** 1 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 1 day**CPT Code:** 84436 (1)**Scarlet Eligible:** Yes**EGFR Sequencing- Non NY**

J022-5

Alternate Name: T790M**Methodology:** Genotyping by Next Generation Sequencing**Preferred Specimen:** Formalin-fixed, Paraffin-embedded Tissue**Collection Instruction:** 10-15 unstained slides at 5 microns (tumor content>10%) with H&E, Shavings (if tumor content >40%) with H&E, if sending DNA - Please call CS.**Storage Instruction:** Room Temp**Turn Around Time:** 5-10 days**CPT Code:** 81235 (1)**Scarlet Eligible:** No**RCCA TACROLIMUS** TH67-2**Alternate Name:** TACROLIMUS**Methodology:** Enzyme Immunoassay**Preferred Specimen:** Lavender top- EDTA**Storage Instruction:** Room Temp**Turn Around Time:** 1 day**CPT Code:** 80197 (1)**Scarlet Eligible:** Yes

TAO Brush Endometrial Cytology

B685-9

Alternate Name: TAO BRUSH CYTOLOGY

Methodology: Microscopic Examination

Preferred Specimen: ThinPrep Cytolyt Solution

Collection Instruction: Collect specimen swish in Cytolyte vial, label with pt name.

Storage Instruction: Room Temp

Turn Around Time: 5 days

CPT Code: 88305 (1)

Scarlet Eligible: No

Tay-Sachs Disease Carrier Test

 A652-0

Alternate Name: TAY-SACHS DNA

Methodology: Genotyping by Next Generation Sequencing

Preferred Specimen: Lavender top- EDTA

Collection Instruction: Fill lavender-top (EDTA) tube completely, invert 8-10 times. DO NOT SHAKE TUBE!

Storage Instruction: Refrigerate

Turn Around Time: 10-14 days

CPT Code: 81255 (1)

Scarlet Eligible: Yes

Osteopetrosis, Autosomal Recessive 1

J295-7

Alternate Name: TCIRG1

Methodology: Genotyping by Next Generation Sequencing

Preferred Specimen: Lavender top- EDTA

Collection Instruction: Fill lavender-top (EDTA) tube completely, invert 8-10 times. DO NOT SHAKE TUBE!

Storage Instruction: Refrigerate

Turn Around Time: 10-14 days

CPT Code: 81479 (1)

Scarlet Eligible: No

Lymphoma - T-Cell, TCR Gamma by PCR

5031-0

Alternate Name: TCR, T-Cell Gene Rearrangement, CLONALITY IN T-CELLS**Methodology:** Fluorescence**Preferred Specimen:** 2 mL Bone Marrow - Lavender Top**Collection Instruction:** Place bone marrow into tube, label with patient's name. Send in bone marrow kit.**Storage Instruction:** Refrigerate**Turn Around Time:** 6 days**CPT Code:** 81342 (1)**Scarlet Eligible:** No**TEL/AML1: t(12;21) by FISH**

5038-5

Alternate Name: TEL/AML1 Gene Rearrangement by FISH, t(12;21)**Methodology:** FISH**Preferred Specimen:** 2 mL Bone Marrow - Green Top**Collection Instruction:** Non-diluted bone marrow aspirate collected and transferred into sodium heparin (green top) tube. Also acceptable: Whole blood in green (sodium heparin) tube.**Storage Instruction:** Room Temp**Turn Around Time:** 5 days**CPT Code:** 88377 (1)**Scarlet Eligible:** No**Testosterone Free + Total** 7301-5**Alternate Name:** TESTOSTERONE FREE + TOTAL**Preferred Specimen:** 2.5 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 2 days**CPT Code:** 82040 (1), 84270 (1), 84403 (1)**Scarlet Eligible:** Yes

Testosterone, Serum

 0379-8

Alternate Name: TESTOSTERONE, TOT.,S.

Methodology: Electrochemiluminescence Immunoassay

Preferred Specimen: 1 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 1 day

CPT Code: 84403 (1)

Scarlet Eligible: Yes

Cannabinoids (Marijuana), Urine, Screen (20)

 1576-8

Alternate Name: THC

Methodology: Enzyme Immunoassay

Preferred Specimen: 5 mL Urine Cup

Collection Instruction: Collect urine in cup, label with patients name

Storage Instruction: Refrigerate

Turn Around Time: 1 day

CPT Code: 80307 (1)

Scarlet Eligible: Yes

Cannabinoids (Marijuana), Urine, Screen (50)

 3971-9

Alternate Name: THC

Methodology: Enzyme Immunoassay

Preferred Specimen: 5 mL Urine Cup

Collection Instruction: Collect urine in cup, label with patients name

Storage Instruction: Refrigerate

Turn Around Time: 1 day

CPT Code: 80307 (1)

Scarlet Eligible: Yes

Thrombin Time

5807-3

Alternate Name: THROMBIN TIME(TT)

Methodology: Clot Detection

Preferred Specimen: 2 mL Aliquot Plasma-Citrated-Blue Top

Collection Instruction: Collect full blue-top (citrated) tube. Centrifuge Blue-top at high speed for 15 minutes. Transfer plasma into plastic transfer tube. Label with date/time collected, PLASMA, patient's name and freeze.

Storage Instruction: STRICT Frozen

Turn Around Time: 4 days

CPT Code: 85670 (1)

Scarlet Eligible: No

Thrombin/Antithrombin

5808-1

Alternate Name: THROMBIN/ANTITHROMBIN

Methodology: Enzyme Linked Immunoabsorbance

Preferred Specimen: 2 mL Aliquot Plasma-Citrated-Blue Top

Collection Instruction: Collect full blue-top (citrated) tube. Centrifuge Blue-top at high speed for 15 minutes. Transfer plasma into plastic transfer tube. Label with date/time collected, PLASMA, patient's name and freeze.

Storage Instruction: STRICT Frozen

Turn Around Time: 10 days

CPT Code: 83520 (1)

Scarlet Eligible: No

Thyroglobulin, Serum

 0577-7

Alternate Name: THYROGLOBULIN

Methodology: Chemiluminescence

Preferred Specimen: 2 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 2 days

CPT Code: 84432 (1)

Scarlet Eligible: Yes

THYROID AB 2948-8**Alternate Name:** THYROID AB**Preferred Specimen:** SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 2 days**CPT Code:** 86376 (1), 86800 (1)**Scarlet Eligible:** Yes**Thyroid Comprehensive Panel** 0867-2**Alternate Name:** THYROID COMPREHENSIVE**Preferred Specimen:** 5 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 1 day**CPT Code:** 84436 (1), 84439 (1), 84443 (1), 84479 (1), 84480 (1)**Scarlet Eligible:** Yes**Thyroid PNL-T3U,T4,TSH** 0007-5**Alternate Name:** THYROID PNL-T3U,T4,T**Preferred Specimen:** 2 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 1 day**CPT Code:** 84436 (1), 84443 (1), 84479 (1)**Scarlet Eligible:** Yes

Thyroid Screen

 0006-7

Alternate Name: THYROID SCREEN

Preferred Specimen: 1 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 1 day

CPT Code: 84436 (1), 84479 (1)

Scarlet Eligible: Yes

Thyroiditis

 2322-6

Alternate Name: THYROIDITIS

Preferred Specimen: 5 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 2 days

CPT Code: 84439 (1), 84443 (1), 86376 (1), 86800 (1)

Scarlet Eligible: Yes

Tissue Path.(POC) Incl. Micro.

3001-5

Alternate Name: TISSUE PATH.(POC)INCL. MICRO.

Methodology: Histology

Preferred Specimen: Products of Conception

Collection Instruction: Submit in 10% Neutral Buffered Formalin, varied jar sizes.

Turn Around Time: 1 day

CPT Code: 88304 (1)

Scarlet Eligible: No

Tissue Pathology, Gross Only

4002-2

Alternate Name: TISSUE PATHOLOGY, GROSS**Methodology:** Histology**Preferred Specimen:** Biopsy In Formalin**Collection Instruction:** Submit in 10% Neutral Buffered Formalin, varied jar sizes.**Turn Around Time:** 1 day**CPT Code:** 88300 (1)**Scarlet Eligible:** No

Tobramycin, Peak

1235-1

Alternate Name: TOBRAMYCIN, PEAK**Methodology:** Enzyme Immunoassay**Preferred Specimen:** Red Top**Collection Instruction:** Fill tube, label with patient name**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 80200 (1)**Scarlet Eligible:** No

Tobramycin (Random) A615-7**Alternate Name:** TOBRAMYCIN, RANDOM**Methodology:** Enzyme Immunoassay**Preferred Specimen:** Red Top**Collection Instruction:** Fill tube, label with patient name**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 80200 (1)**Scarlet Eligible:** Yes

Tobramycin, Trough

2132-9

Alternate Name: TOBRAMYCIN, TROUGH

Methodology: Fluor. Polarization Immunoassay

Preferred Specimen: Red Top

Collection Instruction: Fill tube, label with patient name

Storage Instruction: Refrigerate

Turn Around Time: 1 day

CPT Code: 80200 (1)

Scarlet Eligible: No

Toxoplasma Antibodies, (IgG, IgM)

 2721-9

Alternate Name: TOXO IGG/IGM

Preferred Specimen: 3 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 1 day

CPT Code: 86777 (1), 86778 (1)

Scarlet Eligible: Yes

Toxoplasma IgG W/Reflex

 2376-2

Alternate Name: TOXO.Ab.,IgG(reflex)

Methodology: Chemiluminescence

Preferred Specimen: 1 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 1 day

CPT Code: 86777 (1)

Scarlet Eligible: Yes

Toxoplasma Avidity G/M, ELISA B376-5**Alternate Name:** TOXOPLASMA AVIDITY**Methodology:** Enzyme Linked Immunoabsorbance**Preferred Specimen:** 1 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 10 days**CPT Code:** 86777 (1), 86778 (1)**Scarlet Eligible:** Yes**Toxoplasma Ab. (IgG), EIA** 0552-0**Alternate Name:** TOXOPLASMA Ab.(IgG)**Methodology:** Chemiluminescence**Preferred Specimen:** 1 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 1 day**CPT Code:** 86777 (1)**Scarlet Eligible:** Yes**Toxoplasma Ab. (IgM)** 0877-1**Alternate Name:** TOXOPLASMA Ab.(IgM)**Methodology:** Chemiluminescence**Preferred Specimen:** 1 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 1 day**CPT Code:** 86778 (1)**Scarlet Eligible:** Yes

TP53 Sequencing

J044-9

Alternate Name: TP53 Sequencing

Methodology: Genotyping by Next Generation Sequencing

Preferred Specimen: Bone Marrow - Lavender Top

Collection Instruction: Place bone marrow into tube, label with patient's name

Storage Instruction: Room Temp

Turn Around Time: 10 days

CPT Code: 81352 (1)

Scarlet Eligible: No

OnkoSight NGS TP53 Sequencing for Solid Tumors

T980-2

Alternate Name: TP53 Sequencing

Methodology: Genotyping by Next Generation Sequencing

Preferred Specimen: Formalin-fixed, Paraffin-embedded Tissue

Collection Instruction: 10-15 unstained slides at 5 microns (tumor content >10%) with H&E, Shavings (if tumor content >40%) with H&E, if sending DNA - Please call CS. Please give to Block Retrieval for processing. Alternative specimen: Extracted DNA is acceptable, providing that the isolation of nucleic acid occurs in a CLIA-certified laboratory or a laboratory meeting equivalent requirements as determined by CMS and/or the CAP.

Storage Instruction: Room Temp

Turn Around Time: 10 days

CPT Code: 81352 (1)

Scarlet Eligible: No

Tramadol, Urine, Screen, Qual. (200)

 5917-0

Alternate Name: TRAMADOL, QUAL

Methodology: Enzyme Immunoassay

Preferred Specimen: 5 mL Urine Cup

Collection Instruction: Collect urine in cup, label with patients name

Storage Instruction: Refrigerate

Turn Around Time: 1 day

CPT Code: 80307 (1)

Scarlet Eligible: Yes

Transglutaminase, IgA Abs. 3472-8**Alternate Name:** TRANSGLUTAMINASE,IgA,Ab**Methodology:** Enzyme Linked Immunoabsorbance**Preferred Specimen:** 1 SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 83516 (1)**Scarlet Eligible:** Yes**Transglutaminase, IGG ABS.** 5869-3**Alternate Name:** TRANSGLUTAMINASE,IgG,Ab**Methodology:** Enzyme Linked Immunoabsorbance**Preferred Specimen:** 1 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 83516 (1)**Scarlet Eligible:** Yes**Trichomonas Vaginalis, Probe rRNA**

A861-7

Alternate Name: TRICHOMONAS VAG rRNA**Methodology:** Transcription Mediated Amplification**Preferred Specimen:** Urine Container-Genprobe-Aptima**Collection Instruction:** First morning sample, collect in sterile cup, transfer 2 ml into aptima holder. Correct level is between the black fill lines(window) on the holder.**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 87661 (1)**Scarlet Eligible:** No

Trimipramine, Serum

 0613-0

Alternate Name: TRIMIPRAMINE, SERUM

Methodology: Liquid Chromatography Tandem Mass Spectrometry

Preferred Specimen: Red Top

Collection Instruction: Fill tube, label with patient name

Storage Instruction: Refrigerate

Turn Around Time: 9 days

CPT Code: 80335 (1)

Scarlet Eligible: Yes

Trisomy 12 by FISH-TC Only

A877-3

Alternate Name: TRISOMY 12 BY FISH-TC

Methodology: FISH

Preferred Specimen: 5 mL Peripheral Blood - Green Top

Collection Instruction: Fill tube, invert 8-10 times (DO NOT SHAKE!)

Storage Instruction: Refrigerate

Turn Around Time: 3-5 days

CPT Code: 88373 (1)

Scarlet Eligible: No

Trisomy 8 By FISH -TC Only

A870-8

Alternate Name: TRISOMY 8 BY FISH-TC

Methodology: FISH

Preferred Specimen: 2 mL Bone Marrow - Green Top

Collection Instruction: Non-diluted bone marrow aspirate collected and transferred into sodium heparin (green top) tube. Also acceptable: Whole blood in green (sodium heparin) tube.

Storage Instruction: Refrigerate

Turn Around Time: 3-5 days

CPT Code: 88373 (1)

Scarlet Eligible: No

Trofile DNA

A205-7

Alternate Name: TROFILE DNA

Preferred Specimen: Lavender top- EDTA

Collection Instruction: Fill lavender-top (EDTA) tube completely, invert 8-10 times. DO NOT SHAKE TUBE!

Storage Instruction: STRICT Frozen

Turn Around Time: 14-21 day

CPT Code: 87999 (1)

Scarlet Eligible: No

Troponin I

2163-4

Alternate Name: TROPONIN-I

Methodology: Chemiluminescence

Preferred Specimen: Aliquot Tube-Serum

Collection Instruction: Place 1-3 mL of serum in transport tube. Label as serum and freeze.

Storage Instruction: STRICT Frozen

Turn Around Time: 1 day

CPT Code: 84484 (1)

Scarlet Eligible: No

Trypanosoma Cruzi,AB Total

 6199-4

Alternate Name: TRYPANOSOMA CRUZI,TOT

Methodology: Immunoassay

Preferred Specimen: 1 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 7 days

CPT Code: 86753 (1)

Scarlet Eligible: Yes

Tryptophan, Plasma

 0416-8

Alternate Name: TRYPTOPHAN, PLASMA

Methodology: Liquid Chromatography Mass Spectrometry

Preferred Specimen: 2 mL Aliquot Plasma Heparinized-green top

Collection Instruction: Spin tube for 10 minutes, transfer plasma into a transfer tube, label with patient's name and that it is hep plasma

Storage Instruction: Refrigerate

Turn Around Time: 14 days

CPT Code: 82131 (1)

Scarlet Eligible: Yes

TSH W/ Reflex To Free T4

 A518-3

Alternate Name: TSH W/RFX TO FREE T4

Methodology: Chemiluminescence

Preferred Specimen: 1 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 1 day

CPT Code: 84443 (1)

Scarlet Eligible: Yes

Thyroid Stimulating Hormone (TSH)

 0153-7

Alternate Name: TSH,Thyrotropin;Ultrasensitive TSH

Methodology: Electrochemiluminescence Immunoassay

Preferred Specimen: 1 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 1 day

CPT Code: 84443 (1)

Scarlet Eligible: Yes

TSH (Pregnancy)

 J265-0

Alternate Name: TSH;Thyroidopin;Ultrasensitive TSH

Methodology: Electrochemiluminescence Immunoassay

Preferred Specimen: 1 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 1 day

CPT Code: 84443 (1)

Scarlet Eligible: Yes

Thyroid Stimulating Immunoglobulin

 J510-9

Alternate Name: TSI

Methodology: Chemiluminescence

Preferred Specimen: 1 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 1 day

CPT Code: 84445 (1)

Scarlet Eligible: Yes

Transglutaminase IGG/A,AB, Evaluation

 3473-6

Alternate Name: TTG

Methodology: Enzyme Linked Immunoabsorbance

Preferred Specimen: 2 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 3 days

CPT Code: 83516 (2)

Scarlet Eligible: Yes

Tumor of Unknown Primary IHC Panel

5190-4

Alternate Name: TUMOR OF UNK.PRIM.ORIGIN**Methodology:** Immunohistochemistry**Preferred Specimen:** Formalin-fixed, Paraffin-embedded Tissue**Collection Instruction:** This comes in a block or slide form from client with surgical number imprint.**Turn Around Time:** 1 day**CPT Code:** 88341 (13), 88342 (1)**Scarlet Eligible:** No**Allergen Turkey Meat, IgG (NON-NY)** B227-0**Alternate Name:** TURKEY MEAT, IGG**Methodology:** Immunocap**Preferred Specimen:** 1 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 7 days**CPT Code:** 86001 (1)**Scarlet Eligible:** Yes**Tyrosine**

3806-7

Alternate Name: TYROSINE**Preferred Specimen:** 2 mL Aliquot Plasma Heparinized-green top**Collection Instruction:** Spin tube for 10 minutes, transfer plasma into a transfer tube, label with patient's name and that it is hep plasma**Storage Instruction:** STRICT Frozen**Turn Around Time:** 13 days**CPT Code:** 82131 (1)**Scarlet Eligible:** No

Tyrosinemia, Type 1

 B149-6

Alternate Name: TYROSINEMIA TYPE 1

Methodology: Genotyping by Next Generation Sequencing

Preferred Specimen: Lavender top- EDTA

Collection Instruction: Fill lavender-top (EDTA) tube completely, invert 8-10 times. DO NOT SHAKE TUBE!

Storage Instruction: Refrigerate

Turn Around Time: 10-14 days

CPT Code: 81479 (1)

Scarlet Eligible: Yes

Tysabri Antibodies

 6293-5

Alternate Name: TYSABRI AB.

Methodology: Enzyme Immunoassay

Preferred Specimen: 2.0 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 16 days

CPT Code: 83516 (1)

Scarlet Eligible: Yes

Hexosaminidase Leukocytes (Tay-Sachs Enzyme)

 0865-6

Alternate Name: Tay-Sachs Enzyme

Preferred Specimen: Yellow top- ACD

Collection Instruction: 2 full ACD tubes or 2 full Lavenders

Storage Instruction: Room Temp

Turn Around Time: 15 days

CPT Code: 82657 (1), 83080 (1), 84155 (1)

Scarlet Eligible: Yes

Allergen Tea (rf222), IgE

 1390-4

Alternate Name: Tea

Methodology: Immunocap

Preferred Specimen: 3 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 3 days

CPT Code: 86003 (1)

Scarlet Eligible: Yes

Carbamazepine

 0154-5

Alternate Name: Tegretol

Methodology: Enzyme Immunoassay

Preferred Specimen: 1 mL Red Top

Collection Instruction: Fill tube, label with patient name

Storage Instruction: Refrigerate

Turn Around Time: 1 day

CPT Code: 80156 (1)

Scarlet Eligible: Yes

Total Testosterone by LC/MS/MS

 J451-6

Alternate Name: Testosterone,Tot.LC/MS/MS

Methodology: Liquid Chromatography Tandem Mass Spectrometry

Preferred Specimen: 1 mL Red Top

Collection Instruction: Place 1-3 mL of serum in transport tube. Label as serum;refrigerate or freeze as required.

Storage Instruction: Refrigerate

Turn Around Time: 3 days

CPT Code: 84403 (1)

Scarlet Eligible: Yes

Tetanus Antibody IgG 0974-6

Alternate Name: Tetanus Antibody IgG**Methodology:** Enzyme Immunoassay**Preferred Specimen:** 1 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 8 days**CPT Code:** 86774 (1)**Scarlet Eligible:** Yes

Throat Culture, R/O Group A Strep. ONLYTJ06-6

Alternate Name: Throat Culture, R/O GAS**Methodology:** Bacterial Culture**Preferred Specimen:** Swab-E**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 87070 (1)**Scarlet Eligible:** No

Culture, Fungal (Yeast)A502-7

Alternate Name: Thrush, Monilia Culture**Methodology:** Fluorescence**Preferred Specimen:** Swab-E**Collection Instruction:** Collect specimen with swab then place swab into transport carrier; Label with name and source**Storage Instruction:** Refrigerate**Turn Around Time:** 9 days**CPT Code:** 87102 (1), 87206 (1)**Scarlet Eligible:** No

Allergen Thyme (f273) IgE

 6205-9

Alternate Name: Thyme (f273) IgE

Methodology: Enzyme Immunoassay

Preferred Specimen: 0.5 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 6 days

CPT Code: 86003 (1)

Scarlet Eligible: Yes

Calcitonin, Serum

0196-6

Alternate Name: Thyrocalcitonin

Methodology: Chemiluminescence

Preferred Specimen: 2 mL Aliquot Tube-Serum

Collection Instruction: Place 1-3 mL of serum in transport tube. Label as serum and freeze.

Storage Instruction: STRICT Frozen

Turn Around Time: 2 days

CPT Code: 82308 (1)

Scarlet Eligible: No

Anti-Thyroglobulin Ab. (ATG)

 0041-4

Alternate Name: Thyroglobulin Antibody, ATA,ATG

Methodology: Chemiluminescence

Preferred Specimen: 1 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 1 day

CPT Code: 86800 (1)

Scarlet Eligible: Yes

Anti-Microsomal Ab(Thyroid Peroxidase)TPO 0412-7

Alternate Name: Thyroid Peroxidase Abs; Thyroid Peroxidase Antibodies**Methodology:** Chemiluminescence**Preferred Specimen:** 1 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 2 days**CPT Code:** 86376 (1)**Scarlet Eligible:** Yes

Tick Identification J291-6

Alternate Name: Tick ID**Methodology:** Microscopic Examination**Preferred Specimen:** Tick**Collection Instruction:** Place tick in sterile container, label with patient name.**Storage Instruction:** Room Temp**Turn Around Time:** 3 days**CPT Code:** 87168 (1)**Scarlet Eligible:** Yes

Allergen Tilapia (RF414), IgE 8963-1

Alternate Name: Tilapia, Ige (Rf414)**Methodology:** Immunocap**Preferred Specimen:** 2 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 86003 (1)**Scarlet Eligible:** Yes

Allergen Timothy Grass (g6), IgE 0683-3**Alternate Name:** Timothy Grass**Methodology:** Immunocap**Preferred Specimen:** 3 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 2 days**CPT Code:** 86003 (1)**Scarlet Eligible:** Yes**Allergen Tobacco (ro201), IgE** 0893-8**Alternate Name:** Tobacco (Ro201)**Methodology:** Immunocap**Preferred Specimen:** 3 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Turn Around Time:** 2 days**CPT Code:** 86003 (1)**Scarlet Eligible:** Yes**Allergen Tomato (f25), IgE** 0837-5**Alternate Name:** Tomato**Methodology:** Immunocap**Preferred Specimen:** 3 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 86003 (1)**Scarlet Eligible:** Yes

SCL70 (Scleroderma Ab.), Serum 0315-2**Alternate Name:** Topoisomerase I Antibody,SCL70**Methodology:** Chemiluminescence**Preferred Specimen:** 2 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 1 day**CPT Code:** 86235 (1)**Scarlet Eligible:** Yes**TORCH Panel (IgG/IgM)** 1297-1**Alternate Name:** Torch Panel, IgG, IgM**Preferred Specimen:** 4 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 2 days**CPT Code:** 86644 (1), 86645 (1), 86695 (1), 86762 (1), 86777 (1), 86778 (1)**Scarlet Eligible:** Yes**Bilirubin, Infant, Total/Direct, Serum**

0046-3

Alternate Name: Total Bilirubin,Infant, Serum**Methodology:** Colorimetry**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Turn Around Time:** 1 day**CPT Code:** 82247 (1), 82248 (1)**Scarlet Eligible:** No

Immunoglobulin E (IgE), Serum/Plasma

 0996-9

Alternate Name: Total IgE

Methodology: Immunoturbidimetric

Preferred Specimen: 1 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 3 days

CPT Code: 82785 (1)

Scarlet Eligible: Yes

Total IgG and Subclasses

 H991-3

Alternate Name: Total IgG/Subclasses

Methodology: Immunoturbidimetric

Preferred Specimen: 1 mL SST Tube

Storage Instruction: Refrigerate

Turn Around Time: 2 days

CPT Code: 82784 (1), 82787 (4)

Scarlet Eligible: Yes

Protein, Total, Serum

 0135-4

Alternate Name: Total Protein, Serum

Methodology: Colorimetry

Preferred Specimen: 2 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 1 day

CPT Code: 84155 (1)

Scarlet Eligible: Yes

Testosterone, Total/Free (LC/MS) K630-4**Alternate Name:** Total/Free Testosterone (LC/MS)**Collection Instruction:** 1 SST and a Red must be submitted.**Turn Around Time:** 3 days**CPT Code:** 84403 (1), 84270 (1), 99999 (1)**Scarlet Eligible:** Yes

Prealbumin 1006-6**Alternate Name:** Transthyretin, Serum**Methodology:** Immunoturbidimetric**Preferred Specimen:** 1 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 2 days**CPT Code:** 84134 (1)**Scarlet Eligible:** Yes

Tree Mix (tx1), IgE 2178-2**Alternate Name:** Tree Mix**Methodology:** Immunocap**Preferred Specimen:** 5 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 86005 (1)**Scarlet Eligible:** Yes

Trees Screen (6)

 0742-7

Alternate Name: Trees Screen (6)

Preferred Specimen: 5 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 3 days

CPT Code: 82785 (1), 86003 (6)

Scarlet Eligible: Yes

Serodia-TP-PA

 0654-4

Alternate Name: Treponema Pallidum Particle Agglutination, TPPA

Methodology: Agglutination

Preferred Specimen: SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Turn Around Time: 3 days

CPT Code: 86780 (1)

Scarlet Eligible: Yes

T. Pallidum Ab. (CIA)

 0334-3

Alternate Name: Treponema pallidum Ab, Treponema Pallidum Ab Chemiluminescence Im

Methodology: Chemiluminescence

Preferred Specimen: 1 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 1 day

CPT Code: 86780 (1)

Scarlet Eligible: Yes

Lipase, Serum

 0521-5

Alternate Name: Triacylglycerol Acylhydrolase, Serum

Methodology: Enzyme Immunoassay

Preferred Specimen: 1 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 1 day

CPT Code: 83690 (1)

Scarlet Eligible: Yes

Trichomonas By Multiplex PCR

6342-0

Alternate Name: Trichomonas By Mult PCR

Methodology: Polymerase Chain Reaction

Preferred Specimen: ThinPrep Vial

Collection Instruction: Collect specimen, swish in Thin prep vial, label with pt name.

Storage Instruction: Refrigerate

Turn Around Time: 5 days

CPT Code: 87661 (1)

Scarlet Eligible: No

Trichomonas by MultiPlex PCR - swab

J836-8

Alternate Name: Trichomonas PCR Swab

Methodology: Multiplex PCR

Preferred Specimen: Swab Aptima Orange label

Collection Instruction: Collect specimen-break swab shaft into transport tube, then label with name and source

Storage Instruction: Room Temp

Turn Around Time: 5 days

CPT Code: 87661 (1)

Scarlet Eligible: No

Allergen Trichophyton Rubrum (m205), IgE

 A673-6

Alternate Name: Trichophyton Rubrum

Methodology: Immunocap

Preferred Specimen: 2 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 3 days

CPT Code: 86003 (1)

Scarlet Eligible: Yes

Triglycerides

 0155-2

Alternate Name: Triglycerides

Methodology: Enzyme Immunoassay

Preferred Specimen: 1 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 1 day

CPT Code: 84478 (1)

Scarlet Eligible: Yes

Allergen Trout (f204), IgE

 3643-4

Alternate Name: Trout

Methodology: Immunocap

Preferred Specimen: 2 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 3 days

CPT Code: 86003 (1)

Scarlet Eligible: Yes

Allergen Trout IgG (Non-NY)

 B465-6

Alternate Name: Trout IgG (Non-NY)

Methodology: Enzyme Immunoassay

Preferred Specimen: 0.5 mL Aliquot Tube-Serum

Collection Instruction: Collect 1-2 mL whole blood in red top tube, centrifuge and transfer 0.5 mL serum into a transfer tube. (All serum acceptable)

Storage Instruction: Refrigerate

Turn Around Time: 7 days

CPT Code: 86001 (1)

Scarlet Eligible: Yes

Tryptase, Serum

 2148-5

Alternate Name: Tryptase, Serum

Methodology: Enzyme Immunoassay

Preferred Specimen: 1 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 8 days

CPT Code: 83520 (1)

Scarlet Eligible: Yes

Allergen Tuna (f40), IgE

 0698-1

Alternate Name: Tuna

Methodology: Immunocap

Preferred Specimen: 1 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 3 days

CPT Code: 86003 (1)

Scarlet Eligible: Yes

Allergen Turkey Feathers (e89), IgE 1426-6**Alternate Name:** Turkey Feathers**Methodology:** Immunocap**Preferred Specimen:** 3 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 86003 (1)**Scarlet Eligible:** Yes**Allergen Turkey Meat (f284), IgE** 1149-4**Alternate Name:** Turkey Meat**Methodology:** Immunocap**Preferred Specimen:** 3 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 86003 (1)**Scarlet Eligible:** Yes**Acetaminophen, Serum** 0622-1**Alternate Name:** Tylenol**Methodology:** Enzyme Immunoassay**Preferred Specimen:** Red Top**Collection Instruction:** Fill tube, label with patient name**Storage Instruction:** Refrigerate**Turn Around Time:** 1 day**CPT Code:** 80143 (1)**Scarlet Eligible:** Yes

Urinalysis w/Reflex to Culture

 B518-2

Alternate Name: UA,URINE,REFLEX,

Methodology: Colorimetry

Preferred Specimen: 12 Urine Urinalysis Tube - Yellow,1 mL Urine Tube - Grey Top

Collection Instruction: In order to obtain reflex both specimens must be received Borincon or UGY and a UA tube, If only 1 specimen is received only the appropriate test will be performed.

Storage Instruction: Refrigerate

Turn Around Time: 1 day

CPT Code: 81001 (1)

Scarlet Eligible: Yes

H.Pylori Urea Breath Test

6236-4

Alternate Name: UBIT-R

Methodology: Spectrophotometry

Preferred Specimen: Breath Bag, Blue/Pink

Collection Instruction: REFER TO KIT INSTRUCTIONS. HUMAN breath: Paired breath samples (pre and post) collected in BreathTek(tm) UBT Collection Kit bags and must be submitted together.

Storage Instruction: Room Temp

Turn Around Time: 7 days

CPT Code: 83013 (1)

Scarlet Eligible: No

H.Pylori Urea W/Drug Admin

P105-0

Alternate Name: UBIT-R

Preferred Specimen: Breath Bag, Blue/Pink

Storage Instruction: Room Temp

Turn Around Time: 7 days

CPT Code: 83013 (1), 83014 (1)

Scarlet Eligible: No

Uniparental Disomy

B848-3

Alternate Name: UNIPARENTAL DISOMY**Methodology:** Polymerase Chain Reaction**Preferred Specimen:** 20.0 mL Amniotic Fluid**Collection Instruction:** Submit 20ml of amniotic fluid or 15ml of CVS along with 3ml lavender tube if available. If not enough direct sample, 2- T-25 flasks of cultured cells will be sent. Please add additional 10 days to TAT. Maternal and paternal lavenders are required.**Turn Around Time:** 27 days**CPT Code:** 81402 (1)**Scarlet Eligible:** No

Protein Electrophoresis, 24Hr Urine

Q069-7

Alternate Name: UPEP, 24 HR**Methodology:** Electrophoresis**Preferred Specimen:** Urine Cup 24 hour**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 81050 (1), 84156 (1), 84166 (1)**Scarlet Eligible:** No

Urea Clearance, 24hr Urine

1698-0

Alternate Name: UREA CLEARANCE**Methodology:** Urease**Preferred Specimen:** Urine Container - 24hr,SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 1 day**CPT Code:** 84545 (1)**Scarlet Eligible:** No

Urea, Urine 24hr

0358-2

Alternate Name: UREA, URINE 24 HR**Preferred Specimen:** 10 mL Urine Container - 24hr**Collection Instruction:** Discard first morning sample, then collect all urines after for 24 hrs, on completion label with collection time and patient's name; record total volume on Requisition**Storage Instruction:** Refrigerate**CPT Code:** 81050 (1), 84540 (1)**Scarlet Eligible:** No

Urea, Urine, Timed 2083-4**Alternate Name:** UREA, URINE TIMED**Methodology:** Urease**Preferred Specimen:** 5 mL Urine Cup**Collection Instruction:** Collect urine in cup, label with patients name**Storage Instruction:** Refrigerate**Turn Around Time:** 1 day**CPT Code:** 84540 (1)**Scarlet Eligible:** Yes

Ureaplasma By Multiplex PCR

6339-6

Alternate Name: UREAPLASMA BY MULTIPLEX PCR**Methodology:** Polymerase Chain Reaction**Preferred Specimen:** ThinPrep Vial**Collection Instruction:** Collect specimen, swish in Thin prep vial, label with pt name.**Storage Instruction:** Refrigerate**Turn Around Time:** 5 days**CPT Code:** 87798 (1)**Scarlet Eligible:** No

Uric Acid, Synovial

0826-8

Alternate Name: URIC ACID, SYNOVIAL

Methodology: Colorimetry

Preferred Specimen: 1 mL Fluid-source required

Collection Instruction: Submit fluid in sterile cup

Storage Instruction: Refrigerate

Turn Around Time: 9 days

CPT Code: 84560 (1)

Scarlet Eligible: No

Uric Acid, Urine, Timed Spec.

 1663-4

Alternate Name: URIC ACID, URINE TIMED

Methodology: Colorimetry

Preferred Specimen: 3 mL Urine Cup

Collection Instruction: Collect urine in cup, label with patients name

Storage Instruction: Refrigerate

Turn Around Time: 1 day

CPT Code: 84560 (1)

Scarlet Eligible: Yes

Urinalysis, Routine

 0159-4

Alternate Name: URINALYSIS (UA)

Methodology: Microscopic Examination

Preferred Specimen: 12 mL Urine Urinalysis Tube - Yellow

Collection Instruction: Collect urine in sterile cup, transfer 10 ml into tube, label with patient's name, keep refrigerated

Storage Instruction: Refrigerate

Turn Around Time: 1 day

CPT Code: 81001 (1)

Scarlet Eligible: Yes

Cytopathology, Urine (Thinprep)

5254-8

Alternate Name: URINE CYTOPATHOLOGY**Preferred Specimen:** 50 mL ThinPrep Cytolyt Solution**Collection Instruction:** Add urine to equal part of 30ml thinprep cytolyte solution**Turn Around Time:** 4 days**CPT Code:** 88112 (1)**Scarlet Eligible:** No

URINE FREE KAPPA+LAMBDA

L592-5

Alternate Name: URINE FREE KAPPA+LAMBDA**Methodology:** Immunoturbidimetric**Preferred Specimen:** 10.0 mL Urine Cup**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 83883 (1), 99999 (1)**Scarlet Eligible:** No

Urogenital Mycoplasmas

P114-2

Alternate Name: UROGENITAL MYCOPLASMAS**Preferred Specimen:** ThinPrep Vial**Collection Instruction:** Collect specimen, swish in Thin prep vial, label with pt name.**Turn Around Time:** 5 days**CPT Code:** 87798 (2)**Scarlet Eligible:** No

U.R.R. PANEL

1829-1

Alternate Name: URR Panel**Preferred Specimen:** SST Tube, Microtainer - Pediatric SST**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 1 day**CPT Code:** 84520 (2)**Scarlet Eligible:** No**Usher Syndrome Type 1F** A649-6**Alternate Name:** USHER SYNDROME TYP 1F**Methodology:** Genotyping by Next Generation Sequencing**Preferred Specimen:** Lavender top- EDTA**Collection Instruction:** Fill lavender-top (EDTA) tube completely, invert 8-10 times. DO NOT SHAKE TUBE!**Storage Instruction:** Refrigerate**Turn Around Time:** 10-14 days**CPT Code:** 81400 (1)**Scarlet Eligible:** Yes**Uric Acid, Serum** 0157-8**Alternate Name:** Urate**Methodology:** Enzyme Immunoassay**Preferred Specimen:** 1 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 1 day**CPT Code:** 84550 (1)**Scarlet Eligible:** Yes

Uric Acid, Urine, 24 Hr.

0158-6

Alternate Name: Urate, Urine**Preferred Specimen:** 5 mL Urine Container - 24hr**Collection Instruction:** Discard first morning sample, then collect all urines after for 24 hrs, on completion label with collection time and patient's name; record total volume on Requisition**Storage Instruction:** Refrigerate**Turn Around Time:** 1 day**CPT Code:** 81050 (1), 84560 (1)**Scarlet Eligible:** No

Urethral Smear

1500-8

Alternate Name: Urethral Smear**Methodology:** Bacterial Culture**Preferred Specimen:** Slides**Collection Instruction:** Label slides with patient name, place in slide holder for transport**Turn Around Time:** 2 days**CPT Code:** 88160 (1)**Scarlet Eligible:** No

Creatinine Urine, Timed or Random 1661-8**Alternate Name:** Urine Creatinine**Methodology:** Colorimetry**Preferred Specimen:** 10 mL Urine Cup**Collection Instruction:** Collect urine in cup, label with patients name**Storage Instruction:** Refrigerate**Turn Around Time:** 1 day**CPT Code:** 82570 (1)**Scarlet Eligible:** Yes

Urine Culture

 0080-2

Alternate Name: Urine Culture

Methodology: Bacterial Culture

Preferred Specimen: 5-10 mL Urine Tube - Grey Top

Collection Instruction: Perform a clean catch process, collect urine in a sterile container, transfer 10-15ml into a Grey Vacutainer (UGY), label with patients name.

Storage Instruction: Refrigerate

Turn Around Time: 4 days

CPT Code: 87086 (1)

Scarlet Eligible: Yes

Urine Culture, Prenatal, W/GBS

 TH76-3

Alternate Name: Urine Culture, Prenatal

Methodology: Bacterial Culture

Preferred Specimen: 5-10 mL Urine Tube - Grey Top

Storage Instruction: Refrigerate

Turn Around Time: 4 days

CPT Code: 87086 (1)

Scarlet Eligible: Yes

Urine Cytology, if Atypical, reflex to hTert

TG28-6

Alternate Name: Urine Cytology rfx hTert

Preferred Specimen: ThinPrep Cytolyt Solution

Storage Instruction: Room Temp

Turn Around Time: 4-6 days

CPT Code: 88112 (1)

Scarlet Eligible: No

Comprehensive Urine Pathology

5324-9

Alternate Name: UroVysion and Urine Cytology**Methodology:** FISH**Preferred Specimen:** 50 mL Voided Urine - Urocyte Collection Kit**Collection Instruction:** Collect voided urine in Thinprep Cytolyte solution**Storage Instruction:** Refrigerate**Turn Around Time:** 3-5 days**CPT Code:** 88112 (1), 88121 (4)**Scarlet Eligible:** No

Comprehensive Urine Pathology (Technical Only)

5253-0

Alternate Name: UroVysion and Urine Cytology- TC Only**Methodology:** FISH**Preferred Specimen:** 50 mL Voided Urine - Urocyte Collection Kit**Collection Instruction:** Collect voided urine in Thinprep Cytolyte solution**Storage Instruction:** Refrigerate**Turn Around Time:** 3-5 days**CPT Code:** 88112 (1), 88121 (1)**Scarlet Eligible:** No

UroVysion (Tech Only)

5249-8

Alternate Name: UroVysion for Bladder Cancer: Technical Component Only.**Methodology:** FISH**Preferred Specimen:** 50 mL Voided Urine - Urocyte Collection Kit**Collection Instruction:** Follow kit instructions**Storage Instruction:** Refrigerate**Turn Around Time:** 3-5 days**CPT Code:** 88121 (1)**Scarlet Eligible:** No

Bladder Washing, FISH

J371-6

Alternate Name: Urovysion Bladder Wash

Methodology: FISH

Preferred Specimen: 50 mL BLADDER WASHINGS

Collection Instruction: Perform bladder-washing collection (50 mL) at the physicians office in a sterile 100 mL urine specimen container. Mix bladder washing with CytoLyt OR ethanol 50% in a 1:1 solution. Alternatively, mix bladder washing with preservative Carbowax (2% polyethylene glycol in 50% ethanol) 2:1(v:v). Stability is 72hrs, however the lab will not reject sample and will determine when received.

Storage Instruction: Room Temp

Turn Around Time: 3-4 days

CPT Code: 88120 (1)

Scarlet Eligible: No

Usher Syndrome Type 3

 A647-0

Alternate Name: Usher Syndrome Type 3

Methodology: Genotyping by Next Generation Sequencing

Preferred Specimen: Lavender top- EDTA

Collection Instruction: Fill lavender-top (EDTA) tube completely, invert 8-10 times. DO NOT SHAKE TUBE!

Storage Instruction: Refrigerate

Turn Around Time: 10-14 days

CPT Code: 81400 (1)

Scarlet Eligible: Yes

Vaginitis/Vaginosis W/O PAP W/O HPV Expanded

F371-0

Alternate Name: VAG/VAG NO PAP/HPV EXPD

Preferred Specimen: ThinPrep Vial

Collection Instruction: Collect specimen, swish in Thin prep vial, label with pt name.

Turn Around Time: 7 days

CPT Code: 87481 (2), 87512 (1), 87661 (1), 87798 (2), 87799 (2)

Scarlet Eligible: No

Vaginal Biopsy

5889-1

Alternate Name: VAGINAL BIOPSY

Methodology: Histology

Preferred Specimen: Biopsy In Formalin

Collection Instruction: Submit in 10% Neutral Buffered Formalin, varied jar sizes.

Turn Around Time: 1 day

CPT Code: 88305 (1)

Scarlet Eligible: No

Vancomycin Peak, Serum

 0575-1

Alternate Name: VANCOMYCIN, PEAK

Methodology: Enzyme Immunoassay

Preferred Specimen: Red Top

Collection Instruction: Fill tube, label with patient name

Storage Instruction: Refrigerate

Turn Around Time: 1 day

CPT Code: 80202 (1)

Scarlet Eligible: Yes

Vancomycin (Random)

 A614-0

Alternate Name: VANCOMYCIN, RANDOM

Methodology: Enzyme Immunoassay

Preferred Specimen: Red Top

Collection Instruction: Fill tube, label with patient name

Storage Instruction: Refrigerate

Turn Around Time: 1 day

CPT Code: 80202 (1)

Scarlet Eligible: Yes

Vancomycin, Trough, Serum

 1589-1

Alternate Name: VANCOMYCIN, TROUGH

Methodology: Fluor. Polarization Immunoassay

Preferred Specimen: Red Top

Collection Instruction: Fill tube, label with patient name

Storage Instruction: Refrigerate

Turn Around Time: 1 day

CPT Code: 80202 (1)

Scarlet Eligible: Yes

Vascular Endothelial Growth Factor

6102-8

Alternate Name: VASCULAR ENDOTHELIAL GRWTH.FAC

Methodology: Enzyme Immunoassay

Preferred Specimen: 1 mL Aliquot Plasma-EDTA-Lavender Top

Collection Instruction: Centrifuge lavender-top at high speed for 15 minutes. Transfer plasma into plastic transfer tube. Label with date/time collected, PLASMA and patient's name. Must submit frozen.

Storage Instruction: STRICT Frozen

Turn Around Time: 12 days

CPT Code: 83520 (1)

Scarlet Eligible: No

VDRL, CSF

2212-9

Alternate Name: VDRL, CSF

Preferred Specimen: 1 mL Fluid-source required

Collection Instruction: Submit fluid in sterile cup

Storage Instruction: Refrigerate

Turn Around Time: 6 days

CPT Code: 86592 (1)

Scarlet Eligible: No

Venous Prothrom. Risk Factor

5875-0

Alternate Name: VENOUS PROTHROM.RISK FACTOR**Preferred Specimen:** Aliquot Plasma-Citrated-Blue Top**Collection Instruction:** Collect full blue-top (citrated) tube. Centrifuge Blue-top at high speed for 15 minutes. Transfer plasma into plastic transfer tube. Label with date/time collected, PLASMA and patient's name.**Turn Around Time:** 4 days**CPT Code:** 85240 (1), 85250 (1), 85270 (1), 85384 (1), 85610 (1), 85730 (1)**Scarlet Eligible:** No

Venous Prothrombic Risk

5989-9

Alternate Name: VENOUS PROTHROMBOTIC RISK**Preferred Specimen:** Aliquot Plasma-Citrated-Blue Top**Collection Instruction:** Collect full blue-top (citrated) tube. Centrifuge Blue-top at high speed for 15 minutes. Transfer plasma into plastic transfer tube. Label with date/time collected, PLASMA and patient's name.**Turn Around Time:** 4 days**CPT Code:** 85240 (1), 85250 (1), 85270 (1), 85379 (1), 85384 (1), 85610 (1), 85730 (1)**Scarlet Eligible:** No

Vitamin B12/Folate 0287-3**Alternate Name:** VIT B12/FOLATE**Methodology:** Chemiluminescence**Preferred Specimen:** 2 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 1 day**CPT Code:** 82607 (1), 82746 (1)**Scarlet Eligible:** Yes

Vitamin D, 1, 25-Dihydroxy, Serum

 0288-1

Alternate Name: VIT D1,25DIHYDROXY

Methodology: Chemiluminescence

Preferred Specimen: 2 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 2 days

CPT Code: 82652 (1)

Scarlet Eligible: Yes

Vitamin B12 Binding Capacity

 0906-8

Alternate Name: VITAM.B12 BIND.CAP.

Methodology: Radio Immuno Assay

Preferred Specimen: 1 mL Aliquot Tube-Serum

Collection Instruction: Fill tube, invert gently 2-3 times, let stand for 20 minutes, spin for 10-15 minutes label with patient name.

Storage Instruction: Refrigerate

Turn Around Time: 14 days

CPT Code: 82608 (1)

Scarlet Eligible: Yes

Vitamin A + Beta Carotene

 1332-6

Alternate Name: VITAMIN A + BETA CAROTENE

Preferred Specimen: 4 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 3 days

CPT Code: 82380 (1), 84590 (1)

Scarlet Eligible: Yes

Vitamin Panel

 2861-3

Alternate Name: VITAMIN PANEL

Collection Instruction: All specimens must be received frozen and labeled accordingly. One of the serum from SST pour off's must be received in an Amber tube or vial wrapped in foil.

Turn Around Time: 3 days

CPT Code: 82380 (1), 84207 (1), 84252 (1), 84255 (1), 84425 (1), 84446 (1), 84590 (1)

Scarlet Eligible: Yes

Vitamin B1, Total Thiamine

 0293-1

Alternate Name: VITB1,THIAMINE,TOTAL

Methodology: High Pressure Liquid Chromatography

Preferred Specimen: 2 mL Amber Serum

Collection Instruction: Draw SST or RED, let clot for 8-10 minutes. Centrifuge and pour into either an aliquot tube (must be covered in foil) or poured into an amber tube and label with patient name and specimen type (serum).

Storage Instruction: Refrigerate

Turn Around Time: 3 days

CPT Code: 84425 (1)

Scarlet Eligible: Yes

Von Willebrand Normandy

5823-0

Alternate Name: VON WILLEBRAND ASSAY

Methodology: Enzyme Linked Immunoabsorbance

Preferred Specimen: 1 mL Aliquot Plasma-Citrated-Blue Top

Collection Instruction: Collect full blue-top (citrated) tube. Centrifuge Blue-top at high speed for 15 minutes. Transfer plasma into plastic transfer tube. Label with date/time collected, PLASMA, patient's name and freeze.

Storage Instruction: STRICT Frozen

Turn Around Time: 23 days

CPT Code: 85240 (1), 85246 (1)

Scarlet Eligible: No

Von Willebrand Fract. Multimers

1264-1

Alternate Name: VON WILLEBRAND FRACT**Preferred Specimen:** 2 mL Aliquot Plasma-Citrated-Blue Top**Collection Instruction:** Collect full blue-top (citrated) tube. Centrifuge Blue-top at high speed for 15 minutes. Transfer plasma into plastic transfer tube. Label with date/time collected, PLASMA, patient's name and freeze.**Storage Instruction:** STRICT Frozen**Turn Around Time:** 13 days**CPT Code:** 85246 (1), 85247 (1)**Scarlet Eligible:** No**Von Willebrand Screen- Basic**

5825-5

Alternate Name: VON-WILLEBRAND SCREEN - BASIC**Preferred Specimen:** Aliquot Plasma-Citrated-Blue Top**Collection Instruction:** Collect full blue-top (citrated) tube. Centrifuge Blue-top at high speed for 15 minutes. Transfer plasma into plastic transfer tube. Label with date/time collected, PLASMA, patient's name and freeze.**Storage Instruction:** STRICT Frozen**Turn Around Time:** 9 days**CPT Code:** 85240 (1), 85245 (1), 85246 (1), 85610 (1), 85730 (1)**Scarlet Eligible:** No**Von Willebrand Screen - Expanded**

5826-3

Alternate Name: VON-WILLEBRAND SCREEN - EXPANDED**Preferred Specimen:** Aliquot Plasma-Citrated-Blue Top**Collection Instruction:** Collect full blue-top (citrated) tube. Centrifuge Blue-top at high speed for 15 minutes. Transfer plasma into plastic transfer tube. Label with date/time collected, PLASMA, patient's name and freeze.**Storage Instruction:** STRICT Frozen**Turn Around Time:** 13 days**CPT Code:** 85240 (1), 85245 (1), 85246 (2), 85247 (1), 85610 (1), 85730 (1)**Scarlet Eligible:** No

Vulvar Biopsy

5886-7

Alternate Name: VULVAR BIOPSY

Methodology: Histology

Preferred Specimen: Biopsy In Formalin

Collection Instruction: Submit in 10% Neutral Buffered Formalin, varied jar sizes.

Storage Instruction: Refrigerate

Turn Around Time: 2-3 days

CPT Code: 88305 (1)

Scarlet Eligible: No

Varicella-Zoster Virus

J839-2

Alternate Name: VZV

Methodology: Helicase Dependent Amplification

Preferred Specimen: 2 mL Swab-Viral Culturette

Collection Instruction: Collect sample, place in holder, label with patient name. NOT TO BE USED FOR BACTERIAL TRANSPORT**MUST SWAB COLLECTED FROM UNCAPPING THE LESION**. Frozen samples are stable for 7days prior to processing.

Storage Instruction: Refrigerate

Turn Around Time: 3 days

CPT Code: 87798 (1)

Scarlet Eligible: No

Varicella Zoster Virus by IHC

TF85-8

Alternate Name: VZV by IHC

Methodology: Immunohistochemistry

Preferred Specimen: Formalin-fixed, Paraffin-embedded Tissue

Storage Instruction: Room Temp

Turn Around Time: 24-48 days

CPT Code: 88342 (1)

Scarlet Eligible: No

Varicella Zoster Virus by IHC Tech Only

TF88-2

Alternate Name: VZV by IHC Tech Only**Methodology:** Immunohistochemistry**Preferred Specimen:** Formalin-fixed, Paraffin-embedded Tissue**Storage Instruction:** Room Temp**Turn Around Time:** 24-48 days**CPT Code:** 88342 (1)**Scarlet Eligible:** No**Vaginitis/Vaginosis by PCR, Aptima Tube**

L068-6

Alternate Name: Vaginitis/Vaginosis**Methodology:** Multiplex PCR**Preferred Specimen:** Swab-Aptima Genprobe**Collection Instruction:** Collect specimen-break swab shaft into transport tube, then label with name and source**Storage Instruction:** Room Temp**Turn Around Time:** 5 days**CPT Code:** 87661 (1), 87481 (1), 87512 (1)**Scarlet Eligible:** No**Benzodiazepines, Urine, Screen (200)** 0924-1**Alternate Name:** Valium; Librium; Dalmane; Tranxene; Klonopin; Ativan ;Serax;Centrax; Restoril; Xanax; Halcion;Versed; Doral**Methodology:** Enzyme Immunoassay**Preferred Specimen:** 5 mL Urine Cup**Collection Instruction:** Collect urine in cup, label with patients name**Storage Instruction:** Refrigerate**Turn Around Time:** 1 day**CPT Code:** 80307 (1)**Scarlet Eligible:** Yes

Allergen Vanilla (rf234), IgE

 2347-3

Alternate Name: Vanilla

Methodology: Immunocap

Preferred Specimen: 3 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 3 days

CPT Code: 86003 (1)

Scarlet Eligible: Yes

Varicella Zoster Ab IgG W/Reflex

 T008-2

Alternate Name: Varicella Zos(IgG)Rfx

Methodology: Chemiluminescence

Preferred Specimen: 1 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 2 days

CPT Code: 86787 (1)

Scarlet Eligible: Yes

Varicella Zoster Antibodies, IgM

 0574-4

Alternate Name: Varicella Zoster Ab., IgM; Herpes Zoster Ab, IgM; Shingles

Methodology: Immunoassay

Preferred Specimen: 1 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 7 days

CPT Code: 86787 (1)

Scarlet Eligible: Yes

Venom/Insect Profile (5)

 2469-5

Alternate Name: Venom/Insect Profile (5)

Preferred Specimen: 5 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 3 days

CPT Code: 86003 (6), 82785 (1)

Scarlet Eligible: Yes

Vitamin C Dilution

6193-7

Alternate Name: Vitamin C Dilution

Methodology: High Pressure Liquid Chromatography

Preferred Specimen: 3 mL Amber Serum

Collection Instruction: Draw SST or RED, let clot for 8-10 minutes. Centrifuge and pour into either an aliquot tube (must be covered in foil) or poured into an amber tube and label with patient name and specimen type (serum). FREEZE.

Storage Instruction: STRICT Frozen

Turn Around Time: 10 days

CPT Code: 82180 (1)

Scarlet Eligible: No

Vit. D, 25-Hydroxy Tot.,D2+D3

 8573-8

Alternate Name: Vitamin D3

Methodology: Liquid Chromatography Mass Spectrometry

Preferred Specimen: 1 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 2 days

CPT Code: 82306 (1)

Scarlet Eligible: Yes

Ristocetin Cofactor ACT.

5805-7

Alternate Name: Von Willebrand Factor Activity**Methodology:** Optical Platelet Aggregometry**Preferred Specimen:** 1.5 mL Aliquot Plasma-Citrated-Blue Top**Collection Instruction:** Collect full blue-top (citrated) tube. Centrifuge Blue-top at high speed for 15 minutes. Transfer plasma into plastic transfer tube. Label with date/time collected, PLASMA, patient's name and freeze.**Storage Instruction:** STRICT Frozen**Turn Around Time:** 5 days**CPT Code:** 85245 (1)**Scarlet Eligible:** No**ADAMTS13 Inhibitor**

5742-2

Alternate Name: Von Willebrand Protease Inhibitor Assay,PROTEASE INHIBITOR**Methodology:** Immunoassay**Preferred Specimen:** 2 mL Aliquot Plasma-Citrated-Blue Top**Collection Instruction:** Collect full blue-top (citrated) tube. Centrifuge Blue-top at high speed for 15 minutes. Transfer plasma into plastic transfer tube. Label with date/time collected, PLASMA, patient's name and freeze.**Storage Instruction:** STRICT Frozen**Turn Around Time:** 12 days**CPT Code:** 85335 (1)**Scarlet Eligible:** No**Vulvovaginal Candidiasis Panel by PCR**

K853-2

Alternate Name: Vulvovaginal Candidiasis Pnl**Methodology:** Polymerase Chain Reaction**Preferred Specimen:** Swab-Aptima Genprobe**Collection Instruction:** Collect specimen-break swab shaft into transport tube, then label with name and source**Storage Instruction:** Room Temp**Turn Around Time:** 5 days**CPT Code:** 87481 (1)**Scarlet Eligible:** No

Walker Warburg Syndrome

 A648-8

Alternate Name: WALKER WARBURG

Methodology: Genotyping by Next Generation Sequencing

Preferred Specimen: Lavender top- EDTA

Collection Instruction: Fill lavender-top (EDTA) tube completely, invert 8-10 times. DO NOT SHAKE TUBE!

Storage Instruction: Refrigerate

Turn Around Time: 10-14 days

CPT Code: 81479 (1)

Scarlet Eligible: Yes

AAMI Water Analysis

1795-4

Alternate Name: WATER ANALYSIS

Preferred Specimen: 10 mL Cup Plain

Collection Instruction: Place sample in sterile cup label with patient's name and source

Storage Instruction: Refrigerate

Turn Around Time: 10 days

CPT Code: 99999 (1)

Scarlet Eligible: No

WBC

 1497-7

Alternate Name: WBC

Methodology: Flow Cytometry

Preferred Specimen: Lavender top- EDTA

Collection Instruction: Fill lavender-top (EDTA) tube completely, invert 8-10 times. DO NOT SHAKE TUBE!

Storage Instruction: Refrigerate

Turn Around Time: 1 day

CPT Code: 85048 (1)

Scarlet Eligible: Yes

Bioavailable Testosterone 2087-5**Alternate Name:** WEAKLY BINDING TESTOSTERONE**Preferred Specimen:** SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 2 days**CPT Code:** 82040 (1), 84270 (1), 84403 (1)**Scarlet Eligible:** Yes

Wilson Disease Carrier Screen B164-5**Alternate Name:** WILSON DISEASE CARRIER**Methodology:** Genotyping by Next Generation Sequencing**Preferred Specimen:** 1 mL Lavender top- EDTA**Collection Instruction:** Fill lavender-top (EDTA) tube completely, invert 8-10 times. DO NOT SHAKE TUBE!**Storage Instruction:** Refrigerate**Turn Around Time:** 10-14 days**CPT Code:** 81479 (1)**Scarlet Eligible:** Yes

Female High Risk Sexual Health Panel

F238-1

Alternate Name: WOMENS H/R SEX PNL**Collection Instruction:** Submit 1 SST, 1 Viral Media, 1 Urine Aptima**Turn Around Time:** 10 days**CPT Code:** 86706 (1), 86803 (1), 87109 (2), 87389 (1), 87491 (1), 87591 (1), 87661 (1)**Scarlet Eligible:** No

Wound Culture (Aerobic/Anaerobic) W/ Gram Stain (Panel)

0082-8

Alternate Name: WOUND CULTURE PANEL**Methodology:** Bacterial Culture**Preferred Specimen:** Swab-E**Collection Instruction:** Collect specimen with swab then place swab into transport carrier; Label with name and source**Turn Around Time:** 5 days**CPT Code:** 87070 (1), 87075 (1), 87205 (1)**Scarlet Eligible:** No**Allergen Wall Pellitory (W21), IgE** 5803-2**Alternate Name:** Wall Pellitory IgE**Methodology:** Immunoassay**Preferred Specimen:** 0.5 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 6 days**CPT Code:** 86003 (1)**Scarlet Eligible:** Yes**Allergen Walnut Tree (t10), IgE** 0686-6**Alternate Name:** Walnut Tree**Methodology:** Immunocap**Preferred Specimen:** 3 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 2 days**CPT Code:** 86003 (1)**Scarlet Eligible:** Yes

Allergen Walnuts (f256), IgE 1479-5**Alternate Name:** Walnuts**Methodology:** Immunocap**Preferred Specimen:** 1 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 86003 (1)**Scarlet Eligible:** Yes**Allergen Watermelon (f329), IgE** 1941-4**Alternate Name:** Watermelon**Methodology:** Immunocap**Preferred Specimen:** 3.0 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 86003 (1)**Scarlet Eligible:** Yes**Weed Mix (wx1), IgE** 2177-4**Alternate Name:** Weed Mix**Methodology:** Immunocap**Preferred Specimen:** 5 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 86005 (1)**Scarlet Eligible:** Yes

Weeds Screen (7)

 0746-8

Alternate Name: Weeds Screen (7)

Preferred Specimen: 5 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 3 days

CPT Code: 82785 (1), 86003 (7)

Scarlet Eligible: Yes

Allergen Western Ragweed (w2), IgE

 3802-6

Alternate Name: West.Ragweed,Ige (W2)

Methodology: Immunocap

Preferred Specimen: 2 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 3 days

CPT Code: 86003 (1)

Scarlet Eligible: Yes

Allergen Wheat (f4), IgE

 0673-4

Alternate Name: Wheat

Methodology: Immunocap

Preferred Specimen: 1 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 3 days

CPT Code: 86003 (1)

Scarlet Eligible: Yes

Allergen Whey (f236), IgE

 1620-4

Alternate Name: Whey

Methodology: Immunocap

Preferred Specimen: 3 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 3 days

CPT Code: 86003 (1)

Scarlet Eligible: Yes

Allergen White Ash (t15), IgE

 1306-0

Alternate Name: White Ash

Methodology: Immunocap

Preferred Specimen: 3 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 3 days

CPT Code: 86003 (1)

Scarlet Eligible: Yes

Allergen White Bean (f15), IgE

 1241-9

Alternate Name: White Bean

Methodology: Immunocap

Preferred Specimen: 3 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 3 days

CPT Code: 86003 (1)

Scarlet Eligible: Yes

Insect Venom, White Faced Hornet IgG

 3656-6

Alternate Name: White Faced Hornet IgG

Methodology: Enzyme Immunoassay

Preferred Specimen: 0.5 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 8 days

CPT Code: 86001 (1)

Scarlet Eligible: Yes

Allergen White Pine (t16), IgE

 3399-3

Alternate Name: White Pine (T16)

Methodology: Immunocap

Preferred Specimen: 2 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 3 days

CPT Code: 86003 (1)

Scarlet Eligible: Yes

Allergen Whiteface Hornet (i2), IgE

 0907-6

Alternate Name: Whiteface Hornet

Methodology: Immunocap

Preferred Specimen: 3 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 3 days

CPT Code: 86003 (1)

Scarlet Eligible: Yes

Allergen Willow (t12), IgE 1252-6**Alternate Name:** Willow**Methodology:** Immunocap**Preferred Specimen:** 3 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 86003 (1)**Scarlet Eligible:** Yes

Allergen Wormwood (w5), IgE 1307-8**Alternate Name:** Wormwood**Methodology:** Immunocap**Preferred Specimen:** 3.0 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 86003 (1)**Scarlet Eligible:** Yes

Culture, Wound, Superficial

B656-0

Alternate Name: Wound Aerobic**Methodology:** Bacterial Culture**Preferred Specimen:** Swab-E**Collection Instruction:** Collect specimen with swab then place swab into transport carrier; Label with name and source**Storage Instruction:** Refrigerate**Turn Around Time:** 5 days**CPT Code:** 87070 (1)**Scarlet Eligible:** No

XL RARA (17q21) BY FISH

J157-9

Alternate Name: XL RARA (17q21) BY FISH**Methodology:** FISH**Preferred Specimen:** Bone Marrow - Green Top**Collection Instruction:** Place bone marrow into tube, label with patient's name**Storage Instruction:** Refrigerate**Turn Around Time:** 3-5 days**CPT Code:** 88374 (1)**Scarlet Eligible:** No**XL RARA (17q21) BY FISH - TC (NON-NY)**

J160-3

Alternate Name: XL RARA (17q21) FISH-TC**Methodology:** FISH**Preferred Specimen:** Bone Marrow - Green Top**Collection Instruction:** Place bone marrow into tube, label with patient's name**Storage Instruction:** Refrigerate**Turn Around Time:** 3-5 days**CPT Code:** 88374 (1)**Scarlet Eligible:** No**Xylose Absorption, Urine**

0530-6

Alternate Name: XYLOSE ABSORPTION,UR**Methodology:** Colorimetry**Preferred Specimen:** 5 mL Urine Cup**Collection Instruction:** Collect from a 5 hr collection transferred into a gray top tube. Record date and time of dose of xylose and the 5 hr total volume of urine collection.**Storage Instruction:** Refrigerate**Turn Around Time:** 8 days**CPT Code:** 84620 (1)**Scarlet Eligible:** No

Xylose, (Baseline) Plasma

1184-1

Alternate Name: XYLOSE,PLASMA**Methodology:** Colorimetry**Preferred Specimen:** 4.0 mL Grey top- Sodium Fluoride**Collection Instruction:** Fill tube, invert gently 5-6 times, label with patient name**Storage Instruction:** Refrigerate**Turn Around Time:** 13 days**CPT Code:** 84620 (1)**Scarlet Eligible:** No

Y Chromosome Microdeletion, DNA Analysis 3338-1**Alternate Name:** Y Chrom. Microdeletion**Methodology:** Polymerase Chain Reaction**Preferred Specimen:** 4 mL Lavender top- EDTA**Collection Instruction:** Fill lavender-top (EDTA) tube completely, invert 8-10 times. DO NOT SHAKE TUBE!**Storage Instruction:** Refrigerate**Turn Around Time:** 8 days**CPT Code:** 81403 (1)**Scarlet Eligible:** Yes

Culture, Yeast (fungal)

0123-0

Alternate Name: Yeast/Fungal Culture**Preferred Specimen:** Swab-E**Collection Instruction:** Collect specimen with swab then place swab into transport carrier; Label with name and source**Turn Around Time:** 14 days**CPT Code:** 87102 (1)**Scarlet Eligible:** No

Allergen Yellow Hornet (i5), IgE 0885-4**Alternate Name:** Yellow Hornet**Methodology:** Immunocap**Preferred Specimen:** 3 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 86003 (1)**Scarlet Eligible:** Yes**Allergen Yellow Jacket (i3), IgE** 0884-7**Alternate Name:** Yellow Jacket**Methodology:** Immunocap**Preferred Specimen:** 3 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 86003 (1)**Scarlet Eligible:** Yes**ZAP-70 BY IHC**

5410-6

Alternate Name: ZAP-70, IHC**Methodology:** Immunohistochemistry**Preferred Specimen:** Formalin-fixed, Paraffin-embedded Tissue**Collection Instruction:** This comes in block form from client with surgical number imprint.**Turn Around Time:** 1 day**CPT Code:** 88342 (1)**Scarlet Eligible:** No

Zinc, Plasma

 B345-0

Alternate Name: ZINC, PLASMA

Methodology: Inductively Coupled Plasma Mass Spectrometry

Preferred Specimen: 2 mL Aliquot Royal Blue Plasma

Collection Instruction: Collect in Royal Blue Top. Separate plasma or serum from cells within 2 hours. Transfer separated plasma/serum to a plastic, acid-washed or metal-free vial.

Storage Instruction: Refrigerate

Turn Around Time: 8 days

CPT Code: 84630 (1)

Scarlet Eligible: Yes

Zygosity Testing

B233-8

Alternate Name: ZYGOSITY

Methodology: Short Tandem Repeat Comparative Analysis

Preferred Specimen: 10 mL Amniotic Fluid

Collection Instruction: 20mL AMNIOTIC FLUID SUBMITTED IN A STERILE LEAK PROOF CONTAINER, or 20mg CVS or 2 T-25 Flasks of cultured cells AMBIENT along with 5mL EDTA maternal whole blood for MCC GeneDx test code code:437 DO NOT SHAKE TUBE.

Storage Instruction: Room Temp

Turn Around Time: 7 days

CPT Code: 81265 (1)

Scarlet Eligible: No

Zygosity Non-Ny

J098-5

Alternate Name: ZYGOSITY NON-NY

Preferred Specimen: 20 mL Amniotic Fluid

Collection Instruction: 20 mL Amniotic Fluid submitted in a sterile, leak-proof container

Storage Instruction: Room Temp

Turn Around Time: 10 days

CPT Code: 81265 (1)

Scarlet Eligible: No

Zika Molecular Serum+Urine



Alternate Name: Zika Molecular Serum+Urine

Turn Around Time: 2 days

CPT Code: 87798 (2)

Scarlet Eligible: Yes

Zika Serum RNA PCR w/reflex to IgM



Alternate Name: Zika RNA PCR w/RFX IgM

Methodology: Transcription Mediated Amplification

Preferred Specimen: 1 mL Aliquot Serum for Zika testing

Collection Instruction: Fill Serum Separator (SST) tube completely, invert gently 2-3 times, let stand for 20 minutes, spin for 10-15 minutes. Transfer serum into the red plastic aliquot tube. Follow specimen labeling instructions provided.

Storage Instruction: Refrigerate

Turn Around Time: 2 days

CPT Code: 87662 (1)

Scarlet Eligible: Yes

Zika Serum RNA PCR



Alternate Name: Zika Serum RNA PCR

Methodology: Transcription Mediated Amplification

Preferred Specimen: 1 mL Aliquot Serum for Zika testing

Collection Instruction: Fill Serum Separator (SST) tube completely, invert gently 2-3 times, let stand for 20 minutes, spin for 10-15 minutes. Transfer serum into the red plastic aliquot tube. Follow specimen labeling instructions provided.

Storage Instruction: Refrigerate

Turn Around Time: 2 days

CPT Code: 87662 (1)

Scarlet Eligible: Yes

Anti-Zika Virus Elisa IgM Serum

 J497-9

Alternate Name: Zika Serum Virus IgM

Methodology: Enzyme Immunoassay

Preferred Specimen: 1 mL Aliquot Serum for Zika testing

Collection Instruction: Fill Serum Separator (SST) tube completely, invert gently 2-3 times, let stand for 20 minutes, spin for 10-15 minutes. Transfer serum into the red plastic aliquot tube. Follow specimen labeling instructions provided.

Storage Instruction: Refrigerate

Turn Around Time: 7 days

CPT Code: 86790 (1)

Scarlet Eligible: Yes

Zika Urine RNA PCR

 J407-8

Alternate Name: Zika Urine RNA PCR

Methodology: Transcription Mediated Amplification

Preferred Specimen: Urine Cup for Zika

Collection Instruction: Collect urine in sterile green container or the Aptima Urine Transport. Follow specimen labeling instructions.

Turn Around Time: 2 days

CPT Code: 87662 (1)

Scarlet Eligible: Yes

Zika Molecular Serum w/rfx and Urine

 K583-5

Alternate Name: ZikaSerum w/rfx and Urine

Turn Around Time: 2 days

CPT Code: 87798 (2)

Scarlet Eligible: Yes

Zinc Protoporphyrin (ZPP),Whole Blood, Adult 6289-3**Alternate Name:** Zinc Protoporphyrin (ZPP),Whole Blood,ADULT**Methodology:** Fluorescence**Preferred Specimen:** Tan Top**Collection Instruction:** Fill tube, invert gently 5-6 times, label with patient name**Storage Instruction:** Refrigerate**Turn Around Time:** 1 day**CPT Code:** 84202 (1)**Scarlet Eligible:** Yes**Zinc Protoporphyrin (ZPP),Whole Blood, Child**

0407-7

Alternate Name: Zinc Protoporphyrin (ZPP),Whole Blood,CHILD**Methodology:** Fluorescence**Preferred Specimen:** Lavender top- EDTA**Collection Instruction:** Fill lavender-top (EDTA) tube completely, invert 8-10 times. DO NOT SHAKE TUBE!**Storage Instruction:** Refrigerate**Turn Around Time:** 1 day**CPT Code:** 84202 (1)**Scarlet Eligible:** No**Zinc, RBC**

1336-7

Alternate Name: Zn, RBC**Methodology:** Inductively Coupled Plasma Mass Spectrometry**Preferred Specimen:** Blue-Royal Blue Top: K2 EDTA Plasma(lavender line)**Collection Instruction:** Fill tube, invert gently 5-6 times, label with patient name**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 84630 (1)**Scarlet Eligible:** No

Zinc, Serum

 0285-7

Alternate Name: Zn, Serum

Methodology: Inductively Coupled Plasma Mass Spectrometry

Preferred Specimen: Blue-Royal Blue Trace Element Serum (red line)

Collection Instruction: Fill tube, label with patient name

Storage Instruction: Refrigerate

Turn Around Time: 7 days

CPT Code: 84630 (1)

Scarlet Eligible: Yes

Zinc, Urine, 24hr.

1327-6

Alternate Name: Zn, Urine, 24 Hours

Methodology: Inductively Coupled Plasma Mass Spectrometry

Preferred Specimen: 10 mL Urine Cup 24 hour

Collection Instruction: Discard first morning sample, then collect all urines for 24hrs, on completion pour into a plain cup; label with collection time, patients name and record TV on specimen and on requisition.

Storage Instruction: Refrigerate

Turn Around Time: 8 days

CPT Code: 84630 (1)

Scarlet Eligible: No

Zinc, Urine, Random

 2440-6

Alternate Name: Zn, Urine, Random

Methodology: Inductively Coupled Plasma Mass Spectrometry

Preferred Specimen: 7 mL Urine Cup

Collection Instruction: Collect urine in cup, label with patients name

Storage Instruction: Refrigerate

Turn Around Time: 8 days

CPT Code: 82570 (1), 84630 (1)

Scarlet Eligible: Yes

Allergen-Cladosporium Herbarum IgG

 1221-1

Alternate Name: allergen C.HERBORUM

Methodology: Immunocap

Preferred Specimen: 0.5 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 7 days

CPT Code: 86001 (1)

Scarlet Eligible: Yes

Hepatitis Be Antibody

 0540-5

Alternate Name: anti-HBe; HBeAb

Methodology: Enzyme Linked Immunoabsorbance

Preferred Specimen: 1 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate

Turn Around Time: 1 day

CPT Code: 86707 (1)

Scarlet Eligible: Yes

Allergen Cashew (rf202), IgE

 1412-6

Alternate Name: cashew nut

Methodology: Immunocap

Preferred Specimen: 1 mL SST Tube

Collection Instruction: Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes

Storage Instruction: Refrigerate


Turn Around Time: 3 days

CPT Code: 86003 (1)

Scarlet Eligible: Yes

Allergen Cherries (f242), IgE 1583-4**Alternate Name:** cherry**Methodology:** Immunocap**Preferred Specimen:** 3 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 86003 (1)**Scarlet Eligible:** Yes

Allergen Cotton-Wood (t14), IgE 0891-2**Alternate Name:** cottonwood**Methodology:** Immunocap**Preferred Specimen:** 3 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 86003 (1)**Scarlet Eligible:** Yes

Allergen Milk (f2), IgE 0672-6**Alternate Name:** cows milk; cow's milk**Methodology:** Immunocap**Preferred Specimen:** 1 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 86003 (1)**Scarlet Eligible:** Yes

DS-DNA (Crithidia) Autoabs. 3825-7**Alternate Name:** dsDNA(crithidia)Ab IgG**Methodology:** Indirect Fluorescence Assay**Preferred Specimen:** 1 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 86255 (1)**Scarlet Eligible:** Yes**HCG, Quantitative, Serum** 0327-7**Alternate Name:** hCG, Quantitative, Serum; BHCG., Quant.**Methodology:** Electrochemiluminescence Immunoassay**Preferred Specimen:** 2 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 1 day**CPT Code:** 84702 (1)**Scarlet Eligible:** Yes**Hcg, Quantitative, Tumor Marker** 1201-3**Alternate Name:** hCG, Quantitative, Tumor Marker**Methodology:** Electrochemiluminescence Immunoassay**Preferred Specimen:** 1 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 1 day**CPT Code:** 84702 (1)**Scarlet Eligible:** Yes

Human Telomerase Reverse Transcriptase - Tech Only

TF87-4

Alternate Name: hTert - Tech Only**Methodology:** Immunohistochemistry**Preferred Specimen:** ThinPrep Cytolyt Solution**Storage Instruction:** Room Temp**Turn Around Time:** 5 days**CPT Code:** 88342 (1)**Scarlet Eligible:** No

p16 by IHC

J356-7

Alternate Name: p16 by IHC**Methodology:** Immunohistochemistry**Preferred Specimen:** Formalin-fixed, Paraffin-embedded Tissue**Collection Instruction:** This comes in block form from client with surgical number imprint.**Storage Instruction:** Room Temp**Turn Around Time:** 1 day**CPT Code:** 88342 (1)**Scarlet Eligible:** No

17P13 BY FISH-TC ONLY

A874-0

Alternate Name: p53 by FISH, TC Only**Methodology:** FISH**Preferred Specimen:** 2 mL Bone Marrow - Green Top**Collection Instruction:** Non-diluted bone marrow aspirate collected and transferred into sodium heparin (green top) tube. Also acceptable: Whole blood in green (sodium heparin) tube.**Storage Instruction:** Refrigerate**Turn Around Time:** 3-5 days**CPT Code:** 88367 (1)**Scarlet Eligible:** No

p53 by IHC w/digital imaging

5153-2

Alternate Name: p53-TUMOR SUPP.GENE**Methodology:** Immunohistochemistry**Preferred Specimen:** Formalin-fixed, Paraffin-embedded Tissue**Collection Instruction:** This comes in a block or slide form from client with surgical number imprint.**Turn Around Time:** 1 day**CPT Code:** 88361 (1)**Scarlet Eligible:** No

p57 by IHC

J546-3

Alternate Name: p57 by IHC**Methodology:** Microscopic Examination**Preferred Specimen:** Formalin-fixed, Paraffin-embedded Tissue**Collection Instruction:** This comes in block form from client with surgical number imprint.**Storage Instruction:** Room Temp**Turn Around Time:** 1 day**CPT Code:** 88342 (1)**Scarlet Eligible:** No

Reverse Triiodothyronine Serum/Plasma (rT3) T397-9**Alternate Name:** rT3**Methodology:** Liquid Chromatography Tandem Mass Spectrometry**Preferred Specimen:** 1 mL SST Tube**Collection Instruction:** Fill tube, invert gently 5 times, label with patient name, let stand for minimum of 30 minutes, maximum of 1 hr, spin for 10-15 minutes**Storage Instruction:** Refrigerate**Turn Around Time:** 3 days**CPT Code:** 84482 (1)**Scarlet Eligible:** Yes

Pap (Reflex to HPV DNA Genotyping 16, 18 when ASC-US or >)

6196-0

Alternate Name: rfx HPV DNA when ASCUS or >**Preferred Specimen:** ThinPrep Vial**Collection Instruction:** Collect specimen, swish in Thin prep vial, label with pt name.**Storage Instruction:** Refrigerate**Turn Around Time:** 5 days**CPT Code:** 88175 (1)**Scarlet Eligible:** No

Lymphoma - Mantle Cell (MCL), BCL1/IGH by FISH

5026-0

Alternate Name: t(11;14), CCND1, CYCLIN D1**Methodology:** FISH**Preferred Specimen:** 2 mL Bone Marrow - Green Top**Collection Instruction:** Non-diluted bone marrow aspirate collected and transferred into sodium heparin (green top) tube. Also acceptable: Whole blood in green (sodium heparin) tube**Storage Instruction:** Refrigerate**Turn Around Time:** 3-5 days**CPT Code:** 88374 (1)**Scarlet Eligible:** No

Lymphoma - Follicular, BCL2/IGH by FISH

5270-4

Alternate Name: t(14;18)**Methodology:** FISH**Preferred Specimen:** 2 mL Bone Marrow - Green Top**Collection Instruction:** Non-diluted bone marrow aspirate collected and transferred into sodium heparin (green top) tube. Also acceptable: Whole blood in green (sodium heparin) tube.**Storage Instruction:** Refrigerate**Turn Around Time:** 3-5 days**CPT Code:** 88377 (1)**Scarlet Eligible:** No

Lymphoma - Follicular, BCL2/IGH by PCR

5271-2

Alternate Name: t(14;18), Follicular Lymphoma**Methodology:** Polymerase Chain Reaction**Preferred Specimen:** 5 Bone Marrow - Lavender Top**Collection Instruction:** Place bone marrow into tube, label with patient's name. Send in bone marrow kit.**Storage Instruction:** Refrigerate**Turn Around Time:** 7 days**CPT Code:** 81402 (1)**Scarlet Eligible:** No**t(1;19) (q23.3: p13.3) FISH**

B611-5

Alternate Name: t(1;19) (q23.3: p13.3)**Methodology:** FISH**Preferred Specimen:** 1 mL Bone Marrow - Green Top**Collection Instruction:** Place bone marrow into tube, label with patient's name**Storage Instruction:** Room Temp**Turn Around Time:** 5 days**CPT Code:** 88271 (2), 88275 (1)**Scarlet Eligible:** No**Von Willebrand Factor, Antigen**

5815-6

Alternate Name: vWF Antigen**Methodology:** Immunoturbidimetric**Preferred Specimen:** 1 mL Aliquot Plasma-Citrated-Blue Top**Collection Instruction:** Collect full blue-top (citrated) tube. Centrifuge Blue-top at high speed for 15 minutes. Transfer plasma into plastic transfer tube. Label with date/time collected, PLASMA, patient's name and freeze.**Storage Instruction:** STRICT Frozen**Turn Around Time:** 9 days**CPT Code:** 85246 (1)**Scarlet Eligible:** No

Appendix

Rest of Comprehensive Cancer Panel (after Breast Cancer Surgical Panel) - J670-1.....	B1
Rest of Cancer Panel (after KPSC Hereditary Cancer) - J827-7.....	B1
C1q Complement - 0724-5.....	B2
XCE 8 BY FISH - B514-1.....	B2
-5/5Q- BY FISH-TC ONLY - A869-0.....	B2
D5S2064 FOR -5/5q- BY FISH - B507-5.....	B3
-7/7Q- BY FISH-TC ONLY - A868-2.....	B3
D7S486/XCE 7 FOR -7/7q- BY FISH - B506-7.....	B3
GLYCOMARK - J114-0.....	B4
10-Color Screening (Short) Flow Cytometry Panel (Tech Only) - TK81-6.....	B4
ATM FOR 11q22.3 BY FISH - B512-5.....	B4
D13S319 (13q14.3) BY FISH - B510-9.....	B5
14-3-3 ETA Protein - B677-6.....	B5
Estradiol, Serum - 0516-5.....	B5
Estradiol, Free - 3687-1.....	B6
Hydroxyprogesterone(17), Alpha Serum/Plasma - 0997-7.....	B6
P53 by FISH - A314-7.....	B6
Corticosterone 18-OH - 0179-2.....	B7
1P/19Q,D(1;19)DELETION BY FISH - A311-3.....	B7
20Q12 BY FISH-TC ONLY - A871-6.....	B7
D20C108 FOR DEL (20q) BY FISH - B508-3.....	B8
Osmolality, Urine 24hr. - 0988-6.....	B8
3-Alpha Androstanediol-G - 1613-9.....	B8
4K PSA rflx >3.0 - J264-3.....	B9
4K PSA Total + Free Reflex >3.0 to 4Kscore - K135-4.....	B9
4K Prostate Score (Serum) - J148-8.....	B9
5-Flucytosine, S - 6180-4.....	B10
Thiopurine Metabolites - 3701-0.....	B10
A. Fumigatus Mold (m3), IgE - 0694-0.....	B10
A. Vaginalis by RT-PCR - J212-2.....	B11
ABCD1 Gene Sequencing & Del/Dup - J975-4.....	B11
Abetalipoproteinemia - B148-8.....	B11
Onkosight NGS ABL1 Sequencing - J132-2.....	B12
ABO and Rh Blood Typing - 0156-0.....	B12
Absolute Neutrophil Count - 3617-8.....	B12
Anti-Cardiolipin Antibodies, Quantitative, IgG, IgM, IgA - 0431-7.....	B13
Angiotensin Convert.Enzyme Insertion/DEL. - 8807-0.....	B13

Acetazolamide (Diamox) - 1271-6	B13
Acetylcholine Modulating Autoabs - 3555-0	B14
Acetylcholine Receptor Binding Antibody - 0874-8	B14
Adrenocorticotrophic Hormone (ACTH) - 0507-4	B14
Acute Hepatitis Panel - 3283-9	B15
Acute Phase Reactant Profile - 0584-3	B15
Myasthenia Gravis Panel 2 - B870-7	B15
ADAMTS13 Activity with Reflex to Inhibitor - 5741-4	B16
Adenocarcinoma vs. Mesothelioma IHC Panel - 5181-3	B16
Adenovirus Antibody, Serum - 0486-1	B16
GP/AE1/AE3 (Stain Only - 5108-6	B17
Maternal Serum Alpha-Fetoprotein Screen (MSAFP) - ONTD Only - 0274-1	B17
Amniotic fluid AFP - 2122-0	B17
Alpha Fetoprotein, Tumor Marker (AFP) - 0025-7	B18
Alpha-Fetoprotein-L3% - 6299-2	B18
AFP/HCG Tumor Marker - 4514-6	B18
AH50 Complement Activity Alternate Pathway - B379-9	B19
Ashkenazi Jewish Expanded Profile - J293-2	B19
Ashkenazi Jewish DNA Panel (NON NY) - A282-6	B19
Post Dialysis Albumin - 2256-6	B20
Alcohol Biomarkers (ETG), Qual. (500) - 6284-4	B20
Aldosterone, Serum - 0302-0	B20
ALK (EML4/ALK) BY IHC - B565-3	B21
ALK BY FISH (TC) - B236-1	B21
ALK BY FISH, IF NEG REFLEX TO ROS1 BY FISH - J015-9	B21
EML4-ALK by FISH (FDA): Lung - A241-2	B22
ALK-2P23: Anaplastic Lymphoma - B684-2	B22
ALL Prognosis Panel by FISH - P260-3	B22
Allergen Cedar Red (t212), IgE - 6305-7	B23
Allergen Chestnut (t206), IgE - 2420-8	B23
Allergen Firebush (w17), IgE - 2408-3	B23
Allergen Herring (f205), IgE - 6267-9	B24
Allergen White Mulberry (T70), IgE - 3835-6	B24
Allergy Outdoor Panel - P267-8	B24
Alkaline Phosphatase, Serum - 0185-9	B25
AlphaSub-Unit - 1262-5	B25
Alpha-Globin Common Mutation Analysis (NY ONLY) - B663-6	B25
Alpha-Globin Common Mutation Analysis (NON-NY) - 3977-6	B26

Alpha-1-Acid Glycoprotein - 3844-8.....	B26
Alpha-2-Antiplasmin - 5709-1	B26
Alpha-2-Macroglobulin - 3882-8.....	B27
Alpha-Globin mut. Fetus - B669-3.....	B27
Aluminum, Water, Dialysis - 1817-6	B27
Anti-Mitochondrial Antibody (AMA) - 0939-9	B28
AML Diagnostic Panel by FISH - P261-1	B28
AML - APL PML/RARA t(15;17) - Tech Only - A881-5	B28
AML-M2 (AML/ETO) by Fish- TC ONLY - B891-3	B29
Amniotic Fluid Cystic Fibrosis - B219-7	B29
Amylase,Pleural Fluid - 6218-2	B29
Amylase, Urine, Random - 0037-2	B30
Antinuclear Antibody Evaluation (ANA) - 0594-2	B30
ANA with Reflex to IFA - A233-9	B30
Antinuclear Ab. (ANA) W/Reflex - 0038-0	B31
Anal GC/CT ThinPrep (Non-NY) - K987-8.....	B31
ANAL HPV E6/E7 MRNA Quant. - B071-2	B31
ANALyzer Panel (Screening) - K119-8	B31
Androsterone NON NY - 6128-3.....	B32
Anemia I Profile - 0998-5	B32
Anemia II Profile - 0999-3.....	B32
Anemia III Profile - 2073-5.....	B32
Anemia Profile, Expanded - 9893-9	B33
Angiotensin Converting Enzyme (CSF) - 6330-5	B33
Angiotensin II - 6176-2.....	B33
Anthrax Culture Screen - 3573-3.....	B34
ANTI HU Abs.(Neuronal Nuclear) - 1706-1	B34
Anti-Annexin V. Antibodies, IgG, IgM - 5706-7	B34
Anti-Beta2 Glycoprotein, IgA - 3905-7	B35
Anti-Beta2 Glycoprotein, IgG - 3904-0.....	B35
Anti-Beta2 Glycoprotein, IgM - 3906-5	B35
Anti CMV Avidity, IgG - J057-1	B36
Anti-Epidermal Antibody, S - 0184-2	B36
Anti-Giardia Antibody IgA, IgG, IgM, Serum - 1208-8	B36
Anti-IGA - B701-4.....	B37
Anti-Mullerian Hormone - 3707-7	B37
Anti-Ovarian Antibody, IgG - 0898-7	B37
Anti-Parietal Cell Antibody - 0263-4.....	B38

Antiphosphatidylserine Antibodies, IgG, IgM, Special Coagulation - 5790-1	B38
Anti-Smith Antibody - 0851-6	B38
Anti-Sperm Antibody (DIRECT) - 3454-6	B39
Antithrombin III Activity (AT III) - 5714-1	B39
Antithrombin III Antigen (ATIII) - 5715-8	B39
Arsenic, Blood - J019-1	B40
Arthritis Profile - 0325-1	B40
Arthritis Profile - Expanded - 9892-1	B40
Allergen Artichoke, IgE - 3781-2	B41
Ashkenazi Jewish 11 - P658-8	B41
Ashkenazi Jewish 18 - P659-6	B41
Ashkenazi Jewish 25 - Q161-2	B42
Ashkenazi Jewish DNA Carrier - 3267-2	B42
Ashkenazi Jewish DNA (NY patients only) - P223-1	B42
Antistreptolysin O (ASO) Titer - 0042-2	B43
Aspergillus Antibodies, Immunodiffusion, Serum - 1741-8	B43
Atenolol Level - 2392-9	B43
Atherosclerotic Risk Expanded - 6802-3	B44
Antithrombin III Anti-Xa Assay - 5723-2	B44
11Q22.3 BY FISH-TC ONLY - A879-9	B44
Dentatorubral-Pallidoluysian Atrophy Repeat Analysis - TH97-9	B45
Spinocerebellar Ataxia Type 1 Repeat Analysis - TH84-7	B45
Spinocerebellar Ataxia Type 2 Repeat Analysis - TH85-4	B45
Spinocerebellar Ataxia Type 3 Repeat Analysis - TH86-2	B45
Spinocerebellar Ataxia Type 7 Repeat Analysis - TH88-8	B46
Spinocerebellar Ataxia Type 8 Repeat Analysis - TH89-6	B46
Automated UroVysion By FISH - 5030-2	B46
AV Panel w/o Lacto Reuteri and Rhamnosis (Non NY) - L767-3	B46
Allergen Abalone, IGE - 5095-5	B47
Abnormal APTT Assessment - 5851-1	B47
Abnormal PT and APTT Assessment - 5853-7	B47
Eosinophil Count, Absolute, Blood - 0381-4	B48
Allergen Acacia (t19) IgE - 3832-3	B48
Activation Markers - 5811-5	B48
Acute 10 Color Flow Cytometry Leukemia/Lymphoma Panel (TC Only) - TH64-9	B49
Acute 10 Color Flow Cytometry Leukemia/Lymphoma Panel (Global) - TH61-5	B49
Acute Leukemia + Myeloid Disorders Analysis (Technical Only) and StormPath BMM Report Template - R735-2	B49

Acute Leukemia/MDS IHC Panel - 5116-9.....	B50
AML - M2 (AML/ETO) (RUNX1/RUNX1T1) by FISH - 5024-5.....	B50
AML - M2 (AML/ETO) by RT-PCR - 5034-4.....	B50
AML - M4Eo by FISH - 5025-2.....	B51
AML - M4Eo by PCR - 5035-1	B51
AML - M3 (PML/RARA) by RT-PCR - 5261-3	B51
AML - M3 (PML/RARA) by FISH - 5260-5	B52
Acylglycines, Quant. Urine - 6310-7.....	B52
Adenovirus Quant. PCR Plasma - A957-3.....	B52
Adenovirus Ag.,Detection - 6188-7	B53
Adenovirus Quant. R.T. PCR Serum - J201-5.....	B53
Adenovirus Quant. PCR, Urine - A966-4.....	B53
Adrenal 21-Hydroxylase Antibody - 3690-5.....	B54
OnkoSight Advanced CNS NGS Panel - TH57-3.....	B54
OnkoSight Advanced Comprehensive Lung - TK78-2	B54
OnkoSight Advanced Gastrointestinal Stromal Tumor NGS Panel - TH58-1	B55
OnkoSight Advanced GYN Tumor NGS - TH53-2	B55
OnkoSight Advanced Lung Cancer NGS Panel - TH49-0.....	B55
OnkoSight Advanced Melanoma NGS Panel - TH59-9	B56
OnkoSight Advanced Prostate NGS Panel - TH48-2	B56
OnkoSight Advanced Solid Tumor NGS Panel - TJ16-5	B56
Aerobic Vaginitis Profile (Non NY) - R732-9	B56
Aluminum, Serum - 0378-0.....	B57
Albumin, Serum - 0033-1	B57
Alcohol, Isopropyl - A472-3	B57
Alcohol, Methyl - A473-1	B58
Allergen Banana IgG (NON-NY) - 1771-5.....	B58
Allergen Bass Black IgE - 3734-1	B58
Allergen Chicken IgG (NON-NY) - 1780-6	B59
Allergen Lime (RF306), IgE - 3522-0	B59
Allergen Sage (F344), IgE - 6372-7.....	B59
Allergen Yeast Bakers, IgE - 0813-6	B60
Digoxin, Serum - 0083-6.....	B60
Allergen Almond Nut (f20), IgE - 0815-1.....	B60
Allergen Alpha Lactalbumin (f76), IgE - 1406-8	B61
Vitamin E, Serum - 0447-3.....	B61
Triple Screen AFP3 (AFP, UE3, HCG) - 0825-0.....	B61
Alport Syndrome, Autosomal Recessive - J316-1.....	B62

Allergen Alter. Tenuis/Alter. IgG - B771-7	B62
Allergen Alternaria Tenuis Mold (m6), IgE - 0660-1	B62
Theophylline, Serum - 0380-6	B63
Barbiturates, Urine, Screen (200) - 0921-7	B63
Amylase, Serum - 0036-4	B63
Amyotrophic Lateral Sclerosis / Frontotemporal Lobar Degeneration Panel - T404-3.....	B64
Anal CT on ThinPrep (Non NY) - J792-3	B64
Anal GC on ThinPrep (Non NY) - J791-5.....	B64
Allergen Anchovy (rf313), IgE - 1463-9	B65
PCP (6-Phencyclidine), Urine, Screen (25) - 0926-6	B65
Animal Mix (ex1), IgE - 2180-8	B65
Animals Screen(6) - 0902-7	B66
Anophthalmia/Microphthalmia Panel - J957-2.....	B66
Chromatin IGG - B874-9	B67
Anti-Endomysial Antibody, IgA - 1206-2.....	B67
Anti-Jo-1, IgG - T974-5	B67
Anti-Double-Stranded DNA (dsDNA) - 0364-0.....	B68
Antibody Screen (Ind.Coombs) - 0039-8	B68
Apolipoprotein A-1 (Apo A-1) - 0451-5	B68
Apolipoprotein A-1 and B (Apo A1/B) - 0895-3.....	B69
Apolipoprotein B (Apo B) - 0457-2	B69
Allergen Apple (f49), IgE - 1134-6	B69
Allergen Apricot (f237), IgE - 2344-0	B70
Allergen Apricot IgG (NON-NY) - B497-9	B70
Vaginitis/Vaginosis by RT-PCR, Aptima Tube - L050-4.....	B70
Arthrogryposis, Mental Retardation, and Seizures - J297-3.....	B71
Arylsulfatase A, U - 2155-0	B71
Arsenic, Urine, 24 Hours - 0427-5.....	B71
Allergen Ascaris, (p1) IgE - 3579-0.....	B72
Vitamin C - 0291-5	B72
ADMA/SDMA - B696-6	B72
Scale (w15) IgE - B873-1.....	B73
Allergen Australian Pine, IgE (t73) - 3837-2	B73
Autism/ID - T395-3	B74
Autoimmune Lymphoproliferative Syndrome Panel - T990-1	B74
Autosomal Dominant Osteogenesis Imperfecta Panel - T992-7	B74
ISH Single Antibody Stain Only - 5289-4	B75
Allergen Avocado (f96), IgE - 1945-5.....	B75

Avocado IgG (NON-NY) - B485-4	B75
B. fragilis by RT PCR - J216-3	B76
Borrelia Burgdorferi (LYME) G/M ABS Immunoblot - B662-8.....	B76
Beta-2-Microglobulin, Serum - 0262-6	B76
Beta-2-Microglobulin, Urine, Random - 1754-1	B77
Vaginitis/Vaginosis, DNA - BD Affirm - 5093-0	B77
Basic Antiphospholipid/Lupus - 5994-9	B77
Basic Food Allergy Panel - 4633-4	B78
BCR/ABL Quantification by RT-PCR - 5858-6	B78
Vaginitis/Vaginosis by DNA probe, Thin Prep - P576-2.....	B78
Bean Profile - Q032-5	B79
Benzodiazepines, Urine, Screen (100) - 3233-4	B79
Beta Carotene, Total - 0512-4.....	B79
Beta-2-Glycoprotein I (G,A,M) - 2675-7.....	B80
Beta-Galactosidase, Leukocytes - 3514-7	B80
Osteocalcin, Serum - 0385-5.....	B80
Bile Acids Fractionated - 3917-2.....	B81
Biopsy Level II, PC ONLY - 5233-2	B81
Biopsy Level III, PC ONLY - 5234-0	B81
Biopsy Level IV, PC ONLY - 5235-7	B82
Biopsy Level V, PC ONLY - 5236-5	B82
Biopsy Pod 2-@ _ - 5002-1	B82
Biopsy Pod 3-@ _ - 5003-9.....	B83
Biopsy Pod -@ _ - 5000-5.....	B83
Biopsy, general-@ (AREA) - 4000-6.....	B83
Biopsy Gen 2-@ (AREA) - 4007-1	B84
Biopsy Gen 3@AREA - 4003-0	B84
Biopsy Gen 4-@ (AREA) - 4004-8	B84
Biopsy Gen 5-@ (AREA) - 4005-5	B85
Biopsy Gen 6-@ (AREA) - 4006-3	B85
Biopsy, GI (1 Jar) - 5631-7	B85
Biopsy, GI (10 JARS) - A296-6.....	B86
Biopsy, GI (2 Jars) - 5632-5	B86
Biopsy, GI (3 Jars) - 5633-3	B86
Biopsy, GI (4 Jars) - 5634-1	B87
Biopsy, GI (5 Jars) - 5635-8	B87
Biopsy, GI (6 Jars) - 5636-6	B87
Biopsy, GI (7 JARS) - A293-3.....	B88

Biopsy, GI (8 JARS) - A294-1	B88
Biopsy, GI (9 JARS) - A295-8	B88
Biopsy, Level VI Global - 5237-3	B89
Liver Biopsy - 5009-6	B89
BK Virus DNA Quantification, PCR (Urine) - A492-1	B89
MVista(r) Blastomyces Antigen Quantitative EIA (Non-NY) - 6160-6	B90
Bleeding Diatheses Evaluation Profile I - 5850-3	B90
Bleeding Diathesis Evaluation Profile II - 5997-2	B90
Bloom Syndrome Carrier Test - A658-7	B91
Bone Marrow Morph.- Tech Only - B846-7	B91
Bone Marrow Morph. Clot Only- Tech Only - B843-4	B91
Bone Marrow Morph. Core Only- Tech Only - B845-9	B92
Bone Marrow Morph. Smear Only- Tech Only - B844-2	B92
Basic Metabolic Profile (BMP) - 2555-1	B92
B-Type Natriuretic Peptide (BNP) - 3553-5	B93
Bone Marrow Morphology - 5199-5	B93
Bone Marrow Analysis - Clot Only - 5202-7	B93
Bone Marrow Morphology - Core Only - 5200-1	B94
Bone Marrow Slide Consult - 5207-6	B94
X/Y Bone Marrow Transplant Monitoring - 5066-6	B94
Bone Marrow Analysis - Smears - 5211-8	B95
Bone/Tissue Culture - P210-8	B95
B.Burgdorferi DNA QUAL PCR - A519-1	B95
BRAF, if neg reflex to MLH1 Hypermethylation NY Only - J463-1	B96
BRAF, if neg reflex to MLH1 Hypermethylation- Non NY - J107-4	B96
BRAF Sequencing- Non NY - J021-7	B96
BRAF Sequencing NY Only - J456-5	B97
OnkoSight BRAF Sequencing - BM/PB - T979-4	B97
BRAF/EGFR NGS if EGFR neg rfx to ALK FISH if neg rfx ROS1 - TB34-4	B97
BRCA1/ BRCA2 Ashkenazi Founder Panel - B361-7	B98
BRCA1/2 Sequencing and Del/Dup Analysis - B362-5	B98
Breast Carcinoma/Lymph Nodes/MM Metastasis - 5170-6	B99
Breast Carcinoma, R/O Microinvasion BY IHC-TC - A952-4	B99
BREAST SMEAR (slide) - 1301-1	B99
Brucella AB., Agglutination - A860-9	B100
Storage Sample Clinical Trials - TF69-2	B100
Storage Sample Clinical Trials - T794-7	B100
Storage Sample Clinical Trials - T795-4	B100

BUN, Post Dialysis - 1679-0.....	B101
Blood Urea Nitrogen (BUN), Serum - 0049-7	B101
BUN + Creatinine with Ratio - 4030-3.....	B101
Buprenorphine (Suboxone), Urine, Screen (5) - 3956-0	B102
Bacterial Vaginosis and Aerobic Vaginitis (Non NY) - L571-9	B102
BV PANEL BY RT-PCR - H870-9	B102
BV Panel by RT-PCR - K835-9	B102
Bacterial Vag. W/RFX TP-NY. - H575-4	B103
BV If Negative Reflex to Aerobic Vaginitis (Non NY) - L570-1	B103
BVAB2 by RT-PCR - J215-5	B103
Allergen Bahia Grass (g17), IgE - 1825-9	B103
Allergen Bamboo Shoot (f51), IgE - 3642-6.....	B104
Allergen Banana (f92), IgE - 0863-1	B104
Phenobarbital, Serum - 0289-9	B104
Bardet-Biedl Syndrome 2 - J317-9.....	B105
Allergen Barley (f6), IgE - 0816-9	B105
Lipid Screen (Basic Lipid Profile) - 0009-1	B105
Allergen Basil (rf269), IgE - 1461-3	B106
Allergen Bay Leaf, (f278) IgE - 5056-7	B106
Allergen Bean Green/String IgG - B483-9	B106
Allergen Beech Tree, IgE (t5) - 0948-0	B107
Allergen Beef (f27), IgE - 0861-5	B107
Allergen Beetroot (f319), IgE - 3803-4	B107
Immunotyping, Urine - 1644-4	B108
Amphetamines, Urine, Screen (1000) - 0920-9	B108
Allergen Bermuda Grass (g2), IgE - 1198-1	B108
Allergen Betalactoglobulin (f77), IgE - 1268-2	B109
Pregnancy, Urine - 0133-9	B109
Procainamide, Ser.(+napa #0525) - 1846-5	B109
Special Stain, Halls Bile - TC - T409-2.....	B110
Bilirubin, Direct, Serum - 0044-8.....	B110
Bilirubin, Total + Direct, Serum - 0045-5.....	B110
Bilirubin, Total, Serum - 0043-0.....	B111
Quinidine, Serum - 0140-4.....	B111
Allergen Black Pepper (f250), IgE - 1422-5.....	B111
Allergen Blackberry (rf211), IgE - 1486-0.....	B112
GP/Non-Automated Urovysion BY FISH - 6274-5	B112
Allergen Blomia Tropicalis (d201), IgE - B235-3	B112

Culture, Blood - 0341-8	B113
Culture, Blood (spec.#2) - 1350-8	B113
Culture, Blood (spec.#3) - 1351-6	B113
Malaria/Babesia/Other Blood Parasites - J897-0	B114
Occult Blood,Stool (1st Specimen) - 0122-2	B114
Occult Blood,Stool (3rd Spec.) - 0323-6.....	B114
Occult Blood,Stool (2nd Spec.) - 0319-4.....	B115
Allergen Blue Mussel (f37), IgE - 0697-3.....	B115
Allergen Blueberry (rf228), IgE - 1487-8.....	B115
Culture, Body Fluid W/Gram Stain - 0556-1	B116
Ostase - Alkaline Phosphatase Bone Specific - T447-2	B116
Brain Tumor Panel - T831-7	B116
Allergen Brazil Nut (f18), IgE - 1405-0.....	B117
Breast Basal Layer Triple Stain by IHC Global - TA18-9	B117
ER / PR / HER2 (Tech Only)w/digital imaging - 5127-6.....	B117
Breast Cancer Surgical Panel - J662-8	B118
Cytochrome P450 2D6 Genotype (NY) - 5296-9.....	B118
CYP2D6 - Tamoxifen Resistance (NON-NY) - 5287-8.....	B119
Breast Cancer Management Panel - J055-5.....	B119
Breast/Gyn Cancer Panel - B273-4	B119
Allergen Broccoli (f260), IgE - 1229-4.....	B120
Allergen Brome Grass (G11), IgE - 2394-5.....	B120
Breast Basal Layer Triple Stain by IHC Tech Only - TA17-1	B120
Allergen Brussel Sprouts (rf217), IgE - 1814-3.....	B121
Allergen Buckwheat (f11), IgE - 1629-5.....	B121
C-Difficile Toxins A+B, Antigen - 0259-2.....	B121
C-Peptide, Serum - 0578-5	B122
C-Reactive Protein (hs-CRP), High Sensitivity - 3320-9.....	B122
C-Reactive Protein (CRP), Serum - 0069-5.....	B122
Allergen Cephalosporium Acremonium (m202) IgE - 3830-7	B123
Candida glabrata by PCR - T783-0	B123
Candida dubliniensis by PCR - T786-3.....	B123
Candida krusei - T449-8	B124
Candida parapsilosis - T536-2	B124
Candida tropicalis by PCR - T745-9.....	B124
Chlamydia Trachomatis, Urine, rRNA - 6368-5	B125
Complement C2, Serum - 0172-7.....	B125
Complement C3, Serum - 0532-2.....	B125

Complement C4, Serum - 0533-0.....	B126
C4a Level - A127-3.....	B126
C9ORF72 Repeat Analysis - J805-3.....	B126
CA 15-3, Serum - 2130-3.....	B127
CA 19-9, Serum - 0535-5.....	B127
CA 27.29, Serum - 0823-5.....	B127
CA 125, Serum - 0536-3.....	B128
Spinocerebellar Ataxia Type 6 Repeat Analysis - TH87-0.....	B128
Cadmium, Blood - J018-3.....	B128
Vitamin D, 25-Hydroxy, Serum - 0286-5.....	B129
CALL RESULT TO DOCTOR - 9990-3.....	B129
Campylobacter Jejuni Antibodies - 5019-5.....	B129
Canavan Disease Test - A657-9.....	B130
Vulvovaginal Candidiasis Panel - B976-2.....	B130
Breast Carcinoma, Rule Out Microinvasion, with Interp. - 5176-3.....	B130
Allergen Catfish, (f369) IgE - 0820-1.....	B131
Cathepsin D by IHC - 5151-6.....	B131
CCP (CYCLIC CITRULLINATED PEPTIDE) IGG, SERUM - 3747-3.....	B131
T-NK CD57 Flow Cytometry Analysis - 5221-7.....	B132
CD71 IHC - TJ12-4.....	B132
CD71 IHC- TC - TJ13-2.....	B132
Clostridium Difficile Toxins A+B Genes By DNA Amplification - B137-1.....	B133
Carcinoembryonic Antigen (CEA) - 0055-4.....	B133
CEA, Peritoneal Fluid - 6169-7.....	B133
AML - CEBPA Mutational Analysis - 8860-9.....	B134
Celiac Disease Antibody Evaluation - 1186-6.....	B134
Celiac Disease Eval + HLA Genetics - K002-6.....	B134
Cell Count, Fluid - 0056-2.....	B135
Centromere Autoantibodies - 0587-6.....	B135
Cervicitis W/O PAP W/O HPV PLUS - Q265-1.....	B135
Cystic Fibrosis 40- NGS - J435-9.....	B136
CF/Fragile X/SMA - 2115-4.....	B136
Cystic Fibrosis (CFTR) Intron 9 Poly-T Analysis (5T/7T/9T) - J520-8.....	B136
CFTR Sequencing and Deletion/Duplication Analysis - T829-1.....	B137
Chem 12 Profile - 0004-2.....	B137
Chem 7 Panel - 0768-2.....	B137
Chlamydia Trachomatis by Multiplex PCR - 6337-0.....	B138
Chloramphenicol - 3792-9.....	B138

Cholinesterase, Serum - 0545-4.....	B138
Chromosome Analysis- Breakage, Fanconi Anemia - B534-9.....	B139
Chromosome Analysis w/Reflex Microarray - 5394-2.....	B139
Whole Genome Chromosomal Microarray - A978-9.....	B139
Citrate, Serum - 1804-4.....	B140
CPK Isoenzymes - 0558-7.....	B140
CK-903 for Prostate Cancer - 5434-6.....	B140
CPK (CK), Total - 0068-7.....	B141
Creatine Kinase-MB Fraction(CKMB) - 2922-3.....	B141
1Q21 BY FISH-TC ONLY - A876-5.....	B141
OnkoSight Advanced Chronic Lymphoid Neoplasm NGS Panel - TH55-7.....	B142
CLL FISH Panel - TC Only - P962-4.....	B142
Minimal Residual Disease for CLL/SLL - 5155-7.....	B142
CMV Ab.,IGG *POS. Reflex To IGM - 2377-0.....	B143
Cytomegalovirus (CMV) by Multiplex PCR (NON-NY) - 6353-7.....	B143
CMV DNA Quant PCR, Urine - B214-8.....	B143
Cytomegalovirus (CMV), DNA, Ultraquant - 1161-9.....	B144
Carboxyhemoglobin, (CO), Quant. - 0544-7.....	B144
Carbon Dioxide, Serum (CO2) - 0052-1.....	B144
COA/BMP - K935-7.....	B145
AtheroSclerotic Risk (Coag) - 5874-3.....	B145
Coagulation Profile - 0994-4.....	B145
Cocaine, Urine, Screen (100) - 1478-7.....	B145
Cocaine, Urine, Screen (300) - 0923-3.....	B146
Collagen Binding Assay - 5744-8.....	B146
Collagen Type II AB. - 6175-4.....	B146
Colon Biopsy (2 Specimens) - 5652-3.....	B147
Comprehensive Heart Health Baseline - F306-6.....	B147
Comprehensive Heart Health Monitoring - F307-4.....	B147
Comprehensive Metabolic Panel - 3427-2.....	B148
Comp. Metabolic/GGTP - 9150-4.....	B148
Complement C6 - 1847-3.....	B148
Complement C7 - 1848-1.....	B149
Complement C8 - 1849-9.....	B149
Complement C9 - 1850-7.....	B149
Complement (C5), Serum - 1289-8.....	B150
Comprehensive Slide Consult - 5256-3.....	B150
Cone Biopsy/LEEP - 5672-1.....	B150

Congo Red Amyloid Stain - 5011-2	B151
Coronary Risk Profile II - 0993-6.....	B151
Cortisol, AM, baseline - 0066-1.....	B151
Novel Coronavirus COVID-19 for International Travel - TL40-0.....	B152
COVID-19 Ab. Qual/Quant - M160-0.....	B152
COVID-19 Ab. Qual/Quant w/ Reflex to TH99 - M162-6.....	B152
Novel Coronavirus COVID-19 Nasal/Nasopharynx - TH68-0.....	B153
Novel Coronavirus COVID-19 Oropharynx - TH69-8.....	B153
Novel Coronavirus COVID-19 Pooled N/NP/OP - TH71-4.....	B153
COVID-19, FLU A and FLU B - M123-8.....	B154
Coxsackie A + B - 4242-4.....	B154
OnkoSight Advanced Colorectal Cancer NGS Panel - TH50-8.....	B154
Creatine, 24HR Urine - 3486-8.....	B155
Creatine, Serum - 0875-5.....	B155
Post Dialysis Creatinine - 1687-3.....	B155
PDF Creatinine (Timed Test code) - 2063-6.....	B156
Creatinine, Arterial - 4534-4.....	B156
Creatinine Clearance (24Hr. Urine) - 0072-9.....	B156
Creatinine, Systemic - 4535-1.....	B157
Creatinine, Urine, 24 HR. - 0071-1.....	B157
Cryptococcus Antibody - 0928-2.....	B157
Cerebrospinal Fluid (CSF) Cytology - 5112-8.....	B158
Chlamydia (CT) PCR Urine - T407-6.....	B158
Chlamydia, Anal Aptima - A114-1.....	B158
Chlamydia, Oral Aptima - A113-3.....	B159
Chlamydia, swab, TMA, Aptima - 1004-1.....	B159
High Risk STI CT/GC - 3851-3.....	B159
Chlamydia/N. Gonorrhea CT/GC PCR Urine - L344-1.....	B160
Chlamydia + Gonorrhea, Urine, Aptima - 0257-6.....	B160
Chlamydia + Gonorrhoeae, Anal, Swab, Aptima - P011-0.....	B160
Chlamydia + Gonorrhea ,Oral, Swab, Aptima - P010-2.....	B161
Chlamydia and Gonorrhea, rRNA,TMA Aptima Swab - 1005-8.....	B161
High Risk STI CT/GC/Trich/M.Gen. - P006-0.....	B161
Culture, Catheter Tip - J010-0.....	B162
Culture, Mouth - 0960-5.....	B162
Culture, Stool (2nd Specimen) - 0226-1.....	B162
Culture Stool (3rd Specimen) - 0225-3.....	B163
Culture,ID Only (Any Source) - 1043-9.....	B163

Curvularia Lunata IgG - B775-8	B163
Cycloserine Level - 3941-2	B164
Cyclospora ID, Modified Acid Fast - 1468-8	B164
Cysticercus Antibody, IgG, Ser WB - 1949-7	B164
Cystine, Urine Quant. 24HR. - 3849-7	B165
PAP Smear, 2 Slides, Autopap - 1102-3	B165
Cytology, Respiratory System - 1402-7	B165
Cytology, Thyroid By FNA - 4300-0	B166
Cytology, Urine With Interpretation - 2100-6	B166
Cytopatho. Urine-PC (Alcohol) - 5314-0	B166
Cytopathology Urine-TC (Thinprep) - 5218-3	B167
Anal Cytopathology, ThinPrep - 6626-6	B167
Calcium, Ionized, Serum - 0051-3	B167
Calcium, Serum - 0050-5	B168
Calcium, Urine, 24 Hr. - 0359-0	B168
Calcium, Urine, Timed Specimen - 1660-0	B168
Stone Analysis - 0527-2	B169
Chromosome Analysis (Oncology)- Tissue - J913-5	B169
Allergen C.Albicans (m5), IgE - 0892-0	B169
Allergen Candida Ablicans IgG - B776-6	B170
Candida Species by M. PCR - Swab - L416-7	B170
Allergen Cardamon (rf267), IgE - 2308-5	B170
Homocysteine Level - 1311-0	B171
Carnitine Palmitoyltransferase Deficiency, Type 2 - J315-3	B171
Allergen Carob, (f296) IgE - 3990-9	B171
Allergen Carrots (f31), IgE - 0934-0	B172
Allergen Cat Dander (e1), IgE - 0665-0	B172
Urine Culture, Catheterized - 2603-9	B172
Allergen Cauliflower (rf291), IgE - 1815-0	B173
Allergen Celery (f85), IgE - 1380-5	B173
Cereal Mix (fx3), IgE - 2185-7	B173
Culture, Cerebrospinal Fluid - 0966-2	B174
Protein Electrophoresis, CSF - 3946-1	B174
Cervical Biopsy - 5660-6	B174
Allergen Cheddar Cheese (f81), IgE - 0850-8	B175
Allergen Cheesemolds (f82), IgE - 1249-2	B175
Chem 29 Profile - 0165-1	B175
CH24/HDL,CBC/D/PLT - 0855-7	B176

Allergen Chick Pea (f309), IgE - 1163-5.....	B176
Allergen Chicken Feathers (e85), IgE - 2570-0.....	B176
Allergen Chicken Meat (f83), IgE - 0817-7.....	B177
Childhood Allergy Profile - K726-0.....	B177
Allergen Chili Pepper (rf279), IgE - 1423-3.....	B177
Chlamydia Trachomatis MultiPlex PCR - swab - J835-0.....	B178
High Risk STI CT/GC/Trich - 6116-8.....	B178
Chlamydia, Liquid-Based - 3852-1.....	B178
Allergen Chocolate Cocoa (f93), IgE - 1007-4.....	B179
Cholesterol - 0058-8.....	B179
Bile Acids, Fract. + Total Pregnancy - J676-8.....	B179
Chromium, Plasma/Serum - 0277-4.....	B180
Chromogranin A - TA34-6.....	B180
Karyotype CVS - A587-8.....	B180
Chromosome Analysis, POC, Tissue - 1053-8.....	B181
Chromosome Analysis,Amnio.FLD(IG) - 2136-0.....	B181
Chromosome Analysis/Karyotype, Blood - 0559-5.....	B181
Chronic 10 Color Flow Cytometry Lymphoproliferative Panel (Global) - TH66-4.....	B182
Chronic 10 Color Flow Cytometry Lymphoproliferative Panel (Tech Only) - TH65-6.....	B182
Chronic Fatigue Syndrome - F100-3.....	B182
Lymphoproliferative Disorders Analysis (TC Only) and StormPath BMM ReportTemplate - R734-5.....	B182
Chronic Granulomatous Disease Panel - T989-3.....	B183
Hepatitis Comprehensive II - 2302-8.....	B183
OnkoSight Advanced Chronic Lymphoid NGS Panel - TJ93-4.....	B183
Lithium, Serum - 0119-8.....	B184
Cyclosporine, Whole Blood - 0022-4.....	B184
Allergen Coriander (rf317), IgE - 2361-4.....	B184
Allergen Cinnamon (rf220), IgE - 2345-7.....	B185
Chloride, Serum - 0057-0.....	B185
Chloride, Urine, Random - 1794-7.....	B185
Chloride, Urine 24HR. - 0439-0.....	B186
Allergen C. Herbarum (m2), IgE - 0661-9.....	B186
Allergen Clam (f207), IgE - 1169-2.....	B186
ClariTest™Core Non-Invasive Prenatal Screen (NY) - TL42-6.....	B187
ClariTest Core Non-Invasive Prenatal Screen (NON-NY) - TH18-5.....	B187
ClariTest Core Non-Invasive Prenatal Screen with 22q11.2 Microdeletion (NON-NY) - TH19-3.....	B187

ClariTest™Core Non-Invasive Prenatal Screen with 22q11.2 Microdeletion (NY) - TL43-4.....	B188
Drug Confirmation, Clonazepam, Urine (LC/MS) - L204-7.....	B188
Allergen Clove (rf268), IgE - 2350-7.....	B188
CoEnzyme Q10 Deficiency, Primary, 7 - J441-7.....	B189
Cobalt, Urine - 1955-4.....	B189
Allergen Cocklebur (w13), IgE - 1939-8.....	B189
Allergen Cockroach (i6), IgE - 0716-1.....	B190
Allergen Cocoa-Chocolate IgG (NON-NY) - 1781-4.....	B190
Allergen Coconut (f36), IgE - 1318-5.....	B190
Allergen Codfish (f3), IgE - 0840-9.....	B191
Coenzyme Q10 - J322-9.....	B191
Allergen Coffee (rf221), IgE - 1133-8.....	B191
Coffin-Siris Syndrome - T993-5.....	B192
Cold Agglutinins Titer - 0063-8.....	B192
B-CrossLaps/Serum - T421-7.....	B192
Allergen Common Birch (t3), IgE - 0685-8.....	B193
Allergen Common Millet, IgE (f55) IgE - 3694-7.....	B193
Allergen Common Ragweed (w1) ,IgE - 0717-9.....	B193
Allergen Common Reed (G7) IgE+ - 2395-2.....	B194
Comprehensive Thyroid-Expanded - 9891-3.....	B194
CBC w/Diff, Platelet Ct. - 0053-9.....	B194
CBC w/o DIFF (Hemogram)/PLAT. CT - 0034-9.....	B195
Cortisol, Serum AM and PM - 0374-9.....	B195
Cortisol, Random - 0900-1.....	B195
Cortisol, PM - 0067-9.....	B196
Comprehensive Common Cancer Panel - B275-9.....	B196
Comprehensive Respiratory Panel - L740-0.....	B196
Comprehensive Respiratory Panel with Rflx to COVID-19 - M062-8.....	B197
Congenital Amegakaryocytic Thrombocytopenia (CAMT) - J306-2.....	B197
Conventional Pap Slide(s) - 1100-7.....	B197
Allergen Corn (maize)(f8), IgE - 0821-9.....	B198
Allergen Cotton Seed, (k83) IgE - 3770-5.....	B198
Allergen Cotton-Fiber (o1), IgE - 1436-5.....	B198
Warfarin, Pharmacogenomic Assay - 6261-2.....	B199
Allergen Cow Dander (e4), IgE - 0692-4.....	B199
Allergen Crab (f23), IgE - 1168-4.....	B199
Allergen Cranberry (rf341), IgE - 3796-0.....	B200
Creatinine, Serum - 0070-3.....	B200

Cryptococcus Antigen, Serum - 0722-9	B200
Cryptosporidium EIA - 0348-3	B201
Cryptosporidium ID, Modified Acid Fast - J745-1	B201
Crystal Identification, Body Fluid - 0579-3	B201
Copper, Plasma - 0479-6	B202
Copper, Urine, 24 Hours - 0869-8	B202
Allergen Cucumber (f244), IgE - 1664-2	B202
Allergen Cultivated Rye (G12), IgE - 2406-7	B203
Allergen Cultivated Wheat (g15), IgE - 3221-9	B203
Culture, Actinomyces - J011-8	B203
Medical Implants/Devices Culture - TG39-3	B204
Culture, Anal (Beta strep. Group B) - 3773-9	B204
Culture, Environmental - 0819-3	B204
Culture, Tracheal Airway - K909-2	B205
Urine Culture, Special - TL62-4	B205
Allergen Curry (rf281), IgE - 2356-4	B205
Allergen Curvularia Lunata (m16), IgE - 2476-0	B206
BCL-1,T(11:14),PCR - 5098-9	B206
Cystatin C - J013-4	B206
Cytology, Bladder Washing (50% Alcohol) - J529-9	B207
Cytology, Bladder Washing (ThinPrep) - J534-9	B207
Oncology Chromosome Analysis- BM/PB - 5250-6	B207
CMV IGM - 0461-4	B208
CMV Ab. (IGG) - 0400-2	B208
D-Dimer - 5743-0	B208
Allergen D. Farinae (Dust Mite) (d2), IgE - 1372-2	B209
Allergen D. Pteronyssinus (d1), IgE - 0715-3	B209
13Q14.3 BY FISH-TC ONLY - A878-1	B209
DES-Gamma-Carboxy-Prothrombin - B383-1	B210
Decalcification (Nails/Bone) - 3188-0	B210
Dementia Panel - T844-0	B210
Deoxycorticosterone (DOC) - 0800-3	B211
Dexamethasone - 5352-0	B211
Dehydroepiandrosterone (DHEA) - 0178-4	B211
DHEA Sulfate - 0406-9	B212
Dihydrotestosterone - J892-1	B212
Diabetes Profile - 0391-3	B212
Diabetic Screen - 0222-0	B213

DIC Level 2 - 5872-7	B213
DIC Assessment Panel Level-1 - 5839-6	B213
DIC Assessment - 5992-3	B214
Dihydrolipomide Dehydrogenase - A644-7	B214
Dihydrotestosterone, Free (incl.Total) - 0802-9	B214
DLBCL FISH PANEL: MYC BA, BCL2, BCL6 - L218-7	B215
Lymphoma - Diffuse large B-Cell, BCL6 by FISH - 5028-6	B215
DPD-5 FU Genotype - 6285-1	B215
Drug Abuse Screen, Urine. (8 drug) - 0628-8.....	B216
Allergen Casein (f78), IgE - 1267-4	B216
Allergen Dandelion (w8), IgE - 1363-1	B216
Deafness, Autosomal Recessive 1A (GJB2) - J308-8	B217
Gladin Antibodies, IgG, IgA - 0608-0	B217
Meperidine, Urine, Screen, Qual. (200) - 8545-6.....	B217
Valproic Acid - 0542-1	B218
Heparin Cofactor II - 5748-9	B218
Culture, Dialysate - 0857-3.....	B218
Culture, Dialysis Water - 0856-5.....	B219
Allergen Dill (f277), IgE - 3605-3	B219
DRVVT Complete - 5730-7	B219
Diphtheria Antibody, IgG - 1118-9	B220
Coombs Test, Direct - 0064-6	B220
Disorders of Hyperphenylalaninemia and Biopterin Metabolism Panel - J995-2	B220
Sickle Cell Screen - 0366-5	B221
Allergen Dog Dander (e5), IgE - 0664-3	B221
Dosage Analysis of SMN1 and SMN2 - T789-7	B222
Allergen Duck Feathers (e86), IgE - 0846-6	B222
Dust Mix (hx2), IgE - 2182-4	B223
Dyskeratosis Congenita, Autosomal Recessive 5 - J299-9	B223
Dystonia Panel - T403-5	B224
Dytonia and Parkinsonism Panel - T402-7.....	B224
Escherichia coli (Non NY) - J968-9	B225
Ehrlichia chaffeensis DNA, Real-Time PCR - 3900-8	B225
Enterococcus faecalis (Non NY) - J967-1	B225
E. Coli (Pathogenic) Culture - 1177-5	B226
EDDP (Methadone Metabolite), Urine, Screen, Qual. (300) - 6286-9	B226
EGFR, if neg reflex to ALK- Non Ny - J105-8	B226
EGFR, if neg reflex to ALK NY Only - J461-5	B227

EGFR, if neg reflex to ALK-TC only- NY Only - J466-4	B227
EGFR, if neg reflex to ALK - TC only Non NY - J202-3	B227
EGFR, if neg reflex to ALK, if neg reflex to ROS1- Non NY - J106-6	B228
EGFR, if neg reflex to ALK, if neg reflex to ROS1 NY Only - J460-7	B228
EGFR by FISH - A240-4	B228
EGFR Sequencing NY Only - J454-0	B229
EGFR and KRAS, if both neg, reflex ALK, if neg reflex ROS1 Non NY - H579-6	B229
EGFR by NGS, ALK, ROS1, and MET by FISH- Non NY - H581-2.....	B229
EGFR by NGS, ALK, ROS1, and MET by FISH (Ny Only) - K335-0.....	B229
EGFR and KRAS, if both neg, reflex ALK, if neg reflex ROS 1 NY Only - J465-6.....	B230
Electrolytes (24 hr urine) - 8017-6.....	B230
Electrolytes, Urine, Random - 0989-4.....	B230
Encainide + Metabolite Level - 0410-1	B231
Endo-Cervical Biopsy - 5662-2.....	B231
Endometrial Biopsy - 5664-8	B231
Enterococcus/VRE Screen-@ - 6108-5	B232
Enterovirus RNA, Qualitative - 3788-7.....	B232
Epicoccum Purpurascens IgG - B779-0	B232
Erythropoietin, Serum - 0183-4.....	B233
Epstein-Barr Virus By PCR - A315-4	B233
ER,PR,KI-67,P53,HER2 FISH, TC - A278-4	B233
ER / PR / Ki-67/ HER2 (Tech Only) - 5433-8	B234
ER/PR (Tech Only) - 5425-4	B234
ER/PR - w/Interpretation w/digital imaging - 5198-7.....	B234
ER/ PR/ DNA/ KI-67/ HER2 - Reflex to HER2 by FISH - 5408-0	B235
ER/PR /DNA/ Ki-67 - w/Interp w/digital imaging - 5160-7	B235
ER/PR/HER2 - w/Interpretation w/digital imaging - 5161-5.....	B235
ER/PR/HER2w/digital imaging- Rflex to HER2 by FISH - 5406-4	B236
ER/ PR/ KI-67/ HER2 - Reflex to HER2 by FISH - 5407-2.....	B236
ER/PR/ Ki-67/ HER2 - w/Interp w/digital imaging - 5163-1	B236
ER/PRKI-67/HER2/P53 BY IHC with Interp. w/digital imaging - A954-0.....	B237
ER/PRKI-67/HER2/P53 BY IHC,TC - A951-6.....	B237
ERG by IHC (EP111) - T411-8.....	B237
ERG by IHC (EP111) - Tech Only - T412-6	B238
Esophageal Biospy X1 - 5630-9	B238
Estradiol (E2), Serum, LCMS - J258-5	B238
Estrogen Panel - 2317-6	B239
Estrone (E1), Serum - J259-3	B239

Drug Confirmation, Ethanol, Urine (GC/HS) - 6239-8.....	B239
Euglobin Lysis, Blood - 0481-2.....	B240
Expanded CF, Fragile X, SMA - P150-6.....	B240
Expanded Anti-Phos/Lupus - 5990-7.....	B240
ExtraTube(s) Drawn - B978-8.....	B241
Culture, Ear - 0087-7.....	B241
Culture, Ear (Left) - 0462-2.....	B241
Culture, Ear (Right) - 0634-6.....	B242
EBV (Epstein-Barr Virus)DNA/PCR - 3206-0.....	B242
Egg Components IgE - H992-1.....	B242
Allergen Egg White (f1), IgE - 0671-8.....	B243
Egg White w/Reflex to Component Panel - M066-9.....	B243
Allergen Egg Yolk (f75), IgE - 0849-0.....	B243
Allergen Eggplant (rf262), IgE - 2265-7.....	B244
Ehlers-Danlos Syndrome, Type VIIC - J294-0.....	B244
Electrolytes - 0002-6.....	B244
Protein Electrophoresis - 0085-1.....	B245
Allergen Elm Tree (t8), IgE - 0659-3.....	B245
Allergen Eng. Plantain (w9), IgE - 0650-2.....	B245
Nasal Smear (for Eosinophils) - 0248-5.....	B246
Eosinophil Ct, Urine - 1183-3.....	B246
Epidermolysis Bullosa Panel Sponsored by Krystal Biotech - TL45-9.....	B246
EBV Panel (Capsid/EBNA G+M) - 0572-8.....	B247
EBV, Early Antigen Ab - 0582-7.....	B247
EBV Capsid Ab, IgG - 0234-5.....	B247
EBV, Nuclear Antigen Ab, IgG - 0583-5.....	B248
EBV Capsid Ab, IgM - 0580-1.....	B248
ESR (Sed-Rate) - 0086-9.....	B248
Estriol, Unconjugated - 3116-1.....	B249
Estrogens, Fractionated - H906-1.....	B249
Drug Confirmation, Ethanol, Blood (GC/HS) - B784-0.....	B249
Alcohol (Ethanol), Blood - 0985-2.....	B250
Alcohol (Ethanol), Urine, Screen (20) - 0995-1.....	B250
Allergen Eucalyptus (t18), IgE - 1480-3.....	B250
EWSR1(22Q12) Gene Rearrang. FISH - B556-2.....	B251
Expanded Cystic Fibrosis Panel - J434-2.....	B251
Factor II Activity - 5724-0.....	B251
Factor IX Activity - 5769-5.....	B252

Factor V Activity - 5725-7	B252
Factor VII Activity - 5728-1	B253
Factor VIII Activity - 5729-9	B253
Factor X Activity - 5735-6	B254
Factor XI Activity - 5737-2	B254
Factor XII Activity - 5738-0	B255
Factor V Mutation (Leiden) - 5726-5	B255
Factor VII Antigen - 6275-2	B255
Factor X Antigen - 5736-4	B256
Factor X Chromogenic - 5707-5	B256
Factor XIII Activity - 5739-8	B256
Familial Hyperinsulinism - A643-9	B257
Familial Dysautonomia - A697-5	B257
Fanconi Anemia, Type C - A656-1	B257
Very Long Chain Fatty Acids - B658-6	B258
Fax Result To Doctor - 9993-7	B258
Glucose, Fasting - 0095-0	B258
Febrile Agglutinins - 0278-2	B259
Fecal Calprotectin - J920-0	B259
Fecal Lactoferrin - 3374-6	B259
Fentanyl, Urine, Screen, Qual. (2) - 6194-5	B260
Ferritin - 0088-5	B260
Fetal, Fragile X - B131-4	B260
Fetal Fibronectin - 3576-6	B261
FGFR-Related Disorders Panel - TG50-0	B261
FGFR1 by FISH (Tech Only) - TG46-8	B261
Fibrinogen, Activity - 0089-3	B262
Fibrinolytic Evaluation - Standard - 5860-2	B262
FGF 23 (Fibroblast Growth Factor 23) - B380-7	B262
Chronic Eosinophilic Leukemia: FIP1L1-PDGFRα by FISH - 5182-1	B263
Lymphoma - Non-Hodgkin, BCL1, BCL2, BCL6 (FISH Panel) - 5273-8	B263
Multiple Myeloma FISH Panel - 5282-9	B263
FISH, FGFR1, 8p11-12 - B557-0	B264
Allergen Flaxseed (f70), IgE - 3369-6	B264
OnkoSight FLT3 - A044-0	B264
Onkosight NGS FLT3 IF NEG. RFLX TO CEBPA+NPM1 NGS - J154-6	B265
Onkosight NGS FLT3 AND NPM1 Sequencing - J155-3	B265
Influenza A/B, RSV BY PCR - 1410-0	B265

Cytology, Alcohol-Based FNA - 5243-1	B266
Cytology, Thinprep FNA - 5242-3	B266
Folate, RBC - 0873-0.....	B266
Food Allerpanel (4 mix) - 2189-9	B267
Food Panel II - 2797-9	B267
FOXO1 (FKHR) (13q14) GENE BY FISH - B665-1	B267
Fractional Excretion Of Sodium - P791-7	B268
Fragile X - 2383-8.....	B268
FSH (Follicle Stimulating Hormone) - 0092-7.....	B268
Chronic Urticaria Index - 6263-8	B269
Fungal Culture, MISC W/Reflex - B790-7	B269
Fungal Culture, MISC - 3246-6	B269
Friedreich Ataxia Sequencing and Del/Dup - TH94-6.....	B269
Friedreich Ataxia Repeat Analysis - TH95-3	B270
Von Willebrand Multimers - 5816-4.....	B270
Factor V (R2)Polymorphism - 5727-3	B270
Factor XI Deficiency (Hemophilia C) - J310-4	B271
Allergen False Ragweed (w4), IgE - 2407-5.....	B271
Familial Hypercholesterolemia LDLR - B151-2.....	B271
Familial Mediterranean Fever - J307-0	B272
Feather Mix (ex71), IgE - 1300-3	B272
Occult Blood, Stool, Immunochem (FIT) - 6182-0	B272
Female STI Urine Profile - P863-4	B273
Allergen Fenugreek (RF305) IgE - 5057-5	B273
Allergen Ferret Epithelium (e217), IgE - 3776-2	B273
Fetal, Spinal Muscular Atrophy - B216-3.....	B274
Feulgen Stain - Tech Only - T983-6	B274
Fibrotest/Actitest - H510-1	B274
Allergen Fig (f328), IgE - 1937-2	B275
Allergen Fire Ant (i70), IgE - 0904-3.....	B275
Combined First (NT, Total BHCG, PAPP-A) - 6246-3.....	B275
Combined First Plus (NT, Total BHCG, Inhibin-A, PAPP-A) - 8622-3	B276
Five (5) Antibody w/interpretation - 5141-7	B276
Pre-kallikrein Clotting Assay - 5779-4.....	B276
Allergen Flounder (SAS) IgE - B540-6	B277
Fluid Analysis (Synovial) - 0182-6	B277
Folate (Folic Acid) - 0090-1	B277
Heparin Level (ANTI-XA) - Arixtra - B754-3	B278

Food Allergy Profile - K426-7	B278
Food Allergy Profile w/ rfx to Milk and Peanut - K361-6	B278
Foods I Screen (fish/6) - 0743-5	B279
Foods II Screen (10) - 0745-0	B279
Allergen Formaldehyde (k80), IgE - 2106-3	B279
Catecholamines, Fractionation, Plasma - 0214-7	B280
Thyroxine, Free (FT4) - 0091-9	B280
Glucose-6-Phosphate Dehydrogenase - 1135-3	B281
GGTP (Gamma-GT) - 0093-5	B281
G. vaginalis by RT-PCR - J211-4	B281
G.T.T. 2 hr (includ. 30 min) - Q605-8	B282
Galactosemia Carrier Screen - B155-3	B282
Ganglioside Asialo - 5090-6	B282
Ganglioside GD1A Autoabs - 6211-7	B283
Ganglioside GD1B - 5088-0	B283
Ganglioside GQ1B Autoantibody - 3883-6	B283
Gastric Biopsy (1 Specimen) - 5640-8	B284
Gastric Washings/Brushings - 5643-2	B284
GC MultiPlex PCR - swab - J834-3	B284
GC, Anal Aptima - A112-5	B285
GC, Oral Aptima - A111-7	B285
GC,rRNA,TMA Aptima Swab - 1003-3	B285
GC/CT SWAB BY PCR - L583-4	B286
GC/CT/Trich, Aptima URINE - H001-1	B286
General Inhibitor Screen - 5800-8	B286
General Thrombophilia Assessment - 6800-7	B286
Culture, Genital - 0299-8	B287
Gentamicin, Peak - 0730-2	B287
Gentamicin, Peak + Trough - 9081-1	B287
Gentamicin (Random) - A616-5	B288
GENTAMICIN, TROUGH - 1930-7	B288
Germ Cell Tumor IHC Panel - 5194-6	B288
Allergen-Giant Ragweed IgG - 5082-3	B289
Giardia Antigen EIA (2ND SPECIMEN) - 3898-4	B289
Giardia Antigen EIA (3RD SPECIMEN) - 3899-2	B289
GIST Profile (IHC) - 5175-5	B290
Gleason Score 3+4, Reflex To PTEN FISH - J143-9	B290
Gliadin IGA, ABS. - 5868-5	B290

Gliadin IgG, ABS - 3822-4.....	B291
GLU.TOL.3HR.(Pregnancy)100GM - 1015-7	B291
Glucose, Post Dialysis - 3110-4.....	B291
Glucose Tolerance 2 Hour - 8979-7	B292
Glucose Tolerance 3 HRS. - 0097-6.....	B292
Glucose Tolerance 4 HRS. - 0098-4.....	B292
Glucose Tolerance 5 HRS. - 0099-2.....	B292
Glucose, Synovial - 0829-2	B293
Glucose, Urine, Random - 5042-7	B293
Glucose, 2HR. PP W/Glucola - 3157-5.....	B293
Glucose, Urine 24HR Quantitative - 0096-8.....	B294
Gluten, IgG (NON-NY) - 2598-1	B294
Glycogen Storage, Type IA (GSDIA) - A651-2	B294
GM 1 Auto Antibody - 1146-0	B295
Gonadotropin Releasing Hormone (NON-NY) - 0719-5.....	B295
Allergen Goat Milk IgG (Non-NY) - B500-0	B295
Gonadotropin I - 2318-4.....	B296
GP/Bile Duct Brushing - 5119-3.....	B296
Bone Marrow Smear Interpretation - 5285-2	B296
ISH Single Antibody, W/Interp. - 5286-0.....	B297
GP/Level III Histo (2 Slides) - 5159-9	B297
GP/Level III Histo. TC (1 Slide) - 5158-1	B297
Gram Stain - 0103-2.....	B298
Group A Strep (Non NY) - J965-5	B298
Group B Strep (Non NY) - J966-3	B298
Growth Hormone - 0510-8.....	B299
GTT,GEST.,2HR.(ADA) PANEL - P782-6.....	B299
GTT,GEST,3HR.(ACOG,CARP/COUS) - 6794-2.....	B299
Aspergillus AG EIA, Serum - B604-0.....	B300
Allergen Garlic (f47), IgE - 0965-4.....	B300
Gastric Distress - F101-1	B300
Gastrin, Serum - 0508-2	B301
Gaucher Disease Carrier Screening - A655-3	B301
Solid Tumor Gene Fusion Assay - J355-9	B301
General Health Panel - 9149-6	B302
Chlamydia Swab by PCR - T832-5	B302
Genital Cult. R/O Yeast/Gard. - 1295-5.....	B303
Gonorrhea Swab by PCR - T833-3.....	B303

Culture, Genital (Beta strep. Group B) - 3400-9	B304
Allergen Giant Ragweed (w3), IgE - 1197-3	B304
Giardia Antigen (EIA) - 1396-1	B304
Allergen Ginger (rf270), IgE - 2346-5	B305
Glioma: IDH1/IDH2 by NGS - J635-4	B305
Glucose, 1hr, PP (Preg) w/Glucola - 0368-1	B305
Glucose - 1976-0	B306
Glucose 2hr PP - 0369-9	B306
Glucose, 1hr PP - 0171-9	B306
Glucose, Non-Fasting - 0223-8	B307
Allergen Gluten (f79), IgE - 0935-7	B307
Fructosamine, Serum - 0485-3	B307
Glycemic Control Profile - H959-0	B308
Hemoglobin A1c (GlycoHgb) - 0102-4	B308
Allergen Glycyphagus Domesticus (d73), IgE - 3813-3	B308
Allergen Goat Milk (rf300), IgE - 2263-2	B309
Allergen Golden Rod (w12), IgE - 1364-9	B309
Culture, Neisseria gonorrhoeae (GC), Anal - 1353-2	B309
Culture, Neisseria gonorrhoeae (GC), Throat - 1352-4	B310
Culture, Neisseria gonorrhoeae (GC) - 0075-2	B310
GC Smear - 0094-3	B310
Gonorrhea, Liquid-Based - 3853-9	B311
Allergen Goose Feathers (e70), IgE - 0847-4	B311
Allergen Grape (f259), IgE - 1225-2	B311
Allergen Grapefruit (f209), IgE - 1349-0	B312
Grass Mix (gx1), IgE - 1841-6	B312
Grasses Screen (6) - 0741-9	B312
Allergen Green (Bell) Pepper (rf263), IgE - 1243-5	B313
Allergen String Bean (rf315), IgE - 1230-2	B313
Allergen Green Pea (f12), IgE - 1228-6	B313
Allergen Grey Alder (t2), IgE - 0561-1	B314
Culture, Genital - Beta strep. Group B (Penicillin Allergic) - A265-1	B314
Growth Hormone Antibody - 3765-5	B314
Allergen Guinea Pig (e6), IgE - 3566-7	B315
H. Pylori BY IHC Tech Only - J159-5	B315
H. Pylori Antibody Panel (G,A,M) - 0953-0	B315
H. Pylori Antigen, Stool - 2441-4	B316
H. PYLORI IgM - 7736-2	B316

H. Pylori,IGA (For Panel #0953) - 1766-5.....	B316
H. Pylori,IGG (For Panel #0953) - 1765-7	B317
H.Pylori (Stain Ident.) - 5645-7.....	B317
H. Pylori BY IHC W/ Interp - J158-7.....	B317
H.Pylori Detection by PCR (Non NY) - J884-8	B318
H.Pylori Clarithromycin Resistance Detection by PCR (Non NY) - J885-5	B318
H. Pylori by IHC. If+ rflx to H. pylori PCR with rflx to H. pylori Clarithromycin resistance detecti - L282-3	B318
H. Pylori by PCR. If positive, reflex to H. Pylori Clarithromycin Resistance Detection (Non-NY) - L205-4	B319
Human Anti-Mouse ABS. - 5323-1	B319
Haptoglobin, Serum - 0514-0	B319
Hepatitis B Core Antibody, IgG - 0108-1	B320
Hepatitis B Core Antibody, IgM - 0206-3.....	B320
Hepatitis B Surface Antibody (Qual/Immunity) - 0107-3	B320
Hepatitis B Surface Antigen - 0106-5.....	B321
HCG Quant.,Progesterone - 2379-6.....	B321
Hematocrit - 0019-0.....	B321
HCV Viral Load reflex to NS3/NS5 (Non-NY) - K943-1	B322
Hepatitis C RNA, Quant., PCR - 3376-1	B322
HDL Cholesterol - 0059-6	B322
HDL Subclasses - 6277-8.....	B323
Human Epididymal Protein 4 - J032-4	B323
Heart Health Monitoring - Q472-3.....	B323
Heart Health Baseline - Q471-5	B324
Heavy Metals (3), Urine 24hr. - 2664-1	B324
Heavy Metals(6), Urine 24HR. - 2689-8	B324
Allergen Helminth H/S Rostrata IgG - B772-5	B325
Hemoglobin + Hematocrit - 0104-0	B325
Free Hemoglobin, Plasma - 0945-6	B325
Hepatitis A Antibody, IgM - 0538-9	B326
Hepatitis A Ab.(non-reflex) - 2126-1	B326
Hepatitis A Ab.,Total W/Reflex - 0105-7	B326
Hepatitis B Core W/Reflex To IgM - 3138-5	B327
Hepatitis B Surface Antigen, Quant. - 1608-9	B327
Hepatitis B Surface Antibody, Quant. - 1606-3	B327
Hepatitis Be Antigen - 0539-7.....	B328
Hepatitis C Genotype - 2161-8	B328

Heparin Level (ANTI-XA) - LMWH - 5761-2	B328
Hepatic Function Panel - 3422-3	B329
Hepatitis B Recovery - 2075-0	B329
Hepatitis D Virus RNA, Qual. PCR - 1844-0	B329
Hepatitis/ Comprehensive - 0992-8.....	B330
Hepatocellular vs. Cholangiocarcinoma vs. Metastasis IHC Pnl - 5193-8	B330
HER2 by IHC (Tech Only)w/digital imaging - 5405-6.....	B330
HER2 by IHC - reflex +2 to HER2 by FISH - 5428-8.....	B331
HER-2, IHC - A301-4.....	B331
HER2 by IHC w/digital imaging - 5171-4.....	B331
HER-2/neu,FISH (Manual) - 5247-2	B332
HER2 by FISH with Interpretation - 5262-1.....	B332
HER2 FISH Global Gastric+GEJ - A427-7	B332
HER2 FISH-Reflex Equivocal to HER2 IHC - B812-9.....	B333
Automated HER2 FISH TC Only - 5259-7	B333
HER2 BY IHC GI/ESO Carcinoma - A972-2.....	B333
HER2 IHC Gastric/GEJ, TC Only w/digital imaging - B269-2	B334
Hereditary Hemochromatosis (HFE): C282Y, H63D, S65C (Non-NY) - 3420-7	B334
Hemochromatosis DNA (NY ONLY) - 2696-3	B334
XomeDxFetal- Duo - TK89e-4.....	B335
XomeDxFetal- Proband - TK89b-0	B335
XomeDxFetal- Trio - TK89a-2	B335
Slice - Single Gene (1 gene) - TG70-8	B335
Cerebral Palsy Xpanded Panel - T851-5	B336
Leukodystrophy Xpanded Panel - J853-3.....	B336
HHV6 Plasma, PCR - B899-6.....	B337
Herpes Virus 6, Quant. PCR - 3418-1	B337
Histamine, Urine 24HR. - 3238-3.....	B337
Histo Chemical Micro Organism W/INTERP - B675-0.....	B338
Histo Chemical Micro Organism TC - B672-7	B338
Histo Chemical Micro Organism x3 W/IN - B673-5.....	B338
Histo Chemical Micro Organism x2 W/IN - B674-3.....	B339
Histo Chemical Micro Organism TCx2 - B671-9	B339
Histo Chemical Micro Organism TCx3 - B670-1	B339
Histology Processing - 5416-3	B339
HIT Profile-Level 1 - 5871-9.....	B340
Trofile - 6276-0	B340
HIV Genosure Prime - B347-6.....	B340

Phenosense Integrase - 5923-8.....	B341
HIV AG/AB 4th Generation - B688-3.....	B341
HIV-1, RNA Viral Reflex Genotype - 6364-4.....	B341
HIV-1, RNA, Ultra/PCR, Viral Load - 1010-8.....	B342
HIV-2 DNA/RNA Qual. RT PCR - 6207-5.....	B342
HLA B1502 Typing - B807-9.....	B342
HLA-DR/DQ Low Resol. Typ - A434-3.....	B343
HLA A,B,C,DR Typing, Complete - 3584-0.....	B343
HLA typing/Narcolepsy - 1743-4.....	B343
HLA-A,B,C Low Resol. Typ - 0876-3.....	B344
HLA-B51 Determination - B524-0.....	B344
HMW Kininogen - 5754-7.....	B344
HOLD BLOCK FOR ADDT'L TESTING - B700-6.....	B345
Hold Cells For Further Testing - B232-0.....	B345
Holoprosencephaly Panel+DEL/DUP - B435-9.....	B345
Allergen Horseradish, IgE - 3780-4.....	B346
Allergen House Dust (Greer), IgG - 5077-3.....	B346
House Dust (H/S, BAYER) - 5079-9.....	B346
HPV DNA 16, 18, NON 16/18 - A531-6.....	B347
HPV High Risk by ISH - 8714-8.....	B347
HPV High by ISH Stain ONLY - 8689-2.....	B347
HPV High/Low Risk by ISH - 3412-4.....	B348
HPV High/Low Risk by ISH (Stain Only) - 8696-7.....	B348
HPV PRIMARY SCREENING >=25 YRS, WHEN + RFX TO PAP - H852-7.....	B348
HPV mRNA screen, if pos, Reflex to 16, 18/45 - B342-7.....	B349
HPV DNA, High Risk Anal - TP - J025-8.....	B349
Herpes Virus I/II DNA - H760-2.....	B349
HSV 1+2 Reflex to VZV - L009-0.....	B350
HSV 1 MultiPlex PCR - J847-5.....	B350
HSV 1+ 2/ VZV Assay - L008-2.....	B350
HSV 2 MultiPlex PCR - J848-3.....	B351
HSV Lesion Panel, SDA - Q187-7.....	B351
HSV I/II DNA PCR, Qual - B866-5.....	B351
HERPES SIMPLEX VIRUS I DNA - J164-5.....	B352
HERPES SIMPLEX VIRUS II DNA - J165-2.....	B352
Herpes I/II Ab. Screen, IgG - 0109-9.....	B352
HSV/LGV Lesion Profile (NON-NY) - P764-4.....	B353
HSV 1+2 (NON NY) - L010-8.....	B353

Hyperactive Coag. Panel - 5993-1	B353
Hypersensitivity Pneumonitis - 1366-4	B354
Hypertension Profile - 0983-7	B354
Hyperthyroid Panel - 0403-6	B354
Allergen Halibut (rf303), IgE - 1485-2.....	B355
Allergen Hazelnut (f17), IgE - 1404-3	B355
Hemoglobin - 1499-3	B355
Reflex to Glycomark - J218-9	B356
Hearing Loss Panel - J806-1	B356
Allergen Helminthosporium (m8), IgE - 1894-5.....	B356
Hemiplegic Migraine Panel - T400-1	B357
Complement, Total (CH50), Serum - 0534-8.....	B357
Hepatitis E Antibody, IgM - 6122-6	B357
Heparin Level (ANTI-XA) - Xarelto/rivaroxaban - B755-0	B358
Heparin Level (ANTI-XA) -UFH - TH46-6.....	B358
Hepatitis B Panel - 0197-4.....	B358
Hepatitis B Virus, DNA, Quantitative, RT-PCR - 3389-4.....	B359
Hepatitis C Antibody, EIA - 0812-8	B359
Hepatitis C Antibody W/ Reflex RT PCR - B125-6	B359
Hepatitis Screen - 0330-1	B360
Hepatitis Management Profile - 0984-5	B360
HER2 FISH TC-Gastric+GEJ - A428-5	B360
Hereditary MDS/Leukemia Panel - T830-9	B361
Hereditary Multiple Exostoses Panel - T996-8	B361
Hereditary Prostate Cancer Panel - J665-1	B362
Hereditary Retinoblastoma (RB1 Seq & Del/Dup) - TB50-0.....	B362
Hereditary Sensory and Autonomic Neuropathy Panel - T399-5.....	B363
Hermansky-Pudlak Syndrome 3 - B150-4.....	B363
Opiates, Urine, Screen (300) - 0433-3.....	B363
Herpes I AB., IgG - 0110-7	B364
Herpes II Ab., IgG - 0570-2	B364
Herpes Simplex II by Multiplex (Non NY) - 6352-9.....	B364
Herpes Simplex I by Multiplex (Non NY) - 6351-1	B365
Herpes Virus-8, Ab. - 3703-6	B365
Varicella Zoster Ab., IgG - 0597-5	B365
Common Cancer Management Panel - B751-9	B366
Histology Processing 8 H+E - J858-2	B366
Histology Processing (GI) - J862-4	B366

Histology Processing 10 H+E - J861-6	B367
Histology Processing 6 H+E - J857-4	B367
Histology Processing 7 H+E - J859-0	B367
Histology Processing 9 H+E - J860-8	B368
Histone Ab, IgG - T841-6.....	B368
Allergen Honey, IgE - 3986-7.....	B368
Allergen Honey Bee (i1), IgE - 0883-9	B369
Allergen Hops (RF324), IgE - A333-7	B369
Allergen Horse Dander (e3), IgE - 0691-6.....	B369
Allergen Horsefly (i204), IgE - 3556-8.....	B370
Allergen House Dust (Greer) (h1), IgE - 1631-1	B370
Allergen House Dust H/S (h2), IgE - 0662-7	B370
House Dust Screen (5) - 0910-0.....	B371
Insulin Antibody - 0448-1	B371
HLA-B27 - 0375-6.....	B371
Hyper-IgM Panel - T995-0.....	B372
Prothrombin Fragment 1+2 - 5797-6	B372
Hyperparathyroidism/Endocrine Tumor Panel - T828-3	B372
Hypophosphatemic Rickets Panel - T994-3	B373
IBD Differentiation Panel - H583-8	B373
IDUA Gene Sequencing and Del/Dup - T386-2.....	B373
Interferon Gamma - J231-2.....	B374
IGF Binding Protein-1 - 2604-7	B374
IGF Binding Protein-3 - 1316-9	B374
Insulin-Like Growth Factor I - 1072-8	B375
IGF Binding Protein-2 - 6209-1	B375
Lymphoma - B-Cell, IGH by FISH - 5032-8.....	B375
FISH, IGH/MAF, t(14;16)- TC - B760-0.....	B376
IGH/MAFB T(14;20) - TC ONLY - TB61-7.....	B376
FISH, IGH/MAFB, t(14;20) - B545-5	B376
QFT - TB GOLD PLUS (QUANTIFERON) - T814-3.....	B377
IHC 1 Antibody Interp. - B024-1	B377
IHC 1 Antibody/Stain Only - 5144-1	B377
IHC 2 Antibody/Stain Only - 5145-8.....	B378
IHC 3 Antibody/Stain Only - 5146-6	B378
IHC 4 Antibody/Stain Only - 5147-4.....	B378
IHC 5 Antibody/Stain Only - 5148-2.....	B379
Two (2) Antibody - 5137-5	B379

Three (3) Antibody - 5138-3	B379
Four (4) Antibody - 5139-1	B380
One (1) Antibody - 5136-7	B380
Interleukin 6 - J785-7.....	B380
Imaged IHC (1) W/Interp. - 5308-2	B381
Imaged IHC, 1 Slide TC Only - 5842-0	B381
Imaged IHC, 2 Slides TC Only - 5838-8	B381
Imaged IHC, 2 Slides W/Interp. - 5845-3	B382
Imaged IHC, 3 Slides TC Only - 5837-0	B382
Imaged IHC, 3 Slides W/Interp. - 5844-6	B382
Imaged IHC, 4 Slides TC Only - 5834-7	B383
Imaged IHC, 4 Slides W/Interp. - 5843-8	B383
Immune Complex C1q - 1207-0	B383
Immunoglobulins, Serum - 0520-7	B384
Indoor Allergy Panel - P268-6	B384
Inherigen®- A662-9.....	B384
Inherigen Plus - A659-5	B385
Inhibin B - 3606-1	B385
Inhibitor Titer - 5757-0	B385
Prenatal Rapid Aneuploidy FISH - 3582-4.....	B386
Insulin Tolerance (3 Hour) - 0024-0	B386
Insulin, 1st HR. Specimen - 1649-3	B386
Insulin, Fasting - 1648-5	B387
Interferon-ALPHA, EIA - 3997-4	B387
Interleukin 10 - J228-8	B387
Interleukin 12 - J229-6	B388
Interleukin 1B - J227-0	B388
Interleukin 2 - J224-7.....	B388
Accu Type IL 28B (NY ONLY) - B661-0.....	B389
Interleukin 28B POLYMORPHISM (NON-NY) - A304-8.....	B389
Interleukin 4 - J225-4.....	B389
Interleukin 5 - J223-9.....	B390
Interleukin 8 - J222-1.....	B390
Iodine, Serum/Plasma - J076-1	B390
Iodine, Urine Panel - H474-0	B391
Iron + TIBC - 0250-1	B391
Iron, Liver Studies, Quant. - 5099-7	B391
ISH Single Antibody -PC Only - B960-6	B392

Isospora Belli ID, Modified Acid Fast - 2670-8.....	B392
Accutype Ribavirin - B832-7	B392
Immunoglobulin A, (IgA) Serum - 0211-3.....	B393
Immunoglobulin D, (Igd)Serum - 1655-0	B393
Immunoglobulin G (IgG), Serum - 0541-3	B393
Lymphoma - B-Cell, IGH by PCR - 5278-7.....	B394
Immunoglobulin M, (IgM) Serum - 0549-6.....	B394
CLL Prognosis: IgVH Mutation Analysis by PCR - 5223-3	B394
Immunotyping,Serum - 0413-5	B395
Insulin, Total/Random - 0113-1	B395
Influenza A+B AG - 5879-2	B395
InheriGen®Plus w/o Fragile X - F021-1	B396
InheriGenTx - B735-2.....	B396
Inhibin-A - TF79-1	B396
Phosphorus, Inorganic - 0127-1	B397
Integrated Part 1 (NT, PAPP-A) - 6375-0.....	B397
Integrated Part 2 (AFP, UE3, HCG, INHIBIN-A) - 6376-8	B397
Intrinsic Factor AB - T835-8.....	B398
UGT1A1 Mutation Analysis - 5183-9.....	B398
Iron, Serum - 0114-9	B398
Iron Reflex to TIBC - M064-4.....	B399
Transferrin - 0192-5	B399
Iron/Ferritin Panel - 1021-5	B399
Allergen Isocyanate MD1 (k76), IgE - 2104-8	B399
Allergen Isocyanate TD1 (k75), IgE - 2103-0	B400
Allergen Ispaghula (Psyllium) (k72), IgE - 3968-5	B400
Allergen Italian Cypress (t23), IgE - 3834-9	B400
JAK2 (including V617F and exon 12), MPL, and CALR if negative, reflex to MPN Panel - J632-1	B401
JCV Ab w/ Index w/ RFX - B542-2	B401
Joubert Syndrome - A645-4	B401
Allergen Japanese Cedar (t17) IgE - 3831-5.....	B402
Allergen Johnson Grass (g10), IgE - 1824-2	B402
Allergen June/Ken.Blue Grass (g8), IgE - 0648-6.....	B402
Juvenile Amyotrophic Lateral Sclerosis Panel - T815-0.....	B403
Potassium, Serum - 0129-7.....	B403
Potassium, Urine 24 Hr. - 0301-2.....	B403
Cannabinoid, synthetic (K2,Spice), Urine, Screen, group 1, Qual.(20) - A292-5.....	B404

Cannabinoid, synthetic (K2,Spice), Urine, Screen, group 2, Qual.(10) - J090-2	B404
Kappa + Lambda Chain, Urine (24hr) - 1126-2	B404
Kappa Free Light Chain Serum - 6241-4	B405
Kappa/Lambda Light Chains, Serum - 3425-6	B405
Free Kappa + Lambda Light Chain (serum) - 3893-5	B405
Kappa + Lambda Light Chain (urine) - 3848-9	B406
Keppra Level (Levetiracetam) - 3465-2	B406
KI-67 Imaged By IHC-Tech Only - A346-9	B406
KIT Sequencing (Solid Tumors) Non NY - J020-9	B407
Onkosight NGS KIT Sequencing (Non-NY) - J138-9	B407
KIT and PDGFRA Sequencing- Non Ny - H578-8	B407
KIT and PDGFRA Sequencing NY Only - J464-9	B408
KIT Sequencing (Solid Tumors) NY Only - J453-2	B408
Fungal Stain Derm - 0231-1	B408
KRAS Sequencing- Non NY - J024-1	B409
KRAS, if neg reflex to BRAF NY Only - J462-3	B409
KRAS, if neg reflex to BRAF- Non NY - J104-1	B409
KRAS Sequencing NY Only - J458-1	B410
KRAS by NGS, if negative reflex to BRAF; + MSI by PCR, MSI-High, reflex to MLH1 - H580-4	B410
KRAS/NGS if neg rflx to BRAF/ MSI-PCR, if MSI-High, rflx MLH(NY) - J452-4	B410
Peritoneal KT/V, Measured - 6238-0	B411
Cabbage (f216), IgE - 1244-3	B411
Ketones (Acetoacetic), Serum - 0028-1	B411
Ki-67 by IHC - 5152-4	B412
Allergen Kidney Bean (rf287), IgE - 3122-9	B412
Kidney Profile - L325-0	B412
Allergen Kiwi (f84), IgE - 0842-5	B413
Prenatal L1CAM Gene Seq and Del/Dups - B616-4	B413
Lupus-Hexagonal Phase - 5749-7	B413
Lactobacillus (Species) by PCR - J213-0	B414
Lactose Tolerance Test - 1178-3	B414
LAL (Limulus Amebocyte Lysate) - 2475-2	B414
Lambda Free Light Chain Serum - 6240-6	B415
Liver Cytosol (LC-1) AutoAbs - B608-1	B415
LDL Direct - 2194-9	B415
Lead, Blood + E.P. - 0588-4	B416
Legionella Culture - 3874-5	B416
Leptin (ELISA) - J220-5	B416

Leukemia/Lymphoma Panel - 5100-3	B417
Level 3 Surgical Pathology - 5695-2	B417
Level 4 Surgical Pathology - 5696-0	B417
Level 5 Surgical Pathology - 5697-8	B418
Level II Histo,TC - A229-7	B418
LEVEL II-PC SURGICAL PATHOLOGY - B012-6	B418
Level III Histo. (3 Slides) - 5164-9	B419
Level III Histo. (4 Slides) - 5172-2	B419
Level III Histo.(5 Slides) - 5173-0	B419
LEVEL III-PC SURGICAL PATH. - B013-4	B420
Level IV Histo, TC - A231-3	B420
LEVEL IV-PC SURGICAL PATHOLOGY - B014-2	B420
Level V Histo,TC - A228-9	B421
LEVEL V-PC SURGICAL PATHOLOGY - B015-9	B421
Level VI Histo,TC - A230-5	B421
LEVEL VI-PC SURGICAL PATHOLOGY - B016-7	B422
Lymphogranuloma Venereum (LGV) (Non-NY) - 6356-0	B422
LH, FSH, Estradiol - 0982-9	B422
Luteinizing Hormone (LH) - 0342-6	B423
Lipase, Peritoneal Fluid - 6167-1	B423
Lipoprotein Electrophoresis w/Lipids - 0551-2	B423
Listeria Monocytogenes Antibody IgG - 1752-5	B424
Liver Panel - 1074-4	B424
Lupus Antibody Panel (SLE) - 4291-1	B424
Lyme AB West-Blot IgG/IgM - 4033-7	B425
Lyme Disease AB RFLX IGM TO WB G/M - 2297-0	B425
Lyme Ab.,Total (No Reflex) - 2382-0	B425
Lyme Disease Antibody, Serum - 0568-6	B426
Lyme Disease(Borrelia)DNA,FLD. - 1855-6	B426
Lyme Blot, IgG W/Bands - 6272-9	B426
Lyme Blot, IgM W/Bands - 6273-7	B427
Sjogren's Abs (SS-A, SS-B) - 0668-4	B427
LabFinder Report - T420-9	B427
Lactate Dehydrogenase (LDH) - 0117-2	B428
Lactobacillus reuteri/rhamnosus (Non NY) - J964-8	B428
Lamb/Mutton (f88) , IgE - 0862-3	B428
Allergen Lamb/Mutton IgG Non-NY - B423-5	B429
Allergen Latex (k82), IgE - 1371-4	B429

Allergen Lemon (f208), IgE - 1224-5.....	B429
Allergen Lentil (f235), IgE - 3521-2	B430
Allergen Lentil IgG (Non-NY) - B463-1	B430
Allergen Lettuce (f215), IgE - 1409-2.....	B430
Lipid Screen W/Reflex to Direct LDL - M063-6	B431
Liver Profile - 0012-5.....	B431
Allergen Lobster (f80), IgE - 0841-7.....	B431
Lipoprotein-a (Lp-a) - 1639-4.....	B432
Lp-Pla2 (PLAC) - 6155-6	B432
Lupus Anticoagulant Screen - 5817-2	B432
Lyme Ab., IgM - 1615-4.....	B433
Lynch Syndrome Custom Panel - B890-5	B433
Lynch Syndrome Panel - B985-3	B433
Mycoplasma Genitalium by MultiPlex PCR- swab - J837-6	B434
Multiple Myeloma FISH Panel - TC Only - P961-6	B434
Magnesium, Urine, Random - 3135-1	B434
Male STI Urine Profile (GP) - P310-6	B435
Mucosa-Associated Lymphoid Tissue Lymphoma Translocation Protein (Non-NY) - J875-6	B435
Maple Syrup Urine Disease(Type 1A & 1B) - A650-4	B435
MDM2 Gene Amplification by FISH - B544-8.....	B436
Ecstasy (MDMA), Urine, Screen, Qual. (300) - 3174-0.....	B436
Megasphaera Type 1 by RT PCR - J214-8	B436
Melano. Stim. Hormone (Alpha) (NON-NY) - 0632-0.....	B437
Metastatic Melanoma - Lymph Node - 5126-8.....	B437
Menopause/Perimenopause Risk Management Profile - P244-7	B437
Male High Risk Sexual Health Panel - F239-9	B438
MET BY FISH-Global - B335-1	B438
MET BY FISH-Tech Only - B336-9.....	B438
MET by IHC - A612-4	B439
Metanephrine/Normet.,Plasma (Free) - 0758-3.....	B439
Metformin Quantitative, S/P - 5018-7	B439
Methadone, Urine, Screen (300) - 0925-8.....	B440
Methylmalonic Acid Urine - 3653-3	B440
MGMT Promoter Region Methylation - J876-4.....	B440
MI-2 Autoantibodies - 6328-9.....	B441
Microalbumin, Urine, 24Hr. - 3171-6.....	B441
Microsporidium ID, Stool - 2673-2.....	B441
Milk Component Panel IgE - H191-0.....	B442

Mixing Studies-APTT - 5830-5	B442
Mixing Studies-PT - 5840-4	B442
MLH-1 Promo. Methylation - A313-9	B443
AML-M4 and M5 by Fish- TC ONLY - B889-7	B443
AML - M4 + M5 by FISH - 5427-0	B443
OnkoSight Advanced NGS Multiple Myeloma Panel - TL68-1	B444
OnkoSight Advanced Plasma Cell Myeloma NGS Panel - TL67-3	B444
Matrix Metalloproteinase-9 - B792-3	B444
Measles,Mumps,Rubella - 2565-0	B445
Mobiluncus (Species) by RT PCR - J217-1	B445
6-Monoacetyl Morphine (6-MAM), Urine, Screen (10) - 3911-5	B445
Rule Out Mosaicism Chromosome Analysis, Blood - T982-8	B446
Hereditary Cancer Mosaic Variant Test - TB54-2	B446
MPN: JAK2/MPL/CALR by NGS - J633-9	B446
Myeloperoxidase Ab. - 2192-3	B447
Minimal Residual Disease for CLL/SLL- Tech Only - J496-1	B447
MRSA Screen - 6119-2	B447
Mismatch Repair(MMR) by IHC w/Interp - A943-3	B448
Mismatch Repair(MMR) by IHC, Tech Only - A944-1	B448
MSI: if MSI-H reflex to BRAF, if BRAF neg. reflex to MLH1 - J761-8	B448
Microsatellite Instability (MSI) by PCR - 3371-2	B449
MUC4 by IHC - TF93-2	B449
MUC4 by IHC Tech Only - TF92-4	B449
Mucopolidosis Type IV - A654-6	B450
Allergen Mucor Racemosus IgG - B770-9	B450
Mumps Virus Antibody, IgG - 0316-0	B450
MYC-BA, 8q24 Rearrangement FISH- TECH ONLY - J144-7	B451
MYC-BA, 8q24 Rearrangement FISH - J141-3	B451
Lymphoma - Burkitt, MYC/IGH by FISH - 5027-8	B451
Mycobacterium Tuberculosis Complex - B865-7	B452
Mycoplasma Culture, Blood - 3247-4	B452
Mycoplasma Genitalium By Multiplex PCR - 6340-4	B452
Mycoplasma Hominis By Multiplex PCR (NON-NY) - 6341-2	B453
Mycoplasma pneumoniae IgG/IgM Antibody, IFA (CSF) (NON-NY) - 3442-1	B453
Mycoplasma/Ureaplasma - 2523-9	B453
Myelin AB., (IgG), IFA - 3912-3	B454
Myoglobin, Serum - 0789-8	B454
Allergen Macadamia Nuts (RF345), IgE - 3644-2	B454

Allergen Mackerel (f206), IgE - 3838-0	B455
Allergen Malt (f90), IgE - 1630-3	B455
Allergen Mandarin (rf302), IgE - 3520-4	B455
Allergen Mango (f91), IgE - 3456-1	B456
Manual Diff/Platelet only - 1340-9	B456
Citrated Platelet Count - J661-0	B456
Allergen Maple (Box Elder) (t1), IgE - 0684-1	B457
Allergen Marguerite/Ox-eye Daisy (w7), IgE - 3879-4	B457
Cannabinoids (Marijuana), Urine, Screen (100) - 0922-5	B457
Allergen Marjoram (f274), IgE - 6206-7	B458
Allergen Marsh Elder (w16), IgE - 1481-1	B458
Allergen Meadow Fescue (g4), IgE - 0681-7	B458
Rubeola/Measles IgG W/Reflex - T007-4	B459
Rubeola/Measles IgG Antibody - 0567-8	B459
Allergen Melaleuca Tree (t212), IgE - 2642-7	B459
Melanoma Panel - B399-7	B460
Allergen Melon (Cantaloupe) (f87), IgE - 1227-8	B460
Anti-68 KD (HSP-70)ABS. - 3647-5	B461
Meprobamate - 1936-4	B461
Thiopurine S-MethylTransferase Genotype - 3928-9	B461
Mesoridazine - 3709-3	B462
Allergen Mesquite Tree (t20) IgE - 3833-1	B462
Vitamin B12 - 0160-2	B462
Methylmalonic Acid, Serum - 0349-1	B463
Magnesium, Serum - 0120-6	B463
Magnesium, Urine, 24Hr. - 1171-8	B463
Magnesium, RBC - 1383-9	B464
Microalbumin, Urine, Random - 0228-7	B464
MSI by PCR if MSI-H Reflex to MLH1 - P264-5	B464
Microti Babesia By PCR - 3589-9	B465
Mitochondrial Complex I Deficiency - J305-4	B465
Mold Mix (mx1), IgE - 2181-6	B465
Molds Screen (6) - 0901-9	B466
Skin Biopsy, (1 Jar) - 5602-8	B466
Mono Screen - 0121-4	B466
Allergen Mosquito (i71), IgE - 2179-0	B467
Allergen Mountain Juniper (T6), IgE - 6334-7	B467
Allergen Mouse Epithelium (e71), IgE - 1359-9	B467

Allergen Mouse U. Protein (e72), IgE - 1360-7	B468
Allergen Mucor Racemosus (m4), IgE - 1315-1	B468
Allergen Mugwort (w6), IgE - 0718-7	B468
Multiple Sulfatase Deficiency - J296-5	B469
Mumps Virus Ab IgG W/Reflex - T009-0	B469
Allergen Mushroom (rf212), IgE - 1462-1	B469
Allergen Mustard (f89), IgE - 1823-4	B470
Mycophenolic Acid - 3805-9	B470
MDS FISH Panel - 5281-1	B470
MDS FISH Panel- TC Only - P960-8	B471
Myoglobin, Urine, Random - 0799-7	B471
Primidone (incl. Phenobarb) - 0464-8	B471
N-Telopeptide, Serum - 3717-6	B472
N. Gonorrhoea, Urine, rRNA - 6369-3	B472
Infant Dir.Bili (tot/dir=#0046) - 1901-8	B472
Chlamydia Direct Antigen - 0782-3	B473
Infant Tot.Bili (tot/dir=#0046) - 1900-0	B473
Nefazodone Level - 3147-6	B473
Allergen Nettle (w20), IgE - 6308-1	B474
Neuroendocrine Neoplasm IHC Panel - 5195-3	B474
Neutrophil Function Panel - B124-9	B474
N. Gonorrhoea/NG (GC) PCR Urine - T408-4	B475
OnkoSight NGS JAK2 V617F Reflex to MPL & CALR Sequencing - TJ45-4	B475
ONKOSIGHT NGS MPN CASCADE SEQUENCING REPORT - TJ91-8	B475
NGS MPN Cascade Sequencing Report - TH39-1	B476
Ammonia, Plasma (As Nitrogen) - 0035-6	B476
Niemann-Pick Type A+B Carrier Test - A653-8	B476
Nipple Discharge Smear - 1303-7	B477
Hodgkin Lymphoma IHC Panel - 5101-1	B477
Noonan Panel - A590-2	B477
Northern Allerpanel (3 mix) - 2187-3	B478
Onkosight NGS NPM1 Sequencing - J137-1	B478
NRAS Sequencing- Non NY - J023-3	B478
NRAS Sequencing NY Only - J455-7	B479
Neuron Specific Enolase - 5355-3	B479
Sodium, Serum - 0148-7	B479
Sodium, Urine, 24 Hr. - 0308-7	B480
Sodium, Urine, Random - 1793-9	B480

Naproxen (Aleve,Anaprox,Naprosyn) - 6223-2	B480
Culture, Nasopharyngeal/Nasal - 0074-5.....	B481
Nasal Smear: Complete WBC w/ Diff - 4009-7	B481
GC By Multiplex PCR - 6338-8.....	B481
Nemaline Myopathy 2 - A646-2.....	B482
Neonatal 46,XY Disorders of Sex Development Panel - T991-9	B482
Anti-Yo Antibodies, Serum - 1707-9.....	B482
Cytology, Thinprep Fluids - 5244-9	B483
Cytology, Alcohol-Based Fluids - 5245-6	B483
Non-Gyn Other (Slides) - Interp Only - J949-9	B483
Noonan and Comprehensive RASopathies Panel - TA06-4.....	B484
Norovirus RNA, Qual RT-PCR - 6146-5.....	B484
Propoxyphene and Metabolite, S/P - 5017-9	B485
Allergen Profile, Northeast - 0740-1	B485
Allergen Nut Mix (fx1), IgE - 2183-2	B485
Allergen Nutmeg (rf282), IgE - 2352-3	B486
O + P Panel (3 Specimens) - 2326-7	B486
O+P, Sputum - J002-7.....	B486
O + P, Urine - 2534-6.....	B487
Obstetric/Prenatal I - 0008-3	B487
Obstetric/Prenatal II - 0981-1	B487
OneCheck Plus Genomics - A500-1	B488
OnkoSight Lung Cancer Panel, ALK and ROS1 by FISH - H125-8.....	B488
Drug Confirmation, Opiates, Urine (GC/MS) - 2596-5	B488
Opiates, Urine, Screen (200) - 6258-8.....	B489
Oxidized LDL - 3873-7.....	B489
Allergen Oak Tree (t7), IgE - 0652-8	B489
Oat (f7), IgE - 0814-4	B490
Allergen Oat, IgG (Non-NY) - 1800-2	B490
Culture, Eye - 0076-0.....	B490
Culture, Eye (Left) - 0565-2.....	B491
Culture, Eye (Right) - 0633-8	B491
Olive Tree (t9), IgE - 1251-8.....	B491
OneCheck Hematopathology - 5500-4.....	B492
Allergen Onion (f48), IgE - 0864-9	B492
OnkoSight AML Panel Sequencing - B894-7	B492
OnkoSight Colorectal Cancer Panel - B822-8	B493
OnkoSight Glioma Panel - J634-7	B493

OnkoSight Lung Cancer Panel - B819-4	B493
OnkoSight Lung Comprehensive - K924-1	B494
OnkoSight Lung Panel, if EGFR- neg. rflx to (J015) ALK by FISH, if neg. rflx to ROS1 by FISH - L113-0	B494
OnkoSight MDS Panel Sequencing - B893-9	B494
OnkoSight MPN Panel Sequencing - B818-6	B495
OnkoSight MYD88 Sequencing (Non-NY) - J130-6	B495
OnkoSight Melanoma Panel - B820-2	B495
OnkoSight Myeloid Disorder Panel - B823-6	B496
OnkoSight Solid Tumor Panel - B821-0	B496
Opiates, Serum Screen - J865-7	B496
Allergen Orange (f33), IgE - 0835-9	B497
Allergen Orchard Grass (g3), IgE - 0649-4	B497
Allergen Oregano (rf283), IgE - 2351-5	B497
O + P, Stool w/Trichrome (2nd Specimen) - 0355-8	B498
O + P, Stool (3rd Specimen) - 0227-9	B498
Allergen, Ovalbumin (F232), IgE - J281-7	B498
Allergen Ovomuroid (f233), IgE - J280-9	B499
Oxycodone, Urine, Screen (300) - A595-1	B499
Allergen Oyster (f290), IgE - 3121-1	B499
Vitamin B6 - 0296-4	B500
Neutrophil Cytoplasmic AB/ANCA - 0636-1	B500
Prostate Specific Acid Phos (P.A.P.) - 0030-7	B500
PTT (Partial Thromboplastin Time) - 0139-6	B501
PAI 4G/5G Polymorphism - A269-3	B501
Chronic Lymphocytic Leuk.(CLL): FISH Pnl(+12, 13q, 17p, 11q) - 5280-3	B501
PANEL L202 - L202-1	B502
PAP (RFLX HPV HIGH ASC-US or >) - 6630-8	B502
PAP (RFLX HPV HIGH ASC-US) - 6629-0	B502
PAP + CT/GC - 9241-1	B502
PAP + HPV HI - 9102-5	B503
PAP + HPV HI + CT/GC - 9235-3	B503
PAP RFLX HPV mRNA ASCUS,RFX 16/18/45 w/CT/GC - A253-7	B503
PAP Reflex to HPV mRNA when ASCUS or greater,RFX 16,18/45 - A254-5	B504
PAP W/O Image Reflex HR HPV - 5240-7	B504
PAP(RFX HPV Plus) - A489-7	B504
PAP+CT+GC(RF HPV+ LO ASC OR >) - P383-3	B504
PAP+CT+GC(RFX HPV PLUS) - P374-2	B505

PAP + HPV Plus + CT + GC - P372-6	B505
PAP, Liquid-Based - 1962-0	B505
StormPath PAP, Liquid based - B352-6	B505
PAP/CT/GC (Reflex HPV PLUS when ASC-US) - 6431-1	B506
PAP/CT/GC (Reflex HPV PLUS when ASC-US or UNSAT) - L327-6	B506
PAP RFX HPV Plus mRNA ASCUS>,RFX 16/18/45 w/CT/GC - A255-2.....	B506
PAP/CT/GC/ HPV mRNA,RFX 16/18/45 GENOTYPE - A252-9.....	B506
PAP/HPVHI/GC RFX>GENCERV-P+HPV - P699-2.....	B507
PAP/PSA - 0956-3.....	B507
PAP/HPV+/GC RFX>GENCERV-PAP+HP (NON-NY) - P701-6	B507
Parainfluenza Antibody - 0946-4.....	B508
HU, YO + RI Abs. W/ Rfx TO Titers+ WB - 1837-4	B508
Inherigen®Partner Gene Seq.. (NON-NY) - A827-8	B508
Path Cons On Ref.BLK/SLD GLOB. - 5283-7.....	B509
Pathology Slide Consultation - 5111-0	B509
PBG Deaminase, WB - 3245-8	B509
Procalcitonin - T969-5.....	B510
PD-1 BY IHC - B994-5	B510
PD-L1 (SP142) , TECENTRIQ. - T413-4	B510
PD-L1 22C3 (GI/GEJ) W/Interp. - J915-0.....	B511
PD-L1 22C3 for Keytruda (Triple-Neg Breast Cancer) - TL02-0	B511
PD-L1 IHC, Keytruda for Cervical Cancer W/INTERP. - T988-5	B511
PD-L1 (Clone E1L3N) IHC w/Interp. - J257-7	B512
Keytruda PD-L1 Head & Neck Squamous Carcinoma (HNSCC) - TH63-1	B512
PD-L1 IHC 22C3 pharmDx, Keytruda W/INTERP. - B993-7.....	B512
PD-L1 IHC 28-8 pharmDx (OPDIVO) W/INTERP. - J221-3.....	B513
PD-L1 22C3 for Keytruda Other Tumor Types - TK85-7.....	B513
PD-L1 (Clone E1L3N) IHC Tech Only - TB35-1.....	B513
PD-L1 IHC , Keytruda for Urothelial Carcinoma W/INTERP. - TA31-2.....	B514
PDGFRA Sequencing - J459-9.....	B514
PDGFRA Sequencing- Non NY - J045-6	B514
PDGFRB by FISH (Global)- Non NY - T781-4.....	B515
PDGFRB by FISH (Tech Only) Non NY - T782-2	B515
Keytruda PD-L1 Esophageal Squamous Cell Carcinoma by IHC - TH62-3.....	B515
PDL1 (22C3 Keytruda) IHC + EGFR NGS + ALK FISH + ROS1 FISH - L393-8.....	B516
Pediatric Arthritis Profile - 0596-7	B516
Pediatric Blood Culture #1 - B331-0	B516
Pediatric Blood Culture #2 - B332-8.....	B517

Pediatric Blood Culture #3 - B333-6	B517
Pediatric Profile I - 0980-3	B517
Pediatric Profile II - 0979-5	B518
Perennial Allerpanel (3 mix) - 2188-1	B518
PET II (Dialysis Fluid) - 4447-9	B518
Phenosense Entry (incl.Fuzeon) - 6235-6	B519
Phenosense GT W/ Replication - 3932-1	B519
Phenosense(HIV Phenotype) - 3888-5	B519
Phlebotomy Charge - 0305-3	B520
Phosphatidyl Ethanolamine - 5722-4	B520
Phosphatidylcholine, (G,A,M) Non-NY - 3114-6	B520
Phosphorus, Urine, Random - 3134-4	B521
Phosphates, Urine 24 Hr. - 0411-9	B521
PID/Infertility W/O PAP Expanded - F368-6	B521
Pinworm Tape Test - 0204-8	B522
Pituitary I - 2319-2	B522
Phenylalanine - 1857-2	B522
Plasma Cell Dyscrasia/Multiple Myeloma IHC Panel - 5579-8	B523
Plasma Cell Analysis by Flow Cytometry (Tech Only) and StormPath BMM Report Template - R736-0	B523
Plasminogen Quant. - 5775-2	B523
Platelet Antibody Identification - 5776-0	B524
Platelet AB.,Direct Flow Cyto - 3675-6	B524
PMS2 Del/Dup Analysis - J663-6	B525
PNH by Flow Cytometry - 5564-0	B525
Platelet Neutralizing Procedure - 5784-4	B526
Polycyst.Ovary Synd. Treat. Panel - P259-5	B526
Polycyst.Ovary Synd. Conf.Panel - P258-7	B526
Porphobilinogen Urine 24Hr, Quant - 3551-9	B527
Porphobilinogen, Urine - 1116-3	B527
Porphyrins, Total, Plasma - 3655-8	B527
Post Dialysis Potassium - 1688-1	B528
Potassium, Urine, Timed Specimen - 1659-2	B528
Proteinase-3 AutoAbs - 2663-3	B528
Prader-Willi/Angelman Syn. AMF - B795-6	B529
15q Del Characterization, FISH - B796-4	B529
Preg.+Throm.Assessment - 6801-5	B529
Pregnenolone, Serum - J150-4	B530

PRENATAL SKELETAL DYSPLASIA PANEL - J372-4 B530

Prenatal + HIV - 2765-6..... B530

Prenatal For Known Mutation (Non-NY) - B118-1 B531

Prenatal SRY Gene Sequencing (Non-NY) - 8612-4..... B531

Procainamide/NAPA - 0525-6 B531

PROCESS AND HOLD FOR FISH - B664-4 B532

Progesterone, Serum - 0335-0 B532

Prolactin, Serum - 0134-7 B532

Propoxyphene, Urine, Screen (300) - 0963-9 B533

Prostate Cancer Triple Stain By IHC (PC) - B964-8..... B533

Prostate Cancer/ Lymph Nodes - 5122-7..... B533

Prostate Core Biopsy (8 Spec.) - 5618-4..... B534

Prostate Core Biopsy (7 Spec.) - 5617-6 B534

Prostate Core Biopsy (1 Spec.) - 5611-9..... B534

Prostate Core Biopsy (4 Spec.) - 5614-3..... B535

Prostate Core Biopsy (2 Spec.) - 5612-7 B535

Prostate Core Biopsy (3 Spec.) - 5613-5..... B535

Prostate Core Biopsy (5 Spec.) - 5615-0 B536

Prostate Core Biopsy (6 Spec.) - 5616-8..... B536

Prostate Core Biopsy (20 Spec.) - 5174-8..... B536

Prostate Core Biopsy (12 Spec.) - 5622-6..... B537

Activated Protein C Resistance Modified - 5705-9..... B537

Protein C Antigen - 5786-9..... B537

Activated Protein C Resistance - 5704-2 B538

Protein S Activity - 5787-7 B538

Protein S Antigen Total - 5789-3 B539

Protein S Antigen, Free - 5788-5 B539

Protein, Urine, 24 Hr. - 0136-2 B539

Protein, Total, Synovial - 0827-6..... B540

Protein/Creatinine w/Ratio - 3329-0..... B540

Prothrombin ABS IGG - 5820-6 B540

COAG/Prothrombin Time - 5798-4 B541

PSA Free + Total - 2088-3 B541

PSA Reflex to Free PSA - M067-7..... B541

Allergen Psyllium Seed (K72),IgE (RAST) - 5048-4 B542

PT + PTT - 2237-6..... B542

Prothrombin G20210A Mutation - 5795-0..... B542

Prothrombin Time/INR (PT) - 0137-0 B543

PTEN BY FISH - B854-1	B543
PTEN BY IHC With Interpretation - A985-4	B543
PTH, Intact w/ Calcium - 1689-9	B544
PTH, Intact (use 1689 if with Calcium) - 0598-3	B544
PTH, Intact, FNA - J047-2	B544
PTH Related Protein - 1324-3	B545
Part.Thromb.Time(PTT)-LA - 5771-1	B545
Prader-Willi/Angelman Syndrome Methylation, Blood - 3497-5	B545
Allergen Pyrethrum, IgE - 3145-0	B546
Pyruvate - 3767-1	B546
Pancreatic Cancer Panel - B343-5	B547
OnkoSight Advanced Pancreatic and Biliary Tract Tumor Panel - TK84-0	B547
Panel A (Inhalants) - 1632-9	B547
Pap + Pap Dependent HPV - B975-4	B548
Pap + Pap Dependent HPV + CT/GC - P734-7	B548
Pap (Reflex to HPV DNA Genotyping 16,18 when ASC-US or UNSAT) - L326-8	B548
Pap (Reflex to HPV DNA Genotyping 16,18 when ASC-US) - 6195-2	B549
Pap (Reflex to HPV mRNA Genotyping 16, 18/45 when ASC-US) - A251-1	B549
Pap and HPV DNA Genotyping 16,18 - P079-7	B549
Pap and HPV mRNA Genotyping 16, 18/45 - A250-3	B550
PAP/CT/GC(RFLX HPV PLUS ASC-US or >) - 9985-3	B550
Allergen Papaya (f293), IgE - 1942-2	B550
Allergen Paper Wasp (i4), IgE - 0886-2	B551
Allergen Paprika (f218),IgE - 1424-1	B551
O + P,Stool W/Trichrome (1st specimen) - 0377-2	B551
Parkinson Panel - T401-9	B552
Allergen Parrot Aust.Droppings IgG - A867-4	B552
Allergen Parsley (f86), IgE - 1355-7	B553
Parvovirus B19 Ab, IgG - T790-5	B553
Parvovirus B19 Ab, IgM - T791-3	B553
Parvovirus B19 Ab (IgG/IgM) - L399-5	B554
Allergen Passion Fruit (rf294), IgE - 3480-1	B554
Lead, Blood (Adult) - 1438-1	B554
Lead, Blood (Child) - 0398-8	B555
Allergen Peach (f95), IgE - 1226-0	B555
Allergen Peanut (f13),IgE - 0674-2	B555
Allergen Peanut Component Ara (h1), IgE - J284-1	B556
Peanut Component Ara (h2), IgE - J283-3	B556

Peanut Component Ara (h3), IgE - J285-8	B556
Peanut Component Ara (h6), IgE - TG35-1	B557
Peanut Component Ara (h8), IgE - J287-4	B557
Peanut Component Ara (h9), IgE - J286-6	B557
Peanut Components IgE - H993-9.....	B558
Peanut w/Reflex to Component Panel - M065-1	B558
Allergen Pear (f94), IgE - 0930-8	B558
Allergen Pecan Nuts (f201), IgE - 1592-5	B559
Allergen Pecan/Hickory Tree (t22), IgE - 1938-0.....	B559
Pediatric Mix (fx5), IgE - 2186-5	B559
Allergen Penicillium Notatum Mold (m1), IgE - 2167-5	B560
Allergen Pepper Cayenne IgE - 3988-3.....	B560
Allergen Perennial Rye Grass (g5),IgE - 0682-5	B560
Perimenopausal Hormonal Profile - 8431-9.....	B561
Peroxisome Biogenesis Disorder 5A (Zellweger) - J303-9.....	B561
Allergen Persimmon, IGE,IgE - 3957-8.....	B561
Culture, Throat, Routine - 0078-6	B562
Desmoglein ABS (1 + 3) - 5351-2	B562
Phenylketonuria (PKU) Carrier Screening - J304-7.....	B562
Dilantin - 0084-4	B563
BCR/ABL: t(9;22) by FISH - 5265-4	B563
Allergen Phoma Betae (m13), IgE - 2477-8	B563
Phosphoglycerate dehydrogenase deficiency - J302-1	B564
Allergen Pignolia (Pine) Nuts (t213), IgE - 3638-4.....	B564
Allergens Pineapple (f210), IgE - 1389-6.....	B564
Allergen Pistachio (rf203), IgE - 1195-7	B565
Plasma 10-Color Flow Cytometry Myeloma/Monoclonal Gammopathy Panel (Global) - TK97-2.....	B565
Plasma 10-Color Flow Cytometry Myeloma/Monoclonal Gammopathy Panel (Tech Only) - TK96-4.....	B565
Heparin Platelet Antibody - 5746-3	B566
Allergen Plum (f255), IgE - 1584-2	B566
Pneumococcal Antibody Panel (14 Serotypes) - 1250-0	B566
Polycystic Kidney Disease, Autosomal Recessive (ARPKD) - J301-3.....	B567
Allergen Poplar White IgE - 3704-4	B567
Allergen Poppy Seed (rf224), IgE - 1031-4.....	B567
Allergen Pork (f26), IgE - 0836-7	B568
Potassium, RBC - J571-1	B568

Allergen Potato (f35), IgE - 0844-1	B568
Prenatal Dosage Analysis of SMN1 and SMN2 - TF33-8	B569
Obstetric (AMA) Panel - 0010-9	B569
Ciliary Dyskinesia, Primary 1 - J311-2.....	B569
Allergen Privet Tree (T210), IgE - A321-2.....	B570
Process and Hold for Cytogenetics - J655-2	B570
Tacrolimus (FK506) - 1871-3	B570
Prostate Cancer (Stain Only) - 5104-5	B571
Prostate Carcinoma IHC Panel (CK903, p63, P504S) - 5097-1	B571
PSA Total - 0190-9	B571
Protein C Activity - 5785-1	B572
Protein Electrophoresis, Urine, Random - 0404-4.....	B572
Protein,Urine,Timed or Random - 1662-6	B572
Allergen Pumpkin (f225), IgE - 1488-6	B573
Allergen Pumpkin Seed (rf226), IgE - 1484-5	B573
Q Fever (Coxiella burnetii) AB IgG/IgM with Reflex to Titers - 1323-5	B573
HEP C RNA (NS3) Genotype 1 (NY Only) - B610-7	B574
Methaqualone, Urine, Screen (300) - 3239-1	B574
Alpha-Fetoprotein (AFP 4) includes HCG, UE3, Inhibin-A - 3158-3.....	B574
Pregnancy, Serum (Qualitative) - T824-2	B575
Reflex to GenCerv when NILM/HPV 16,18 negative, non-16/18 positive - A780-9	B575
Allergen Queen Palm (t72), IgE - 3836-4	B575
Allergen R. Nigricans (m11), IgE - 1373-0	B576
Rf (Rheumatoid Arthritis) Titer - 0796-3.....	B576
Rabies Titer (Vaccine Resp) - 1869-7.....	B576
Allergen Red Raspberry (rf343), IgE - 3508-9.....	B577
Allergen Cheese Swiss IgE - 3854-7	B577
RBC - 1498-5.....	B577
Reactive Hyperplasia vs. Lymphoma (NHL) IHC Panel - 5103-7	B578
Reducing Substances, Stool - 0187-5	B578
Renal Function (Medicare) - 3284-7	B578
Reptilase Time - 5799-2	B579
Reticulin IgA, w/RFLX ToTiter - A332-9	B579
Reticulin IgG SCR N W/RFLX To Titer - 5849-5	B579
Retinol Binding Protein - A115-8.....	B580
Rheumatoid Factor IgA - TA08-0	B580
Rheumatoid Factor IgM - TA09-8	B580
Allergen Rhizopus Nigricans IgG - B773-3	B581

Rickettsial Disease Panel - 1616-2	B581
RNA Polymerase III Ab. - 3365-4.....	B582
ROMA - L012-4.....	B582
ROS-1 BY FISH-TECH Only - B337-7	B582
ROS1 BY FISH Global - B334-4.....	B583
POST TREATMENT SYPHILIS (RPR) - R733-7.....	B583
RPR Serology - 0142-0	B583
Resp. Syncytial Virus - 1397-9.....	B584
RSV Ab., Serum - B855-8	B584
Respiratory Syncytial Virus (RSV) AG - 6321-4.....	B584
Rubella IgG Ab (Immune Status) - 3151-8.....	B585
Osmolality, Urine, Random - 3737-4	B585
Sirolimus, Blood - 3481-9	B585
Allergen Redtop (Bent) Grass (g9), IgE - 1199-9	B586
Rest of common cancer panel after Lynch Syndrome Panel B985 - B984-6	B586
Rest of Comprehensive Cancer Panel (after Prostate Panel) - J664-4	B587
Rest of Comprehensive Common Cancer Panel (after Breast Cancer Management Panel) - J054-8	B587
Region 1 Allergy Profile (North East) - 6823-9	B587
Region 10 Allergy Profile (TX,OK) - 6827-0	B588
Region 11 Allergy Profile (AZ, ID, NM, WY, CO, UT) - K908-4	B588
Region 12 Allergy Profile (S. CA, AZ Desert) - 6828-8	B588
Region 13 Allergy Profile (S. CA Coast) - 6820-5.....	B588
Region 14 Allergy Profile (Central CA) - 6821-3	B588
Region 17 Allergy Profile (North West) - 6822-1	B589
Region 2 Allergy Profile (Mid Atlantic) - 6824-7	B589
Region 3 Allergy Profile (South East) - 6825-4	B589
Region 4 Allergy Profile (S.Florida) - 6826-2.....	B589
Region 5 Allergy Profile (IN, OH, TN, WV, KY) - 6829-6.....	B589
Region 7 ImmunoCap Respiratory Allergy Profile - M176-6.....	B590
Region 8 ImmunoCap Respiratory Allergy Profile - M175-8.....	B590
Rest of Arrhythmia after SCA Panel - J552RE-4	B590
Rest of Cardiomyopathy after DCM Panel - J554RE-0	B590
Rest of Cardiomyopathy after HCM Panel - J553RE-2	B591
Rest of Comprehensive Cancer Panel - B363-3	B591
Rest of Demyelinating CMT Panel (after PMP22 Del/Dup) - J795-6.....	B591
Reticulocyte Count - 0141-2.....	B592

Retinosis Pigmentosa 59 - J313-8	B592
Vitamin A (Retinol), Serum - 0337-6.....	B593
Rheumatoid Factor IgG, IgA, IgM - L626-1	B593
Vitamin B2 - 3325-8.....	B593
Allergen Rice (f9), IgE - 0843-3	B594
Rickettsia Rickettsii DNA,PCR (Non-NY) - A517-5.....	B594
Allergen Rough Careless Pigweed (w14), IgE - 1627-9	B594
Rubella Ab IgG W/Reflex - T385-4	B595
RUBELLA IGM - J900-2.....	B595
Rubella Titer (IgG) - 0973-8	B595
Rubeola AB (Measles), (IgM) - 0961-3	B596
Allergen Russian Thistle (w11), IgE - 0732-8	B596
Allergen Rye (food) (f5), IgE - 0822-7	B596
Hemoglobin Fractionation, Capillary Electrophoresis - 0216-2.....	B597
Staphylococcus aureus (Non NY) - J970-5.....	B597
S. Cerevisiae Antibodies (IGG/IGA) - H940-0.....	B597
Salicylates, Serum - 0526-4.....	B598
Allergen Sardine, IgG (NON-NY) - B424-3	B598
Squamous Cell Carcinoma, Serum - 5360-3.....	B598
Schistosoma Antibody, IgG - 1369-8.....	B599
Scleroderma Profile - 0593-4.....	B599
Selenium Serum/Plasma - 0232-9	B599
Send Copy Of Results To: - 9991-1	B600
Send Results To Patient - 9997-8	B600
Sequential Screen Part 1 (NT, Total BHCG, PAPP-A) - 8602-5	B600
Sequential Screen Part 2 (AFP, UE3, HCG, Inhibin-A) - 8601-7.....	B600
Serotonin Release Assay - A108-3.....	B601
Serum Integrated Part 1 (PAPP-A) - A335-2.....	B601
Serum Integrated Part 2 (AFP, UE3, HCG, Inhibin-A) - A334-5	B601
Aspartate Aminotransferase (AST/SGOT) - 0146-1	B602
SGPT (ALT) - 0147-9.....	B602
Sex-Hormone Binding Globulin - 0658-5	B602
Shiga Toxin (EIA) W/ Reflex To E. Coli (Stool) - 3620-2.....	B603
Silicate, Water - 6219-0.....	B603
Sinus Culture W/ Gram Stain - F245-6.....	B603
Skin Biopsy, (2 Jars) - 5603-6.....	B604
Skin Biopsy, (3 Jars) - 5604-4.....	B604

Skin Biopsy, (5 Jars) - 5606-9	B605
Skin Biopsy, (6 Jars) - 5607-7	B605
Fungal Culture + Stain, Derm - 0751-8	B605
Spinal Muscular Atrophy (SMA) Carrier (SMN1 Dosage) - 6380-0	B606
Chem 24 (SMAC) - 0005-9	B606
Small Round Cell Tumor IHC Panel - 5177-1	B606
Smith-Lemli-Opitz Synd.Prenat (Non-NY) - B139-7	B607
Somatostatin Level - 0955-5	B607
SOX-10 BY IHC W/Interp - J147-0	B607
SOX-10 BY IHC TECH Only - J146-2	B608
SOX-11, Stain Only - TL69-9	B608
SOX-11, IHC, Global - TL70-7	B608
Prenatal SOX9 Seq +Del/Dup - B969-7	B609
Special Stain Enzyme Constituents - PC - B756-8	B609
Special Stain Enzyme Constituents -TC - B758-4	B609
Special Stain Enzyme Constituents - Global - B757-6	B610
Specific Factor Inhibitor - 5818-0	B610
Sperm Count (Post Vasectomy) - 0145-3	B610
Spindle Cell Neoplasm IHC Panel - 5191-2	B611
Spore Strips - 0402-8	B611
Lung - Adenocarcinoma vs. Squamous cell carcinoma - A130-7	B611
Synovial Sarcoma 18q11.2 FISH - J331-0	B612
Allergen S. Chartarum/Atra IgE (NON-NY) - 3871-1	B612
Stemphylium Herbarum/Botryosum IgG - B777-4	B612
Allergen StemphyliumBotryosum(m10),IgE - 3828-1	B613
STI Lesion (NON-NY) - Q301-4	B613
STI Serology - P216-5	B613
STK11 Del/Dup Analysis - B364-1	B614
Stormpath PAP + HPV HR W/Rfx to HPV 16 and 18/45 - Q723-9	B614
Stormpath PAP+CT/GC+HPV HR w/RFX to HPV 16 and 18/45. - Q724-7	B614
Strep Group B (Amplified Probe) - 0202-2	B615
Pneumococcal Antibody Panel (23 Serotype) - J048-0	B615
Surgical Pathology,Level IV - 5619-2	B615
SURGICAL PATHOLOGY LEVEL 2 - 5224-1	B616
Storage Sample Clinical Trials - T850-7	B616
Allergen Salmon (f41), IgE - 0714-6	B616
Beta-Hexosaminidase B Enzyme Analysis (Sandhoff Disease) - B761-8	B617

Allergen Scallop (f338), IgE - 2543-7	B617
Scarlet Eligible Order - TH31-8	B618
Hypercoagulation - 2321-8	B618
10-Color Screening Flow Cytometry (Short) Panel (Global) - TK69-1	B618
Rast/Seafood Mix(fx2) IgE + - 1843-2	B619
Culture, Seminal Fluid - 1827-5	B619
Serotonin, Serum - 0729-4	B619
Serotonin, Whole Blood - 2488-5	B620
Serum Drug Screen - L063-7	B620
Osmolality, Serum - 0191-7	B620
Allergen Sesame Seed (f10), IgE - 0936-5	B621
Allergen Sheep Epithelium (e81), IgE - 1948-9	B621
Allergen Sheep Sorrel (w18), IgE - 0894-6	B621
SHOX-DNA-DXTM - 6283-6	B622
Allergen Shrimp (f24), IgE - 0696-5	B622
Allergen Silk (k74), IgE - 1253-4	B622
Anti-ENA Antibodies (Sm/RnP) - 0318-6	B623
Smith-Lemli-Opitz Syndrome - J314-6	B623
Anti-Smooth Muscle Antibody (ASM) - 0419-2	B623
Allergen Snail (f314), IgE - B541-4	B624
Allergen Soybean (f14), IgE - 0680-9	B624
Spastic Tetraplegia, Thin Corpus Callosum and Progressive Microcephaly - J298-1	B624
Allergen Trichoderma Viride (m15), IgE - 3829-9	B625
Spinal Muscular Atrophy and Related Disorders Panel - T406-8	B625
Spinocerebellar Ataxia Repeat Expansion Analysis - TH83-9	B625
Spinocerebellar Ataxia and Related Disorders Panel - TL12-9	B626
Culture, Sputum W/ Gram Stain - 0382-2	B626
Allergen Squid (f258), IgE - 3809-1	B626
Stargardt Panel - TG49-2	B627
StoneRisk Diagnostic Profile - 2566-8	B627
Culture, Stool (1st Specimen) - 0077-8	B627
Allergen Storage Mite (Acarus) (d70), IgE - 1605-5	B628
StormPath PAP(RFLX to HPV mRNA GENOTYPING 16,18/45 w/ASC-US) - TB33-6	B628
StormPath PAP, liquid based + HPV DNA Genotyping 16/18 - L079-3	B628
StormPath PAP, liquid based + HPV DNA + CT/GC - L080-1	B629
Allergen Strawberry (f44), IgE - 0931-6	B629
Strep. Group A Screen DNA - 0079-4	B629

Allergen Sunflower Seed (k84), IgE - 1414-2	B630
Allergen Sunflower Seed IgG Non-NY - B458-1	B630
Aptima Swab High Risk STI CT/GC - L062-9	B631
Aptima Swab High Risk STI CT/GC/Trich - L047-0	B631
Aptima Swab High Risk STI CT/GC/Trich/M.Gen. - L048-8	B631
Aptima Swab Cervicitis (NON-NY) - L049-6	B632
Allergen Sweet Gum (t211), IgE - 3397-7	B632
Allergen Sweet Potato (f54), IgE - 1231-0	B632
Allergen Sweet Vernal (g1), IgE - 1196-5	B633
Allergen Swordfish (f312), IgE - 3735-8	B633
Allergen Sycamore (t11), IgE - 1305-2	B633
C-KIT (D816V) - 5179-7	B634
Immune Deficiency Panel CD4/CD8 w/CBC - 1763-2	B634
T(11;14)+11 BY FISH-TC Only - A873-2	B634
T(4;14) BY FISH-TC Only - A875-7	B635
Syphilis Reverse Algorithm - J275-9	B635
T.Pallidum By Multiplex PCR (NON-NY) - 6354-5	B635
T3, Total - 0150-3	B636
T3 Uptake - 0152-9	B636
T3 Free, Serum - 0271-7	B636
T4 (Thyroxine) Total - 0151-1	B637
EGFR Sequencing- Non NY - J022-5	B637
RCCA TACROLIMUS - TH67-2	B637
TAO Brush Endometrial Cytology - B685-9	B638
Tay-Sachs Disease Carrier Test - A652-0	B638
Osteopetrosis, Autosomal Recessive 1 - J295-7	B638
Lymphoma - T-Cell, TCR Gamma by PCR - 5031-0	B639
TEL/AML1: t(12;21) by FISH - 5038-5	B639
Testosterone Free + Total - 7301-5	B639
Testosterone, Serum - 0379-8	B640
Cannabinoids (Marijuana), Urine, Screen (20) - 1576-8	B640
Cannabinoids (Marijuana), Urine, Screen (50) - 3971-9	B640
Thrombin Time - 5807-3	B641
Thrombin/Antithrombin - 5808-1	B641
Thyroglobulin, Serum - 0577-7	B641
THYROID AB - 2948-8	B642
Thyroid Comprehensive Panel - 0867-2	B642

Thyroid Screen - 0006-7	B643
Thyroiditis - 2322-6	B643
Tissue Path.(POC) Incl. Micro. - 3001-5	B643
Tissue Pathology, Gross Only - 4002-2.....	B644
Tobramycin, Peak - 1235-1	B644
Tobramycin (Random) - A615-7	B644
Tobramycin, Trough - 2132-9	B645
Toxoplasma Antibodies, (IgG, IgM) - 2721-9.....	B645
Toxoplasma IgG W/Reflex - 2376-2.....	B645
Toxoplasma Avidity G/M, ELISA - B376-5.....	B646
Toxoplasma Ab. (IgG), EIA - 0552-0.....	B646
Toxoplasma Ab. (IgM) - 0877-1	B646
TP53 Sequencing - J044-9.....	B647
OnkoSight NGS TP53 Sequencing for Solid Tumors - T980-2	B647
Tramadol, Urine, Screen, Qual. (200) - 5917-0.....	B647
Transglutaminase, IgA Abs. - 3472-8	B648
Transglutaminase, IGG ABS. - 5869-3.....	B648
Trichomonas Vaginalis, Probe rRNA - A861-7	B648
Trimipramine, Serum - 0613-0	B649
Trisomy 12 by FISH-TC Only - A877-3.....	B649
Trisomy 8 By FISH -TC Only - A870-8	B649
Trofile DNA - A205-7	B650
Troponin I - 2163-4.....	B650
Trypanosoma Cruzi,AB Total - 6199-4.....	B650
Tryptophan, Plasma - 0416-8	B651
TSH W/ Reflex To Free T4 - A518-3	B651
Thyroid Stimulating Hormone (TSH) - 0153-7	B651
TSH (Pregnancy) - J265-0	B652
Thyroid Stimulating Immunoglobulin - J510-9	B652
Transglutaminase IGG/A,AB, Evaluation - 3473-6	B652
Tumor of Unknown Primary IHC Panel - 5190-4	B653
Allergen Turkey Meat, IgG (NON-NY) - B227-0.....	B653
Tyrosine - 3806-7.....	B653
Tyrosinemia, Type 1 - B149-6	B654
Tysabri Antibodies - 6293-5	B654
Hexosaminidase Leukocytes (Tay-Sachs Enzyme) - 0865-6	B654
Allergen Tea (rf222), IgE - 1390-4	B655

Total Testosterone by LC/MS/MS - J451-6	B655
Tetanus Antibody IgG - 0974-6.....	B656
Throat Culture, R/O Group A Strep. ONLY - TJ06-6	B656
Culture, Fungal (Yeast) - A502-7	B656
Allergen Thyme (f273) IgE - 6205-9.....	B657
Calcitonin, Serum - 0196-6.....	B657
Anti-Thyroglobulin Ab. (ATG) - 0041-4.....	B657
Anti-Microsomal Ab(Thyroid Peroxidase)TPO - 0412-7	B658
Tick Identification - J291-6.....	B658
Allergen Tilapia (RF414), IgE - 8963-1	B658
Allergen Timothy Grass (g6), IgE - 0683-3	B659
Allergen Tobacco (ro201), IgE - 0893-8.....	B659
Allergen Tomato (f25), IgE - 0837-5	B659
SCL70 (Scleroderma Ab.), Serum - 0315-2.....	B660
TORCH Panel (IgG/IgM) - 1297-1	B660
Bilirubin, Infant, Total/Direct, Serum - 0046-3.....	B660
Immunoglobulin E (IgE), Serum/Plasma - 0996-9	B661
Total IgG and Subclasses - H991-3	B661
Protein, Total, Serum - 0135-4	B661
Testosterone, Total/Free (LC/MS) - K630-4.....	B662
Prealbumin - 1006-6	B662
Tree Mix (tx1), IgE - 2178-2	B662
Trees Screen (6) - 0742-7.....	B663
Serodia-TP-PA - 0654-4.....	B663
T. Pallidum Ab. (CIA) - 0334-3	B663
Lipase, Serum - 0521-5.....	B664
Trichomonas By Multiplex PCR - 6342-0.....	B664
Trichomonas by MultiPlex PCR - swab - J836-8.....	B664
Allergen Trichophyton Rubrum (m205), IgE - A673-6	B665
Triglycerides - 0155-2	B665
Allergen Trout (f204), IgE - 3643-4	B665
Allergen Trout IgG (Non-NY) - B465-6	B666
Tryptase, Serum - 2148-5.....	B666
Allergen Tuna (f40), IgE - 0698-1	B666
Allergen Turkey Feathers (e89), IgE - 1426-6.....	B667
Allergen Turkey Meat (f284), IgE - 1149-4	B667
Acetaminophen, Serum - 0622-1	B667

H.Pylori Urea Breath Test - 6236-4	B668
H.Pylori Urea W/Drug Admin - P105-0	B668
Uniparental Disomy - B848-3	B669
Protein Electrophoresis, 24Hr Urine - Q069-7	B669
Urea Clearance, 24hr Urine - 1698-0.....	B669
Urea, Urine 24hr - 0358-2	B670
Urea, Urine, Timed - 2083-4	B670
Ureaplasma By Multiplex PCR - 6339-6.....	B670
Uric Acid, Synovial - 0826-8.....	B671
Uric Acid, Urine, Timed Spec. - 1663-4.....	B671
Urinalysis, Routine - 0159-4.....	B671
Cytopathology, Urine (Thinprep) - 5254-8	B672
URINE FREE KAPPA+LAMBDA - L592-5.....	B672
Urogenital Mycoplasmas - P114-2	B672
U.R.R. PANEL - 1829-1	B673
Usher Syndrome Type 1F - A649-6	B673
Uric Acid, Serum - 0157-8.....	B673
Uric Acid, Urine, 24 Hr. - 0158-6.....	B674
Urethral Smear - 1500-8.....	B674
Creatinine Urine, Timed or Random - 1661-8.....	B674
Urine Culture - 0080-2	B675
Urine Culture, Prenatal, W/GBS - TH76-3	B675
Urine Cytology, if Atypical, reflex to hTert - TG28-6	B675
Comprehensive Urine Pathology - 5324-9.....	B676
Comprehensive Urine Pathology (Technical Only) - 5253-0.....	B676
UroVysion (Tech Only) - 5249-8.....	B676
Bladder Washing, FISH - J371-6	B677
Usher Syndrome Type 3 - A647-0	B677
Vaginitis/Vaginosis W/O PAP W/O HPV Expanded - F371-0	B677
Vaginal Biopsy - 5889-1	B678
Vancomycin Peak, Serum - 0575-1	B678
Vancomycin (Random) - A614-0.....	B678
Vancomycin, Trough, Serum - 1589-1	B679
Vascular Endothelial Growth Factor - 6102-8.....	B679
VDRL, CSF - 2212-9	B679
Venous Prothrom. Risk Factor - 5875-0	B680
Venous Prothrombic Risk - 5989-9	B680

Vitamin D, 1, 25-Dihydroxy, Serum - 0288-1	B681
Vitamin B12 Binding Capacity - 0906-8	B681
Vitamin A + Beta Carotene - 1332-6	B681
Vitamin Panel - 2861-3	B682
Vitamin B1, Total Thiamine - 0293-1	B682
Von Willebrand Normandy - 5823-0.....	B682
Von Willebrand Fract. Multimers - 1264-1	B683
Von Willebrand Screen- Basic - 5825-5	B683
Von Willebrand Screen - Expanded - 5826-3.....	B683
Vulvar Biopsy - 5886-7	B684
Varicella-Zoster Virus - J839-2.....	B684
Varicella Zoster Virus by IHC - TF85-8	B684
Varicella Zoster Virus by IHC Tech Only - TF88-2.....	B685
Vaginitis/Vaginosis by PCR, Aptima Tube - L068-6	B685
Benzodiazepines, Urine, Screen (200) - 0924-1	B685
Allergen Vanilla (rf234), IgE - 2347-3.....	B686
Varicella Zoster Ab IgG W/Reflex - T008-2	B686
Varicella Zoster Antibodies, IgM - 0574-4	B686
Venom/Insect Profile (5) - 2469-5	B687
Vitamin C Dilution - 6193-7	B687
Vit. D, 25-Hydroxy Tot.,D2+D3 - 8573-8	B687
Ristocetin Cofactor ACT. - 5805-7	B688
ADAMTS13 Inhibitor - 5742-2	B688
Vulvovaginal Candidiasis Panel by PCR - K853-2	B688
Walker Warburg Syndrome - A648-8.....	B689
AAMI Water Analysis - 1795-4	B689
WBC - 1497-7	B689
Bioavailable Testosterone - 2087-5	B690
Wilson Disease Carrier Screen - B164-5.....	B690
Female High Risk Sexual Health Panel - F238-1	B690
Wound Culture (Aerobic/Anaerobic) W/ Gram Stain (Panel) - 0082-8	B691
Allergen Wall Pellitory (W21), IgE - 5803-2	B691
Allergen Walnut Tree (t10), IgE - 0686-6.....	B691
Allergen Walnuts (f256), IgE - 1479-5.....	B692
Allergen Watermelon (f329), IgE - 1941-4	B692
Weed Mix (wx1), IgE - 2177-4.....	B692
Weeds Screen (7) - 0746-8	B693

Allergen Wheat (f4), IgE - 0673-4	B693
Allergen Whey (f236), IgE - 1620-4	B694
Allergen White Ash (t15), IgE - 1306-0	B694
Allergen White Bean (f15), IgE - 1241-9	B694
Insect Venom, White Faced Hornet IgG - 3656-6	B695
Allergen White Pine (t16), IgE - 3399-3	B695
Allergen Whiteface Hornet (i2), IgE - 0907-6	B695
Allergen Willow (t12), IgE - 1252-6	B696
Allergen Wormwood (w5), IgE - 1307-8	B696
Culture, Wound, Superficial - B656-0	B696
XL RARA (17q21) BY FISH - J157-9	B697
XL RARA (17q21) BY FISH - TC (NON-NY) - J160-3	B697
Xylose Absorption, Urine - 0530-6	B697
Xylose, (Baseline) Plasma - 1184-1	B698
Y Chromosome Microdeletion, DNA Analysis - 3338-1	B698
Culture, Yeast (fungal) - 0123-0	B698
Allergen Yellow Hornet (i5), IgE - 0885-4	B699
Allergen Yellow Jacket (i3), IgE - 0884-7	B699
ZAP-70 BY IHC - 5410-6	B699
Zinc, Plasma - B345-0	B700
Zygoty Testing - B233-8	B700
Zygoty Non-Ny - J098-5	B700
Zika Molecular Serum+Urine - K559-5	B701
Zika Serum RNA PCR w/reflex to IgM - J405-2	B701
Zika Serum RNA PCR - J406-0	B701
Anti-Zika Virus Elisa IgM Serum - J497-9	B702
Zika Urine RNA PCR - J407-8	B702
Zika Molecular Serum w/rfx and Urine - K583-5	B702
Zinc Protoporphyrin (ZPP), Whole Blood, Adult - 6289-3	B703
Zinc Protoporphyrin (ZPP), Whole Blood, Child - 0407-7	B703
Zinc, RBC - 1336-7	B703
Zinc, Serum - 0285-7	B704
Zinc, Urine, 24hr. - 1327-6	B704
Zinc, Urine, Random - 2440-6	B704
Allergen-Cladosporium Herbarum IgG - 1221-1	B705
Hepatitis Be Antibody - 0540-5	B705
Allergen Cashew (rf202), IgE - 1412-6	B705

Allergen Cotton-Wood (t14), IgE - 0891-2	B706
Allergen Milk (f2), IgE - 0672-6	B706
DS-DNA (Crithidia) Autoabs. - 3825-7	B707
HCG, Quantitative, Serum - 0327-7	B707
Hcg, Quantitative, Tumor Marker - 1201-3.....	B707
Human Telomerase Reverse Transcriptase - Tech Only - TF87-4	B708
p16 by IHC - J356-7	B708
17P13 BY FISH-TC ONLY - A874-0	B708
p53 by IHC w/digital imaging - 5153-2.....	B709
p57 by IHC - J546-3.....	B709
Reverse Triiodothyronine Serum/Plasma (rT3) - T397-9	B709
Pap (Reflex to HPV DNA Genotyping 16, 18 when ASC-US or >) - 6196-0	B710
Lymphoma - Mantle Cell (MCL), BCL1/IGH by FISH - 5026-0.....	B710
Lymphoma - Follicular, BCL2/IGH by FISH - 5270-4	B710
Lymphoma - Follicular, BCL2/IGH by PCR - 5271-2	B711
t(1;19) (q23.3: p13.3) FISH - B611-5.....	B711
Von Willebrand Factor, Antigen - 5815-6	B711

0002-6 - Electrolytes	B244
0004-2 - Chem 12 Profile.....	B137
0005-9 - Chem 24 (SMAC)	B606
0006-7 - Thyroid Screen	B643
0007-5 - Thyroid PNL-T3U,T4,TSH.....	B642
0008-3 - Obstetric/Prenatal I	B487
0009-1 - Lipid Screen (Basic Lipid Profile).....	B105
0010-9 - Obstetric (AMA) Panel	B569
0012-5 - Liver Profile	B431
0019-0 - Hematocrit.....	B321
0022-4 - Cyclosporine, Whole Blood	B184
0024-0 - Insulin Tolerance (3 Hour)	B386
0025-7 - Alpha Fetoprotein, Tumor Marker (AFP)	B18
0028-1 - Ketones (Acetoacetic), Serum	B411
0030-7 - Prostate Specific Acid Phos (P.A.P.)	B500
0033-1 - Albumin, Serum	B57
0034-9 - CBC w/o DIFF (Hemogram)/PLAT. CT	B195
0035-6 - Ammonia, Plasma (As Nitrogen).....	B476
0036-4 - Amylase, Serum	B63
0037-2 - Amylase, Urine, Random	B30
0038-0 - Antinuclear Ab. (ANA) W/Reflex	B31
0039-8 - Antibody Screen (Ind.Coombs)	B68
0041-4 - Anti-Thyroglobulin Ab. (ATG).....	B657
0042-2 - Antistreptolysin O (ASO) Titer	B43
0043-0 - Bilirubin, Total, Serum.....	B111
0044-8 - Bilirubin, Direct, Serum.....	B110
0045-5 - Bilirubin, Total + Direct, Serum.....	B110
0046-3 - Bilirubin, Infant, Total/Direct, Serum	B660
0049-7 - Blood Urea Nitrogen (BUN), Serum	B101
0050-5 - Calcium, Serum	B168
0051-3 - Calcium, Ionized, Serum	B167
0052-1 - Carbon Dioxide, Serum (CO2).....	B144
0053-9 - CBC w/Diff, Platelet Ct.....	B194
0055-4 - Carcinoembryonic Antigen (CEA).....	B133
0056-2 - Cell Count, Fluid	B135
0057-0 - Chloride, Serum	B185
0058-8 - Cholesterol.....	B179

0063-8 - Cold Agglutinins Titer	B192
0064-6 - Coombs Test, Direct	B220
0066-1 - Cortisol, AM, baseline.....	B151
0067-9 - Cortisol, PM	B196
0068-7 - CPK (CK), Total	B141
0069-5 - C-Reactive Protein (CRP), Serum.....	B122
0070-3 - Creatinine, Serum	B200
0071-1 - Creatinine, Urine, 24 HR.	B157
0072-9 - Creatinine Clearance (24Hr. Urine)	B156
0074-5 - Culture, Nasopharyngeal/Nasal.....	B481
0075-2 - Culture, Neisseria gonorrhoeae (GC).....	B310
0076-0 - Culture, Eye.....	B490
0077-8 - Culture, Stool (1st Specimen).....	B627
0078-6 - Culture, Throat, Routine	B562
0079-4 - Strep. Group A Screen DNA.....	B629
0080-2 - Urine Culture	B675
0082-8 - Wound Culture (Aerobic/Anaerobic) W/ Gram Stain (Panel)	B691
0083-6 - Digoxin, Serum.....	B60
0084-4 - Dilantin	B563
0085-1 - Protein Electrophoresis	B245
0086-9 - ESR (Sed-Rate)	B248
0087-7 - Culture, Ear	B241
0088-5 - Ferritin	B260
0089-3 - Fibrinogen, Activity	B262
0090-1 - Folate (Folic Acid)	B277
0091-9 - Thyroxine, Free (FT4).....	B280
0092-7 - FSH (Follicle Stimulating Hormone).....	B268
0093-5 - GGTP (Gamma-GT)	B281
0094-3 - GC Smear	B310
0095-0 - Glucose, Fasting.....	B258
0096-8 - Glucose, Urine 24HR Quantitative.....	B294
0097-6 - Glucose Tolerance 3 HRS.....	B292
0098-4 - Glucose Tolerance 4 HRS.....	B292
0099-2 - Glucose Tolerance 5 HRS.....	B292
0102-4 - Hemoglobin A1c (Glycohb).....	B308
0103-2 - Gram Stain	B298
0104-0 - Hemoglobin + Hematocrit.....	B325

0106-5 - Hepatitis B Surface Antigen.....	B321
0107-3 - Hepatitis B Surface Antibody (Qual/Immunity)	B320
0108-1 - Hepatitis B Core Antibody, IgG	B320
0109-9 - Herpes I/II Ab. Screen, IgG.....	B352
0110-7 - Herpes I AB., IgG	B364
0113-1 - Insulin, Total/Random	B395
0114-9 - Iron, Serum	B398
0117-2 - Lactate Dehydrogenase (LDH)	B428
0119-8 - Lithium, Serum.....	B184
0120-6 - Magnesium, Serum	B463
0121-4 - Mono Screen	B466
0122-2 - Occult Blood,Stool (1st Specimen)	B114
0123-0 - Culture, Yeast (fungal).....	B698
0127-1 - Phosphorus, Inorganic.....	B397
0129-7 - Potassium, Serum.....	B403
0133-9 - Pregnancy, Urine	B109
0134-7 - Prolactin, Serum	B532
0135-4 - Protein, Total, Serum	B661
0136-2 - Protein, Urine, 24 Hr.	B539
0137-0 - Prothrombin Time/INR (PT).....	B543
0139-6 - PTT (Partial Thromboplastin Time).....	B501
0140-4 - Quinidine, Serum.....	B111
0141-2 - Reticulocyte Count.....	B592
0142-0 - RPR Serology	B583
0145-3 - Sperm Count (Post Vasectomy)	B610
0146-1 - Aspartate Aminotransferase (AST/SGOT).....	B602
0147-9 - SGPT (ALT).....	B602
0148-7 - Sodium, Serum.....	B479
0150-3 - T3, Total.....	B636
0151-1 - T4 (Thyroxine) Total.....	B637
0152-9 - T3 Uptake.....	B636
0153-7 - Thyroid Stimulating Hormone (TSH)	B651
0154-5 - Carbamazepine	B655
0155-2 - Triglycerides	B665
0156-0 - ABO and Rh Blood Typing.....	B12
0157-8 - Uric Acid, Serum.....	B673
0158-6 - Uric Acid, Urine, 24 Hr.....	B674

0160-2 - Vitamin B12	B462
0165-1 - Chem 29 Profile.....	B175
0171-9 - Glucose, 1hr PP	B306
0172-7 - Complement C2, Serum.....	B125
0178-4 - Dehydroepiandrosterone (DHEA)	B211
0179-2 - Corticosterone 18-OH	B7
0182-6 - Fluid Analysis (Synovial)	B277
0183-4 - Erythropoietin, Serum.....	B233
0184-2 - Anti-Epidermal Antibody, S	B36
0185-9 - Alkaline Phosphatase, Serum	B25
0187-5 - Reducing Substances, Stool	B578
0190-9 - PSA Total	B571
0191-7 - Osmolality, Serum	B620
0192-5 - Transferrin	B399
0196-6 - Calcitonin, Serum.....	B657
0197-4 - Hepatitis B Panel.....	B358
0202-2 - Strep Group B (Amplified Probe).....	B615
0204-8 - Pinworm Tape Test.....	B522
0206-3 - Hepatitis B Core Antibody, IgM.....	B320
0211-3 - Immunoglobulin A, (IgA) Serum.....	B393
0214-7 - Catecholamines, Fractionation, Plasma	B280
0216-2 - Hemoglobin Fractionation, Capillary Electrophoresis.....	B597
0222-0 - Diabetic Screen	B213
0223-8 - Glucose, Non-Fasting	B307
0225-3 - Culture Stool (3rd Specimen)	B163
0226-1 - Culture, Stool (2nd Specimen)	B162
0227-9 - O + P, Stool (3rd Specimen).....	B498
0228-7 - Microalbumin, Urine, Random.....	B464
0231-1 - Fungal Stain Derm	B408
0232-9 - Selenium Serum/Plasma	B599
0234-5 - EBV Capsid Ab, IgG	B247
0248-5 - Nasal Smear (for Eosinophils).....	B246
0250-1 - Iron + TIBC	B391
0257-6 - Chlamydia + Gonorrhea, Urine, Aptima	B160
0259-2 - C-Difficile Toxins A+B, Antigen	B121
0262-6 - Beta-2-Microglobulin, Serum	B76
0263-4 - Anti-Parietal Cell Antibody.....	B38

0274-1 - Maternal Serum Alpha-Fetoprotein Screen (MSAFP) - ONTD Only.....	B17
0277-4 - Chromium, Plasma/Serum	B180
0278-2 - Febrile Agglutinins	B259
0285-7 - Zinc, Serum	B704
0286-5 - Vitamin D, 25-Hydroxy, Serum.....	B129
0287-3 - Vitamin B12/Folate	B680
0288-1 - Vitamin D, 1, 25-Dihydroxy, Serum	B681
0289-9 - Phenobarbital, Serum	B104
0291-5 - Vitamin C.....	B72
0293-1 - Vitamin B1, Total Thiamine	B682
0296-4 - Vitamin B6.....	B500
0299-8 - Culture, Genital	B287
0301-2 - Potassium, Urine 24 Hr.....	B403
0302-0 - Aldosterone, Serum.....	B20
0305-3 - Phlebotomy Charge.....	B520
0308-7 - Sodium, Urine, 24 Hr.....	B480
0315-2 - SCL70 (Scleroderma Ab.), Serum	B660
0316-0 - Mumps Virus Antibody, IgG.....	B450
0318-6 - Anti-ENA Antibodies (Sm/RnP)	B623
0319-4 - Occult Blood,Stool (2nd Spec.).....	B115
0323-6 - Occult Blood,Stool (3rd Spec.).....	B114
0325-1 - Arthritis Profile	B40
0327-7 - HCG, Quantitative, Serum	B707
0330-1 - Hepatitis Screen	B360
0334-3 - T. Pallidum Ab. (CIA)	B663
0335-0 - Progesterone, Serum	B532
0337-6 - Vitamin A (Retinol), Serum.....	B593
0341-8 - Culture, Blood	B113
0342-6 - Luteinizing Hormone (LH).....	B423
0348-3 - Cryptosporidium EIA	B201
0349-1 - Methylmalonic Acid, Serum.....	B463
0355-8 - O + P, Stool w/Trichrome (2nd Specimen)	B498
0358-2 - Urea, Urine 24hr	B670
0359-0 - Calcium, Urine, 24 Hr.	B168
0364-0 - Anti-Double-Stranded DNA (dsDNA).....	B68
0366-5 - Sickle Cell Screen	B221
0368-1 - Glucose, 1hr, PP (Preg) w/Glucola	B305

0374-9 - Cortisol, Serum AM and PM B195

0375-6 - HLA-B27..... B371

0377-2 - O + P,Stool W/Trichrome (1st specimen)..... B551

0378-0 - Aluminum, Serum..... B57

0379-8 - Testosterone, Serum..... B640

0380-6 - Theophylline, Serum B63

0381-4 - Eosinophil Count, Absolute, Blood..... B48

0382-2 - Culture, Sputum W/ Gram Stain B626

0385-5 - Osteocalcin, Serum..... B80

0391-3 - Diabetes Profile..... B212

0398-8 - Lead, Blood (Child)..... B555

0400-2 - CMV Ab. (IGG) B208

0402-8 - Spore Strips B611

0403-6 - Hyperthyroid Panel B354

0404-4 - Protein Electrophoresis, Urine, Random..... B572

0406-9 - DHEA Sulfate B212

0407-7 - Zinc Protoporphyrin (ZPP),Whole Blood, Child..... B703

0410-1 - Encainide + Metabolite Level B231

0411-9 - Phosphates, Urine 24 Hr..... B521

0412-7 - Anti-Microsomal Ab(Thyroid Peroxidase)TPO B658

0413-5 - Immunotyping,Serum B395

0416-8 - Tryptophan, Plasma B651

0419-2 - Anti-Smooth Muscle Antibody (ASM) B623

0427-5 - Arsenic, Urine, 24 Hours..... B71

0431-7 - Anti-Cardiolipin Antibodies, Quantitative, IgG, IgM, IgA..... B13

0433-3 - Opiates, Urine, Screen (300)..... B363

0439-0 - Chloride, Urine 24HR..... B186

0447-3 - Vitamin E, Serum..... B61

0448-1 - Insulin Antibody B371

0451-5 - Apolipoprotein A-1 (Apo A-1) B68

0457-2 - Apolipoprotein B (Apo B) B69

0461-4 - CMV IGM B208

0462-2 - Culture, Ear (Left)..... B241

0464-8 - Primidone (incl. Phenobarb) B471

0479-6 - Copper, Plasma..... B202

0481-2 - Euglobin Lysis, Blood..... B240

0485-3 - Fructosamine, Serum B307

0507-4 - Adrenocorticotrophic Hormone (ACTH)	B14
0508-2 - Gastrin, Serum	B301
0510-8 - Growth Hormone.....	B299
0512-4 - Beta Carotene, Total.....	B79
0514-0 - Haptoglobin, Serum	B319
0516-5 - Estradiol, Serum.....	B5
0520-7 - Immunoglobulins, Serum	B384
0521-5 - Lipase, Serum.....	B664
0525-6 - Procainamide/NAPA.....	B531
0526-4 - Salicylates, Serum	B598
0527-2 - Stone Analysis	B169
0530-6 - Xylose Absorption, Urine	B697
0532-2 - Complement C3, Serum.....	B125
0533-0 - Complement C4, Serum.....	B126
0534-8 - Complement, Total (CH50), Serum.....	B357
0535-5 - CA 19-9, Serum.....	B127
0536-3 - CA 125, Serum.....	B128
0538-9 - Hepatitis A Antibody, IgM	B326
0539-7 - Hepatitis Be Antigen	B328
0540-5 - Hepatitis Be Antibody	B705
0541-3 - Immunoglobulin G (IgG), Serum	B393
0542-1 - Valproic Acid	B218
0544-7 - Carboxyhemoglobin, (CO), Quant.	B144
0545-4 - Cholinesterase, Serum.....	B138
0549-6 - Immunoglobulin M, (IgM) Serum.....	B394
0551-2 - Lipoprotein Electrophoresis w/Lipids	B423
0552-0 - Toxoplasma Ab. (IgG), EIA.....	B646
0556-1 - Culture, Body Fluid W/Gram Stain	B116
0558-7 - CPK Isoenzymes	B140
0559-5 - Chromosome Analysis/Karyotype, Blood.....	B181
0561-1 - Allergen Grey Alder (t2), IgE	B314
0565-2 - Culture, Eye (Left).....	B491
0567-8 - Rubeola/Measles IgG Antibody.....	B459
0568-6 - Lyme Disease Antibody, Serum	B426
0570-2 - Herpes II Ab., IgG	B364
0572-8 - EBV Panel (Capsid/EBNA G+M)	B247
0574-4 - Varicella Zoster Antibodies, IgM	B686

0577-7 - Thyroglobulin, Serum	B641
0578-5 - C-Peptide, Serum	B122
0579-3 - Crystal Identification, Body Fluid	B201
0580-1 - EBV Capsid Ab, IgM	B248
0582-7 - EBV, Early Antigen Ab	B247
0583-5 - EBV, Nuclear Antigen Ab, IgG	B248
0584-3 - Acute Phase Reactant Profile	B15
0587-6 - Centromere Autoantibodies	B135
0588-4 - Lead, Blood + E.P.	B416
0593-4 - Scleroderma Profile	B599
0594-2 - Antinuclear Antibody Evaluation (ANA)	B30
0596-7 - Pediatric Arthritis Profile	B516
0597-5 - Varicella Zoster Ab., IgG	B365
0598-3 - PTH, Intact (use 1689 if with Calcium)	B544
0608-0 - Gliadin Antibodies, IgG, IgA	B217
0613-0 - Trimipramine, Serum	B649
0622-1 - Acetaminophen, Serum	B667
0628-8 - Drug Abuse Screen, Urine. (8 drug).....	B216
0632-0 - Melano. Stim. Hormone (Alpha) (NON-NY)	B437
0633-8 - Culture, Eye (Right)	B491
0634-6 - Culture, Ear (Right).....	B242
0636-1 - Neutrophil Cytoplasmic AB/ANCA	B500
0648-6 - Allergen June/Ken.Blue Grass (g8), IgE.....	B402
0649-4 - Allergen Orchard Grass (g3), IgE.....	B497
0650-2 - Allergen Eng. Plantain (w9), IgE.....	B245
0652-8 - Allergen Oak Tree (t7), IgE	B489
0654-4 - Serodia-TP-PA.....	B663
0658-5 - Sex-Hormone Binding Globulin	B602
0659-3 - Allergen Elm Tree (t8), IgE.....	B245
0660-1 - Allergen Alternaria Tenuis Mold (m6), IgE	B62
0661-9 - Allergen C. Herbarum (m2), IgE	B186
0662-7 - Allergen House Dust H/S (h2), IgE	B370
0664-3 - Allergen Dog Dander (e5), IgE	B221
0665-0 - Allergen Cat Dander (e1), IgE	B172
0668-4 - Sjogren's Abs (SS-A, SS-B)	B427
0671-8 - Allergen Egg White (f1), IgE.....	B243
0672-6 - Allergen Milk (f2), IgE	B706

0674-2 - Allergen Peanut (f13),IgE.....	B555
0680-9 - Allergen Soybean (f14), IgE	B624
0681-7 - Allergen Meadow Fescue (g4), IgE	B458
0682-5 - Allergen Perennial Rye Grass (g5),IgE	B560
0683-3 - Allergen Timothy Grass (g6), IgE	B659
0684-1 - Allergen Maple (Box Elder) (t1), IgE	B457
0685-8 - Allergen Common Birch (t3), IgE.....	B193
0686-6 - Allergen Walnut Tree (t10), IgE.....	B691
0691-6 - Allergen Horse Dander (e3), IgE.....	B369
0692-4 - Allergen Cow Dander (e4), IgE.....	B199
0694-0 - A. Fumigatus Mold (m3), IgE.....	B10
0696-5 - Allergen Shrimp (f24),IgE	B622
0697-3 - Allergen Blue Mussel (f37), IgE.....	B115
0698-1 - Allergen Tuna (f40), IgE	B666
0714-6 - Allergen Salmon (f41), IgE.....	B616
0715-3 - Allergen D. Pteronyssinus (d1), IgE.....	B209
0716-1 - Allergen Cockroach (i6), IgE	B190
0717-9 - Allergen Common Ragweed (w1) ,IgE	B193
0718-7 - Allergen Mugwort (w6),IgE.....	B468
0719-5 - Gonadotropin Releasing Hormone (NON-NY).....	B295
0722-9 - Cryptococcus Antigen, Serum.....	B200
0724-5 - C1q Complement.....	B2
0729-4 - Serotonin, Serum.....	B619
0730-2 - Gentamicin, Peak.....	B287
0732-8 - Allergen Russian Thistle (w11), IgE	B596
0740-1 - Allergen Profile, Northeast	B485
0741-9 - Grasses Screen (6)	B312
0742-7 - Trees Screen (6).....	B663
0743-5 - Foods I Screen (fish/6).....	B279
0745-0 - Foods II Screen (10)	B279
0746-8 - Weeds Screen (7)	B693
0751-8 - Fungal Culture + Stain, Derm	B605
0758-3 - Metanephrine/Normet.,Plasma (Free).....	B439
0768-2 - Chem 7 Panel	B137
0782-3 - Chlamydia Direct Antigen	B473
0789-8 - Myoglobin, Serum.....	B454
0796-3 - Rf (Rheumatoid Arthritis) Titer	B576

0800-3 - Deoxycorticosterone (DOC).....	B211
0802-9 - Dihydrotestosterone, Free (incl.Total)	B214
0812-8 - Hepatitis C Antibody, EIA	B359
0813-6 - Allergen Yeast Bakers, IgE	B60
0814-4 - Oat (f7), IgE	B490
0815-1 - Allergen Almond Nut (f20), IgE.....	B60
0816-9 - Allergen Barley (f6), IgE	B105
0817-7 - Allergen Chicken Meat (f83), IgE	B177
0819-3 - Culture, Environmental	B204
0820-1 - Allergen Catfish, (f369) IgE.....	B131
0821-9 - Allergen Corn (maize)(f8), IgE	B198
0822-7 - Allergen Rye (food) (f5), IgE	B596
0823-5 - CA 27.29, Serum.....	B127
0825-0 - Triple Screen AFP3 (AFP, UE3, HCG)	B61
0826-8 - Uric Acid, Synovial.....	B671
0827-6 - Protein, Total, Synovial.....	B540
0829-2 - Glucose, Synovial	B293
0835-9 - Allergen Orange (f33), IgE	B497
0836-7 - Allergen Pork (f26), IgE	B568
0837-5 - Allergen Tomato (f25), IgE	B659
0840-9 - Allergen Codfish (f3), IgE	B191
0841-7 - Allergen Lobster (f80), IgE.....	B431
0842-5 - Allergen Kiwi (f84), IgE	B413
0843-3 - Allergen Rice (f9), IgE	B594
0844-1 - Allergen Potato (f35), IgE	B568
0846-6 - Allergen Duck Feathers (e86), IgE.....	B222
0847-4 - Allergen Goose Feathers (e70), IgE.....	B311
0849-0 - Allergen Egg Yolk (f75), IgE.....	B243
0850-8 - Allergen Cheddar Cheese (f81), IgE.....	B175
0851-6 - Anti-Smith Antibody	B38
0855-7 - CH24/HDL,CBC/D/PLT	B176
0856-5 - Culture, Dialysis Water	B219
0857-3 - Culture, Dialysate.....	B218
0861-5 - Allergen Beef (f27), IgE	B107
0862-3 - Lamb/Mutton (f88) , IgE	B428
0863-1 - Allergen Banana (f92), IgE.....	B104
0864-9 - Allergen Onion (f48), IgE	B492

0867-2 - Thyroid Comprehensive Panel.....	B642
0869-8 - Copper, Urine, 24 Hours.....	B202
0873-0 - Folate, RBC.....	B266
0874-8 - Acetylcholine Receptor Binding Antibody.....	B14
0875-5 - Creatine, Serum.....	B155
0876-3 - HLA-A,B,C Low Resol. Typ.....	B344
0877-1 - Toxoplasma Ab. (IgM).....	B646
0883-9 - Allergen Honey Bee (i1), IgE.....	B369
0884-7 - Allergen Yellow Jacket (i3),IgE.....	B699
0885-4 - Allergen Yellow Hornet (i5), IgE.....	B699
0886-2 - Allergen Paper Wasp (i4), IgE.....	B551
0891-2 - Allergen Cotton-Wood (t14), IgE.....	B706
0892-0 - Allergen C.Albicans (m5), IgE.....	B169
0893-8 - Allergen Tobacco (ro201), IgE.....	B659
0894-6 - Allergen Sheep Sorrel (w18), IgE.....	B621
0895-3 - Apolipoprotein A-1 and B (Apo A1/B).....	B69
0898-7 - Anti-Ovarian Antibody, IgG.....	B37
0900-1 - Cortisol, Random.....	B195
0901-9 - Molds Screen (6).....	B466
0902-7 - Animals Screen(6).....	B66
0904-3 - Allergen Fire Ant (i70), IgE.....	B275
0906-8 - Vitamin B12 Binding Capacity.....	B681
0907-6 - Allergen Whiteface Hornet (i2), IgE.....	B695
0910-0 - House Dust Screen (5).....	B371
0920-9 - Amphetamines, Urine, Screen (1000).....	B108
0921-7 - Barbiturates, Urine, Screen (200).....	B63
0922-5 - Cannabinoids (Marijuana), Urine, Screen (100).....	B457
0923-3 - Cocaine, Urine, Screen (300).....	B146
0924-1 - Benzodiazepines, Urine, Screen (200).....	B685
0925-8 - Methadone, Urine, Screen (300).....	B440
0926-6 - PCP (6-Phencyclidine), Urine, Screen (25).....	B65
0928-2 - Cryptococcus Antibody.....	B157
0930-8 - Allergen Pear (f94), IgE.....	B558
0931-6 - Allergen Strawberry (f44), IgE.....	B629
0934-0 - Allergen Carrots (f31), IgE.....	B172
0935-7 - Allergen Gluten (f79), IgE.....	B307
0936-5 - Allergen Sesame Seed (f10), IgE.....	B621

0945-6 - Free Hemoglobin, Plasma	B325
0946-4 - Parainfluenza Antibody.....	B508
0948-0 - Allergen Beech Tree, IgE (t5)	B107
0953-0 - H. Pylori Antibody Panel (G,A,M)	B315
0955-5 - Somatostatin Level	B607
0956-3 - PAP/PSA.....	B507
0960-5 - Culture, Mouth	B162
0961-3 - Rubella AB (Measles), (IgM)	B596
0963-9 - Propoxyphene, Urine, Screen (300)	B533
0965-4 - Allergen Garlic (f47), IgE	B300
0966-2 - Culture, Cerebrospinal Fluid	B174
0973-8 - Rubella Titer (IgG)	B595
0974-6 - Tetanus Antibody IgG.....	B656
0979-5 - Pediatric Profile II.....	B518
0980-3 - Pediatric Profile I	B517
0981-1 - Obstetric/Prenatal II	B487
0982-9 - LH, FSH, Estradiol.....	B422
0983-7 - Hypertension Profile	B354
0984-5 - Hepatitis Management Profile	B360
0985-2 - Alcohol (Ethanol), Blood.....	B250
0988-6 - Osmolality, Urine 24hr.....	B8
0989-4 - Electrolytes, Urine, Random.....	B230
0992-8 - Hepatitis/ Comprehensive.....	B330
0993-6 - Coronary Risk Profile II.....	B151
0994-4 - Coagulation Profile	B145
0995-1 - Alcohol (Ethanol), Urine, Screen (20).....	B250
0996-9 - Immunoglobulin E (IgE), Serum/Plasma	B661
0997-7 - Hydroxyprogesterone(17), Alpha Serum/Plasma	B6
0998-5 - Anemia I Profile	B32
0999-3 - Anemia II Profile.....	B32
1003-3 - GC,rRNA,TMA Aptima Swab	B285
1004-1 - Chlamydia, swab, TMA, Aptima	B159
1005-8 - Chlamydia and Gonorrhea, rRNA,TMA Aptima Swab.....	B161
1006-6 - Prealbumin	B662
1007-4 - Allergen Chocolate Cocoa (f93), IgE.....	B179
1010-8 - HIV-1, RNA, Ultra/PCR, Viral Load	B342
1015-7 - GLU.TOL.3HR.(Pregnancy)100GM	B291

1031-4 - Allergen Poppy Seed (rf224), IgE.....	B567
1043-9 - Culture, ID Only (Any Source).....	B163
1053-8 - Chromosome Analysis, POC, Tissue.....	B181
1072-8 - Insulin-Like Growth Factor I	B375
1074-4 - Liver Panel	B424
1100-7 - Conventional Pap Slide(s)	B197
1102-3 - PAP Smear, 2 Slides, Autopap.....	B165
1116-3 - Porphobilinogen, Urine.....	B527
1118-9 - Diphtheria Antibody, IgG	B220
1126-2 - Kappa + Lambda Chain, Urine (24hr).....	B404
1133-8 - Allergen Coffee (rf221), IgE.....	B191
1134-6 - Allergen Apple (f49), IgE.....	B69
1135-3 - Glucose-6-Phosphate Dehydrogenase	B281
1146-0 - GM 1 Auto Antibody	B295
1149-4 - Allergen Turkey Meat (f284), IgE.....	B667
1161-9 - Cytomegalovirus (CMV), DNA, Ultraquant.....	B144
1163-5 - Allergen Chick Pea (f309), IgE.....	B176
1168-4 - Allergen Crab (f23), IgE.....	B199
1169-2 - Allergen Clam (f207), IgE.....	B186
1171-8 - Magnesium, Urine, 24Hr.....	B463
1177-5 - E. Coli (Pathogenic) Culture	B226
1178-3 - Lactose Tolerance Test	B414
1183-3 - Eosinophil Ct, Urine	B246
1184-1 - Xylose, (Baseline) Plasma.....	B698
1186-6 - Celiac Disease Antibody Evaluation	B134
1195-7 - Allergen Pistachio (rf203), IgE	B565
1196-5 - Allergen Sweet Vernal (g1), IgE	B633
1197-3 - Allergen Giant Ragweed (w3), IgE.....	B304
1198-1 - Allergen Bermuda Grass (g2), IgE.....	B108
1199-9 - Allergen Redtop (Bent) Grass (g9), IgE	B586
1201-3 - Hcg, Quantitative, Tumor Marker.....	B707
1206-2 - Anti-Endomysial Antibody, IgA.....	B67
1207-0 - Immune Complex C1q	B383
1208-8 - Anti-Giardia Antibody IgA, IgG, IgM, Serum	B36
1221-1 - Allergen-Cladosporium Herbarum IgG.....	B705
1224-5 - Allergen Lemon (f208), IgE.....	B429
1225-2 - Allergen Grape (f259), IgE	B311

1227-8 - Allergen Melon (Cantaloupe) (f87), IgE	B460
1228-6 - Allergen Green Pea (f12), IgE.....	B313
1229-4 - Allergen Broccoli (f260), IgE.....	B120
1230-2 - Allergen String Bean (rf315), IgE.....	B313
1231-0 - Allergen Sweet Potato (f54), IgE.....	B632
1235-1 - Tobramycin, Peak	B644
1241-9 - Allergen White Bean (f15), IgE.....	B694
1243-5 - Allergen Green (Bell) Pepper (rf263), IgE.....	B313
1244-3 - Cabbage (f216), IgE.....	B411
1249-2 - Allergen Cheesemolds (f82), IgE.....	B175
1250-0 - Pneumococcal Antibody Panel (14 Serotypes).....	B566
1251-8 - Olive Tree (t9), IgE.....	B491
1252-6 - Allergen Willow (t12), IgE.....	B696
1253-4 - Allergen Silk (k74), IgE.....	B622
1262-5 - AlphaSub-Unit	B25
1264-1 - Von Willebrand Fract. Multimers.....	B683
1267-4 - Allergen Casein (f78), IgE.....	B216
1268-2 - Allergen Betalactoglobulin (f77), IgE.....	B109
1271-6 - Acetazolamide (Diamox).....	B13
1289-8 - Complement (C5), Serum.....	B150
1295-5 - Genital Cult. R/O Yeast/Gard.....	B303
1297-1 - TORCH Panel (IgG/IgM).....	B660
1300-3 - Feather Mix (ex71), IgE.....	B272
1301-1 - BREAST SMEAR (slide).....	B99
1303-7 - Nipple Discharge Smear.....	B477
1305-2 - Allergen Sycamore (t11), IgE.....	B633
1306-0 - Allergen White Ash (t15), IgE.....	B694
1307-8 - Allergen Wormwood (w5), IgE.....	B696
1311-0 - Homocysteine Level.....	B171
1315-1 - Allergen Mucor Racemosus (m4), IgE.....	B468
1316-9 - IGF Binding Protein-3.....	B374
1318-5 - Allergen Coconut (f36), IgE.....	B190
1323-5 - Q Fever (Coxiella burnetii) AB IgG/IgM with Reflex to Titers.....	B573
1324-3 - PTH Related Protein.....	B545
1327-6 - Zinc, Urine, 24hr.....	B704
1332-6 - Vitamin A + Beta Carotene.....	B681
1336-7 - Zinc, RBC.....	B703

1349-0 - Allergen Grapefruit (f209), IgE.....	B312
1350-8 - Culture, Blood (spec.#2)	B113
1351-6 - Culture, Blood (spec.#3)	B113
1352-4 - Culture, Neisseria gonorrhoeae (GC), Throat	B310
1353-2 - Culture, Neisseria gonorrhoeae (GC), Anal	B309
1355-7 - Allergen Parsley (f86), IgE	B553
1359-9 - Allergen Mouse Epithelium (e71), IgE	B467
1360-7 - Allergen Mouse U. Protein (e72), IgE.....	B468
1363-1 - Allergen Dandelion (w8), IgE	B216
1364-9 - Allergen Golden Rod (w12), IgE.....	B309
1366-4 - Hypersensitivity Pneumonitis	B354
1369-8 - Schistosoma Antibody, IgG.....	B599
1371-4 - Allergen Latex (k82), IgE.....	B429
1372-2 - Allergen D. Farinae (Dust Mite) (d2), IgE.....	B209
1373-0 - Allergen R. Nigricans (m11), IgE	B576
1380-5 - Allergen Celery (f85), IgE	B173
1383-9 - Magnesium, RBC	B464
1389-6 - Allergens Pineapple (f210), IgE.....	B564
1390-4 - Allergen Tea (rf222), IgE	B655
1396-1 - Giardia Antigen (EIA).....	B304
1397-9 - Resp. Syncytial Virus.....	B584
1402-7 - Cytology, Respiratory System	B165
1404-3 - Allergen Hazelnut (f17), IgE	B355
1405-0 - Allergen Brazil Nut (f18), IgE.....	B117
1406-8 - Allergen Alpha Lactalbumin (f76), IgE	B61
1409-2 - Allergen Lettuce (f215), IgE.....	B430
1410-0 - Influenza A/B, RSV BY PCR.....	B265
1412-6 - Allergen Cashew (rf202), IgE.....	B705
1414-2 - Allergen Sunflower Seed (k84), IgE.....	B630
1422-5 - Allergen Black Pepper (f250), IgE.....	B111
1423-3 - Allergen Chili Pepper (rf279), IgE.....	B177
1424-1 - Allergen Paprika (f218),IgE.....	B551
1426-6 - Allergen Turkey Feathers (e89), IgE.....	B667
1436-5 - Allergen Cotton-Fiber (o1), IgE	B198
1438-1 - Lead, Blood (Adult)	B554
1461-3 - Allergen Basil (rf269), IgE	B106
1462-1 - Allergen Mushroom (rf212), IgE.....	B469

1468-8 - Cyclospora ID, Modified Acid Fast	B164
1478-7 - Cocaine, Urine, Screen (100)	B145
1479-5 - Allergen Walnuts (f256), IgE.....	B692
1480-3 - Allergen Eucalyptus (t18), IgE.....	B250
1481-1 - Allergen Marsh Elder (w16), IgE.....	B458
1484-5 - Allergen Pumpkin Seed (rf226), IgE.....	B573
1485-2 - Allergen Halibut (rf303), IgE.....	B355
1486-0 - Allergen Blackberry (rf211), IgE.....	B112
1487-8 - Allergen Blueberry (rf228), IgE.....	B115
1488-6 - Allergen Pumpkin (f225), IgE	B573
1497-7 - WBC	B689
1498-5 - RBC.....	B577
1499-3 - Hemoglobin	B355
1500-8 - Urethral Smear.....	B674
1576-8 - Cannabinoids (Marijuana), Urine, Screen (20).....	B640
1583-4 - Allergen Cherries (f242), IgE	B706
1584-2 - Allergen Plum (f255), IgE	B566
1589-1 - Vancomycin, Trough, Serum	B679
1592-5 - Allergen Pecan Nuts (f201), IgE.....	B559
1605-5 - Allergen Storage Mite (Acarus) (d70), IgE	B628
1606-3 - Hepatitis B Surface Antibody, Quant.	B327
1608-9 - Hepatitis B Surface Antigen, Quant.	B327
1613-9 - 3-Alpha Androstanediol-G	B8
1615-4 - Lyme Ab., IgM	B433
1616-2 - Rickettsial Disease Panel	B581
1620-4 - Allergen Whey (f236), IgE	B694
1627-9 - Allergen Rough Careless Pigweed (w14), IgE	B594
1629-5 - Allergen Buckwheat (f11), IgE.....	B121
1630-3 - Allergen Malt (f90), IgE	B455
1631-1 - Allergen House Dust (Greer) (h1), IgE	B370
1632-9 - Panel A (Inhalants).....	B547
1639-4 - Lipoprotein-a (Lp-a).....	B432
1644-4 - Immunotyping, Urine	B108
1648-5 - Insulin, Fasting	B387
1649-3 - Insulin, 1st HR. Specimen	B386
1655-0 - Immunoglobulin D, (Igd)Serum	B393
1659-2 - Potassium, Urine, Timed Specimen	B528

1661-8 - Creatinine Urine, Timed or Random	B674
1662-6 - Protein,Urine,Timed or Random	B572
1663-4 - Uric Acid, Urine, Timed Spec.	B671
1664-2 - Allergen Cucumber (f244), IgE.....	B202
1679-0 - BUN, Post Dialysis.....	B101
1687-3 - Post Dialysis Creatinine	B155
1688-1 - Post Dialysis Potassium	B528
1689-9 - PTH, Intact w/ Calcium	B544
1698-0 - Urea Clearance, 24hr Urine.....	B669
1706-1 - ANTI HU Abs.(Neuronal Nuclear).....	B34
1707-9 - Anti-Yo Antibodies, Serum.....	B482
1741-8 - Aspergillus Antibodies, Immunodiffusion, Serum	B43
1743-4 - HLA typing/Narcolepsy	B343
1752-5 - Listeria Monocytogenes Antibody IgG	B424
1754-1 - Beta-2-Microglobulin, Urine, Random	B77
1763-2 - Immune Deficiency Panel CD4/CD8 w/CBC	B634
1765-7 - H. Pylori,IGG (For Panel #0953)	B317
1766-5 - H. Pylori,IGA (For Panel #0953).....	B316
1771-5 - Allergen Banana IgG (NON-NY).....	B58
1780-6 - Allergen Chicken IgG (NON-NY)	B59
1781-4 - Allergen Cocoa-Chocolate IgG (NON-NY)	B190
1793-9 - Sodium, Urine, Random.....	B480
1794-7 - Chloride, Urine, Random	B185
1795-4 - AAMI Water Analysis	B689
1800-2 - Allergen Oat, IgG (Non-NY).....	B490
1804-4 - Citrate, Serum	B140
1811-9 - Ribosomal P Antibodies.....	B581
1814-3 - Allergen Brussel Sprouts (rf217), IgE.....	B121
1815-0 - Allergen Cauliflower (rf291), IgE	B173
1817-6 - Aluminum, Water, Dialysis	B27
1823-4 - Allergen Mustard (f89), IgE	B470
1824-2 - Allergen Johnson Grass (g10), IgE.....	B402
1825-9 - Allergen Bahia Grass (g17), IgE	B103
1827-5 - Culture, Seminal Fluid	B619
1829-1 - U.R.R. PANEL.....	B673
1837-4 - HU, YO + RI Abs. W/ Rfx TO Titers+ WB	B508
1841-6 - Grass Mix (gx1), IgE.....	B312

1844-0 - Hepatitis D Virus RNA, Qual. PCR	B329
1846-5 - Procainamide, Ser.(+napa #0525)	B109
1847-3 - Complement C6	B148
1848-1 - Complement C7	B149
1849-9 - Complement C8	B149
1850-7 - Complement C9	B149
1855-6 - Lyme Disease(Borrelia)DNA,FLD.	B426
1857-2 - Phenylalanine	B522
1869-7 - Rabies Titer (Vaccine Resp).....	B576
1871-3 - Tacrolimus (FK506)	B570
1894-5 - Allergen Helminthosporium (m8), IgE.....	B356
1900-0 - Infant Tot.Bili (tot/dir=#0046)	B473
1901-8 - Infant Dir.Bili (tot/dir=#0046).....	B472
1930-7 - GENTAMICIN, TROUGH	B288
1936-4 - Meprobamate	B461
1937-2 - Allergen Fig (f328), IgE	B275
1938-0 - Allergen Pecan/Hickory Tree (t22), IgE.....	B559
1939-8 - Allergen Cocklebur (w13), IgE.....	B189
1941-4 - Allergen Watermelon (f329), IgE	B692
1942-2 - Allergen Papaya (f293), IgE	B550
1945-5 - Allergen Avocado (f96), IgE	B75
1948-9 - Allergen Sheep Epithelium (e81), IgE	B621
1949-7 - Cysticercus Antibody, IgG, Ser WB	B164
1955-4 - Cobalt, Urine.....	B189
1962-0 - PAP, Liquid-Based.....	B505
1976-0 - Glucose.....	B306
2063-6 - PDF Creatinine (Timed Test code)	B156
2073-5 - Anemia III Profile.....	B32
2075-0 - Hepatitis B Recovery	B329
2083-4 - Urea, Urine, Timed	B670
2087-5 - Bioavailable Testosterone	B690
2088-3 - PSA Free + Total	B541
2100-6 - Cytology, Urine With Interpretation.....	B166
2103-0 - Allergen Isocyanate TD1 (k75), IgE	B400
2104-8 - Allergen Isocyanate MD1 (k76), IgE.....	B399
2106-3 - Allergen Formaldehyde (k80), IgE.....	B279
2115-4 - CF/Fragile X/SMA.....	B136

2126-1 - Hepatitis A Ab.(non-reflex)	B326
2130-3 - CA 15-3, Serum.....	B127
2132-9 - Tobramycin, Trough	B645
2136-0 - Chromosome Analysis,Amnio.FLD(IG)	B181
2148-5 - Tryptase, Serum	B666
2155-0 - Arylsulfatase A, U	B71
2161-8 - Hepatitis C Genotype	B328
2163-4 - Troponin I.....	B650
2167-5 - Allergen Penicillium Notatum Mold (m1), IgE	B560
2177-4 - Weed Mix (wx1), IgE.....	B692
2178-2 - Tree Mix (tx1), IgE	B662
2179-0 - Allergen Mosquito (i71), IgE.....	B467
2180-8 - Animal Mix (ex1), IgE	B65
2181-6 - Mold Mix (mx1), IgE	B465
2182-4 - Dust Mix (hx2), IgE	B223
2183-2 - Allergen Nut Mix (fx1), IgE	B485
2185-7 - Cereal Mix (fx3), IgE	B173
2186-5 - Pediatric Mix (fx5), IgE	B559
2187-3 - Northern Allerpanel (3 mix).....	B478
2188-1 - Perennial Allerpanel (3 mix)	B518
2189-9 - Food Allerpanel (4 mix)	B267
2192-3 - Myeloperoxidase Ab.....	B447
2194-9 - LDL Direct	B415
2212-9 - VDRL, CSF	B679
2237-6 - PT + PTT	B542
2256-6 - Post Dialysis Albumin	B20
2263-2 - Allergen Goat Milk (rf300), IgE.....	B309
2265-7 - Allergen Eggplant (rf262), IgE	B244
2297-0 - Lyme Disease AB RFLX IGM TO WB G/M	B425
2302-8 - Hepatitis Comprehensive II	B183
2308-5 - Allergen Cardamon (rf267), IgE.....	B170
2317-6 - Estrogen Panel	B239
2318-4 - Gonadotropin I.....	B296
2319-2 - Pituitary I.....	B522
2321-8 - Hypercoagulation	B618
2322-6 - Thyroiditis	B643
2326-7 - O + P Panel (3 Specimens).....	B486

2345-7 - Allergen Cinnamon (rf220), IgE	B185
2346-5 - Allergen Ginger (rf270), IgE.....	B305
2347-3 - Allergen Vanilla (rf234), IgE.....	B686
2350-7 - Allergen Clove (rf268), IgE.....	B188
2351-5 - Allergen Oregano (rf283), IgE.....	B497
2352-3 - Allergen Nutmeg (rf282), IgE	B486
2356-4 - Allergen Curry (rf281), IgE.....	B205
2361-4 - Allergen Coriander (rf317), IgE.....	B184
2376-2 - Toxoplasma IgG W/Reflex.....	B645
2377-0 - CMV Ab.,IGG *POS. Reflex To IGM	B143
2379-6 - HCG Quant.,Progesterone	B321
2382-0 - Lyme Ab.,Total (No Reflex)	B425
2383-8 - Fragile X.....	B268
2392-9 - Atenolol Level	B43
2394-5 - Allergen Brome Grass (G11), IgE.....	B120
2395-2 - Allergen Common Reed (G7) IgE+	B194
2406-7 - Allergen Cultivated Rye (G12), IgE	B203
2407-5 - Allergen False Ragweed (w4), IgE.....	B271
2408-3 - Allergen Firebush (w17), IgE	B23
2420-8 - Allergen Chestnut (t206), IgE.....	B23
2440-6 - Zinc, Urine, Random.....	B704
2441-4 - H. Pylori Antigen, Stool	B316
2469-5 - Venom/Insect Profile (5)	B687
2475-2 - LAL (Limulus Amebocyte Lysate).....	B414
2476-0 - Allergen Curvularia Lunata (m16), IgE	B206
2477-8 - Allergen Phoma Betae (m13), IgE	B563
2488-5 - Serotonin, Whole Blood.....	B620
2523-9 - Mycoplasma/Ureaplasma.....	B453
2534-6 - O + P, Urine.....	B487
2543-7 - Allergen Scallop (f338), IgE	B617
2555-1 - Basic Metabolic Profile (BMP)	B92
2565-0 - Measles,Mumps,Rubella.....	B445
2566-8 - StoneRisk Diagnostic Profile.....	B627
2570-0 - Allergen Chicken Feathers (e85), IgE.....	B176
2596-5 - Drug Confirmation, Opiates, Urine (GC/MS).....	B488
2598-1 - Gluten, IgG (NON-NY).....	B294
2603-9 - Urine Culture, Catheterized	B172

2642-7 - Allergen Melaleuca Tree (t212), IgE	B459
2663-3 - Proteinase-3 AutoAbs	B528
2664-1 - Heavy Metals (3), Urine 24hr.....	B324
2670-8 - Isospora Belli ID, Modified Acid Fast.....	B392
2673-2 - Microsporidium ID, Stool.....	B441
2675-7 - Beta-2-Glycoprotein I (G,A,M).....	B80
2689-8 - Heavy Metals(6), Urine 24HR.	B324
2696-3 - Hemochromatosis DNA (NY ONLY)	B334
2721-9 - Toxoplasma Antibodies, (IgG, IgM).....	B645
2765-6 - Prenatal + HIV.....	B530
2797-9 - Food Panel II	B267
2861-3 - Vitamin Panel	B682
2922-3 - Creatine Kinase-MB Fraction(CKMB).....	B141
2948-8 - THYROID AB.....	B642
3001-5 - Tissue Path.(POC) Incl. Micro.	B643
3110-4 - Glucose, Post Dialysis.....	B291
3114-6 - Phosphatidylcholine, (G,A,M) Non-NY	B520
3116-1 - Estriol, Unconjugated.....	B249
3121-1 - Allergen Oyster (f290), IgE	B499
3122-9 - Allergen Kidney Bean (rf287), IgE	B412
3134-4 - Phosphorus, Urine, Random.....	B521
3135-1 - Magnesium, Urine, Random	B434
3138-5 - Hepatitis B Core W/Reflex To IgM	B327
3145-0 - Allergen Pyrethrum, IgE	B546
3147-6 - Nefazodone Level	B473
3151-8 - Rubella IgG Ab (Immune Status).....	B585
3157-5 - Glucose, 2HR. PP W/Glucola.....	B293
3158-3 - Alpha-Fetoprotein (AFP 4) includes HCG, UE3, Inhibin-A.....	B574
3171-6 - Microalbumin, Urine, 24Hr.....	B441
3174-0 - Ecstasy (MDMA), Urine, Screen, Qual. (300).....	B436
3188-0 - Decalcification (Nails/Bone)	B210
3206-0 - EBV (Epstein-Barr Virus)DNA/PCR	B242
3221-9 - Allergen Cultivated Wheat (g15), IgE	B203
3233-4 - Benzodiazepines, Urine, Screen (100)	B79
3238-3 - Histamine, Urine 24HR.....	B337
3239-1 - Methaqualone, Urine, Screen (300)	B574
3245-8 - PBG Deaminase, WB	B509

3247-4 - Mycoplasma Culture, Blood	B452
3267-2 - Ashkenazi Jewish DNA Carrier	B42
3283-9 - Acute Hepatitis Panel	B15
3284-7 - Renal Function (Medicare).....	B578
3320-9 - C-Reactive Protein (hs-CRP), High Sensitivity	B122
3325-8 - Vitamin B2.....	B593
3329-0 - Protein/Creatinine w/Ratio.....	B540
3338-1 - Y Chromosome Microdeletion, DNA Analysis.....	B698
3365-4 - RNA Polymerase III Ab.....	B582
3369-6 - Allergen Flaxseed (f70), IgE.....	B264
3371-2 - Microsatellite Instability (MSI) by PCR.....	B449
3374-6 - Fecal Lactoferrin	B259
3376-1 - Hepatitis C RNA, Quant., PCR.....	B322
3389-4 - Hepatitis B Virus, DNA, Quantitative, RT-PCR.....	B359
3397-7 - Allergen Sweet Gum (t211) ,IgE.....	B632
3399-3 - Allergen White Pine (t16), IgE	B695
3400-9 - Culture, Genital (Beta strep. Group B).....	B304
3412-4 - HPV High/Low Risk by ISH	B348
3418-1 - Herpes Virus 6, Quant. PCR.....	B337
3420-7 - Hereditary Hemochromatosis (HFE): C282Y, H63D, S65C (Non-NY)	B334
3422-3 - Hepatic Function Panel	B329
3425-6 - Kappa/Lambda Light Chains, Serum.....	B405
3427-2 - Comprehensive Metabolic Panel.....	B148
3442-1 - Mycoplasma pneumoniae IgG/IgM Antibody, IFA (CSF) (NON-NY)	B453
3454-6 - Anti-Sperm Antibody (DIRECT).....	B39
3456-1 - Allergen Mango (f91), IgE	B456
3465-2 - Keppra Level (Levetiracetam).....	B406
3472-8 - Transglutaminase, IgA Abs.	B648
3473-6 - Transglutaminase IGG/A,AB, Evaluation	B652
3475-1 - Allergen Sugar Cane IgE.....	B630
3480-1 - Allergen Passion Fruit (rf294), IgE.....	B554
3481-9 - Sirolimus, Blood	B585
3486-8 - Creatine, 24HR Urine.....	B155
3497-5 - Prader-Willi/Angelman Syndrome Methylation, Blood	B545
3508-9 - Allergen Red Raspberry (rf343), IgE.....	B577
3514-7 - Beta-Galactosidase, Leukocytes	B80
3520-4 - Allergen Mandarin (rf302), IgE	B455

3522-0 - Allergen Lime (RF306), IgE	B59
3551-9 - Porphobilinogen Urine 24Hr, Quant.....	B527
3553-5 - B-Type Natriuretic Peptide (BNP)	B93
3555-0 - Acetylcholine Modulating Autoabs.....	B14
3556-8 - Allergen Horsefly (i204), IgE.....	B370
3566-7 - Allergen Guinea Pig (e6), IgE	B315
3573-3 - Anthrax Culture Screen.....	B34
3576-6 - Fetal Fibronectin	B261
3579-0 - Allergen Ascaris, (p1) IgE.....	B72
3582-4 - Prenatal Rapid Aneuploidy FISH	B386
3584-0 - HLA A,B,C,DR Typing,Complete	B343
3589-9 - Microti Babesia By PCR	B465
3605-3 - Allergen Dill (f277), IgE	B219
3606-1 - Inhibin B	B385
3617-8 - Absolute Neutrophil Count	B12
3620-2 - Shiga Toxin (EIA) W/ Reflex To E. Coli (Stool).....	B603
3638-4 - Allergen Pignolia (Pine) Nuts (t213), IgE.....	B564
3642-6 - Allergen Bamboo Shoot (f51), IgE.....	B104
3643-4 - Allergen Trout (f204), IgE	B665
3644-2 - Allergen Macadamia Nuts (RF345), IgE	B454
3647-5 - Anti-68 KD (HSP-70)ABS.	B461
3653-3 - Methylmalonic Acid Urine	B440
3655-8 - Porphyrins, Total, Plasma	B527
3656-6 - Insect Venom, White Faced Hornet IgG.....	B695
3675-6 - Platelet AB.,Direct Flow Cyto	B524
3687-1 - Estradiol, Free.....	B6
3690-5 - Adrenal 21-Hydroxylase Antibody.....	B54
3694-7 - Allergen Common Millet, IgE (f55) IgE.....	B193
3701-0 - Thiopurine Metabolites.....	B10
3703-6 - Herpes Virus-8, Ab.....	B365
3704-4 - Allergen Poplar White IgE	B567
3707-7 - Anti-Mullerian Hormone.....	B37
3709-3 - Mesoridazine	B462
3717-6 - N-Telopeptide, Serum	B472
3734-1 - Allergen Bass Black IgE	B58
3735-8 - Allergen Swordfish (f312), IgE	B633
3737-4 - Osmolality, Urine, Random	B585

3765-5 - Growth Hormone Antibody.....	B314
3767-1 - Pyruvate	B546
3770-5 - Allergen Cotton Seed, (k83) IgE.....	B198
3773-9 - Culture, Anal (Beta strep. Group B).....	B204
3776-2 - Allergen Ferret Epithelium (e217), IgE	B273
3780-4 - Allergen Horseradish, IgE	B346
3781-2 - Allergen Artichoke, IgE	B41
3788-7 - Enterovirus RNA, Qualitative.....	B232
3792-9 - Chloramphenicol	B138
3796-0 - Allergen Cranberry (rf341), IgE.....	B200
3802-6 - Allergen Western Ragweed (w2), IgE.....	B693
3803-4 - Allergen Beetroot (f319), IgE	B107
3805-9 - Mycophenolic Acid.....	B470
3806-7 - Tyrosine.....	B653
3809-1 - Allergen Squid (f258), IgE	B626
3813-3 - Allergen Glycyphagus Domesticus (d73), IgE	B308
3822-4 - Gliadin IgG, ABS.....	B291
3825-7 - DS-DNA (Crithidia) Autoabs.....	B707
3828-1 - Allergen StemphyliumBotryosum(m10),IgE	B613
3829-9 - Allergen Trichoderma Viride (m15), IgE	B625
3830-7 - Allergen Cephalosporium Acremonium (m202) IgE	B123
3831-5 - Allergen Japanese Cedar (t17) IgE.....	B402
3832-3 - Allergen Acacia (t19) IgE.....	B48
3833-1 - Allergen Mesquite Tree (t20) IgE.....	B462
3834-9 - Allergen Italian Cypress (t23), IgE	B400
3835-6 - Allergen White Mulberry (T70), IgE.....	B24
3836-4 - Allergen Queen Palm (t72), IgE	B575
3837-2 - Allergen Australian Pine, IgE (t73)	B73
3838-0 - Allergen Mackerel (f206), IgE.....	B455
3844-8 - Alpha-1-Acid Glycoprotein.....	B26
3848-9 - Kappa + Lambda Light Chain (urine).....	B406
3849-7 - Cystine, Urine Quant. 24HR.....	B165
3851-3 - High Risk STI CT/GC	B159
3852-1 - Chlamydia, Liquid-Based	B178
3853-9 - Gonorrhea, Liquid-Based	B311
3854-7 - Allergen Cheese Swiss IgE	B577
3871-1 - Allergen S. Chartarum/Atra IgE (NON-NY).....	B612

3874-5 - Legionella Culture	B416
3879-4 - Allergen Marguerite/Ox-eye Daisy (w7), IgE.....	B457
3882-8 - Alpha-2-Macroglobulin.....	B27
3883-6 - Ganglioside GQ1B Autoantibody.....	B283
3888-5 - Phenosense(HIV Phenotype).....	B519
3893-5 - Free Kappa + Lambda Light Chain (serum).....	B405
3898-4 - Giardia Antigen EIA (2ND SPECIMEN)	B289
3899-2 - Giardia Antigen EIA (3RD SPECIMEN).....	B289
3900-8 - Ehrlichia chaffeensis DNA, Real-Time PCR	B225
3904-0 - Anti-Beta2 Glycoprotein, IgG.....	B35
3905-7 - Anti-Beta2 Glycoprotein, IgA	B35
3906-5 - Anti-Beta2 Glycoprotein, IgM	B35
3911-5 - 6-Monoacetyl Morphine (6-MAM), Urine, Screen (10).....	B445
3912-3 - Myelin AB., (IgG), IFA.....	B454
3917-2 - Bile Acids Fractionated.....	B81
3928-9 - Thiopurine S-MethylTransferase Genotype	B461
3932-1 - Phenosense GT W/ Replication.....	B519
3941-2 - Cycloserine Level	B164
3946-1 - Protein Electrophoresis, CSF	B174
3956-0 - Buprenorphine (Suboxone), Urine, Screen (5)	B102
3957-8 - Allergen Persimmon, IGE,IgE.....	B561
3968-5 - Allergen Ispaghula (Psyllium) (k72), IgE	B400
3971-9 - Cannabinoids (Marijuana), Urine, Screen (50).....	B640
3977-6 - Alpha-Globin Common Mutation Analysis (NON-NY).....	B26
3986-7 - Allergen Honey, IgE.....	B368
3988-3 - Allergen Pepper Cayenne IgE.....	B560
3990-9 - Allergen Carob, (f296) IgE	B171
3997-4 - Interferon-ALPHA, EIA	B387
4000-6 - Biopsy, general-@ (AREA).....	B83
4002-2 - Tissue Pathology, Gross Only.....	B644
4003-0 - Biopsy Gen 3@AREA.....	B84
4004-8 - Biopsy Gen 4-@ (AREA)	B84
4005-5 - Biopsy Gen 5-@ (AREA)	B85
4006-3 - Biopsy Gen 6-@ (AREA)	B85
4007-1 - Biopsy Gen 2-@ (AREA)	B84
4009-7 - Nasal Smear: Complete WBC w/ Diff	B481
4030-3 - BUN + Creatinine with Ratio.....	B101

4242-4 - Coxsackie A + B	B154
4291-1 - Lupus Antibody Panel (SLE).....	B424
4300-0 - Cytology, Thyroid By FNA.....	B166
4447-9 - PET II (Dialysis Fluid).....	B518
4514-6 - AFP/HCG Tumor Marker	B18
4534-4 - Creatinine, Arterial	B156
4535-1 - Creatinine, Systemic.....	B157
4633-4 - Basic Food Allergy Panel.....	B78
5000-5 - Biopsy Pod -@ _.....	B83
5002-1 - Biopsy Pod 2-@ _.....	B82
5003-9 - Biopsy Pod 3-@ _.....	B83
5009-6 - Liver Biopsy	B89
5011-2 - Congo Red Amyloid Stain	B151
5017-9 - Propoxyphene and Metabolite, S/P	B485
5018-7 - Metformin Quantitative, S/P	B439
5019-5 - Campylobacter Jejuni Antibodies	B129
5024-5 - AML - M2 (AML/ETO) (RUNX1/RUNX1T1) by FISH.....	B50
5025-2 - AML - M4Eo by FISH	B51
5026-0 - Lymphoma - Mantle Cell (MCL), BCL1/IGH by FISH.....	B710
5027-8 - Lymphoma - Burkitt, MYC/IGH by FISH	B451
5028-6 - Lymphoma - Diffuse large B-Cell, BCL6 by FISH	B215
5030-2 - Automated UroVysion By FISH	B46
5031-0 - Lymphoma - T-Cell, TCR Gamma by PCR.....	B639
5032-8 - Lymphoma - B-Cell, IGH by FISH.....	B375
5034-4 - AML - M2 (AML/ETO) by RT-PCR.....	B50
5035-1 - AML - M4Eo by PCR	B51
5038-5 - TEL/AML1: t(12;21) by FISH.....	B639
5042-7 - Glucose, Urine, Random	B293
5048-4 - Allergen Psyllium Seed (K72), IgE (RAST)	B542
5056-7 - Allergen Bay Leaf, (f278) IgE	B106
5057-5 - Allergen Fenugreek (RF305) IgE	B273
5066-6 - X/Y Bone Marrow Transplant Monitoring	B94
5077-3 - Allergen House Dust (Greer), IgG	B346
5079-9 - House Dust (H/S, BAYER)	B346
5082-3 - Allergen-Giant Ragweed IgG	B289
5088-0 - Ganglioside GD1B.....	B283
5090-6 - Ganglioside Asialo	B282

5095-5 - Allergen Abalone, IGE.....	B47
5097-1 - Prostate Carcinoma IHC Panel (CK903, p63, P504S).....	B571
5098-9 - BCL-1,T(11:14),PCR	B206
5099-7 - Iron, Liver Studies, Quant.	B391
5100-3 - Leukemia/Lymphoma Panel	B417
5101-1 - Hodgkin Lymphoma IHC Panel.....	B477
5103-7 - Reactive Hyperplasia vs. Lymphoma (NHL) IHC Panel	B578
5104-5 - Prostate Cancer (Stain Only)	B571
5108-6 - GP/AE1/AE3 (Stain Only	B17
5111-0 - Pathology Slide Consultation	B509
5112-8 - Cerebrospinal Fluid (CSF) Cytology	B158
5116-9 - Acute Leukemia/MDS IHC Panel.....	B50
5119-3 - GP/Bile Duct Brushing.....	B296
5122-7 - Prostate Cancer/ Lymph Nodes.....	B533
5126-8 - Metastatic Melanoma - Lymph Node.....	B437
5127-6 - ER / PR / HER2 (Tech Only)w/digital imaging.....	B117
5136-7 - One (1) Antibody	B380
5137-5 - Two (2) Antibody	B379
5138-3 - Three (3) Antibody	B379
5139-1 - Four (4) Antibody	B380
5141-7 - Five (5) Antibody w/interpretation	B276
5144-1 - IHC 1 Antibody/Stain Only	B377
5145-8 - IHC 2 Antibody/Stain Only	B378
5146-6 - IHC 3 Antibody/Stain Only	B378
5147-4 - IHC 4 Antibody/Stain Only	B378
5148-2 - IHC 5 Antibody/Stain Only	B379
5151-6 - Cathepsin D by IHC.....	B131
5152-4 - Ki-67 by IHC	B412
5153-2 - p53 by IHC w/digital imaging.....	B709
5155-7 - Minimal Residual Disease for CLL/SLL.....	B142
5158-1 - GP/Level III Histo. TC (1 Slide)	B297
5159-9 - GP/Level III Histo (2 Slides)	B297
5160-7 - ER/PR /DNA/ Ki-67 - w/Interp w/digital imaging	B235
5161-5 - ER/PR/HER2 - w/Interpretation w/digital imaging.....	B235
5163-1 - ER/PR/ Ki-67/ HER2 - w/Interp w/digital imaging.....	B236
5164-9 - Level III Histo. (3 Slides).....	B419
5170-6 - Breast Carcinoma/Lymph Nodes/MM Metastasis	B99

5172-2 - Level III Histo. (4 Slides).....	B419
5173-0 - Level III Histo.(5 Slides).....	B419
5174-8 - Prostate Core Biopsy (20 Spec.).....	B536
5175-5 - GIST Profile (IHC).....	B290
5176-3 - Breast Carcinoma, Rule Out Microinvasion, with Interp.....	B130
5177-1 - Small Round Cell Tumor IHC Panel	B606
5179-7 - C-KIT (D816V).....	B634
5181-3 - Adenocarcinoma vs. Mesothelioma IHC Panel.....	B16
5182-1 - Chronic Eosinophilic Leukemia: FIP1L1-PDGFR α by FISH	B263
5183-9 - UGT1A1 Mutation Analysis	B398
5190-4 - Tumor of Unknown Primary IHC Panel	B653
5191-2 - Spindle Cell Neoplasm IHC Panel	B611
5193-8 - Hepatocellular vs. Cholangiocarcinoma vs. Metastasis IHC Pnl	B330
5194-6 - Germ Cell Tumor IHC Panel	B288
5195-3 - Neuroendocrine Neoplasm IHC Panel.....	B474
5198-7 - ER/PR - w/Interpretation w/digital imaging.....	B234
5199-5 - Bone Marrow Morphology	B93
5200-1 - Bone Marrow Morphology - Core Only	B94
5202-7 - Bone Marrow Analysis - Clot Only	B93
5207-6 - Bone Marrow Slide Consult.....	B94
5211-8 - Bone Marrow Analysis - Smears	B95
5218-3 - Cytopathology Urine-TC (Thinprep)	B167
5221-7 - T-NK CD57 Flow Cytometry Analysis	B132
5223-3 - CLL Prognosis: IgVH Mutation Analysis by PCR	B394
5224-1 - SURGICAL PATHOLOGY LEVEL 2.....	B616
5233-2 - Biopsy Level II, PC ONLY	B81
5234-0 - Biopsy Level III, PC ONLY	B81
5235-7 - Biopsy Level IV, PC ONLY	B82
5236-5 - Biopsy Level V, PC ONLY	B82
5237-3 - Biopsy, Level VI Global	B89
5240-7 - PAP W/O Image Reflex HR HPV.....	B504
5242-3 - Cytology, Thinprep FNA	B266
5243-1 - Cytology, Alcohol-Based FNA	B266
5244-9 - Cytology, Thinprep Fluids	B483
5245-6 - Cytology, Alcohol-Based Fluids	B483
5247-2 - HER-2/neu,FISH (Manual)	B332
5249-8 - UroVysion (Tech Only).....	B676

5253-0 - Comprehensive Urine Pathology (Technical Only).....	B676
5254-8 - Cytopathology, Urine (Thinprep)	B672
5256-3 - Comprehensive Slide Consult	B150
5259-7 - Automated HER2 FISH TC Only	B333
5260-5 - AML - M3 (PML/RARA) by FISH	B52
5261-3 - AML - M3 (PML/RARA) by RT-PCR	B51
5262-1 - HER2 by FISH with Interpretation.....	B332
5265-4 - BCR/ABL: t(9;22) by FISH	B563
5270-4 - Lymphoma - Follicular, BCL2/IGH by FISH	B710
5271-2 - Lymphoma - Follicular, BCL2/IGH by PCR	B711
5273-8 - Lymphoma - Non-Hodgkin, BCL1, BCL2, BCL6 (FISH Panel)	B263
5278-7 - Lymphoma - B-Cell, IGH by PCR.....	B394
5280-3 - Chronic Lymphocytic Leuk.(CLL): FISH Pnl(+12, 13q, 17p, 11q).....	B501
5281-1 - MDS FISH Panel.....	B470
5282-9 - Multiple Myeloma FISH Panel	B263
5283-7 - Path Cons On Ref.BLK/SLD GLOB.....	B509
5285-2 - Bone Marrow Smear Interpretation	B296
5286-0 - ISH Single Antibody, W/Interp.....	B297
5287-8 - CYP2D6 - Tamoxifen Resistance (NON-NY)	B119
5289-4 - ISH Single Antibody Stain Only	B75
5296-9 - Cytochrome P450 2D6 Genotype (NY).....	B118
5308-2 - Imaged IHC (1) W/Interp.	B381
5314-0 - Cytopatho. Urine-PC (Alcohol)	B166
5323-1 - Human Anti-Mouse ABS.	B319
5324-9 - Comprehensive Urine Pathology.....	B676
5351-2 - Desmoglein ABS (1 + 3)	B562
5352-0 - Dexmethasone.....	B211
5355-3 - Neuron Specific Enolase	B479
5360-3 - Squamous Cell Carcinoma, Serum.....	B598
5394-2 - Chromosome Analysis w/Reflex Microarray.....	B139
5405-6 - HER2 by IHC (Tech Only)w/digital imaging.....	B330
5406-4 - ER/PR/HER2w/digital imaging- Rflex to HER2 by FISH	B236
5407-2 - ER/ PR/ KI-67/ HER2 - Reflex to HER2 by FISH	B236
5408-0 - ER/ PR/ DNA/ KI-67/ HER2 - Reflex to HER2 by FISH	B235
5410-6 - ZAP-70 BY IHC	B699
5416-3 - Histology Processing	B339
5425-4 - ER/PR (Tech Only)	B234

5428-8 - HER2 by IHC - reflex +2 to HER2 by FISH	B331
5433-8 - ER / PR / Ki-67/ HER2 (Tech Only)	B234
5434-6 - CK-903 for Prostate Cancer	B140
5500-4 - OneCheck Hematopathology	B492
5564-0 - PNH by Flow Cytometry	B525
5579-8 - Plasma Cell Dyscrasia/Multiple Myeloma IHC Panel	B523
5602-8 - Skin Biopsy, (1 Jar).....	B466
5603-6 - Skin Biopsy, (2 Jars).....	B604
5604-4 - Skin Biopsy, (3 Jars).....	B604
5605-1 - Skin Biopsy, (4 Jars).....	B604
5606-9 - Skin Biopsy, (5 Jars).....	B605
5607-7 - Skin Biopsy, (6 Jars).....	B605
5611-9 - Prostate Core Biopsy (1 Spec.).....	B534
5612-7 - Prostate Core Biopsy (2 Spec.).....	B535
5613-5 - Prostate Core Biopsy (3 Spec.).....	B535
5614-3 - Prostate Core Biopsy (4 Spec.).....	B535
5615-0 - Prostate Core Biopsy (5 Spec.).....	B536
5616-8 - Prostate Core Biopsy (6 Spec.).....	B536
5617-6 - Prostate Core Biopsy (7 Spec.).....	B534
5618-4 - Prostate Core Biopsy (8 Spec.).....	B534
5619-2 - Surgical Pathology,Level IV.....	B615
5622-6 - Prostate Core Biopsy (12 Spec.).....	B537
5630-9 - Esophageal Biospy X1	B238
5631-7 - Biopsy, GI (1 Jar)	B85
5632-5 - Biopsy, GI (2 Jars)	B86
5633-3 - Biopsy, GI (3 Jars)	B86
5634-1 - Biopsy, GI (4 Jars)	B87
5635-8 - Biopsy, GI (5 Jars)	B87
5636-6 - Biopsy, GI (6 Jars)	B87
5640-8 - Gastric Biopsy (1 Specimen).....	B284
5643-2 - Gastric Washings/Brushings	B284
5645-7 - H.Pylori (Stain Ident.).....	B317
5652-3 - Colon Biopsy (2 Specimens)	B147
5660-6 - Cervical Biopsy	B174
5662-2 - Endo-Cervical Biopsy	B231
5664-8 - Endometrial Biopsy	B231
5672-1 - Cone Biopsy/LEEP	B150

5696-0 - Level 4 Surgical Pathology	B417
5697-8 - Level 5 Surgical Pathology	B418
5704-2 - Activated Protein C Resistance	B538
5705-9 - Activated Protein C Resistance Modified.....	B537
5706-7 - Anti-Annexin V. Antibodies, IgG, IgM	B34
5707-5 - Factor X Chromogenic.....	B256
5709-1 - Alpha-2-Antiplasmin	B26
5714-1 - Antithrombin III Activity (AT III)	B39
5715-8 - Antithrombin III Antigen (ATIII)	B39
5722-4 - Phosphatidyl Ethanolamine	B520
5723-2 - Antithrombin III Anti-Xa Assay	B44
5724-0 - Factor II Activity	B251
5725-7 - Factor V Activity.....	B252
5726-5 - Factor V Mutation (Leiden)	B255
5727-3 - Factor V (R2)Polymorphism	B270
5728-1 - Factor VII Activity.....	B253
5729-9 - Factor VIII Activity.....	B253
5730-7 - DRVVT Complete.....	B219
5735-6 - Factor X Activity	B254
5736-4 - Factor X Antigen	B256
5737-2 - Factor XI Activity.....	B254
5738-0 - Factor XII Activity.....	B255
5739-8 - Factor XIII Activity.....	B256
5741-4 - ADAMTS13 Activity with Reflex to Inhibitor	B16
5742-2 - ADAMTS13 Inhibitor	B688
5743-0 - D-Dimer	B208
5744-8 - Collagen Binding Assay	B146
5746-3 - Heparin Platelet Antibody	B566
5748-9 - Heparin Cofactor II	B218
5749-7 - Lupus-Hexagonal Phase	B413
5754-7 - HMW Kininogen	B344
5757-0 - Inhibitor Titer	B385
5761-2 - Heparin Level (ANTI-XA) - LMWH	B328
5769-5 - Factor IX Activity.....	B252
5771-1 - Part.Thromb.Time(PTT)-LA	B545
5775-2 - Plasminogen Quant.....	B523
5776-0 - Platelet Antibody Identification	B524

5784-4 - Platelet Neutralizing Procedure	B526
5785-1 - Protein C Activity	B572
5786-9 - Protein C Antigen	B537
5787-7 - Protein S Activity	B538
5788-5 - Protein S Antigen, Free	B539
5789-3 - Protein S Antigen Total	B539
5790-1 - Antiphosphatidylserine Antibodies, IgG, IgM, Special Coagulation	B38
5795-0 - Prothrombin G20210A Mutation	B542
5797-6 - Prothrombin Fragment 1+2	B372
5798-4 - COAG/Prothrombin Time	B541
5799-2 - Reptilase Time	B579
5800-8 - General Inhibitor Screen	B286
5803-2 - Allergen Wall Pellitory (W21), IgE	B691
5805-7 - Ristocetin Cofactor ACT.	B688
5807-3 - Thrombin Time	B641
5808-1 - Thrombin/Antithrombin	B641
5811-5 - Activation Markers	B48
5815-6 - Von Willebrand Factor, Antigen	B711
5816-4 - Von Willebrand Multimers	B270
5817-2 - Lupus Anticoagulant Screen	B432
5818-0 - Specific Factor Inhibitor	B610
5820-6 - Prothrombin ABS IGG	B540
5823-0 - Von Willebrand Normandy	B682
5825-5 - Von Willebrand Screen- Basic	B683
5826-3 - Von Willebrand Screen - Expanded	B683
5830-5 - Mixing Studies-APTT	B442
5834-7 - Imaged IHC, 4 Slides TC Only	B383
5837-0 - Imaged IHC, 3 Slides TC Only	B382
5838-8 - Imaged IHC, 2 Slides TC Only	B381
5839-6 - DIC Assessment Panel Level-1	B213
5840-4 - Mixing Studies-PT	B442
5842-0 - Imaged IHC, 1 Slide TC Only	B381
5843-8 - Imaged IHC, 4 Slides W/Interp.	B383
5844-6 - Imaged IHC, 3 Slides W/Interp.	B382
5845-3 - Imaged IHC, 2 Slides W/Interp.	B382
5848-7 - RET-HE	B592
5849-5 - Reticulin IgG SCRIN W/RFLX To Titer	B579

5851-1 - Abnormal APTT Assessment	B47
5853-7 - Abnormal PT and APTT Assessment	B47
5858-6 - BCR/ABL Quantification by RT-PCR	B78
5860-2 - Fibrinolytic Evaluation - Standard	B262
5868-5 - Gliadin IGA, ABS.	B290
5869-3 - Transglutaminase, IGG ABS.....	B648
5871-9 - HIT Profile-Level 1	B340
5872-7 - DIC Level 2	B213
5874-3 - AtheroSclerotic Risk (Coag)	B145
5875-0 - Venous Prothrom. Risk Factor	B680
5879-2 - Influenza A+B AG	B395
5886-7 - Vulvar Biopsy	B684
5889-1 - Vaginal Biopsy	B678
5917-0 - Tramadol, Urine, Screen, Qual. (200).....	B647
5923-8 - Phenosense Integrase.....	B341
5989-9 - Venous Prothrombic Risk	B680
5990-7 - Expanded Anti-Phos/Lupus	B240
5992-3 - DIC Assessment	B214
5993-1 - Hyperactive Coag. Panel	B353
5994-9 - Basic Antiphospholipid/Lupus	B77
5997-2 - Bleeding Diathesis Evaluation Profile II	B90
6102-8 - Vascular Endothelial Growth Factor.....	B679
6108-5 - Enterococcus/VRE Screen-@	B232
6116-8 - High Risk STI CT/GC/Trich	B178
6119-2 - MRSA Screen	B447
6122-6 - Hepatitis E Antibody, IgM	B357
6128-3 - Androsterone NON NY.....	B32
6146-5 - Norovirus RNA, Qual RT-PCR.....	B484
6155-6 - Lp-Pla2 (PLAC)	B432
6160-6 - MVista(r) Blastomyces Antigen Quantitative EIA (Non-NY).....	B90
6167-1 - Lipase, Peritoneal Fluid.....	B423
6169-7 - CEA, Peritoneal Fluid	B133
6175-4 - Collagen Type II AB.	B146
6176-2 - Angiotensin II.....	B33
6180-4 - 5-Flucytosine, S	B10
6182-0 - Occult Blood, Stool, Immunochem (FIT)	B272
6188-7 - Adenovirus Ag.,Detection	B53

6194-5 - Fentanyl, Urine, Screen, Qual. (2)	B260
6195-2 - Pap (Reflex to HPV DNA Genotyping 16,18 when ASC-US)	B549
6196-0 - Pap (Reflex to HPV DNA Genotyping 16, 18 when ASC-US or >)	B710
6199-4 - Trypanosoma Cruzi,AB Total	B650
6205-9 - Allergen Thyme (f273) IgE	B657
6206-7 - Allergen Marjoram (f274), IgE	B458
6207-5 - HIV-2 DNA/RNA Qual. RT PCR	B342
6209-1 - IGF Binding Protein-2	B375
6211-7 - Ganglioside GD1A Autoabs	B283
6218-2 - Amylase,Pleural Fluid	B29
6219-0 - Silicate, Water	B603
6223-2 - Naproxen (Aleve,Anaprox,Naprosyn)	B480
6235-6 - Phenosense Entry (incl.Fuzeon)	B519
6236-4 - H.Pylori Urea Breath Test	B668
6238-0 - Peritoneal KT/V, Measured	B411
6239-8 - Drug Confirmation, Ethanol, Urine (GC/HS)	B239
6240-6 - Lambda Free Light Chain Serum	B415
6241-4 - Kappa Free Light Chain Serum	B405
6246-3 - Combined First (NT, Total BHCG, PAPP-A)	B275
6258-8 - Opiates, Urine, Screen (200)	B489
6261-2 - Warfarin, Pharmacogenomic Assay	B199
6263-8 - Chronic Urticaria Index	B269
6266-1 - Allergen Sardine (Pilchard) (f308), IgE	B617
6267-9 - Allergen Herring (f205), IgE	B24
6272-9 - Lyme Blot, IgG W/Bands	B426
6273-7 - Lyme Blot, IgM W/Bands	B427
6274-5 - GP/Non-Automated Urovysion BY FISH	B112
6275-2 - Factor VII Antigen	B255
6276-0 - Trofile	B340
6277-8 - HDL Subclasses	B323
6283-6 - SHOX-DNA-DXTM	B622
6284-4 - Alcohol Biomarkers (ETG), Qual. (500)	B20
6285-1 - DPD-5 FU Genotype	B215
6286-9 - EDDP (Methadone Metabolite), Urine, Screen, Qual. (300)	B226
6289-3 - Zinc Protoporphyrin (ZPP),Whole Blood, Adult	B703
6293-5 - Tysabri Antibodies	B654
6299-2 - Alpha-Fetoprotein-L3%	B18

6308-1 - Allergen Nettle (w20), IgE.....	B474
6310-7 - Acylglycines, Quant. Urine.....	B52
6321-4 - Respiratory Syncytial Virus (RSV) AG.....	B584
6328-9 - MI-2 Autoantibodies.....	B441
6330-5 - Angiotensin Converting Enzyme (CSF).....	B33
6334-7 - Allergen Mountain Juniper (T6), IgE.....	B467
6337-0 - Chlamydia Trachomatis by Multiplex PCR.....	B138
6338-8 - GC By Multiplex PCR.....	B481
6339-6 - Ureaplasma By Multiplex PCR.....	B670
6340-4 - Mycoplasma Genitalium By Multiplex PCR.....	B452
6341-2 - Mycoplasma Hominis By Multiplex PCR (NON-NY).....	B453
6342-0 - Trichomonas By Multiplex PCR.....	B664
6351-1 - Herpes Simplex I by Multiplex (Non NY).....	B365
6352-9 - Herpes Simplex II by Multiplex (Non NY).....	B364
6353-7 - Cytomegalovirus (CMV) by Multiplex PCR (NON-NY).....	B143
6354-5 - T.Pallidum By Multiplex PCR (NON-NY).....	B635
6356-0 - Lymphogranuloma Venereum (LGV) (Non-NY).....	B422
6364-4 - HIV-1,RNA Viral Reflex Genotype.....	B341
6368-5 - Chlamydia Trachomatis, Urine, rRNA.....	B125
6369-3 - N. Gonorrhoea, Urine, rRNA.....	B472
6372-7 - Allergen Sage (F344), IgE.....	B59
6375-0 - Integrated Part 1 (NT, PAPP-A).....	B397
6376-8 - Integrated Part 2 (AFP, UE3, HCG, INHIBIN-A).....	B397
6380-0 - Spinal Muscular Atrophy (SMA) Carrier (SMN1 Dosage).....	B606
6431-1 - PAP/CT/GC (Reflex HPV PLUS when ASC-US).....	B506
6626-6 - Anal Cytopathology, ThinPrep.....	B167
6629-0 - PAP (RFLX HPV HIGH ASC-US).....	B502
6630-8 - PAP (RFLX HPV HIGH ASC-US or >).....	B502
6794-2 - GTT,GEST,3HR.(ACOG,CARP/COUS).....	B299
6800-7 - General Thrombophilia Assessment.....	B286
6801-5 - Preg.+Throm.Assessment.....	B529
6802-3 - Atherosclerotic Risk Expanded.....	B44
6820-5 - Region 13 Allergy Profile (S. CA Coast).....	B588
6821-3 - Region 14 Allergy Profile (Central CA).....	B588
6822-1 - Region 17 Allergy Profile (North West).....	B589
6823-9 - Region 1 Allergy Profile (North East).....	B587
6824-7 - Region 2 Allergy Profile (Mid Atlantic).....	B589

6826-2 - Region 4 Allergy Profile (S.Florida).....	B589
6827-0 - Region 10 Allergy Profile (TX,OK)	B588
6828-8 - Region 12 Allergy Profile (S. CA, AZ Desert)	B588
6829-6 - Region 5 Allergy Profile (IN, OH, TN, WV, KY).....	B589
7301-5 - Testosterone Free + Total.....	B639
7736-2 - H. PYLORI IgM.....	B316
8017-6 - Electrolytes (24 hr urine).....	B230
8431-9 - Perimenopausal Hormonal Profile.....	B561
8545-6 - Meperidine, Urine, Screen, Qual. (200).....	B217
8573-8 - Vit. D, 25-Hydroxy Tot.,D2+D3	B687
8601-7 - Sequential Screen Part 2 (AFP, UE3, HCG, Inhibin-A).....	B600
8602-5 - Sequential Screen Part 1 (NT, Total BHCG, PAPP-A)	B600
8612-4 - Prenatal SRY Gene Sequencing (Non-NY).....	B531
8622-3 - Combined First Plus (NT, Total BHCG, Inhibin-A, PAPP-A)	B276
8689-2 - HPV High by ISH Stain ONLY	B347
8696-7 - HPV High/Low Risk by ISH (Stain Only)	B348
8714-8 - HPV High Risk by ISH	B347
8807-0 - Angiotensin Convert.Enzyme Insertion/DEL.....	B13
8860-9 - AML - CEBPA Mutational Analysis.....	B134
8963-1 - Allergen Tilapia (RF414), IgE	B658
8979-7 - Glucose Tolerance 2 Hour	B292
9081-1 - Gentamicin, Peak + Trough	B287
9102-5 - PAP + HPV HI	B503
9149-6 - General Health Panel	B302
9150-4 - Comp. Metabolic/GGTP.....	B148
9235-3 - PAP + HPV HI + CT/GC	B503
9241-1 - PAP + CT/GC.....	B502
9891-3 - Comprehensive Thyroid-Expanded.....	B194
9892-1 - Arthritis Profile - Expanded	B40
9893-9 - Anemia Profile, Expanded	B33
9985-3 - PAP/CT/GC(RFLX HPV PLUS ASC-US or >).....	B550
9990-3 - CALL RESULT TO DOCTOR	B129
9991-1 - Send Copy Of Results To:.....	B600
9993-7 - Fax Result To Doctor	B258
9997-8 - Send Results To Patient	B600
A044-0 - OnkoSight FLT3.....	B264
A108-3 - Serotonin Release Assay.....	B601

A112-5 - GC, Anal Aptima	B285
A113-3 - Chlamydia, Oral Aptima.....	B159
A114-1 - Chlamydia, Anal Aptima	B158
A115-8 - Retinol Binding Protein.....	B580
A127-3 - C4a Level.....	B126
A130-7 - Lung - Adenocarcinoma vs. Squamous cell carcinoma.....	B611
A205-7 - Trofile DNA	B650
A228-9 - Level V Histo,TC	B421
A229-7 - Level II Histo,TC.....	B418
A230-5 - Level VI Histo,TC	B421
A231-3 - Level IV Histo, TC	B420
A233-9 - ANA with Reflex to IFA	B30
A240-4 - EGFR by FISH	B228
A241-2 - EML4-ALK by FISH (FDA): Lung.....	B22
A250-3 - Pap and HPV mRNA Genotyping 16, 18/45.....	B550
A251-1 - Pap (Reflex to HPV mRNA Genotyping 16, 18/45 when ASC-US).....	B549
A252-9 - PAP/CT/GC/ HPV mRNA,RFX 16/18/45 GENOTYPE.....	B506
A253-7 - PAP RFLX HPV mRNA ASCUS,RFX 16/18/45 w/CT/GC	B503
A254-5 - PAP Reflex to HPV mRNA when ASCUS or greater,RFX 16,18/45	B504
A255-2 - PAP RFX HPV Plus mRNA ASCUS>,RFX 16/18/45 w/CT/GC.....	B506
A265-1 - Culture, Genital - Beta strep. Group B (Penicillin Allergic).....	B314
A269-3 - PAI 4G/5G Polymorphism.....	B501
A278-4 - ER,PR,KI-67,P53,HER2 FISH, TC	B233
A282-6 - Ashkenazi Jewish DNA Panel (NON NY).....	B19
A292-5 - Cannabinoid, synthetic (K2,Spice), Urine, Screen, group 1, Qual.(20).....	B404
A293-3 - Biopsy, GI (7 JARS).....	B88
A294-1 - Biopsy, GI (8 JARS).....	B88
A295-8 - Biopsy, GI (9 JARS).....	B88
A296-6 - Biopsy, GI (10 JARS).....	B86
A301-4 - HER-2, IHC.....	B331
A304-8 - Interleukin 28B POLYMORPHISM (NON-NY).....	B389
A311-3 - 1P/19Q,D(1;19)DELETION BY FISH	B7
A313-9 - MLH-1 Promo. Methylation	B443
A314-7 - P53 by FISH.....	B6
A315-4 - Epstein-Barr Virus By PCR	B233
A321-2 - Allergen Privet Tree (T210), IgE.....	B570
A332-9 - Reticulin IgA, w/RFLX ToTiter	B579

A334-5 - Serum Integrated Part 2 (AFP, UE3, HCG, Inhibin-A)	B601
A335-2 - Serum Integrated Part 1 (PAPP-A).....	B601
A346-9 - KI-67 Imaged By IHC-Tech Only	B406
A427-7 - HER2 FISH Global Gastric+GEJ	B332
A428-5 - HER2 FISH TC-Gastric+GEJ	B360
A434-3 - HLA-DR/DQ Low Resol.Typ.....	B343
A472-3 - Alcohol, Isopropyl	B57
A473-1 - Alcohol, Methyl	B58
A489-7 - PAP(RFX HPV Plus)	B504
A492-1 - BK Virus DNA Quantification, PCR (Urine).....	B89
A500-1 - OneCheck Plus Genomics	B488
A502-7 - Culture, Fungal (Yeast).....	B656
A517-5 - Rickettsia Rickettsii DNA,PCR (Non-NY).....	B594
A518-3 - TSH W/ Reflex To Free T4	B651
A519-1 - B.Burgdorferi DNA QUAL PCR	B95
A531-6 - HPV DNA 16, 18, NON 16/18.....	B347
A587-8 - Karyotype CVS.....	B180
A590-2 - Noonan Panel	B477
A595-1 - Oxycodone, Urine, Screen (300).....	B499
A612-4 - MET by IHC	B439
A614-0 - Vancomycin (Random)	B678
A615-7 - Tobramycin (Random)	B644
A616-5 - Gentamicin (Random)	B288
A643-9 - Familial Hyperinsulinism	B257
A644-7 - Dihydropyrimidine Dehydrogenase	B214
A645-4 - Joubert Syndrome	B401
A646-2 - Nemaline Myopathy 2.....	B482
A647-0 - Usher Syndrome Type 3	B677
A648-8 - Walker Warburg Syndrome.....	B689
A649-6 - Usher Syndrome Type 1F.....	B673
A650-4 - Maple Syrup Urine Disease(Type 1A & 1B)	B435
A651-2 - Glycogen Storage, Type IA (GSDIA)	B294
A652-0 - Tay-Sachs Disease Carrier Test.....	B638
A653-8 - Niemann-Pick Type A+B Carrier Test.....	B476
A654-6 - Mucopolysaccharidosis Type IV	B450
A655-3 - Gaucher Disease Carrier Screening.....	B301
A656-1 - Fanconi Anemia, Type C	B257

A658-7 - Bloom Syndrome Carrier Test	B91
A659-5 - Inherigen® Plus	B385
A662-9 - Inherigen.....	B384
A673-6 - Allergen Trichophyton Rubrum (m205), IgE	B665
A697-5 - Familial Dysautonomia	B257
A780-9 - Reflex to GenCerv when NILM/HPV 16,18 negative, non-16/18 positive	B575
A827-8 - Inherigen Partner Gene Seq.. (NON-NY)	B508
A860-9 - Brucella AB., Agglutination.....	B100
A861-7 - Trichomonas Vaginalis, Probe rRNA	B648
A867-4 - Allergen Parrot Aust.Droppings IgG.....	B552
A868-2 - -7/7Q- BY FISH-TC ONLY	B3
A869-0 - -5/5Q- BY FISH-TC ONLY	B2
A870-8 - Trisomy 8 By FISH -TC Only	B649
A871-6 - 20Q12 BY FISH-TC ONLY.....	B7
A873-2 - T(11;14)+11 BY FISH-TC Only.....	B634
A874-0 - 17P13 BY FISH-TC ONLY	B708
A875-7 - T(4;14) BY FISH-TC Only	B635
A876-5 - 1Q21 BY FISH-TC ONLY	B141
A877-3 - Trisomy 12 by FISH-TC Only	B649
A878-1 - 13Q14.3 BY FISH-TC ONLY.....	B209
A879-9 - 11Q22.3 BY FISH-TC ONLY.....	B44
A881-5 - AML - APL PML/RARA t(15;17) - Tech Only	B28
A943-3 - Mismatch Repair(MMR) by IHC w/Interp.....	B448
A944-1 - Mismatch Repair(MMR) by IHC, Tech Only	B448
A951-6 - ER/PRKI-67/HER2/P53 BY IHC,TC.....	B237
A952-4 - Breast Carcinoma, R/O Microinvasion BY IHC-TC	B99
A954-0 - ER/PRKI-67/HER2/P53 BY IHC with Interp. w/digital imaging.....	B237
A957-3 - Adenovirus Quant. PCR Plasma.....	B52
A966-4 - Adenovirus Quant. PCR, Urine.....	B53
A972-2 - HER2 BY IHC GI/ESO Carcinoma.....	B333
A978-9 - Whole Genome Chromosomal Microarray.....	B139
A985-4 - PTEN BY IHC With Interpretation	B543
B012-6 - LEVEL II-PC SURGICAL PATHOLOGY	B418
B013-4 - LEVEL III-PC SURGICAL PATH.....	B420
B014-2 - LEVEL IV-PC SURGICAL PATHOLOGY.....	B420
B015-9 - LEVEL V-PC SURGICAL PATHOLOGY.....	B421
B016-7 - LEVEL VI-PC SURGICAL PATHOLOGY.....	B422

B071-2 - ANAL HPV E6/E7 MRNA Quant. B31

B118-1 - Prenatal For Known Mutation (Non-NY) B531

B124-9 - Neutrophil Function Panel B474

B125-6 - Hepatitis C Antibody W/ Reflex RT PCR B359

B131-4 - Fetal, Fragile X..... B260

B137-1 - Clostridium Difficile Toxins A+B Genes By DNA Amplification..... B133

B139-7 - Smith-Lemli-Opitz Synd.Prenat (Non-NY) B607

B148-8 - Abetalipoproteinemia B11

B149-6 - Tyrosinemia, Type 1 B654

B150-4 - Hermansky-Pudlak Syndrome 3..... B363

B151-2 - Familial Hypercholesterolemia LDLR..... B271

B155-3 - Galactosemia Carrier Screen B282

B164-5 - Wilson Disease Carrier Screen..... B690

B214-8 - CMV DNA Quant PCR, Urine..... B143

B216-3 - Fetal, Spinal Muscular Atrophy..... B274

B219-7 - Amniotic Fluid Cystic Fibrosis B29

B227-0 - Allergen Turkey Meat, IgG (NON-NY)..... B653

B232-0 - Hold Cells For Further Testing B345

B233-8 - Zygosity Testing B700

B235-3 - Allergen Blomia Tropicalis (d201), IgE B112

B236-1 - ALK BY FISH (TC)..... B21

B269-2 - HER2 IHC Gastric/GEJ, TC Only w/digital imaging B334

B273-4 - Breast/Gyn Cancer Panel B119

B275-9 - Comprehensive Common Cancer Panel B196

B331-0 - Pediatric Blood Culture #1 B516

B332-8 - Pediatric Blood Culture #2 B517

B333-6 - Pediatric Blood Culture #3..... B517

B334-4 - ROS1 BY FISH Global..... B583

B335-1 - MET BY FISH-Global..... B438

B336-9 - MET BY FISH-Tech Only..... B438

B337-7 - ROS-1 BY FISH-TECH Only B582

B342-7 - HPV mRNA screen, if pos, Reflex to 16, 18/45..... B349

B343-5 - Pancreatic Cancer Panel..... B547

B345-0 - Zinc, Plasma B700

B347-6 - HIV Genosure Prime..... B340

B352-6 - StormPath PAP, Liquid based B505

B361-7 - BRCA1/ BRCA2 Ashkenazi Founder Panel..... B98

B363-3 - Rest of Comprehensive Cancer Panel	B591
B364-1 - STK11 Del/Dup Analysis.....	B614
B376-5 - Toxoplasma Avidity G/M, ELISA.....	B646
B379-9 - AH50 Complement Activity Alternate Pathway.....	B19
B380-7 - FGF 23 (Fibroblast Growth Factor 23).....	B262
B383-1 - DES-Gamma-Carboxy-Prothrombin	B210
B399-7 - Melanoma Panel.....	B460
B423-5 - Allergen Lamb/Mutton IgG Non-NY.....	B429
B424-3 - Allergen Sardine, IgG (NON-NY)	B598
B435-9 - Holoprosencephaly Panel+DEL/DUP.....	B345
B458-1 - Allergen Sunflower Seed IgG Non-NY.....	B630
B463-1 - Allergen Lentil IgG (Non-NY)	B430
B465-6 - Allergen Trout IgG (Non-NY)	B666
B483-9 - Allergen Bean Green/String IgG	B106
B485-4 - Avocado IgG (NON-NY)	B75
B497-9 - Allergen Apricot IgG (NON-NY)	B70
B500-0 - Allergen Goat Milk IgG (Non-NY)	B295
B506-7 - D7S486/XCE 7 FOR -7/7q- BY FISH	B3
B507-5 - D5S2064 FOR -5/5q- BY FISH	B3
B508-3 - D20C108 FOR DEL (20q) BY FISH.....	B8
B510-9 - D13S319 (13q14.3) BY FISH.....	B5
B512-5 - ATM FOR 11q22.3 BY FISH.....	B4
B514-1 - XCE 8 BY FISH	B2
B518-2 - Urinalysis w/Reflex to Culture	B668
B524-0 - HLA-B51 Determination	B344
B534-9 - Chromosome Analysis- Breakage, Fanconi Anemia.....	B139
B540-6 - Allergen Flounder (SAS) IgE.....	B277
B541-4 - Allergen Snail (f314), IgE	B624
B542-2 - JCV Ab w/ Index w/ RFX.....	B401
B544-8 - MDM2 Gene Amplification by FISH.....	B436
B545-5 - FISH, IGH/MAFB, t(14;20).....	B376
B556-2 - EWSR1(22Q12) Gene Rearrang. FISH.....	B251
B557-0 - FISH, FGFR1, 8p11-12.....	B264
B565-3 - ALK (EML4/ALK) BY IHC.....	B21
B604-0 - Aspergillus AG EIA, Serum.....	B300
B608-1 - Liver Cytosol (LC-1) AutoAbs	B415
B610-7 - HEP C RNA (NS3) Genotype 1 (NY Only).....	B574

B779-0 - Epicoccum Purpurascens IgG	B232
B784-0 - Drug Confirmation, Ethanol, Blood (GC/HS).....	B249
B790-7 - Fungal Culture, MISC W/Reflex	B269
B792-3 - Matrix Metalloproteinase-9	B444
B795-6 - Prader-Willi/Angelman Syn. AMF.....	B529
B796-4 - 15q Del Characterization, FISH.....	B529
B807-9 - HLA B1502 Typing	B342
B812-9 - HER2 FISH-Reflex Equivocal to HER2 IHC.....	B333
B818-6 - OnkoSight MPN Panel Sequencing.....	B495
B819-4 - OnkoSight Lung Cancer Panel	B493
B820-2 - OnkoSight Melanoma Panel	B495
B821-0 - OnkoSight Solid Tumor Panel.....	B496
B822-8 - OnkoSight Colorectal Cancer Panel.....	B493
B823-6 - OnkoSight Myeloid Disorder Panel.....	B496
B832-7 - Accutype Ribavirin	B392
B843-4 - Bone Marrow Morph. Clot Only- Tech Only.....	B91
B844-2 - Bone Marrow Morph. Smear Only- Tech Only	B92
B845-9 - Bone Marrow Morph. Core Only- Tech Only	B92
B846-7 - Bone Marrow Morph.- Tech Only.....	B91
B848-3 - Uniparental Disomy	B669
B854-1 - PTEN BY FISH.....	B543
B855-8 - RSV Ab., Serum	B584
B865-7 - Mycobacterium Tuberculosis Complex.....	B452
B866-5 - HSV I/II DNA PCR, Qual	B351
B870-7 - Myasthenia Gravis Panel 2.....	B15
B873-1 - Scale (w15) IgE.....	B73
B874-9 - Chromatin IGG	B67
B889-7 - AML-M4 and M5 by Fish- TC ONLY.....	B443
B890-5 - Lynch Syndrome Custom Panel	B433
B891-3 - AML-M2 (AML/ETO) by Fish- TC ONLY	B29
B893-9 - OnkoSight MDS Panel Sequencing	B494
B894-7 - OnkoSight AML Panel Sequencing.....	B492
B899-6 - HHV6 Plasma, PCR.....	B337
B960-6 - ISH Single Antibody -PC Only	B392
B964-8 - Prostate Cancer Triple Stain By IHC (PC).....	B533
B969-7 - Prenatal SOX9 Seq +Del/Dup.....	B609
B975-4 - Pap + Pap Dependent HPV.....	B548

B978-8 - ExtraTube(s) Drawn.....	B241
B984-6 - Rest of common cancer panel after Lynch Syndrome Panel B985	B586
B985-3 - Lynch Syndrome Panel	B433
B993-7 - PD-L1 IHC 22C3 pharmDx, Keytruda W/INTERP.....	B512
B994-5 - PD-1 BY IHC	B510
F021-1 - InheriGen®Plus w/o Fragile X	B396
F100-3 - Chronic Fatigue Syndrome	B182
F101-1 - Gastric Distress	B300
F238-1 - Female High Risk Sexual Health Panel.....	B690
F239-9 - Male High Risk Sexual Health Panel.....	B438
F245-6 - Sinus Culture W/ Gram Stain.....	B603
F306-6 - Comprehensive Heart Health Baseline.....	B147
F307-4 - Comprehensive Heart Health Monitoring.....	B147
F368-6 - PID/Infertility W/O PAP Expanded	B521
F371-0 - Vaginitis/Vaginosis W/O PAP W/O HPV Expanded	B677
H001-1 - GC/CT/Trich, Aptima URINE	B286
H125-8 - OnkoSight Lung Cancer Panel, ALK and ROS1 by FISH.....	B488
H191-0 - Milk Component Panel IgE.....	B442
H474-0 - Iodine, Urine Panel	B391
H510-1 - Fibrotest/Actitest.....	B274
H575-4 - Bacterial Vag. W/RFX TP-NY.	B103
H578-8 - KIT and PDGFRA Sequencing- Non Ny	B407
H579-6 - EGFR and KRAS, if both neg, reflex ALK, if neg reflex ROS1 Non NY	B229
H580-4 - KRAS by NGS, if negative reflex to BRAF; + MSI by PCR, MSI-High, reflex to MLH1	B410
H581-2 - EGFR by NGS, ALK, ROS1, and MET by FISH- Non NY.....	B229
H583-8 - IBD Differentiation Panel	B373
H760-2 - Herpes Virus I/II DNA.....	B349
H852-7 - HPV PRIMARY SCREENING >=25 YRS, WHEN + RFX TO PAP	B348
H870-9 - BV PANEL BY RT-PCR	B102
H906-1 - Estrogens, Fractionated	B249
H940-0 - S. Cerevisiae Antibodies (IGG/IGA).....	B597
H959-0 - Glycemic Control Profile.....	B308
H991-3 - Total IgG and Subclasses	B661
H992-1 - Egg Components IgE.....	B242
H993-9 - Peanut Components IgE.....	B558
J002-7 - O+P, Sputum.....	B486
J010-0 - Culture, Catheter Tip	B162

J013-4 - Cystatin C	B206
J015-9 - ALK BY FISH, IF NEG REFLEX TO ROS1 BY FISH	B21
J018-3 - Cadmium, Blood	B128
J019-1 - Arsenic, Blood.....	B40
J020-9 - KIT Sequencing (Solid Tumors) Non NY	B407
J021-7 - BRAF Sequencing- Non NY.....	B96
J022-5 - EGFR Sequencing- Non NY.....	B637
J023-3 - NRAS Sequencing- Non NY	B478
J024-1 - KRAS Sequencing- Non NY.....	B409
J025-8 - HPV DNA, High Risk Anal - TP	B349
J032-4 - Human Epididymal Protein 4	B323
J044-9 - TP53 Sequencing.....	B647
J045-6 - PDGFRA Sequencing- Non NY	B514
J047-2 - PTH, Intact, FNA	B544
J048-0 - Pneumococcal Antibody Panel (23 Serotype)	B615
J054-8 - Rest of Comprehensive Common Cancer Panel (after Breast Cancer Management Panel)	B587
J055-5 - Breast Cancer Management Panel.....	B119
J057-1 - Anti CMV Avidity, IgG	B36
J076-1 - Iodine, Serum/Plasma	B390
J090-2 - Cannabinoid, synthetic (K2,Spice), Urine, Screen, group 2, Qual.(10).....	B404
J098-5 - Zygosity Non-Ny	B700
J104-1 - KRAS, if neg reflex to BRAF- Non NY	B409
J105-8 - EGFR, if neg reflex to ALK- Non Ny	B226
J106-6 - EGFR, if neg reflex to ALK, if neg reflex to ROS1- Non NY	B228
J107-4 - BRAF, if neg reflex to MLH1 Hypermethylation- Non NY	B96
J114-0 - GLYCOMARK	B4
J130-6 - OnkoSight MYD88 Sequencing (Non-NY)	B495
J132-2 - Onkosight NGS ABL1 Sequencing.....	B12
J137-1 - Onkosight NGS NPM1 Sequencing.....	B478
J138-9 - Onkosight NGS KIT Sequencing (Non-NY)	B407
J141-3 - MYC-BA, 8q24 Rearrangement FISH	B451
J143-9 - Gleason Score 3+4, Reflex To PTEN FISH.....	B290
J144-7 - MYC-BA, 8q24 Rearrangement FISH- TECH ONLY	B451
J146-2 - SOX-10 BY IHC TECH Only.....	B608
J147-0 - SOX-10 BY IHC W/Interp.....	B607
J148-8 - 4K Prostate Score (Serum).....	B9

J154-6 - Onkosight NGS FLT3 IF NEG. RFLX TO CEBPA+NPM1 NGS	B265
J155-3 - Onkosight NGS FLT3 AND NPM1 Sequencing.....	B265
J157-9 - XL RARA (17q21) BY FISH	B697
J158-7 - H. Pylori BY IHC W/ Interp.....	B317
J159-5 - H. Pylori BY IHC Tech Only.....	B315
J160-3 - XL RARA (17q21) BY FISH - TC (NON-NY).....	B697
J164-5 - HERPES SIMPLEX VIRUS I DNA	B352
J165-2 - HERPES SIMPLEX VIRUS II DNA	B352
J201-5 - Adenovirus Quant. R.T. PCR Serum.....	B53
J202-3 - EGFR, if neg reflex to ALK - TC only Non NY	B227
J211-4 - G. vaginalis by RT-PCR	B281
J212-2 - A. Vaginalis by RT-PCR	B11
J213-0 - Lactobacillus (Species) by PCR	B414
J214-8 - Megasphaera Type 1 by RT PCR	B436
J215-5 - BVAB2 by RT-PCR	B103
J216-3 - B. fragilis by RT PCR	B76
J217-1 - Mobiluncus (Species) by RT PCR	B445
J218-9 - Reflex to Glycomark	B356
J220-5 - Leptin (ELISA)	B416
J221-3 - PD-L1 IHC 28-8 pharmDx (OPDIVO) W/INTERP.....	B513
J222-1 - Interleukin 8.....	B390
J223-9 - Interleukin 5.....	B390
J224-7 - Interleukin 2.....	B388
J225-4 - Interleukin 4.....	B389
J227-0 - Interleukin 1B	B388
J228-8 - Interleukin 10	B387
J229-6 - Interleukin 12	B388
J231-2 - Interferon Gamma	B374
J257-7 - PD-L1 (Clone E1L3N) IHC w/Interp.	B512
J258-5 - Estradiol (E2), Serum, LCMS	B238
J259-3 - Estrone (E1), Serum	B239
J264-3 - 4K PSA rflx >3.0	B9
J265-0 - TSH (Pregnancy)	B652
J275-9 - Syphilis Reverse Algorithm	B635
J280-9 - Allergen Ovomuroid (f233), IgE.....	B499
J281-7 - Allergen, Ovalbumin (F232), IgE	B498
J283-3 - Peanut Component Ara (h2), IgE	B556

J285-8 - Peanut Component Ara (h3), IgE	B556
J286-6 - Peanut Component Ara (h9), IgE	B557
J287-4 - Peanut Component Ara (h8), IgE	B557
J291-6 - Tick Identification	B658
J293-2 - Ashkenazi Jewish Expanded Profile	B19
J294-0 - Ehlers-Danlos Syndrome, Type VIIC	B244
J295-7 - Osteopetrosis, Autosomal Recessive 1	B638
J296-5 - Multiple Sulfatase Deficiency	B469
J297-3 - Arthrogyposis, Mental Retardation, and Seizures	B71
J298-1 - Spastic Tetraplegia, Thin Corpus Callosum and Progressive Microcephaly	B624
J299-9 - Dyskeratosis Congenita, Autosomal Recessive 5	B223
J301-3 - Polycystic Kidney Disease, Autosomal Recessive (ARPKD)	B567
J302-1 - Phosphoglycerate dehydrogenase deficiency	B564
J303-9 - Peroxisome Biogenesis Disorder 5A (Zellweger)	B561
J304-7 - Phenylketonuria (PKU) Carrier Screening	B562
J305-4 - Mitochondrial Complex I Deficiency	B465
J306-2 - Congenital Amegakaryocytic Thrombocytopenia (CAMT)	B197
J307-0 - Familial Mediterranean Fever	B272
J308-8 - Deafness, Autosomal Recessive 1A (GJB2)	B217
J310-4 - Factor XI Deficiency (Hemophilia C)	B271
J311-2 - Ciliary Dyskinesia, Primary 1	B569
J313-8 - Retinitis Pigmentosa 59	B592
J314-6 - Smith-Lemli-Opitz Syndrome	B623
J315-3 - Carnitine Palmitoyltransferase Deficiency, Type 2	B171
J316-1 - Alport Syndrome, Autosomal Recessive	B62
J317-9 - Bardet-Biedl Syndrome 2	B105
J322-9 - Coenzyme Q10	B191
J331-0 - Synovial Sarcoma 18q11.2 FISH	B612
J355-9 - Solid Tumor Gene Fusion Assay	B301
J356-7 - p16 by IHC	B708
J371-6 - Bladder Washing, FISH	B677
J372-4 - PRENATAL SKELETAL DYSPLASIA PANEL	B530
J405-2 - Zika Serum RNA PCR w/reflex to IgM	B701
J406-0 - Zika Serum RNA PCR	B701
J407-8 - Zika Urine RNA PCR	B702
J434-2 - Expanded Cystic Fibrosis Panel	B251
J435-9 - Cystic Fibrosis 40- NGS	B136

J451-6 - Total Testosterone by LC/MS/MS	B655
J452-4 - KRAS/NGS if neg rflx to BRAF/ MSI-PCR, if MSI-High, rflx MLH(NY).....	B410
J453-2 - KIT Sequencing (Solid Tumors) NY Only	B408
J454-0 - EGFR Sequencing NY Only	B229
J455-7 - NRAS Sequencing NY Only.....	B479
J456-5 - BRAF Sequencing NY Only	B97
J458-1 - KRAS Sequencing NY Only	B410
J459-9 - PDGFRA Sequencing.....	B514
J460-7 - EGFR, if neg reflex to ALK, if neg reflex to ROS1 NY Only	B228
J461-5 - EGFR, if neg reflex to ALK NY Only	B227
J462-3 - KRAS, if neg reflex to BRAF NY Only	B409
J463-1 - BRAF, if neg reflex to MLH1 Hypermethylation NY Only.....	B96
J464-9 - KIT and PDGFRA Sequencing NY Only	B408
J465-6 - EGFR and KRAS, if both neg, reflex ALK, if neg reflex ROS 1 NY Only.....	B230
J466-4 - EGFR, if neg reflex to ALK-TC only- NY Only	B227
J496-1 - Minimal Residual Disease for CLL/SLL- Tech Only	B447
J497-9 - Anti-Zika Virus Elisa IgM Serum	B702
J510-9 - Thyroid Stimulating Immunoglobulin	B652
J520-8 - Cystic Fibrosis (CFTR) Intron 9 Poly-T Analysis (5T/7T/9T).....	B136
J529-9 - Cytology, Bladder Washing (50% Alcohol).....	B207
J534-9 - Cytology, Bladder Washing (ThinPrep)	B207
J546-3 - p57 by IHC.....	B709
J552RE-4 - Rest of Arrhythmia after SCA Panel	B590
J553RE-2 - Rest of Cardiomyopathy after HCM Panel	B591
J554RE-0 - Rest of Cardiomyopathy after DCM Panel	B590
J571-1 - Potassium, RBC	B568
J632-1 - JAK2 (including V617F and exon 12), MPL, and CALR if negative, reflex to MPN Panel	B401
J633-9 - MPN: JAK2/MPL/CALR by NGS.....	B446
J634-7 - OnkoSight Glioma Panel	B493
J635-4 - Glioma: IDH1/IDH2 by NGS	B305
J655-2 - Process and Hold for Cytogenetics	B570
J661-0 - Citrated Platelet Count.....	B456
J662-8 - Breast Cancer Surgical Panel	B118
J663-6 - PMS2 Del/Dup Analysis	B525
J664-4 - Rest of Comprehensive Cancer Panel (after Prostate Panel)	B587
J665-1 - Hereditary Prostate Cancer Panel	B362

J676-8 - Bile Acids, Fract. + Total Pregnancy	B179
J745-1 - Cryptosporidium ID, Modified Acid Fast.....	B201
J761-8 - MSI: if MSI-H reflex to BRAF, if BRAF neg. reflex to MLH1	B448
J785-7 - Interleukin 6.....	B380
J791-5 - Anal GC on ThinPrep (Non NY).....	B64
J792-3 - Anal CT on ThinPrep (Non NY)	B64
J795-6 - Rest of Demyelinating CMT Panel (after PMP22 Del/Dup).....	B591
J805-3 - C9ORF72 Repeat Analysis	B126
J806-1 - Hearing Loss Panel	B356
J827-7 - Rest of Cancer Panel (after KPSC Hereditary Cancer).....	B1
J834-3 - GC MultiPlex PCR - swab	B284
J835-0 - Chlamydia Trachomatis MultiPlex PCR - swab	B178
J836-8 - Trichomonas by MultiPlex PCR - swab.....	B664
J837-6 - Mycoplasma Genitalium by MultiPlex PCR- swab	B434
J839-2 - Varicella-Zoster Virus.....	B684
J847-5 - HSV 1 MultiPlex PCR	B350
J848-3 - HSV 2 MultiPlex PCR	B351
J853-3 - Leukodystrophy Xpanded Panel.....	B336
J857-4 - Histology Processing 6 H+E	B367
J858-2 - Histology Processing 8 H+E	B366
J859-0 - Histology Processing 7 H+E	B367
J860-8 - Histology Processing 9 H+E	B368
J861-6 - Histology Processing 10 H+E	B367
J862-4 - Histology Processing (GI)	B366
J865-7 - Opiates, Serum Screen.....	B496
J875-6 - Mucosa-Associated Lymphoid Tissue Lymphoma Translocation Protein (Non-NY)	B435
J876-4 - MGMT Promoter Region Methylation.....	B440
J884-8 - H.Pylori Detection by PCR (Non NY)	B318
J885-5 - H.Pylori Clarithromycin Resistance Detection by PCR (Non NY)	B318
J892-1 - Dihydrotestosterone	B212
J897-0 - Malaria/Babesia/Other Blood Parasites	B114
J900-2 - RUBELLA IGM.....	B595
J913-5 - Chromosome Analysis (Oncology)- Tissue	B169
J915-0 - PD-L1 22C3 (GI/GEJ) W/Interp.....	B511
J920-0 - Fecal Calprotectin	B259
J949-9 - Non-Gyn Other (Slides) - Interp Only	B483
J957-2 - Anophthalmia/Microphthalmia Panel.....	B66

J965-5 - Group A Strep (Non NY)	B298
J966-3 - Group B Strep (Non NY)	B298
J967-1 - Enterococcus faecalis (Non NY)	B225
J968-9 - Escherichia coli (Non NY)	B225
J970-5 - Staphylococcus aureus (Non NY).....	B597
J975-4 - ABCD1 Gene Sequencing & Del/Dup	B11
J995-2 - Disorders of Hyperphenylalaninemia and Biopterin Metabolism Panel	B220
K002-6 - Celiac Disease Eval + HLA Genetics.....	B134
K119-8 - ANALyzer Panel (Screening)	B31
K135-4 - 4K PSA Total + Free Reflex >3.0 to 4Kscore	B9
K335-0 - EGFR by NGS, ALK, ROS1, and MET by FISH (Ny Only).....	B229
K361-6 - Food Allergy Profile w/ rfx to Milk and Peanut.....	B278
K426-7 - Food Allergy Profile	B278
K559-5 - Zika Molecular Serum+Urine	B701
K583-5 - Zika Molecular Serum w/rfx and Urine	B702
K630-4 - Testosterone, Total/Free (LC/MS).....	B662
K726-0 - Childhood Allergy Profile	B177
K835-9 - BV Panel by RT-PCR	B102
K853-2 - Vulvovaginal Candidiasis Panel by PCR	B688
K908-4 - Region 11 Allergy Profile (AZ, ID, NM, WY, CO, UT).....	B588
K909-2 - Culture, Tracheal Airway.....	B205
K924-1 - OnkoSight Lung Comprehensive.....	B494
K935-7 - COA/BMP	B145
K943-1 - HCV Viral Load reflex to NS3/NS5 (Non-NY)	B322
K987-8 - Anal GC/CT ThinPrep (Non-NY).....	B31
L008-2 - HSV 1+ 2/ VZV Assay	B350
L009-0 - HSV 1+2 Reflex to VZV	B350
L010-8 - HSV 1+2 (NON NY)	B353
L012-4 - ROMA.....	B582
L047-0 - Aptima Swab High Risk STI CT/GC/Trich	B631
L048-8 - Aptima Swab High Risk STI CT/GC/Trich/M.Gen.	B631
L049-6 - Aptima Swab Cervicitis (NON-NY).....	B632
L050-4 - Vaginitis/Vaginosis by RT-PCR, Aptima Tube.....	B70
L062-9 - Aptima Swab High Risk STI CT/GC	B631
L063-7 - Serum Drug Screen.....	B620
L068-6 - Vaginitis/Vaginosis by PCR, Aptima Tube	B685
L079-3 - StormPath PAP, liquid based + HPV DNA Genotyping 16/18	B628

L113-0 - OnkoSight Lung Panel, if EGFR- neg. rfx to (J015) ALK by FISH, if neg. rfx to ROS1 by FISH	B494
L202-1 - PANEL L202	B502
L204-7 - Drug Confirmation, Clonazepam, Urine (LC/MS).....	B188
L205-4 - H. Pylori by PCR. If positive, reflex to H. Pylori Clarithromycin Resistance Detection (Non-NY)	B319
L218-7 - DLBCL FISH PANEL: MYC BA, BCL2, BCL6	B215
L282-3 - H. Pylori by IHC. If+ rfx to H. pylori PCR with rfx to H. pylori Clarithromycin resistance detecti	B318
L325-0 - Kidney Profile	B412
L326-8 - Pap (Reflex to HPV DNA Genotyping 16,18 when ASC-US or UNSAT)	B548
L327-6 - PAP/CT/GC (Reflex HPV PLUS when ASC-US or UNSAT)	B506
L344-1 - Chlamydia/N. Gonorrhea CT/GC PCR Urine.....	B160
L393-8 - PDL1 (22C3 Keytruda) IHC + EGFR NGS + ALK FISH + ROS1 FISH.....	B516
L399-5 - Parvovirus B19 Ab (IgG/IgM).....	B554
L416-7 - Candida Species by M. PCR - Swab	B170
L570-1 - BV If Negative Reflex to Aerobic Vaginitis (Non NY).....	B103
L571-9 - Bacterial Vaginosis and Aerobic Vaginitis (Non NY)	B102
L583-4 - GC/CT SWAB BY PCR	B286
L592-5 - URINE FREE KAPPA+LAMBDA.....	B672
L626-1 - Rheumatoid Factor IgG, IgA, IgM	B593
L740-0 - Comprehensive Respiratory Panel	B196
L767-3 - AV Panel w/o Lacto Reuteri and Rhamnosis (Non NY)	B46
M062-8 - Comprehensive Respiratory Panel with Rfx to COVID-19.....	B197
M063-6 - Lipid Screen W/Reflex to Direct LDL	B431
M064-4 - Iron Reflex to TIBC	B399
M065-1 - Peanut w/Reflex to Component Panel	B558
M066-9 - Egg White w/Reflex to Component Panel	B243
M067-7 - PSA Reflex to Free PSA.....	B541
M123-8 - COVID-19, FLU A and FLU B	B154
M160-0 - COVID-19 Ab. Qual/Quant.....	B152
M162-6 - COVID-19 Ab. Qual/Quant w/ Reflex to TH99.....	B152
M175-8 - Region 8 ImmunoCap Respiratory Allergy Profile.....	B590
M176-6 - Region 7 ImmunoCap Respiratory Allergy Profile.....	B590
P006-0 - High Risk STI CT/GC/Trich/M.Gen.....	B161
P010-2 - Chlamydia + Gonorrhea ,Oral, Swab, Aptima.....	B161
P011-0 - Chlamydia + Gonorrhoeae, Anal, Swab, Aptima	B160

P105-0 - H.Pylori Urea W/Drug Admin	B668
P114-2 - Urogenital Mycoplasmas	B672
P150-6 - Expanded CF, Fragile X, SMA.....	B240
P210-8 - Bone/Tissue Culture	B95
P216-5 - STI Serology	B613
P223-1 - Ashkenazi Jewish DNA (NY patients only)	B42
P244-7 - Menopause/Perimenopause Risk Management Profile	B437
P258-7 - Polycyst.Ovary Synd. Conf.Panel	B526
P259-5 - Polycyst.Ovary Synd. Treat. Panel	B526
P260-3 - ALL Prognosis Panel by FISH.....	B22
P261-1 - AML Diagnostic Panel by FISH	B28
P264-5 - MSI by PCR if MSI-H Reflex to MLH1	B464
P267-8 - Allergy Outdoor Panel.....	B24
P268-6 - Indoor Allergy Panel	B384
P310-6 - Male STI Urine Profile (GP)	B435
P372-6 - PAP + HPV Plus + CT + GC.....	B505
P374-2 - PAP+CT+GC(RFX HPV PLUS)	B505
P383-3 - PAP+CT+GC(RF HPV+ LO ASC OR >)	B504
P576-2 - Vaginitis/Vaginosis by DNA probe, Thin Prep	B78
P658-8 - Ashkenazi Jewish 11	B41
P659-6 - Ashkenazi Jewish 18	B41
P699-2 - PAP/HPVHI/GC RFX>GENCERV-P+HPV	B507
P701-6 - PAP/HPV+/GC RFX>GENCERV-PAP+HP (NON-NY).....	B507
P734-7 - Pap + Pap Dependent HPV + CT/GC.....	B548
P764-4 - HSV/LGV Lesion Profile (NON-NY)	B353
P782-6 - GTT,GEST.,2HR.(ADA) PANEL.....	B299
P791-7 - Fractional Excretion Of Sodium	B268
P863-4 - Female STI Urine Profile	B273
P960-8 - MDS FISH Panel- TC Only	B471
P961-6 - Multiple Myeloma FISH Panel - TC Only	B434
P962-4 - CLL FISH Panel - TC Only.....	B142
Q032-5 - Bean Profile	B79
Q069-7 - Protein Electrophoresis, 24Hr Urine	B669
Q161-2 - Ashkenazi Jewish 25.....	B42
Q187-7 - HSV Lesion Panel, SDA	B351
Q265-1 - Cervicitis W/O PAP W/O HPV PLUS	B135
Q301-4 - STI Lesion (NON-NY)	B613

Q472-3 - Heart Health Monitoring..... B323

Q605-8 - G.T.T. 2 hr (includ. 30 min)..... B282

Q723-9 - Stormpath PAP + HPV HR W/Rfx to HPV 16 and 18/45..... B614

Q724-7 - Stormpath PAP+CT/GC+HPV HR w/RFX to HPV 16 and 18/45..... B614

R732-9 - Aerobic Vaginitis Profile (Non NY) B56

R733-7 - POST TREATMENT SYPHILIS (RPR)..... B583

R734-5 - Lymphoproliferative Disorders Analysis (TC Only) and StormPath BMM
ReportTemplate B182

R735-2 - Acute Leukemia + Myeloid Disorders Analysis (Technical Only) and StormPath BMM
Report Template B49

R736-0 - Plasma Cell Analysis by Flow Cytometry (Tech Only) and StormPath BMM Report
Template B523

T007-4 - Rubeola/Measles IgG W/Reflex..... B459

T008-2 - Varicella Zoster Ab IgG W/Reflex B686

T009-0 - Mumps Virus Ab IgG W/Reflex B469

T385-4 - Rubella Ab IgG W/Reflex B595

T386-2 - IDUA Gene Sequencing and Del/Dup..... B373

T395-3 - Autism/ID B74

T397-9 - Reverse Triiodothyronine Serum/Plasma (rT3) B709

T399-5 - Hereditary Sensory and Autonomic Neuropathy Panel..... B363

T400-1 - Hemiplegic Migraine Panel..... B357

T401-9 - Parkinson Panel B552

T402-7 - Dytonia and Parkinsonism Panel..... B224

T403-5 - Dystonia Panel B224

T404-3 - Amyotrophic Lateral Sclerosis / Frontotemporal Lobar Degeneration Panel..... B64

T406-8 - Spinal Muscular Atrophy and Related Disorders Panel B625

T407-6 - Chlamydia (CT) PCR Urine..... B158

T408-4 - N. Gonorrhea/NG (GC) PCR Urine B475

T409-2 - Special Stain, Halls Bile - TC..... B110

T411-8 - ERG by IHC (EP111)..... B237

T412-6 - ERG by IHC (EP111) - Tech Only B238

T413-4 - PD-L1 (SP142) , TECENTRIQ. B510

T420-9 - LabFinder Report B427

T421-7 - B-CrossLaps/Serum B192

T447-2 - Ostase - Alkaline Phosphatase Bone Specific B116

T449-8 - Candida krusei B124

T536-2 - Candida parapsilosis B124

T781-4 - PDGFRB by FISH (Global)- Non NY	B515
T782-2 - PDGFRB by FISH (Tech Only) Non NY	B515
T783-0 - Candida glabrata by PCR	B123
T786-3 - Candida dubliniensis by PCR.....	B123
T789-7 - Dosage Analysis of SMN1 and SMN2	B222
T790-5 - Parvovirus B19 Ab, IgG.....	B553
T791-3 - Parvovirus B19 Ab, IgM	B553
T794-7 - Storage Sample Clinical Trials	B100
T795-4 - Storage Sample Clinical Trials	B100
T814-3 - QFT - TB GOLD PLUS (QUANTIFERON).....	B377
T815-0 - Juvenile Amyotrophic Lateral Sclerosis Panel	B403
T824-2 - Pregnancy, Serum (Qualitative)	B575
T828-3 - Hyperparathyroidism/Endocrine Tumor Panel	B372
T829-1 - CFTR Sequencing and Deletion/Duplication Analysis	B137
T830-9 - Hereditary MDS/Leukemia Panel	B361
T831-7 - Brain Tumor Panel.....	B116
T832-5 - Chlamydia Swab by PCR	B302
T833-3 - Gonorrhea Swab by PCR.....	B303
T835-8 - Intrinsic Factor AB.....	B398
T841-6 - Histone Ab, IgG.....	B368
T844-0 - Dementia Panel.....	B210
T850-7 - Storage Sample Clinical Trials	B616
T851-5 - Cerebral Palsy Xpanded Panel	B336
T969-5 - Procalcitonin.....	B510
T974-5 - Anti-Jo-1, IgG.....	B67
T979-4 - OnkoSight BRAF Sequencing - BM/PB.....	B97
T980-2 - OnkoSight NGS TP53 Sequencing for Solid Tumors	B647
T982-8 - Rule Out Mosaicism Chromosome Analysis, Blood	B446
T983-6 - Feulgen Stain - Tech Only	B274
T988-5 - PD-L1 IHC, Keytruda for Cervical Cancer W/INTERP.	B511
T989-3 - Chronic Granulomatous Disease Panel.....	B183
T990-1 - Autoimmune Lymphoproliferative Syndrome Panel.....	B74
T991-9 - Neonatal 46,XY Disorders of Sex Development Panel	B482
T992-7 - Autosomal Dominant Osteogenesis Imperfecta Panel	B74
T993-5 - Coffin-Siris Syndrome.....	B192
T994-3 - Hypophosphatemic Rickets Panel	B373
T995-0 - Hyper-IgM Panel.....	B372

TA06-4 - Noonan and Comprehensive RASopathies Panel	B484
TA08-0 - Rheumatoid Factor IgA	B580
TA09-8 - Rheumatoid Factor IgM	B580
TA17-1 - Breast Basal Layer Triple Stain by IHC Tech Only	B120
TA18-9 - Breast Basal Layer Triple Stain by IHC Global	B117
TA31-2 - PD-L1 IHC , Keytruda for Urothelial Carcinoma W/INTERP.....	B514
TA34-6 - Chromogranin A	B180
TB33-6 - StormPath PAP(RFLX to HPV mRNA GENOTYPING 16,18/45 w/ASC-US)	B628
TB34-4 - BRAF/EGFR NGS if EGFR neg rfx to ALK FISH if neg rfx ROS1	B97
TB35-1 - PD-L1 (Clone E1L3N) IHC Tech Only.....	B513
TB50-0 - Hereditary Retinoblastoma (RB1 Seq & Del/Dup).....	B362
TB54-2 - Hereditary Cancer Mosaic Variant Test.....	B446
TB61-7 - IGH/MAFB T(14;20) - TC ONLY.....	B376
TF33-8 - Prenatal Dosage Analysis of SMN1 and SMN2	B569
TF69-2 - Storage Sample Clinical Trials	B100
TF79-1 - Inhibin-A	B396
TF85-8 - Varicella Zoster Virus by IHC	B684
TF87-4 - Human Telomerase Reverse Transcriptase - Tech Only	B708
TF88-2 - Varicella Zoster Virus by IHC Tech Only	B685
TF92-4 - MUC4 by IHC Tech Only	B449
TF93-2 - MUC4 by IHC.....	B449
TG28-6 - Urine Cytology, if Atypical, reflex to hTert	B675
TG35-1 - Peanut Component Ara (h6), IgE.....	B557
TG39-3 - Medical Implants/Devices Culture	B204
TG46-8 - FGFR1 by FISH (Tech Only)	B261
TG49-2 - Stargardt Panel.....	B627
TG50-0 - FGFR-Related Disorders Panel.....	B261
TG70-8 - Slice - Single Gene (1 gene)	B335
TH18-5 - ClariTest™Core Non-Invasive Prenatal Screen (NON-NY)	B187
TH19-3 - ClariTest Core Non-Invasive Prenatal Screen with 22q11.2 Microdeletion (NON-NY)	B187
TH31-8 - Scarlet Eligible Order	B618
TH39-1 - NGS MPN Cascade Sequencing Report.....	B476
TH46-6 - Heparin Level (ANTI-XA) -UFH.....	B358
TH48-2 - OnkoSight Advanced Prostate NGS Panel.....	B56
TH49-0 - OnkoSight Advanced Lung Cancer NGS Panel.....	B55
TH50-8 - OnkoSight Advanced Colorectal Cancer NGS Panel.....	B154

TH55-7 - OnkoSight Advanced Chronic Lymphoid Neoplasm NGS Panel.....	B142
TH57-3 - OnkoSight Advanced CNS NGS Panel.....	B54
TH58-1 - OnkoSight Advanced Gastrointestinal Stromal Tumor NGS Panel	B55
TH59-9 - OnkoSight Advanced Melanoma NGS Panel	B56
TH61-5 - Acute 10 Color Flow Cytometry Leukemia/Lymphoma Panel (Global).....	B49
TH62-3 - Keytruda PD-L1 Esophageal Squamous Cell Carcinoma by IHC.....	B515
TH63-1 - Keytruda PD-L1 Head & Neck Squamous Carcinoma (HNSCC).....	B512
TH64-9 - Acute 10 Color Flow Cytometry Leukemia/Lymphoma Panel (TC Only)	B49
TH65-6 - Chronic 10 Color Flow Cytometry Lymphoproliferative Panel (Tech Only).....	B182
TH66-4 - Chronic 10 Color Flow Cytometry Lymphoproliferative Panel (Global).....	B182
TH67-2 - RCCA TACROLIMUS	B637
TH68-0 - Novel Coronavirus COVID-19 Nasal/Nasopharynx.....	B153
TH69-8 - Novel Coronavirus COVID-19 Oropharynx	B153
TH71-4 - Novel Coronavirus COVID-19 Pooled N/NP/OP	B153
TH76-3 - Urine Culture, Prenatal, W/GBS	B675
TH83-9 - Spinocerebellar Ataxia Repeat Expansion Analysis.....	B625
TH84-7 - Spinocerebellar Ataxia Type 1 Repeat Analysis	B45
TH85-4 - Spinocerebellar Ataxia Type 2 Repeat Analysis	B45
TH86-2 - Spinocerebellar Ataxia Type 3 Repeat Analysis	B45
TH87-0 - Spinocerebellar Ataxia Type 6 Repeat Analysis	B128
TH88-8 - Spinocerebellar Ataxia Type 7 Repeat Analysis	B46
TH89-6 - Spinocerebellar Ataxia Type 8 Repeat Analysis	B46
TH94-6 - Friedreich Ataxia Sequencing and Del/Dup.....	B269
TH95-3 - Friedreich Ataxia Repeat Analysis.....	B270
TH97-9 - Dentatorubral-Pallidoluysian Atrophy Repeat Analysis.....	B45
TJ06-6 - Throat Culture, R/O Group A Strep. ONLY	B656
TJ12-4 - CD71 IHC	B132
TJ13-2 - CD71 IHC- TC.....	B132
TJ16-5 - OnkoSight Advanced Solid Tumor NGS Panel	B56
TJ45-4 - OnkoSight NGS JAK2 V617F Reflex to MPL & CALR Sequencing.....	B475
TJ91-8 - ONKOSIGHT NGS MPN CASCADE SEQUENCING REPORT	B475
TJ93-4 - OnkoSight Advanced Chronic Lymphoid NGS Panel	B183
TK69-1 - 10-Color Screening Flow Cytometry (Short) Panel (Global)	B618
TK78-2 - OnkoSight Advanced Comprehensive Lung	B54
TK81-6 - 10-Color Screening (Short) Flow Cytometry Panel (Tech Only)	B4
TK84-0 - OnkoSight Advanced Pancreatic and Biliary Tract Tumor Panel	B547
TK85-7 - PD-L1 22C3 for Keytruda Other Tumor Types.....	B513

TK89b-0 - XomeDxFetal- Proband	B335
TK89e-4 - XomeDxFetal- Duo.....	B335
TK96-4 - Plasma 10-Color Flow Cytometry Myeloma/Monoclonal Gammopathy Panel (Tech Only).....	B565
TK97-2 - Plasma 10-Color Flow Cytometry Myeloma/Monoclonal Gammopathy Panel (Global)	B565
TL02-0 - PD-L1 22C3 for Keytruda (Triple-Neg Breast Cancer)	B511
TL12-9 - Spinocerebellar Ataxia and Related Disorders Panel	B626
TL40-0 - Novel Coronavirus COVID-19 for International Travel.....	B152
TL42-6 - ClariTest™Core Non-Invasive Prenatal Screen (NY)	B187
TL43-4 - ClariTest Core Non-Invasive Prenatal Screen with 22q11.2 Microdeletion (NY).....	B188
TL45-9 - Epidermolysis Bullosa Panel Sponsored by Krystal Biotech.....	B246
TL62-4 - Urine Culture, Special.....	B205
TL67-3 - OnkoSight Advanced Plasma Cell Myeloma NGS Panel	B444
TL68-1 - OnkoSight Advanced NGS Multiple Myeloma Panel	B444
TL69-9 - SOX-11, Stain Only	B608
TL70-7 - SOX-11, IHC, Global.....	B608



481 EDWARD H. ROSS DRIVE
ELMWOOD PARK, NEW JERSEY 07407
(800) 229-5227 | FAX (201)-345-7048
www.bioreference.com