

Client Update

September 2022

Page 1 of 3

Test Name	Test Code	Effective Date
Glucose-6-Phosphate Dehydrogenase	1135	Immediately

Due to changes made at the reference laboratory, test information has been updated. Please see below for details.

	Previous Test Information	New Test Information
Primary Container	LAVENDER Top -EDTA	LAVENDER or YELLOW or GREEN or PINK Top
Minimum Volume	0.5 mL	1.5 mL
Turn Around Time*	7 Days	5 Days
Methodology	Kinetic	Enzymatic
Reference Range	7.0-20.5 U/g Hgb	9.9-16.6 U/g Hb

Test Name	Test Code	Effective Date
Hepatitis B-Surface Antibody, Quant.	1606	Immediately

MELBOURNE, FL LABORATORY ONLY: Due to new instrumentation in the Melbourne, FL location, Reference Range information has been updated. See below for details.

	Previous Test Information	Updated Test Information
Reference Range	Immune = >9.9 mIU/mL	Immune = >11.4 mIU/mL

Client Update

September 2022

Page 2 of 3

Test Name	Test Code	Effective Date
Molecular Testing Platform Update		10/10/2022

Effective October 10, 2022, the profiles listed below and their test components will now be performed on the FDA approved Hologic platform. There will be no change to the profile code, collection device, or to the CPT codes. These components will be automatically updated for clients who order manually with requisitions, electronically using InsightDX, and for the majority of clients who order electronically via EMR. Clients using Cerner, Epic, Orchard, or Soft Computer EMRs may be required to manually update the components for the test codes.

See below for additional test information.

Profile Code	Profile Name	Current Profile Components	New Profile Components
L062	High Risk STI- CT/GC- Aptima Swab	J835 Chlamydia PCR Swab	3852 Chlamydia NAAT
		J834 Gonorrhea PCR Swab	3853 Gonorrhea NAAT
L048	High Risk STI- CT/GC/Trich/M. gen- Aptima Swab	J835 Chlamydia PCR Swab	3852 Chlamydia NAAT
		J834 Gonorrhea PCR Swab	3853 Gonorrhea NAAT
		J836 Trichomonas PCR Swab	TL76 Trichomonas NAAT
		J837 Mycoplasma genitalium PCR Swab	TL75 Mycoplasma genitalium NAAT
L047	High Risk STI- CT/GC/Trich- Aptima Swab	J835 Chlamydia PCR Swab	3852 Chlamydia NAAT
		J834 Gonorrhea PCR Swab	3853 Gonorrhea NAAT
		J836 Trichomonas PCR Swab	TL76 Trichomonas NAAT
6116	High Risk- STI CT/GC/Trich- TP/SP	6337 Chlamydia PCR Swab	3852 Chlamydia NAAT
		6338 Gonorrhea PCR Swab	3853 Gonorrhea NAAT
		6342 Trichomonas PCR Swab	TL76 Trichomonas NAAT

Additionally, effective October 10, in an effort to eliminate duplicate test codes, **L049-Aptima Swab Cervicitis** will be retired. **Q265- Cervicitis Panel** remains available for non-NY clients to order using ThinPrep, SurePath, or an Aptima Tube.

Clients in New York or clients who would prefer to order Cervicitis using our Hologic platform may do so by ordering **L048- High Risk STI- CT/GC/Trich/M.gen** and **M255- HSV 1 and HSV 2**. Two Aptima tubes are required for these tests. Please clearly label the tube for HSV-1 and HSV-2 M255 with "HSV".

	Previous Test Information	Alternate Test Information
Test Code	L049	Q265
Primary Collection Device	Aptima Tube	ThinPrep, SurePath, Aptima Tube
Minimum Volume		
Turn Around Time*	5-7 days	5-7 days
Transportation Temp		
Stability		
Methodology		
Reference Range		
Collection Instructions		
Profile Components	Chlamydia, Gonorrhea, Trichomonas, M. genitalium, HSV 1 and HSV 2	Chlamydia, Gonorrhea, Trichomonas, M. genitalium, HSV 1 and HSV 2
CPT Code(s)**	87661 (1), 87491 (1), 87591 (1), 87529 (2), 87798 (1)	87661 (1), 87491 (1), 87591 (1), 87529 (2)
List Price	\$900	\$900
Clinical Utility (If applicable)		

Client Update

September 2022

Page 3 of 3

Test Name	Test Code	Effective Date
Customer Technical Support		
<p>Effective 8/21/2022, Customer Technical Support for InsightDx electronic ordering and EMR connectivity issues will be available during the hours posted below: 800-229-5227 Ext 8462</p> <p style="text-align: center;">Monday-Friday 6:00am-9:00pm Saturday 8:00am-6:00pm Sunday 8:00am-12:00 pm (on call after 12:00)</p> <p>Technical Support is always available via email at techsupport@bioreference.com</p>		

* TAT is based upon receipt of the specimen at the laboratory.

**CPT codes provided are based on AMA guidelines and are for informational purposes only. CPT coding is the sole responsibility of the billing party.

Please direct any questions regarding coding to the payer being billed.